


Belgian Arachnological Society ARABEL



A catalogue of the spiders of Greece

A critical review of all spider species cited from Greece with their localities

by Robert BOSMANS and Maria CHATZAKI



Arachnological Contributions

Newsletter Belg. Arachn. Soc., volume 20 (2, suppl.). 2005.

ISSN 0774-7225

A catalogue of the spiders of Greece. A critical review of all spider species cited from Greece with their localities.

by Robert Bosmans^(*) and Maria Chatzaki^()**

^(*)Terrestrial Ecology Unit, Ledeganckstraat 35, B-9000 Gent, Belgium.

^(**) Department of Biology, University of Crete, 71100, Irakleio, Crete, Greece

Arachnological Contributions. Newsletter of the Belgian Arachnological Society 20 (2, suppl.). 2005

ARABEL v.z.w. / a.s.b.l. Bestuur/Bureau

VOORZITTER/PRÉSIDENT:

Natuurwetenschappen

Léon Baert
Koninklijk Belgisch Instituut voor

Vautierstraat 29 1000 Brussel

ONDERVOORZITTER/VICE-PRÉSIDENT:

Mark Alderweireldt
Begoniastraat 5
9090 Melle

SECRETARIS/SÉCRÉTAIRE:

Koen Van Keer
Oude Beurs 60
2000 Antwerpen

PENNINGMEESTER/TRÉSORIER:

Lynda Beladjal
Universiteit Gent, TEREC
K. L. Ledeganckstraat 35
9000 Gent

BIBLIOTHECARIS/BIBLIOTHÉCAIRE:

Domir De Bakker
Koninklijk Museum voor Midden Afrika
Leuvensteenweg 13
3080 Tervuren

OVERIGE BESTUURSLEDEN:

Dries Bonte (redactie)
Frederik Hendrickx (coördinatie databank)
Universiteit Gent, TEREC
K.L. Ledeganckstraat 35
9000 Gent

LIDGELD/CÔTITION:

15 Euro

REKENING/COMPTE:

001-1662395-85 "Lidgeld/côtisation ARABEL"

Table of Contents

I. Introduction.....	5
II. History of research on Greek spiders.....	5
III. Method	6
IV. Number of species.....	8
V. Endemic species	9
VI. Deleted species.....	15
VII. Doubtful species.....	16
VIII. List of species of Greece.....	19
2. FAMILY ATYPIDAE.....	19
5. FAMILY HEXATHELIDAE.....	19
7. FAMILY CYRTAUCHENIIDAE.....	19
8. FAMILY CTENIZIDAE.....	19
12. FAMILY NEMESIIDAE	20
20. FAMILY FILISTATIDAE.....	20
21. FAMILY SICARIIDAE	21
22. FAMILY SCYTODIDAE.....	21
25. FAMILY LEPTONETIDAE	22
28. FAMILY PHOLCIDAE	22
33. FAMILY SEGESTRIIDAE.....	24
34. FAMILY DYSDERIDAE.....	25
35. FAMILY OONOPIDAE	31
44. FAMILY PALPIMANIDAE	31
46. FAMILY MIMETIDAE	32
47. FAMILY ERESIDAE.....	32
48. FAMILY OECOBIIDAE	33
51. FAMILY ULOBORIDAE	34
54. FAMILY NESTICIDAE	35
55. FAMILY THERIDIIDAE.....	35
56. FAMILY THERIDIOSOMATIDAE	43
58. FAMILY ANAPIDAE.....	43
62. FAMILY LINYPHIIDAE.....	43
63. FAMILY TETRAGNATHIDAE	48
64. FAMILY ARANEIDAE	50
65. FAMILY LYCOSIDAE	55
67. FAMILY PISAURIDAE	63
68. FAMILY OXYOPIDAE	63
74. FAMILY ZOROPSIDAE	64
75. FAMILY ZORIDAE	64
77. FAMILY AGELENIDAE	65
78. FAMILY CYBAEIDAE	69
83. FAMILY HAHNIIDAE	69
84. FAMILY DICTYNIDAE	69
85. FAMILY AMAUROBIIDAE	70
87. FAMILY TITANOECIDAE.....	73
90. FAMILY MITURGIDAE	73
91. FAMILY ANYPHAENIDAE	74
92. FAMILY LIOCRANIDAE	74
93. FAMILY CLUBIONIDAE	75
94. FAMILY CORINNIDAE	75
95. FAMILY ZODARIIDAE	76
104. FAMILY PRODIDOMIDAE	77
105. FAMILY GNAPHOSIDAE	78
106. FAMILY SELENOPIDAE	91
107. FAMILY SPARASSIDAE	92
108. FAMILY PHILODROMIDAE	92
109. FAMILY THOMISIDAE	95
110. FAMILY SALTICIDAE	100
IX. Literature referring to the spiders of Greece.....	119

SUMMARY

The authors present a catalogue of the spider species of Greece. The known Greek arachnofauna now comprises 856 species. For each species, a detailed list of all localities cited in the literature is given, with their complete references. All data are critically examined and classified in geographical order. Of the 856 species not less than 213 are only known from Greece and have at the moment to be considered endemic. The Greek fauna is still poorly known: a list is given of 66 species which are still insufficiently described or for which the presence in Greece is in doubt. Thirty-seven have been deleted from the Greek list. The following new synonyms are proposed: *Haplodrassus grazianoi* Caporiacco, 1948 = *Berinda ensigera* (O. P.- Cambridge, 1874) N. Syn.; *Melanophora bimaculata* C. L. Koch, 1837 = *Aphantaulax trifasciata* (O. P.- Cambridge, 1872) N. Syn. The following new combination is proposed: *Drassodes acrotirius* Roewer, 1928 = *Haplodrassus acrotirius* (Roewer, 1928) N. Comb.

I. INTRODUCTION

Identifying the spiders of Greece is very difficult. Literature is scattered, there are no identification guides nor recent checklists and the arachnofauna is only partly known. The present catalogue tries to fill one of these existing gaps by gathering all known distribution data of Greek spiders. This will be a first step in facilitating future studies.

II. HISTORY OF RESEARCH ON GREEK SPIDERS

In the following survey, all important papers dealing with the fauna of Greece are listed. For completeness, papers treating only a few species are mentioned at the end.

The first contribution to the fauna of Greece was presented by Brullé (1832) as a part of a report of a scientific expedition to Greece. Spiders were only a minor part of the work and twenty-four species were mentioned. Twelve of them were described as new but only two have remained as valid species in the present catalogue. His records refer to "Moree", meaning Peloponnisos without further detail. C. L. Koch (1836-1847) received a collection mainly from the Peloponnisos (Peloponnesian) and described several new species and redescribed some later. The descriptions were accompanied by beautiful colour drawings but no drawings of palps and epigynes. The first contribution to the fauna of Kriti (Crete) was presented by Lucas (1853), mentioning 20 species. At that time Crete was governed by the Venetians.

Pavesi (1878) was the first to compile a complete catalogue of the arachnofauna of Greece. He summarised all records and added several new species collected during a cruise with the "Violante", a cruise ship that made several collecting trips in the Mediterranean. In total, he identified 141 species of spiders from Greece. This however did not include Lucas' (op. cit.) data from Crete, that was not then a part of Greece. Only a few years later, Simon received important material from Dr. Krüper, who was conservator of the Athens Museum. It originated mainly from Athens, Evvoia (Evia) and Mesologhi and was included in a new checklist of the Greek arachnofauna, including 203 species of spiders (Simon, 1884). None of the species was illustrated!

Only in the 20th century did contributions with the necessary drawings of palps and epigynes appear. The first was Kulczyn'ski (1903) who published on the fauna of Crete. His drawings are remarkable for that time, but unfortunately this example was not followed by many later authors. It was interesting to find that, during World War One, someone among the French forces stationed just south of the northern boundary of Greece, collected spiders which resulted in two papers (Simon, 1916; Fage, 1921), likewise a Bulgarian soldier was making collections at the other side of the front line, which resulted in contributions by Drensky on Macedonia and on European Turkey (1928), which at that time included the Greek province of Thraki. The Dodekanisa (Dodecanese) was for a long time governed by the Venetians. It is thus not surprising that the fauna of these islands was studied by Italians, resulting in papers by Caporiacco (1925, 1929, 1948).

The third checklist of Greek spiders was given by Bristowe (1935) when he published a detailed list of all the spiders recorded from Greece and the adjacent islands. He mentions 373 species, but Crete was still not included. During a trip to Greece he himself had collected 96 species of which 22 appeared to be new to Greece and seven new to science.

For completeness, we mention here a large number of small contributions published between 1860 and 1940 containing only short species lists or treating only a small part on the arachnofauna of Greece. They are, alphabetically: Ausserer (1871a-b), Cambridge (1872, 1873, 1874), Carlini (1901), Cecconi (1895), Dahl (1901), Dalmas (1920, 1921), Denis (1935, 1937), Doleschall (1852), Erber (1866, 1868), Fage (1945), Gerhardt (1927, 1928a-b), Giltay (1932, 1933: the same paper published twice in different journals), Hadjissarantos (1936), Heyden (1890), L. Koch (1864, 1866, 1867, 1868, 1872, 1874), Kratochvil (1937, 1938), Kratochvil & Miller (1940), Kulczyn'ski (1905, 1909), Lüdicke & Madel (1937), Olivier (1811), Pavesi (1877), Reimoser (1930), Roewer (1928), Saunders (1839), Simon (1868, 1871, 1873, 1878, 1880, 1885, 1932), Strand (1907, 1915, 1917), Walckenaer (1837), Werner (1934, 1935) and Wiehle (1929, 1934). Drensky's (1936) "Katalog der echten Spinnen der Balkaninsel" must be mentioned here. It included all the data on the spiders of the Balkans, including Greece, known at that time.

A most important contribution to the fauna of Greece is a paper by H. Hadjissarantos (1940) on the arachnofauna of the Greek province of Attiki, which includes Athens. He listed 316 species as occurring in Attiki, of which 159

were new to that region. The work also included the description of four new species and also description of unknown males or females of 10 more species.

Since then, no more large contributions to the knowledge of the arachnofauna of Greece have been published. All later works on Greek spiders treated only a limited number of families, genera or species, of varying importance. The work of Paolo Brignoli (1968, 1971a-b, 1972a-b, 1974a-c, 1976a-b, 1977, 1979, 1980, 1982 and 1984) must be given special mention. In these papers, several new species were described from all over Greece. Descriptions are accurate but many species were only described from one sex and still stand as such, showing the need of more taxonomic research in Greece.

This work was continued by two young arachnologists, Heiko Metzner and Maria Chatzaki, who each revised a large and abundant family of Mediterranean spiders, respectively the Salticidae and the Gnaphosidae.

Metzner's (1999) contribution to the jumping spiders (Salticidae) of Greece, with drawings, keys and maps for all species occurring in Greece is a very important work for students of the Greek arachnofauna. The contributions by Chatzaki, Thaler and Mylonas (2002a-b, 2003) covering the Gnaphosidae of Crete, are also of importance. Many problems concerning this most important spider family were resolved, but it was also concluded that several problems remained open. However, the Gnaphosid fauna of the rest of Greece remains unstudied.

Other important workers on the Greek fauna are Konrad Thaler and Barbara Knoflach. Their work resulted in a series of papers of great use to the whole Mediterranean region: Knoflach (1996a-c, 1997, 1998, 2004), Knoflach & Thaler (2000), Thaler (1986, 1996, 1997), Thaler et al. (2000, 2004) and Thaler & Knoflach (2004).

An important source of information on the Greek fauna is given in general revisions of families or genera, occurring in the Mediterranean region. The following families or genera, dealing with at least part of the Greek fauna, are mentioned: the Agelenidae (De Blauwe, 1980a, b), *Alopecosa* (Lugetti & Tongiorgi, 1969), *Amaurobius* (Thaler & Knoflach, 1991, 1993, 1995, 1998b, 2002), *Argiope* (Bjørn, 1997), *Crustulina* (Knoflach, 1994), *Cyrtocarenum* (Decae, 1996), *Dysdera* (Deeleman-Reinhold, 1988), *Enoplognatha* (Hippa & Oksala 1982, 1983; Bosmans & Van Keer, 1999), *Heliophanus* (Wesołowska, 1988), *Heriaeus* (Loerbros, 1983), *Linyphia* (Helsdingen, 1969, 1970), *Micaria* (Bosmans & Blick, 2000), *Neottiura* (Knoflach, 1999), *Oecobius* (Kritscher, 1966), *Palpimanus* (Platnick, 1981), *Pardosa* (Tongiorgi, 1966a-b), *Setaphis* (Platnick & Murphy, 1996), *Stegodyphus* (Kraus & Kraus, 1990), *Trachyzelotes* (Platnick & Murphy, 1984), *Yllenus* (Logunov & Marusik, 2003) and *Zoropsis* (Thaler & Knoflach, 1998a). There are several papers dealing with a limited number of species of different families of variable importance. These are: Azarkina (2002), Bosmans & Abrous (1992), Bosmans (1997), Bosselaers (1998), Bosselaers & Henderickx (2002), Braun (1965), Cordes (1996), Decae (1996), Deeleman-Reinhold (1971, 1983, 1985, 1989, 1993), Deltshev (1979, 1985), Deltshev & Paraschi (1990), Dobroruka (2003), Dresco (1962), Dumitrescu & Georgescu (1981), Grasshoff (1983), Grimm (1985, 1986), Hansen (1985), Harm (1981), Helsdingen et al. (2001), Jocqué (1991), Kovblyuk (2002), Kratochvil (1970, 1978), Kronestedt (1997), Kronestedt & Logunov (2003), Levy (1999, 2004), Logunov (2001a-b), Logunov & Chatzaki (2003), Muster & Thaler (2004), Pesarini (2001), Platnick & Shadab (1983), Prószyński (1976, 1987), Reimoser (1958), Roewer (1959a-b, 1962), Senglet (1971, 2001), Snazell & Allison (1989), Töpfer-Hofman et al. (2000), Wesołowska (1988), Wesołowska & Szeremeta (2001), Wolf (2003), Wunderlich (1973a-b, 1977a-b, 1979, 1980a-b, 1984, 1994, 1995a-i) and Zyuzin & Logunov (2000).


In total we have found 213 papers dealing with at least part of the arachnofauna of Greece, and all the data in them are included in the following list. These publications are of variable importance and quality. In at least some of them, descriptions are insufficient, figures are absent or of poor quality or descriptions are based on juvenile specimens. In Caporiacco (1925, 1929, 1948) and Roewer (1928, 1959a-b, 1962), unfortunately most descriptions and drawings do not allow recognition of species. All the type material has to be re-examined or species have to be redescribed from topotypic material.

III. METHOD

Spider families are classified as in the latest World Spider Catalogue (Platnick, 2005). Within each family, genera and species are arranged alphabetically.

Each species is listed with its describer, the date of description and the known sex. Then follow all authors who cited the species from Greece, with their date and page of publication. In the next line all cited localities are listed alphabetically, generally per region and per prefecture ("Nomos"), as outlined below. Finally, we give the actual distribution of the species, with comments where possible on distribution and presence in Greece or on the validity of the species.

For convenience we have divided Greece into 13 geographical regions, as can be seen on the map below. For practical reasons, this is a mixture of geographical and administrative entities. There are 7 geographical regions on the mainland: Attiki, Ipeiros, Makedonia (Macedonia), Peloponnisos (Peloponnese), Sterea Elada (Central Greece), Thessalia (Thessaly) and Thraki (Thrace). The Ionian islands are situated off the western border of Greece in the Ionian sea. There are several island groups in the Aegean sea at the eastern side of the Greek continent and these can be grouped into Evvoia-Voroies Sporades (Evia and the Sporades), the Saronic Islands (grouped together with Attiki), the Kyklades (Cyklades), the Eastern Aegean Islands, the Dodekanisa islands (Dodecanese) and finally Kriti (Crete). These groups of islands do not coincide completely with prefectures but form logical unities. They are listed alphabetically below.



- ATTIKI-SARONIC ISLANDS: Attiki: Attiki and the islands Aigina, Poros, Salamina, Spetses, Ydra;
- DODEKANISA: Armathia, Kalimnos, Karpathos, Kasos, Kos, Leros, Megisti (= Castelorizo), Nisiros, Patmos, Rodos, Simi, Tilos;
- EASTERN AEGEAN ISLANDS: Chios, Icaria, Lesvos, Limnos, Psara, Samos, Samothraki, Thassos;
- EVVOIA-VOROIRES SPORADES: Alonissos, Evvoia, Gioura, Kyra Panagia, Skiathos, Skopelos, Skyros;
- IONIAN ISLANDS: Antikithira, Icaros, Ithaci, Kefalonia, Kerkyra, Kithyra (= Cerigo), Lefkada, Zakynthos, Vories Echinades;
- IPEIROS: Arta, Ioannina, Preveza, Thesprotia;
- KRITI: Chania, Irakleio, Lasithi, Rethymno;

- KYKLADES: Amorgos, Andros, Chalki, Dilos, Folegrandos, Ios, Kea, Kimolos, Kythnos, Milos, Mykonos, Naxos, Paros, Santorini (=Thira), Serifos, Sifnos, Syros, Tinos;
- MAKEDONIA: Drama, Florina, Grevena, Chalkidiki, Imathia, Kastoria, Kavala, Kilkis, Kozani, Pella, Serres, Thessaloniki;
- PELOPONNISOS: Achaia, Argolida, Arkadia, Ileia, Korinthia, Lakonia, Messinia;
- STEREALADA: Aitolo-Akarnania, Evrytania, Fokida, Fthiotida, Voiotia;
- THESSALIA: Karditsa, Larisa, Magnisia, Trikala;
- THRAKI: Evros, Rodopi, Xanthi.

Problems with spelling

The spelling of Greek names has caused many difficulties. In papers published in the past no rules were followed for transcription, and every author did as he thought best. All this can lead to a great deal of confusion. Transcription rules for the Greek alphabet have now generally been accepted and we have tried to write all the localities according to these rules, when they were spelled differently in earlier papers. Transcription rules have been applied to all localities which we could trace on the map but some could not be found, for instance local names for caves, and the correct spelling of these cannot be guaranteed. The words Potamos (=river), Oros (=mountain), Sileo or Spilia (=cave) are often part of a citation and give further hint to its location.

Problems with localities

In the 19th century, Greece did not have the same borders as today and some areas or towns had different names. If this is the case in citations, we mention the modern Greek name and the ancient name in brackets after it. Some of the cited localities in certain publications may be in Greece or in other countries. Fage (1921) for instance published a paper on the spiders of Macedonia. Most of the localities cited are in the Greek province Macedonia, but some of them in the Macedonian republic of Skopye (Guevgueli, Holevenn...) (former Yugoslavia). At least one species (*Urozelotes rusticus*) cited in Fage (1921) is only present in the latter and thus cannot be listed as occurring in Greece. Drensky (1915, 1928) published two papers on the spiders of Thraki. The paper of 1915 on the spiders of "Thrace du sud-est" only contains localities actually situated in Turkey. In the paper of 1928 on the other hand, most of the localities are situated in the Greek province Thraki, only some, for instance Odrin (now Edirne), are in Turkey.

IV. NUMBER OF SPECIES

The number of species known to occur in Greece has increased gradually. Pavesi (1878) listed 141 species, Simon (1884) 237 species, Bristowe (1935) 417 and finally Hadjissarantos (1940) 516. In the present paper, 856 species are listed, belonging to 49 families (table 1). This is less than the number of species occurring in the neighbouring country of Bulgaria (985 species; Blagoev & al., 2004) and much smaller than the 1406 species occurring in Italy (Pesarini, 1994). Without doubt, only a part of the arachnofauna of Greece is known.

Table 1. Number of species per family known from Greece according to the papers of Simon, 1884, Bristowe, 1935, Hadjissarantos, 1940, this paper; number of known and endemic species; in (): number of deleted species.

	Simon, 1884	Bristowe, 1935	Hadjissarantos, 1940	This paper	Endemic
Atypidae	1	1	1	1	0
Hexathelidae	0	1	1	1	1
Cyrttaucheniiidae	0	0	0	(1)	0
Ctenizidae	2	2	2	2	1
Nemesiidae	2	3	4	4 (2)	2
Filistatidae	1	1	2	2	0
Sicariidae	1	1	1	1	0
Scytodidae	1	2	3	3	0
Leptonetidae	0	0	0	8	8

	Simon, 1884	Bristowe, 1935	Hadjissaran-tos, 1940	This paper	Endemic
Pholcidae	2	5	6	12	7
Segestriidae	2	3	4	5	1
Dysderidae	4	7	8	64 (3)	46
Oonopidae	1	1	2	6	3
Palpimanidae	1	1	1	3	0
Mimetidae	1	2	2	6	0
Eresidae	3	4	5	6	0
Oecobiidae	2	3	3	5	1
Uloboridae	1	2	4	6	0
Nesticidae	0	1	1	4	2
Theridiidae	13	33	44	69 (5)	6
Theridiosomatidae	1	1	1	1	0
Anapidae	0	0	0	1	0
Linyphiidae	7	15	32	62 (6)	27
Tetragnathidae	3	8	11	12	0
Araneidae	20	35	36	41	0
Lycosidae	15	29	44	65 (2)	6
Pisauridae	2	2	3	3	0
Oxyopidae	3	4	6	6	0
Zoropsidae	2	2	2	2 (1)	0
Zoridae	1	1	1	1	0
Agelenidae	8	13	14	33 (3)	16
Cybaeidae	0	0	0	1	0
Hahniidae	0	0	0	6	2
Dictynidae	4	7	12	15	1
Amaurobiidae	2	4	5	17 (4)	11
Titanocidae	2	2	5	6	0
Miturgidae	2	5	7	7 (1)	1
Anyphaenidae	0	1	2	2	0
Liocranidae	3	5	7	7	3
Clubionidae	1	6	8	9	2
Corinnidae	1	1	1	3	0
Zodariidae	2	6	11	19 (3)	10
Prodidomidae	0	0	2	4	1
Gnaphosidae	24	61	72	114 (5)	26
Selenopidae	1	1	1	1	0
Sparassidae	4	6	7	5 (1)	0
Philodromidae	9	21	21	27	3
Thomisidae	23	33	35	42	2
Salticidae	60	77	80	139 (1)	24
Total	237	417	516	856	213

V. ENDEMIC SPECIES

Of the 856 species, no less than 213 are only known from Greece, reflecting the large number of endemics. Of these, 91 species occur in Continental Greece and Evvoia, 35 on the Ionian islands, 53 on the Eastern Aegean Islands, the Kyklades, Dodekanisa and the Sporades and finally 80 on Crete (table 2).

Table 2. List of endemic Greek species in four zoogeographical regions.

Fam. Nr	Species	Continental Greece, Evvoia	Ionian Islands	Aegean Isl., Dodekanisa, Kyklades, Sporades	Kriti, Gavdos
5	<i>Macrothele cretica</i> Kulczyn'ski, 1903				X
8	<i>Cyrtocarenum grajum</i> (C. L. Koch, 1836)	X	X	X	X
12	<i>Nemesia caranhaci</i> Decae, 1995				X
12	<i>Nemesia daedali</i> Decae, 1995				X
25	<i>Barusia laconica</i> (Brignoli, 1974)	X	X		
25	<i>Cataleptoneta sengleti</i> (Brignoli, 1974)				X
25	<i>Leptonetela andreevi</i> Deltshev, 1985			X	
25	<i>Leptonetela kanellisi</i> (Deeleman-Reinhold, 1971)	X			
25	<i>Leptonetela strinatii</i> (Brignoli, 1976)	X			
25	<i>Sulcia cretica cretica</i> Fage, 1945				X
25	<i>Sulcia cretica lindbergi</i> Dresco, 1962	X			
25	<i>Sulcia cretica violacea</i> Brignoli, 1974	X	X		
28	<i>Hoploholcus figulus</i> Brignoli, 1971			X	
28	<i>Hoploholcus labyrinthi</i> (Kulczyn'ski, 1903)				X
28	<i>Hoploholcus minotaurinus</i> Senglet, 1971				X
28	<i>Hoploholcus minous</i> Senglet, 1971			X	X
28	<i>Pholcus creticus</i> Senglet, 1971				X
28	<i>Pholcus spiliensis</i> Wunderlich, 1995				X
28	<i>Stygopholcus photophilus</i> Senglet, 1971	X	X		X
33	<i>Segestria sbordonii</i> Brignoli, 1984				X
34	<i>Dasumia cephaleniae</i> Brignoli, 1976			X	
34	<i>Dasumia navitatis</i> Brignoli, 1974	X	X		
34	<i>Dysdera beieri</i> Deeleman-Reinhold, 1988	X			
34	<i>Dysdera cephalonica</i> Deeleman-Reinhold, 1988			X	
34	<i>Dysdera circularis</i> Deeleman-Reinhold, 1988			X	
34	<i>Dysdera corfuensis</i> Deeleman-Reinhold, 1988			X	
34	<i>Dysdera festai</i> Caporiacco, 1929				X
34	<i>Dysdera fragaria</i> Deeleman-Reinhold, 1988				X
34	<i>Dysdera gigas</i> Deeleman-Reinhold, 1988				X
34	<i>Dysdera halkidiki</i> Deeleman-Reinhold, 1988	X			
34	<i>Dysdera hiemalis</i> Deeleman-Reinhold, 1988			X	X
34	<i>Dysdera limnos</i> Deeleman-Reinhold, 1988			X	
34	<i>Dysdera laterispina</i> Pesarini, 2001	X			
34	<i>Dysdera minutula</i> Deeleman-Reinhold, 1988			X	
34	<i>Dysdera neocretica</i> Deeleman-Reinhold, 1988				X
34	<i>Dysdera pandazisi</i> Deeleman-Reinhold, 1988	X	X	X	
34	<i>Dysdera pectinata</i> Deeleman-Reinhold, 1988	X			
34	<i>Dysdera punctocretica</i> Deeleman-Reinhold, 1988			X	
34	<i>Dysdera romantica</i> Deeleman-Reinhold, 1988				X
34	<i>Dysdera sciakyi</i> Pesarini, 2001	X			
34	<i>Dysdera werneri</i> Deeleman-Reinhold, 1988			X	
34	<i>Dysderocrates gasparoi</i> Deeleman-Reinhold, 1988			X	
34	<i>Dysderocrates marani</i> (Kratochvil, 1937)				X
34	<i>Folkia lugens</i> Brignoli, 1974			X	
34	<i>Harpactea abantia</i> (Simon, 1884)	X			
34	<i>Harpactea apollinea</i> Brignoli, 1979	X			
34	<i>Harpactea argus</i> (Brignoli, 1976)	X			
34	<i>Harpactea catholica</i> (Brignoli, 1984)				X
34	<i>Harpactea coccifera</i> Brignoli, 1984)				X

Fam. Nr	Species	Continental Greece, Evvoia	Ionian Islands	Aegean Isl., Dodekanisa, Kyklades, Sporades	Kriti, Gavdos
34	<i>Harpactea corinthia</i> Brignoli, 1984	X			
34	<i>Harpactea cressa</i> Brignoli, 1984				X
34	<i>Harpactea hauseri</i> Brignoli, 1976	X	X		
34	<i>Harpactea heliconia</i> Brignoli, 1984	X			
34	<i>Harpactea incerta</i> Brignoli, 1979	X			
34	<i>Harpactea johannitica</i> Brignoli, 1976			X	
34	<i>Harpactea krueperi</i> (Simon, 1884)	X			
34	<i>Harpactea kulczynskii</i> Brignoli, 1976	X			
34	<i>Harpactea loebli</i> Brignoli, 1974		X		
34	<i>Harpactea nausiacae</i> Brignoli, 1976	X	X		
34	<i>Harpactea strinatti</i> Brignoli, 1979	X			
34	<i>Harpactea vallei</i> Brignoli, 1976				X
34	<i>Harpactea villehardouini</i> Brignoli, 1979	X			
34	<i>Minotauria attemsi</i> Kulczyn'ski, 1903				X
34	<i>Minotauria attemsi fagei</i> (Kratochvil, 1970)				X
34	<i>Rhodera hypogea</i> Deeleman-Reinhold, 1989				X
34	<i>Stalagtitia kratochvili</i> (Brignoli, 1976)	X			
35	<i>Oonopinus ionicus</i> Brignoli, 1979	X	X		
35	<i>Oonops mahnerti</i> Brignoli, 1974	X	X	X	
35	<i>Orchestina ebriola</i> Brignoli, 1972			X	
48	<i>Oecobius rhodiensis</i> Kritscher, 1966			X	
54	<i>Nesticus beshkovi</i> Deltshev, 1979				X
54	<i>Nesticus henderickxi</i> Bosselaers, 1998				X
55	<i>Enoplognatha mariae</i> Bosmans & Van Keer, 1999			X	X
55	<i>Euryopis mutoloi</i> Caporiacco, 1948			X	
55	<i>Steatoda brignolii</i> Knoflach, 1996	X			
55	<i>Theridion carpathium</i> Brignoli, 1948			X	
55	<i>Theridion corcyraeum</i> Brignoli, 1984		X		
55	<i>Theridion tenellum</i> C. L. Koch, 1841	X		X	
62	<i>Erigonoplus inspinosus</i> Wunderlich, 1995			X	
62	<i>Icariella hauseri</i> Brignoli, 1979			X	
62	<i>Lepthyphantes aegeus</i> Caporiacco, 1948			X	
62	<i>Lepthyphantes beroni</i> Deltshev, 1979				X
62	<i>Lepthyphantes beshkovi</i> Deltshev, 1979				X
62	<i>Lepthyphantes brignolianus</i> Deltshev, 1979				X
62	<i>Lepthyphantes corfuensis</i> Wunderlich, 1995		X		
62	<i>Lepthyphantes kratochvili</i> Fage, 1945				X
62	<i>Lepthyphantes magnesiae</i> Brignoli, 1979	X			
62	<i>Maculoncus parvipalpus</i> Wunderlich, 1995	X		X	
62	<i>Mecopisthes nasutus</i> Wunderlich, 1995			X	
62	<i>Megalepthyphantes lydiae</i> Wunderlich, 1994	X		X	
62	<i>Meioneta punctata</i> (Wunderlich, 1995)	X			
62	<i>Palliduphantes epaminondae</i> Brignoli, 1979	X			
62	<i>Palliduphantes malickyi</i> Wunderlich, 1980				X
62	<i>Savignia naniplopi</i> Bosselaers, 2002				X
62	<i>Sintula cretaensis</i> Wunderlich, 1995				X
62	<i>Tallusia pindos</i> Thaler, 1997	X			
62	<i>Trichopterna krueperi</i> Simon, (1884)	X			
62	<i>Typhochrestus chiosensis</i> Wunderlich, 1995			X	
62	<i>Typhochrestus epidaurensis</i> Wunderlich, 1995	X			


Fam. Nr	Species	Continental Greece, Evvoia	Ionian Islands	Aegean Isl., Dodekanisa, Kyklades, Sporades	Kriti, Gavdos
62	<i>Walckenaeria christae</i> Wunderlich, 1995	X			
62	<i>Walckenaeria cirriceps</i> Thaler, 1996	X			
62	<i>Walckenaeria claviloba</i> Wunderlich, 1995				X
62	<i>Walckenaeria coniceps</i> Thaler, 1996	X			
62	<i>Walckenaeria cretaenis</i> Wunderlich, 1995				X
62	<i>Walckenaeria hamus</i> Wunderlich, 1995				X
65	<i>Alopecosa dryada</i> Cordes, 1996	X			
65	<i>Hygrolycosa strandi</i> Caporiacco, 1948			X	
65	<i>Megarctosa naccai</i> Caporiacco, 1948			X	
65	<i>Pardosa invenusta</i> (C. L. Koch, 1837)	X		X	
65	<i>Pardosa olympica</i> Tongiorgi, 1966	X			X
65	<i>Pardosa pertinax</i> von Helversen, 2000	X			
77	<i>Histopona hauseri</i> (Brignoli, 1972)		X		
77	<i>Histopona isolata</i> Deeleman-Reinhold, 1983				X
77	<i>Histopona myops</i> (Simon, 1885)	X			
77	<i>Histopona strinatii</i> (Brignoli, 1976)	X			
77	<i>Histopona vignai</i> Brignoli, 1980	X			
77	<i>Maimuna cretica</i> (Kulczyn'ski, 1903)				X
77	<i>Malthonica daedali</i> Brignoli, 1980				X
77	<i>Malthonica minoa</i> (Brignoli, 1976)				X
77	<i>Malthonica parashiae</i> Brignoli, 1984			X	
77	<i>Malthonica spinipalpis</i> Deltshev, 1990	X			
77	<i>Tegenaria ariadnae</i> Brignoli, 1984				X
77	<i>Tegenaria hauseri</i> Brignoli, 1979		X		
77	<i>Tegenaria labyrinthi</i> Brignoli, 1979				X
77	<i>Tegenaria pieperi</i> Brignoli, 1979				X
77	<i>Tegenaria rhodiensis</i> Caporiacco, 1948			X	
77	<i>Tegenaria schmallfussi</i> Brignoli, 1976				X
83	<i>Hahnia molossidis</i> Brignoli, 1979	X			
83	<i>Hahnia ulyxis</i> Brignoli, 1974		X		
84	<i>Bromella hellenensis</i> Wunderlich, 1995	X		X	
85	<i>Amaurobius ausobskyi</i> Thaler & Knoflach, 1995	X			
85	<i>Amaurobius candia</i> Thaler & Knoflach, 2002				X
85	<i>Amaurobius cretaensis</i> Wunderlich, 1995				X
85	<i>Amaurobius deelemanae</i> Thaler & Knoflach, 1995		X	X	X
85	<i>Amaurobius geminus</i> Thaler & Knoflach, 2002				X
85	<i>Amaurobius longipes</i> Thaler & Knoflach, 1995	X			
85	<i>Amaurobius ossa</i> Thaler & Knoflach, 1993	X			
85	<i>Amaurobius paon</i> Thaler & Knoflach, 1993	X			
85	<i>Amaurobius pelops</i> Thaler & Knoflach, 1991	X			
85	<i>Amaurobius phaeacus</i> Thaler & Knoflach, 1998		X		
85	<i>Coelotes titanicus</i> Brignoli, 1977	X			
90	<i>Cheiracanthium cretense</i> Roewer, 1928				X
92	<i>Apostenus ochraceus</i> Hadjissarantos, 1940	X			
92	<i>Liocranum ochraceum</i> L. Koch, 1867		X		
92	<i>Mesiotelus viridis</i> (L. Koch, 1867)	X		X	
93	<i>Clubiona governotensis</i> Roewer, 1928				X
93	<i>Clubiona rethymnonis</i> Roewer, 1928				X
95	<i>Lachesana graeca</i> Thaler & Knoflach, 2004	X			
95	<i>Zodarion aegaeum</i> Denis, 1935			X	

Fam. Nr	Species	Continental Greece, Evvoia	Ionian Islands	Aegean Isl., Dodekanisa, Kyklades, Sporades	Kriti, Gavdos
95	<i>Zodarion attikaense</i> Wunderlich, 1980	X			
95	<i>Zodarion epirense</i> Brignoli, 1984	X			
95	<i>Zodarion hauseri</i> Brignoli, 1984	X			
95	<i>Zodarion musarum</i> Brignoli, 1984	X			
95	<i>Zodarion pythium</i> Denis, 1935	X			
95	<i>Zodarion rhodiense</i> Caporiacco, 1948			X	
95	<i>Zodarion rhodiense nigrifemur</i> Caporiacco, 1948			X	
95	<i>Zodarion spinibarbis</i> Wunderlich, 1973	X			X
104	<i>Anagraphis pallida</i> (Hadjissarantos, 1940)	X	X		
105	<i>Arboricaria koeni</i> Bosmans, 2000	X			X
105	<i>Berinda aegilia</i> Chatzaki, 2002		X		
105	<i>Berlandina corcyraea</i> (O. P. - Cambridge, 1874)	X	X		
105	<i>Camillina metellus</i> (Roewer, 1928)			X	X
105	<i>Cesonia aspida</i> Chatzaki, 2002				X
105	<i>Cryptodrassus creticus</i> Chatzaki, 2002				X
105	<i>Drassodes oreinos</i> Chatzaki, 2002				X
105	<i>Drassyllus pumiloides</i> Chatzaki, 2003				X
105	<i>Gnaphosa orchymonti</i> Giltay, 1932	X			
105	<i>Gnaphosa stussineri</i> Simon, 1885	X			
105	<i>Haplodrassus creticus</i> (Roewer, 1928)	X			X
105	<i>Leptodrassus manolisi</i> Chatzaki, 2002				X
105	<i>Leptodrassus hadjissaranti</i> Chatzaki, 2002				X
105	<i>Synaphosus trichopus</i> (Roewer, 1928)	X		X	X
105	<i>Zelotes argoliensis</i> (C. L. Koch, 1839)	X			
105	<i>Haplodrassus acrotirius</i> (Roewer, 1928)				X
105	<i>Zelotes creticus</i> (Kulczyn'ski, 1903)				X
105	<i>Zelotes daidalus</i> Chatzaki, 2003				X
105	<i>Zelotes distinctissimus</i> Caporiacco, 1929			X	
105	<i>Zelotes flavimanus</i> (C. L. Koch, 1839)	X			
105	<i>Zelotes graecus</i> (L. Koch, 1867)		X	X	
105	<i>Zelotes ilotarum</i> (Simon, 1884)	X		X	X
105	<i>Zelotes insulanus</i> (L. Koch, 1867)		X	X	
105	<i>Zelotes minous</i> Chatzaki, 2003			X	X
105	<i>Zelotes olympi</i> (Kulczyn'ski, 1903)	X			
105	<i>Zelotes villicoides</i> Giltay, 1932	X			
108	<i>Philodromus torquatus</i> O. P.- Cambridge, 1873		X		
108	<i>Thanatus gigas</i> (C. L. Koch, 1837)	X			
108	<i>Thanatus vulgaris creticus</i> (Kulczyn'ski, 1903)				X
109	<i>Xysticus bicolor</i> L. Koch, 1867			X	
109	<i>Xysticus thessalicoides</i> Wunderlich, 1995	X		X	X
110	<i>Aelurillus blandus</i> (Simon, 1871)			X	
110	<i>Aelurillus cretensis</i> Azarkina, 2002				X
110	<i>Aelurillus guecki</i> Metzner, 1999			X	
110	<i>Aelurillus leopoldae</i> (Metzner, 1999)				X
110	<i>Aelurillus steinmetzi</i> Metzner, 1999			X	
110	<i>Chalcoscirtus helverseni</i> Metzner, 1999	X			
110	<i>Euophrys skalaricus</i> (Dobroruka, 2002)				X
110	<i>Habrocestum egaeum</i> Metzner, 1999			X	X
110	<i>Habrocestum graecum</i> Dalmas, 1920	X			
110	<i>Heliophanus creticus</i> Giltay, 1932				X

Fam. Nr	Species	Continental Greece, Evvoia	Ionian Islands	Aegean Isl., Dodekanisa, Kyklades, Sporades	Kriti, Gavdos
110	<i>Macaroeris flavigomis</i> Simon, 1884	X		X	
110	<i>Pellenes moreana</i> Metzner, 1999	X			
110	<i>Phlegra theseusi</i> Logunov, 2001				X
110	<i>Pseudeuophrys pallidipes</i> Dobroruka, 2002				X
110	<i>Pseudicius espereyi</i> Fage, 1921	X			
110	<i>Pseudicius vankeeri</i> Metzner, 1999			X	
110	<i>Saitis ariadneae</i> Logunov, 2001				X
110	<i>Saitis graeca</i> (Kulczyn'ski, 1905)	X	X		
110	<i>Saitis sengleti</i> (Metzner, 1999)	X			X
110	<i>Salticus cingulatus</i> (Panzer, 1797)	X			
110	<i>Salticus iteacus</i> Metzner, 1999	X			
110	<i>Salticus noordami</i> Metzner, 1999			X	
110	<i>Salticus unicolor</i> (Simon, 1868)		X		
110	<i>Thyene phragmitigrada</i> Metzner, 1999	X			
Total number		91	35	53	80

The largest number of endemic species is found in the Dysderidae, with 46 species, followed by Linyphiidae (27) and Gnaphosidae (26). Macrothelidae and Leptonetidae are 100 percent endemic, followed in decreasing numbers by Dysderidae, Nemesiidae, Amaurobiidae, Pholcidae and Zodariidae (Figure 1).

Figure 1. Percentage of endemic species per family in Greece.



VII. DELETED SPECIES

All distribution data were critically examined. Table 3 gives a list of deleted species from the Greek list, with a short statement of the reasons. This is repeated in chapter VIII, where the species are mentioned in brackets.

Table 3. List of species deleted from the Greek list.

Nr	Species	Reason for deletion
7	{ <i>Cyrthauchenius doleschalli</i> Ausserer, 1871}	Insufficiently described species from Italy, Sicily and Tunisia, older citations from Kriti not accepted.
8	{ <i>Cteniza moggridgei</i> O. P.- Cambridge, 1874}	Insufficiently described species from Corsica and Sardinia, citation from the Ionian Islands not accepted.
8	{ <i>Cteniza sauvagesi</i> (Rossi, 1788)}	Insufficiently described species from Corsica and Sardinia, citation from the Peloponnisos not accepted.
12	{ <i>Nemesia caementaria</i> (Latreille, 1799)}	Insufficiently described species from France, citations from Greece concern unknown species.
12	{ <i>Nemesia fertoni</i> Simon, 1914}	Insufficiently described species from Corsica and Sardinia, citation from Attiki concerns an unknown species.
34	{ <i>Dasumia kusceri</i> (Kratochvil, 1935)}	Listed as occurring in Greece, but in fact limited to the republic of Macedonia.
34	{ <i>Dysdera nubila</i> Simon, 1882}	Species from France and Italy, citation from Rodos attributed to a newly described species
34	{ <i>Dysderocrates egregius</i> Kulczyn'ski, 1897}	A cave species from Hungary and Romania, citation from Kriti based on erroneous labels
34	{ <i>Stalagzia hercegovensis</i> (Nosek, 1905)}	Cited from Crete as <i>S. cretica</i> , based on incorrect labels. The species occurs only in Bosnia-Herzegovina.
55	{ <i>Enoplognatha caricis</i> (Fickert, 1876)}	Occurring only in the temperate part of Europe, the citation from Rodos is attributed to a recently described species.
55	{ <i>Enoplognatha nigromarginata</i> (Lucas, 1846)}	A western Mediterranean species; identification based on juveniles, cannot be accepted.
55	{ <i>Latrodectes schuchii</i> (C. L. Koch, 1836)}	A synonym of the widely spread <i>Latrodectes tredecimguttatus</i> (Rossi, 1790)
55	{ <i>Robertus lividus</i> (Blackwall, 1836)}	This citation is actually attributed to <i>Robertus mediterraneus</i> .
55	{ <i>Theridion bicolor</i> Brullé, 1832}	Only known from its original description and considered a nomen dubium.
62	{ <i>Incestophantes frigidus</i> (Simon, 1884)}	Erroneous citation of a species from the Pyrénées and the Western Alps. Perhaps an unknown species.
62	{ <i>Linyphia maura</i> Thorell, 1875}	A western Mediterranean species, once cited from Rodos; this citation could concern <i>Linyphia mimonti</i> or <i>Neriene furtiva</i> .
62	{ <i>Meioneta rurestris</i> (C. L. Koch, 1836)}	A species from the temperate part of the palearctic region; the citation concerns the Mediterranean <i>A. pseudorurestris</i> .
62	{ <i>Walckenaeria antica</i> (Wider, 1834)}	The citation of the central European <i>W. antica</i> concerns the recently described, related <i>W. christae</i> .
62	{ <i>Walckenaeria corniculans</i> (O. P.- Cambridge, 1875)}	A species of the temperate part of Europe, citations from Crete concern endemic <i>Walckenaeria</i> species
62	{ <i>Walckenaeria erythrina</i> (Simon, 1884)}	A western Mediterranean species; citations from Attiki concern endemic species
65	{ <i>Lycosa narbonensis</i> Walckenaer, 1806}	Until proof of the contrary, all citations of <i>L. narbonensis</i> from Greece concern <i>Lycosa praegrandis</i> .
65	{ <i>Trochosa robusta</i> (Simon, 1876)}	Cited from Rodos, but this citation is attributed to <i>T. hispanica</i> .

Nr	Species	Reason for deletion
74	{ <i>Zoropsis spinimana</i> (Dufour, 1820)}	All citations from Greece are attributed to <i>Zoropsis oertzeni</i> , only recently correctly diagnosed.
77	{ <i>Pseudotegenaria bayeri</i> (Kratochvil, 1934)}	An endemic species from caves in Croatia and erroneously cited from Crete.
77	{ <i>Tegenaria argaeica</i> Nosek, 1905}	An endemic species from Central Turkey; citations of juvenile specimens from Rodos cannot be accepted.
77	{ <i>Tegenaria soriculata</i> Simon, 1873}	Citations of juvenile specimens from Rodos far out of the distribution area of the species cannot be accepted
85	{ <i>Amaurobius fenestralis</i> (Ström, 1768)}	An old citation of Central European species from Kriti is taken to be the common <i>Amaurobius erberi</i> .
85	{ <i>Amaurobius scopolii</i> Thorell, 1871}	Citations of a central Mediterranean species, when endemic Greek species were not yet described, are not accepted.
85	{ <i>Coelotes terrestris</i> (Wider, 1834)}	Central European species, cited from Greece when endemic <i>Coelotes</i> species were not yet known.
85	{ <i>Paracoelotes segestiformis</i> (Dufour, 1820)}	Central European species, cited from Greece when endemic <i>Coelotes</i> species were not yet known.
90	{ <i>Cheiracanthium fulvotestaceum</i> Simon, 1878}	Poorly known species only known from the south of France; citation in Greece considered erroneous.
95	{ <i>Zodarion fuscum</i> (Simon, 1870)}	A species from W Europe, misidentified; it concerns <i>Zodarion attikaense</i> .
95	{ <i>Zodarion gallicum</i> (Simon, 1873)}	A species from W Europe, misidentified; it concerns <i>Zodarion frenatum</i> .
95	{ <i>Zodarion italicum</i> (Canestrini, 1868)}	A species from W Europe, misidentified; it concerns <i>Zodarion frenatum</i> .
105	{ <i>Haplodrassus grazianoi</i> Caporiacco, 1948}	The species is a synonym of <i>Berinda ensigera</i> .
105	{ <i>Micaria formicaria</i> (Sundevall, 1831)}	Citations of this species are attributed to <i>M. coarctata</i>
105	{ <i>Zelotes bimaculatus</i> C. L. Koch, 1837}	The species is a synonym of <i>Aphanthaulax trifasciata</i> (O. P.-Cambridge, 1872).
105	{ <i>Zelotes electus</i> (C. L. Koch, 1839)}	An old citation from Rodos of this species from temperate Europe is considered erroneous.
105	{ <i>Zelotes thorelli</i> Simon, 1914}	A species from the western Mediterranean, misidentified; it concerns a local <i>Zelotes</i> species
107	{ <i>Heteropoda venatoria</i> (Linnaeus, 1767)}	Caporiacco's citation of the pantropical <i>H. venatoria</i> (as <i>H. regia</i>) is attributed to the local <i>H. variegata</i> .
110	{ <i>Heliophanus dampfi</i> Schenkel 1923}	A citation of a species living in peat bogs in the Mediterranean part of Greece is considered erroneous.

VII. DOUBTFUL SPECIES.

There are some species that have been cited or described from Greece but their presence has to be viewed as doubtful.

These can be grouped into three categories (table 4):

- Species that were described before 1950 and whose description does not allow a definite recognition. Descriptions are too short and figures are absent or schematic. The first group of these are "forgotten" species, e. g. 9 species described by C. L. Koch (1836-1847) and 12 species described by Simon (1873-1884). Of course, if the type material of these species is still available, they simply have to be redescribed. A second group of species was described by authors who had not made themselves familiar with the local fauna. The 6 species described by Caporiacco (1925, 1929, 1948) and the 15 species described by Roewer (1928, 1959) are striking examples. Many will probably turn out to be synonyms of other species. The type material has to be re-examined and redescribed, but this material is often lost or difficult to access. In total, 42 species need redescription. There are also some species of which only one sex is known.
- Species which have been cited from Greece but whose presence, in view of the current knowledge of their distribution, is doubtful. This list contains 4 species.

- Species whose presence in Greece is probable but should be confirmed by new material. This is perhaps the case for Central European species, possibly present in the north of Greece but only cited from, for instance, Crete (example: *Enoplognatha ovata*). This list contains 22 species.

Table 4. List of species which are insufficiently described, so that their presence in Greece is doubtful or needs confirmation.

Fam. Nr	Species	Species in need of redescription	Known distribution area makes presence unlikely	Presence is possible but needs confirmation
22	<i>Scytodes immaculata</i> L. Koch, 1875	X		
47	<i>Eresus solitarius</i> Simon, 1873	X		
55	<i>Enoplognatha ovata</i> (Clerck, 1757)			X
55	<i>Euryopis mutoloi</i> Caporiacco, 1948	X		
55	<i>Theridion bicolor</i> Brullé, 1832	X		
55	<i>Theridion petraeum</i> L. Koch, 1872			X
55	<i>Theridion tenellum</i> C. L. Koch, 1841	X		
62	<i>Icariella hauseri</i> Brignoli, 1979	X		
62	<i>Lepthyphantes aegeus</i> Caporiacco, 1948	X		
62	<i>Linyphia triangularis</i> (Clerck, 1757)			X
62	<i>Pelecopsis parallelala</i> (Wider, 1834)			X
62	<i>Savignia fronticornis</i> (Simon, 1884)		X	
64	<i>Larinoides cornutus</i> (Clerck, 1757)			X
65	<i>Alopecosa fuscipes</i> (C. L. Koch, 1847)	X		
65	<i>Hogna graeca</i> (Roewer, 1951)	X		
65	<i>Hygrolycosa strandi</i> Caporiacco, 1948	X		
65	<i>Megarctosa naccai</i> Caporiacco, 1948	X		
65	<i>Pardosa invenusta</i> (C. L. Koch, 1837)	X		
65	<i>Pardosa proxima poetica</i> Simon, 1876	X		
65	<i>Pardosa tatarica saturiator</i> Caporiacco, 1948	X		
65	<i>Pirata knorri</i> (Scopoli, 1763)			X
67	<i>Dolomedes plantarius</i> (Clerck, 1757)			X
85	<i>Amaurobius pallidus</i> L. Koch, 1868			X
85	<i>Callobius claustrarius</i> (Hahn, 1833)		X	
87	<i>Titanoeca quadriguttata</i> (Hahn, 1833)			X
87	<i>Titanoeca schineri</i> L. Koch, 1872			X
90	<i>Cheiracanthium cretense</i> Roewer, 1928	X		
92	<i>Apostenus ochraceus</i> Hadjissarantos, 1940	X		
93	<i>Clubiona governotensis</i> Roewer, 1928	X		
93	<i>Clubiona rethymnonis</i> Roewer, 1928	X		
95	<i>Zodarion elegans</i> (Simon, 1873)			X
95	<i>Zodarion germanicum</i> (C. L. Koch, 1837)			X
104	<i>Prodidomus hispanicus</i> Dalmas, 1919		X	
105	<i>Aphantaulax trifasciata trimaculata</i> Simon, 1878	X		
105	<i>Drassodes albicans</i> (Simon, 1878)	X		X
105	<i>Drassodes hypocrita</i> (Simon, 1878)		X	
105	<i>Drassodes luteomicans</i> (Simon, 1878)	X		X
105	<i>Drassyllus pumilus</i> (C. L. Koch, 1839)			X
105	<i>Gnaphosa oceanica</i> Simon, 1878	X		
105	<i>Gnaphosa orchymonti</i> Giltay, 1932	X		
105	<i>Gnaphosa stussineri</i> Simon, 1885	X		
105	<i>Haplodrassus acrotirius</i> (Roewer, 1928)	X		
105	<i>Scotophaeus peninsularis</i> Roewer, 1928	X		

Fam. Nr	Species	Species in need of redescription	Known distribution area makes presence unlikely	Presence is possible but needs confirmation
105	<i>Setaphis parvula</i> (Lucas, 1846)			X
105	<i>Zelotes argolienis</i> (C. L. Koch, 1839)	X		
105	<i>Zelotes cingarus</i> (O. P.-Cambridge, 1874)	X		
105	<i>Zelotes distinctissimus</i> Caporiacco, 1929	X		
105	<i>Zelotes flavimanus</i> (C. L. Koch, 1839)	X		
105	<i>Zelotes graecus</i> (L. Koch, 1867)	X		
105	<i>Zelotes insulanus</i> (L. Koch, 1867)	X		
105	<i>Zelotes olympi</i> (Kulczyn'ski, 1903)	X		
105	<i>Zelotes villicoides</i> Giltay, 1932	X		
106	<i>Selenops radiatus</i> Latreille, 1819			X
107	<i>Heteropoda variegata</i> (Simon, 1874)			X
108	<i>Philodromus torquatus</i> O. P.-Cambridge, 1873	X		
108	<i>Thanatus gigas</i> (C. L. Koch, 1837)	X		
108	<i>Thanatus vulgaris creticus</i> (Kulczyn'ski, 1903)	X		
108	<i>Tibellus vossoni</i> Simon, 1884	X		
109	<i>Xysticus ferrugineus</i> Menge, 1876			X
110	<i>Dendryphantes rufus</i> (Sundevall, 1833)			X
110	<i>Heliophanus furcillatus</i> Simon, 1868	X		
110	<i>Heliophanus uncinatus</i> Simon, 1868	X		
110	<i>Pellenes arciger</i> (Walckenaer, 1837)			X
110	<i>Salticus unicolor</i> (Simon, 1868)	X		
110	<i>Sitticus dzieduszyckii</i> (L. Koch, 1870)			X
110	<i>Talavera aequipes ludio</i> (Simon, 1871)	X		
	Total	42	4	22

VIII. LIST OF SPECIES OF GREECE

2. Family Atypidae

Atypus piceus (Sulzer, 1776) (m,f)

Atypus sulzeri; L. Koch, 1874: 14.
Atypus piceus; Pavesi, 1878: 380; Simon, 1884: 349; Bristowe, 1935: 739; Brignoli, 1979: 161.

Citations:

Greece: Without precise locality (L. Koch, 1874).
IPEIROS: Ioannina: SE Konitsa (Brignoli, 1979); Kopani (Brignoli, 1979). Juvenile specimens, hence an uncertain identification.

Remark:

The genus *Atypus* occurs in Greece, but only juveniles have been found so far (Brignoli, 1979). As juveniles cannot be identified to species level, it has to be confirmed whether it really concerns *Atypus piceus* or the related *A. affinis*.

Distribution: Europe to Moldavia, Iran.

5. Family Hexathelidae

Macrothele cretica Kulczyn'ski, 1903 (m)

Macrothele cretica Kulczyn'ski, 1903: 33, 35; Giltay, 1932: 9; Bristowe, 1935: 739; Snazell & Allison 1989: 70.

Citations:

KRITI: Chania: Omalos, 1000m (Kulczyn'ski, 1903; type locality); Tyrokomos, towards Omalos plateau (Giltay, 1932).

Distribution: Only known from Kriti.

7. Family Cyrtacheniidae

{*Cyrtachenius doleschalli* Ausserer, 1871 (m,f)}

Cyrtachenius doleschalli; Cecconi, 1895: 175, 192.
Amblyocerenus doleschalli; Roewer, 1959a: 5.

Citations:

KRITI: Chania: between Aghia Triada and Governetou (Cecconi, 1895). Irakleio: Karteros (Roewer, 1959a). These are all considered misidentifications.

Remark:

Cecconi's (1895) and Roewer's (1959a) citations from Kriti do not conform with the known distribution area of *C. doleschalli* and are therefore considered erroneous here. Most probably they concern *Cyrtocarenum* or *Nemesia* species.

Distribution: Italy, Sicily, Tunisia.

8. Family Ctenizidae

{*Cteniza moggridgei* O. P. -Cambridge, 1874 (m,f)}

Cteniza moggridgei; Roewer, 1962: 11.

Citations:

IONIAN ISLANDS: Vories Echinades: Petalas (Roewer, 1962); considered erroneous.

Remark: Roewer's (1959a) citation from Kefalonia does not conform with the known distribution area of *Cteniza moggridgei* and is therefore considered erroneous here. Most probably it concerns *C. cunicularium* or *C. grajum*.

Distribution: Corsica and Sardinia.

{*Cteniza sauvagesi* (Rossi, 1788) (m,f)}

Cteniza sauvagei; Lüdicke & Madel, 1937: 297.

Citations:

PELOPONNISOS: Lakonia: Leonidio (Lüdicke & Madel, 1937); considered erroneous.

Remark: Lüdicke & Madel's citation (1937) from Kriti does not conform with the known distribution area of *Cteniza sauvagesi* and is therefore considered erroneous here. Most probably it concerns *C. cunicularium* or *C. grajum*.

Distribution: Corsica and Sardinia.

Cyrtocarenum cunicularium (Olivier, 1811) (m,f)

Mygale cunicularia Olivier, 1811: 86.

Mygale ariana Walckenaer, 1837: 239.

Mygale ionica Saunders, 1842: 160.

Cyrtococephalus hellenus Doleschall, 1852: 26.

Cyrtococephalus lapidarius Lucas, 1853: 515.

Cteniza tigrina L. Koch, 1867: 882.

Cteniza ariana; Erber, 1868: 905.

Cteniza orientalis Ausserer, 1871: 154; Pavesi, 1878: 380.

Cyrtocarenum arianum; Ausserer, 1871: 157; Pavesi, 1878: 380.

Cyrtocarenum tigrinum; Ausserer, 1871: 158; Pavesi, 1878: 381; Bristowe, 1935: 739.

Cyrtocarenum hellenum; Pavesi, 1878: 381; Bristowe, 1935: 739.

Cyrtocarenum ionicum; Pavesi, 1878: 381; Simon, 1880: 140; Simon, 1884: 346; Carlini, 1901: 79; Strand, 1917: 160; Bristowe, 1935: 739; Drensky, 1936: 9.

Cyrtocarenum cunicularium; Simon, 1884: 347; Bristowe, 1935: 739; Drensky, 1936: 9; Reimoser, 1958: 569; Decae, 1996: 164.

Cyrtocarenum lapidarium; Simon, 1884: 346; Fage, 1921: 99; Caporiacco, 1929: 223; Bristowe, 1935: 738; Drensky, 1936: 9; Hadjissarantos, 1940: 19.

Cteniza sauvagesi; Lüdicke & Madel, 1937: 297 (misidentification).

Citations (many of the older citations may refer to the following species):

ATTIKI-SARONIC ISLANDS: Attiki: Ekali (Hadjissarantos, 1940); Pikermi (Pavesi, 1878); Podoniftis (Hadjissarantos, 1940).

IONIAN ISLANDS: Kerkyra (type locality of *C. hellenus* Doleschall, 1852; Simon, 1880). Zakynthos (type locality of *M. ionica*; Saunders, 1839).

DODEKANISA: Rodos: Katavia (Caporiacco, 1929).

EASTERN AEGEAN ISLANDS: Chios (Strand, 1917).

KRITI: Chania: Gonia, near Chania (type locality of *C. lapidarius*; Lucas, 1853). Rethymno: Oros Ida (Lucas, 1853).

KYKLADES: Naxos (type locality of *C. cunicularium*, Olivier, 1811; Decae, 1996). Syros (type locality of *C. tigrina*; L. Koch, 1867). Tinos (Erber, 1868; Ausserer, 1871; Decae, 1996).

PELOPONNISOS: Lakonia: Sparti (Carlini, 1901).

STEREA ELADA: Fokida: Itea (Fage, 1921).

THESSALIA: Magnisia: Kalamos (Reimoser, 1958).

Distribution: Greece, Turkey. The species *Cyrtocarenum cunicularium* and *C. grajum* have only recently been carefully diagnosed (Decae, 1996). All earlier citations hence should be checked.

Cyrtocarenum grajum (C. L. Koch, 1836) (m,f)

Cteniza graja C. L. Koch, 1836: 39.

Cyrtocarenum grajum; Ausserer, 1871: 158; Pavesi, 1878: 381; Simon, 1884: 347; Strand, 1917: 160; Bristowe, 1935: 739; Drensky, 1936: 9; Hadjissarantos, 1940: 17; Roewer, 1959a: 5; Decae, 1996: 166.

Citations:

EVVIA-VOROES SPORADES: Evvia: Karytos (Strand, 1917).
 IONIAN ISLANDS: Kerkyra (Ausserer, 1871). Kithyra (Decae, 1996).
 KRITI: Irakleio: Pyrgos, cave Peristera (Roewer, 1959a).
 KYKLADES: Andros: Phelos (Strand, 1917).
 PELOPONNISOS: Argolida: Nafplio (type locality; C. L. Koch, 1836; Decae, 1996).

Distribution: Greece. Same remark as in *C. cunicularium*.

12. Family Nemesiidae

Brachythele denieri (Simon, 1916) (m)

Nemesia denieri Simon, 1916: 273; Drensky, 1936: 10.
Nemesiothele denieri; Fage, 1921: 99; Bristowe, 1935: 738.

Citations:

MAKEDONIA: Thessaloniki (type locality; Simon, 1916).

Distribution: Greece, Bulgaria.

Brachythele icterica (C. L. Koch, 1838) (m,f)

Mygale icterica C. L. Koch, 1838: 22.
Brachythele icterica; Ausserer, 1871: 174; Pavesi, 1878: 381; Simon, 1884: 346; Bristowe, 1935: 739; Drensky, 1936: 10.
Macrothele icterica; Reimoser, 1930: 143.

Citations:

IONIAN ISLANDS: Lefkada (Reimoser, 1930).
 PELOPONNISOS: Argolida: Nafplio (type locality; C. L. Koch, 1838).

Distribution: Dalmatia, Makedonia, Greece.

{*Nemesia caementaria* (Latireille, 1799) (m,f)}

Nemesia caementaria; Drensky, 1928: 187; Reimoser, 1930: 143; Bristowe, 1935: 738; Reimoser, 1958: 569; Roewer, 1959a: 5.

Citations:

IONIAN ISLANDS: Lefkada (Reimoser, 1958): Kalligoni (Reimoser, 1930).
 STEREA ELADA: Fokida: Delfoi (Roewer, 1959a).
 THRAKI: Rodopi: Komotini (as Gumurjina; Drensky, 1928). All citations are considered erroneous.

Remark: *Nemesia* species are known to have small distribution areas. Drensky (1928), Reimoser (1930, 1958) and Roewer (1959a) 's citations of *Nemesia caementaria*, a species from SW Europe, from Greece, are considered erroneous. Taking into account Decae's recent description (1995) of two new *Nemesia* species from Kriti, it is to be expected that several undescribed *Nemesia* species occur in the rest of Greece.

Distribution: In the past, *Nemesia caementaria* was cited from several localities all over the Mediterranean region, but certainly frequently incorrectly. The type locality of the species is in the south of France. Its distribution area includes the south of France, and perhaps parts of Spain and Italy.

Nemesia caranhaci Decae, 1995 (f)

Nemesia caranhaci Decae, 1995: 6.

Citations:

KRITI: Irakleio: Profitis Ilias (type locality; Decae, 1995).

Distribution: Only known from Kriti.

Nemesia daedali Decae, 1995 (f)

Nemesia daedali Decae, 1995: 2.

Citations:

KRITI: Irakleio: Knossos (type locality; Decae, 1995). Lasithi: Kritsa (Decae, 1995).

Distribution: Only known from Kriti.

{*Nemesia fertoni* Simon, 1914 (m,f)}

Nemesia fertoni; Hadjissarantos, 1940: 20.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Rafina (Hadjissarantos, 1940); considered erroneous.

Remark: Same remark as for *N. caementaria*. Hadjissarantos citation (1940) is considered erroneous here and probably refer to an unknown species.

Distribution: Corsica, Sardinia.

20. Family Filistatidae

Filistata insidiatrix (Forskål, 1775) (m,f)

Filistata bicolor; Lucas, 1853: 516.

Filistata insidiatrix; Fage, 1921: 99; Gerhardt, 1928a: 35; Roewer, 1928: 98; Caporiacco, 1929: 224; Reimoser, 1930: 144; Werner, 1934: 163; Bristowe, 1935: 739; Drensky, 1936: 11; Hadjissarantos, 1940: 21; Caporiacco, 1948: 34; Roewer, 1959a: 33; Brignoli, 1982: 68.

Filistata testacea; Pavesi, 1878: 380; Simon, 1880: 140; Simon, 1884: 346; Strand, 1917: 160; Drensky, 1936: 11.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Athina (Gerhardt, 1928a); Athina, Akropolis (Roewer, 1928); Oros Drakonera (Roewer, 1959a); Sounio (Bristowe, 1935).

DODEKANISA: Karpathos (Brignoli, 1982). Patmos (Bristowe, 1935). Rodos (Bristowe, 1935): Aghios Demetrios (Caporiacco, 1948); Aghios Isidoros (Caporiacco, 1929).

EASTERN AEGEAN ISLANDS: Limnos (Werner, 1934).

IONIAN ISLANDS: Kerkyra: (Bristowe, 1935); Oros Pantokratoras, Katsuri cave (Brignoli, 1982). Ithaca (Bristowe, 1935).

Kefalonia: Argostoli (Reimoser, 1930). Lefkada: Sivros (Reimoser, 1930).

KRITI: Chania: Akrotiri, Governetou Monastery (Roewer, 1928); idem, Arkavo cave (Roewer, 1928); Apochoro (Roewer, 1928); Chania (Lucas, 1853; Roewer, 1928); Fourrnes (Roewer, 1928; Brignoli, 1982). Irakleio: Vianos (Strand, 1917). Lasithi: Vrouchias (Brignoli, 1982).

KYKLADES: Dilos (Bristowe, 1935).

MAKEDONIA: Without precise locality (Fage, 1921). Kastoria: Kastoria, Goloubints cave (Roewer, 1959a).

PELOPONNISOS: Achaia: Patra (Simon, 1880). Argolida: Epidavros (Bristowe, 1935); Mycenae (Bristowe, 1935); Nafplio (Bristowe, 1935).

STEREA ELADA: Fokida: Delfoi (Bristowe, 1935).

THESSALIA: Larisa (Werner, 1934).

Distribution: Mediterranean to Turkmenistan, Cape Verde Islands.

Pritha nana (Simon, 1868) (m,f)

Filistata nana; Hadjissarantos, 1940: 21.

Filistata annulipes; Hadjissarantos, 1940: 21.

Pritha nana; Brignoli, 1984: 288.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Dekelia (Hadjissarantos, 1940, sub *F. nana*); Pikermi (Hadjissarantos, 1940, sub *F. nana*); Sounio (Hadjissarantos, 1940, sub *F. annulipes*).

KRITI: Lasithi: Sfaka, between Irakleio and Sitia (Brignoli, 1984).

Distribution: Mediterranean.

21. Family Sicariidae

Loxosceles rufescens (Dufour, 1820) (m,f)

Scytodes erythrocephalus C. L. Koch, 1838: 90.

Loxosceles rufescens; Kulczyn'ski, 1903: 33; Gerhardt, 1927: 157; Gerhardt, 1928a: 36; Roewer, 1928: 97; Caporiacco, 1929: 225; Reimoser, 1930: 144; Werner, 1934: 165; Bristowe, 1935: 741; Drensky, 1936: 55; Hadjissarantos, 1940: 45; Caporiacco, 1948: 37; Reimoser, 1958: 569; Roewer, 1959a: 9; Brignoli, 1974b: 496; Brignoli, 1976a: 141; Brignoli, 1977: 340; Brignoli, 1984: 288.
Loxosceles erythrocephalus; Pavesi, 1878: 343, 373; Simon, 1880: 140; Simon, 1884: 344; Strand, 1917: 160.
Loxosceles distinctus; Caporiacco, 1948: 38.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Athina (Simon, 1894; Gerhardt, 1928a; Hadjissarantos, 1940); Charvati (Hadjissarantos, 1940); Dafni (Hadjissarantos, 1940); Ekali (Hadjissarantos, 1940); Havara near Vari (Brignoli, 1984); Oros Imitos, cave on mount Rakhi (Roewer, 1959a); Oros Imitos, Stavros (Hadjissarantos, 1940); Moni Kaisariani (Hadjissarantos, 1940); Kato Souli (Hadjissarantos, 1940); Kifissia (Gerhardt, 1927); Kopanas (Hadjissarantos, 1940); Liopesi (Hadjissarantos, 1940); Loutsa (Hadjissarantos, 1940); Nymfoliptou, near Vari (Brignoli, 1974b); Oros Parnitha (Hadjissarantos, 1940); Oros Pendeli, Aghia Triada (Hadjissarantos, 1940); Oros Pendeli, Kokkinaras (Hadjissarantos, 1940); Oros Pendeli (Gerhardt, 1927); Phili (Hadjissarantos, 1940); Pikermi (Pavesi, 1878; Hadjissarantos, 1940); Podoniftis (Hadjissarantos, 1940); Profitis Ilias (Hadjissarantos, 1940); Vari (Hadjissarantos, 1940); Vouliagmeni (Hadjissarantos, 1940). Saronic Islands: Aigina (Hadjissarantos, 1940); Salamina (Hadjissarantos, 1940); Salamina, cave Peristeria (Roewer, 1959a); Salamina, Eandio, cave Kochis (Brignoli, 1977).
DODEKANISA: Kalimnos (Strand, 1917). Kappari (Strand, 1917). Karpathos (Brignoli, 1976a): Pygadia (Brignoli, 1984). Kos (Strand, 1917). Rodos: Rodos: Aghios Demetrios (Caporiacco, 1948, sub *L. distincta*); Aghios Isidoros (Caporiacco, 1928); Kalithea (Brignoli, 1976a); Kastello (Strand, 1917); Katavia (Caporiacco, 1928); Koschino (Caporiacco, 1928).
IONIAN ISLANDS: Kerkyra: Oros Pantokratoras, Katsuri cave (Brignoli, 1977). Kefalonia: Krane (Reimoser, 1930). Lefkada (Reimoser, 1958); Sivros, Karoucha cave (Brignoli, 1977). KRITI: Chania: Afrata, Hellinospilo (Roewer, 1959a; Brignoli, 1976a, 1984); Governetou, cave Katholico (Roewer, 1959a); Lakki (Kulczyn'ski, 1903); Topolia (Roewer, 1928). Irakleio: cave Sarchos (Roewer, 1959a; Brignoli, 1984); Scotino (Roewer, 1959a). Lasithi: Kritsa (Brignoli, 1976a); Milatos, cave Aghios Konstantinus (Roewer, 1959a); Zakros, cave Katsimboudou (Brignoli, 1976a). KYKLADES: Ios (Werner, 1934). Santorini (Simon, 1880). Simi (Strand, 1917). MAKEDONIA: Serres: Serres, cave Aghios Prodromos (Roewer, 1959a). PELOPONNISOS: Argolida: Mycenae (Bristowe, 1935); Nafplio (C. L. Koch, 1838). Ileia: Perivolia, Neda valley, Figalia (Brignoli, 1977). Messinia: Areopoli, Velychada cave (Roewer, 1959a); Selenitsa, S. Kardamili, cave Katafyngui (Roewer, 1959a). STEREA ELADA: Fokida: Delfoi (Roewer, 1959a). THESSALIA: Magnisia: Kalamos (Reimoser, 1958).

Distribution: Cosmopolitan.

22. Family Scytodidae

Scytodes immaculata L. Koch, 1875 (f)

Scytodes immaculata; Hadjissarantos, 1940: 46.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Athina (Hadjissarantos, 1940); Oros Parnitha, Paleochori (Hadjissarantos, 1940).

Distribution: Egypt, Greece. Insufficiently known species.

Scytodes thoracica (Latireille, 1802) (m,f)

Scytodes tigrina C. L. Koch, 1838: 87.

Scytodes thoracica; Lucas, 1853: 518; Pavesi, 1878: 372; Simon, 1884: 344; Strand, 1917: 160; Fage, 1921: 99; Drensky, 1928: 186; Gerhardt, 1927: 152; Gerhardt, 1928a: 33; Roewer, 1928: 97; Reimoser, 1930: 144, 146; Werner, 1934: 165; Bristowe, 1935: 741; Drensky, 1936: 54; Lüdicke & Madel, 1937: 298; Hadjissarantos, 1940: 47; Reimoser, 1958: 569; Roewer, 1959a: 9; Brignoli, 1976a: 148; Brignoli, 1977: 939; Brignoli, 1984: 289.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Athina (Simon, 1894; Gerhardt, 1927, 1928a; Hadjissarantos, 1940); Dafni (Hadjissarantos, 1940); Ekali (Hadjissarantos, 1940); Moni Kaisariani (Hadjissarantos, 1940); Loutsa (Hadjissarantos, 1940); Oros Parnitha, Keramidi (Hadjissarantos, 1940); Oros Parnitha, Mola (Hadjissarantos, 1940); Pikermi (Hadjissarantos, 1940); Podoniftis (Hadjissarantos, 1940); Vari (Hadjissarantos, 1940); Vouliagmeni (Hadjissarantos, 1940).

DODEKANISA: Karpathos (Brignoli, 1976a): Lastos massif, road Aperi-Spoa (Brignoli, 1984); Pyghadia, Tsourlaki cave (Brignoli, 1984). Kos (Strand, 1917): Asomati (Brignoli, 1976a).

EASTERN AEGEAN ISLANDS: Chios (Strand, 1917). Icaria (Strand, 1917).

IONIAN ISLANDS: Kerkyra (Reimoser, 1930; Bristowe, 1935) : Kassiopi (Brignoli, 1984); Oros Pantokratoras, cave Katsaba (Brignoli, 1977). Kefalonia: Oros Aeneos (Reimoser, 1930); Argostoli (Brignoli, 1976a). Lefkada (Reimoser, 1930, 1958). Zakynthos: Katastari (Brignoli, 1976a).

IPEIROS: Arta (Reimoser, 1958). Ioannina: S. Ioannina (Brignoli, 1976a); Kopani (Brignoli, 1976a). Thesprotia: Igoumenitsa (Brignoli, 1976a); Kestrini (Brignoli, 1976a).

KRITI: Chania: Chania (Lucas, 1853); Lakki (Roewer, 1928); Meskla (Roewer, 1928); Omalos plain (Roewer, 1928). Irakleio: Kamilaria cave (Roewer, 1959a); Viano (Strand, 1917). Lasithi: Sitia (Strand, 1917).

KYKLADES: Amorgos: Katapola (Brignoli, 1977).

MAKEDONIA: Florina (Fage, 1921).

PELOPONNISOS: Achaia: Oros Panachaiko, Kastritsion (Brignoli, 1976a, 1984); Patra (Brignoli, 1976a). Argolida: Nafplio (C. L. Koch, 1838). Ileia: Figalia near Perivolia, Neda valley (Brignoli, 1977). Korinthia: Klenia-Agionori, cave Tripa tou Kalivaki (Brignoli, 1984); Korinthos (Werner, 1934). Messinia: Leonidio (Lüdicke & Madel, 1937); Vasses (Brignoli, 1977).

STEREA ELADA: Aitolo-Akarnania: Akarnania (Simon, 1894). Fthiotida: Lamia (Brignoli, 1976a).

THESSALIA: Larisa: Oros Ossa, Ambelakia (Brignoli, 1984).

Magnisia: Kalamos (Reimoser, 1958).

THRAKI: Evros: near Alexandroupoli (as Badoma, Dede-Agatch; Drensky, 1928).

Distribution: Holarctic, Pacific.

Scytodes velutina Heineken & Lowe, 1832 (m,f)

Scytodes velutina; Roewer, 1928: 97; Caporiacco, 1929: 225; Caporiacco, 1948: 37; Brignoli, 1976a: 151.

Scytodes velutina delicatula; Bristowe, 1935: 741; Hadjissarantos, 1940: 47; Caporiacco, 1948: 37.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Kato Souli (Hadjissarantos, 1940); Sounio (Bristowe, 1935); Vouliagmeni (Hadjissarantos, 1940).

DODEKANISA: Karpathos: Pigadia (Brignoli, 1976a). Rodos (Bristowe, 1935): Koschino (Caporiacco, 1929).

KRITI: Chania: Akrotiri, Governetou Monastery (Roewer, 1928).
Lasithi: Gournia (Brignoli, 1976a).

Distribution: Mediterranean, Cap Verde Islands.

25. Family Leptonetidae

Barusia laconica (Brignoli, 1974) (m,f)

Paraleptoneta laconica Brignoli, 1974c: 64.
Barusia laconica; Brignoli, 1979: 189.

Citations:

IONIAN ISLANDS: Kithira: Milopotomas, Aghia Sofia cave (Brignoli, 1979).
PELOPONNISOS: Lakonia: Mani, Glifada cave near Pergos Dirou (Brignoli, 1979); Pergos Dirou cave (type locality; Brignoli, 1974c).

Distribution: Peloponnisos, Kithira.

Cataleptoneta sengleti (Brignoli, 1974) (m,f)

Paraleptoneta sengleti Brignoli, 1974c: 64.
Barusia sengleti; Kratochvil, 1978: 22; Brignoli, 1984: 290.

Citations:

KRITI: Rethymno: Perama, Melidoni cave (type locality; Brignoli, 1974c, 1984).

Distribution: Kriti.

Leptonetela andreevi Deltshev, 1985 (m,f)

Leptonetela andreevi Deltshev, 1985: 41.

Citations:

KYKLADES: Paros: Drios (type locality; Deltshev, 1985).

Distribution: Paros.

Leptonetela kanellisi (Deeleman-Reinhold, 1971) (m,f)

Sulcia kanellisi Deeleman-Reinhold, 1971: 289.
Proteleptoneta kanellisi; Brignoli, 1976b: 540.
Leptonetela kanellisi; Kratochvil, 1978: 11; Brignoli, 1984: 290.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Oros Imitos, Koutouki cave near Peania (type locality; Deeleman-Reinhold, 1971; Brignoli, 1976b, 1984).

Distribution: Attiki.

Leptonetela strinatii (Brignoli, 1976) (f)

Sulcia prope kanellisi Brignoli, 1974b: 493.
Proteleptoneta strinatii Brignoli, 1976b: 540.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Keratia, Oros Paneo, Spilia tou Panos (type locality; Brignoli, 1974b, 1976b).

Distribution: Attiki.

Sulcia cretica cretica Fage, 1945 (m,f)

Sulcia cretica Fage, 1945: 111.
Paraleptoneta cretica Roewer, 1959a: 8.
Sulcia cretica; Brignoli, 1968: 260; Brignoli, 1974c: 64; Brignoli, 1975: 36; Brignoli, 1984: 291.

Citations:

KRITI: Chania: Akrotiri, Aghios Ioannis cave, near Governetou Monastery (type locality of *Sulcia cretica*; Fage, 1945; Roewer, 1959a; Brignoli, 1968, 1984); idem, Katholico cave (type locality of *Paraleptoneta cretica*; Roewer, 1959a); idem,

Komaro cave (Fage, 1945); Azogyres, Paleochora (Brignoli, 1974c); Topolia cave (Brignoli, 1974c).

Distribution: Kriti.

Sulcia cretica lindbergi Dresco, 1962 (m,f)

Sulcia lindbergi Dresco, 1962: 171.

Sulcia cretica lindbergi; Brignoli, 1968: 262; Brignoli, 1974a: 169; Brignoli, 1976b: 543; Kratochvil, 1978: 18; Brignoli, 1984: 291.

Citations:

IPEIROS: Ioannina: Ioannina, Perama cave (type locality; Dresco, 1962; Brignoli, 1968, 1976b, 1984).

Distribution: Greece: Ipeiros.

Sulcia cretica violacea Brignoli, 1974 (f)

Sulcia violacea Brignoli, 1974a: 167.

Sulcia cretica violacea; Brignoli, 1976b: 542; Brignoli, 1977: 940; Brignoli, 1979: 189; Brignoli, 1984: 291.

Citations:

IONIAN ISLANDS: Ithaca: Exogi (type locality; Brignoli, 1974a); Ithaca, cave Nimfis (Brignoli, 1974a). KERKYRA: Oros Pantokratoras, Katsuri cave near Barbatia and Gravulithia cave near Spartilas (Brignoli, 1976b); idem, Grava tou Phossa cave (Brignoli, 1977). IPEIROS: Ioannina: Emin Aga bridge (Brignoli, 1976b); Karies-Elati (Brignoli, 1976b); Konitsa SE, Potamos Bogsomati (Brignoli, 1976b). Thesprotia: Filiates (Brignoli, 1976b); Igoumenitsa (Brignoli, 1976b). THESSALIA: Larisa: Oros Ossa, Ambelakia, Profitis Ilias (Brignoli, 1979, 1984).

Distribution: Greece.

28. Family Pholcidae

Artema atlanta Walckenaer, 1837 (m,f)

Artema mauriciana; Gerhardt, 1927: 142; Gerhardt, 1928a: 33; Bristowe, 1935: 755; Hadjissarantos, 1940: 47.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Athina (Gerhardt, 1927, 1928a; Hadjissarantos, 1940).

Distribution: Pantropical.

Holocnemis pluchei (Scopoli, 1763) (m,f)

Pholcus impressus C. L. Koch, 1837: 99.

Pholcus rivulatus; Pavesi, 1878: 343, 372.

Pholcus pluchii; Lucas, 1853: 527.

Holocnemis rivulatus; Simon, 1880: 140; Simon, 1884: 336; Strand, 1917: 162; Drensky, 1928: 186; Gerhardt, 1927: 148; Gerhardt, 1928a: 36.

Holocnemis pluchei; Fage, 1921: 99; Capriacco, 1925: 108; Roewer, 1928: 120; Capriacco, 1929: 230; Reimoser, 1930: 146; Bristowe, 1935: 754; Drensky, 1936: 55; Hadjissarantos, 1940: 47; Capriacco, 1948: 38; Reimoser, 1958: 569; Roewer, 1959a: 10; Brignoli, 1971b: 257; Brignoli, 1974b: 496; Brignoli, 1976b: 559; Brignoli, 1979: 189; Brignoli, 1984: 289.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Athina (Simon, 1880; Gerhardt, 1927; 1928a; Bristowe, 1935); Athina, Akropolis (Roewer, 1928); cave Drakonera (Roewer, 1959a); Havara, Vari (Brignoli, 1974b); Oros Likavitos (Gerhardt, 1927, 1928a); Oros Pendeli (Gerhardt, 1927, 1928a); Sounio (Bristowe, 1935). DODEKANISA: Kos (Strand, 1917; Capriacco, 1925). Patmos (Bristowe, 1935). Rodos: Aghios Isidoros (Capriacco, 1925); Afando cave (Capriacco, 1929); Campochiaro (Capriacco, 1948); Draco (Capriacco, 1948); Koschino (Capriacco, 1925);

Pissipi (Capriacco, 1948); Rodos town (Capriacco, 1929); Scafe (Capriacco, 1948);
 EASTERN AEGEAN ISLANDS: Chios (Pavesi, 1878; Strand, 1917). Samos: Marathocampos (Strand, 1917).
 IONIAN ISLANDS: Ithaca (Bristowe, 1935). Kefalonia: Krane (Reimoser, 1930). Kerkyra (Simon, 1880; Reimoser, 1958); Gravolimna (Brignoli, 1971b); Oros Pantokratoras (Reimoser, 1930); Oros Pantokratoras, Strinilas, cave Katsaba (Brignoli, 1976b); Oros Pantokratoras, cave Katsuri (Brignoli, 1979). Lefkada: Englouvi (Reimoser, 1930).
 IPEIROS: Arta: Katarakti (Reimoser, 1958). Ioannina: Platanousa (Reimoser, 1958). Thesprotia: Igoumenitsa (Brignoli, 1971b). KRITI: Chania: Azogyres, cave Aghios Peres (Roewer, 1959a); Chania (Lucas, 1853); Governetou, Kumaro cave (Roewer, 1928); Governetou, Katholico cave (Roewer, 1959a); Paleochora (Roewer, 1959a). Irakleio: Skotino (Roewer, 1959a); Kamilari cave (Roewer, 1959a); Spitia (Brignoli, 1971b). Lasithi: Flamouriana (Brignoli, 1971b); Gournia (Brignoli, 1971b); Kritsa (Brignoli, 1971b); Vouchras (Brignoli, 1984); Sitia, Megalo Katofngui cave (Roewer, 1959a). Rethymno: Askifou (Brignoli, 1971b); Perama, Melidoni cave (Roewer, 1959a); Rethymno, Coubes (Roewer, 1959a). KYKLADES: Dilos (Bristowe, 1935). Kea (Strand, 1917). Santorini (Bristowe, 1935). MAKEDONIA: Drama: Drama, Mara cave (Roewer, 1959a). Florina (Fage, 1921). Imathia: Naoussa (Roewer, 1959a). Kastoria: Kastoria, Aghios Nikolaos cave (Roewer, 1959a). Pella: Edessa (Roewer, 1959a). Serres: Serres castle (Roewer, 1959a); Sidirokastro, Zestanera cave (Roewer, 1959a). Thesaloniki (Fage, 1921). PELOPONNISOS: Achaia: Patra (Simon, 1880). Arkadia: Tripoli (Roewer, 1928). Argolida: Epidavros (Bristowe, 1935); Mycenae (Bristowe, 1935); Nafplio (C. L. Koch, 1837; Bristowe, 1935). Ileia: Olympia (Bristowe, 1935). STEREA ELADA: Fokida: Delfoi (Bristowe, 1935). Aitolo-Akarnania: Lambiri (Brignoli, 1971b); Mesologhi (Simon, 1880). THRAKI: Evros: Didimoticho (as Dimotika; Drensky, 1928). Xanthi: Avdira (Roewer, 1959a).

Distribution: Mediterranean.

Hoplopholcus figulus Brignoli, 1971 (m,f)
Hoplopholcus figulus Brignoli, 1971b: 258; 1979: 193.

Citations:

EASTERN AEGEAN ISLANDS: Icaria: Aghios Kirikos, near Metallio (Brignoli, 1979); old mine near Metallio (Brignoli, 1979); Petropoulion, Messaria massif, cave Phutra to Nao (Brignoli, 1979). Samos: Marathocampos (type locality; Brignoli, 1971b).

Distribution: Eastern Aegean Islands.

Hoplopholcus labyrinthi (Kulczyn'ski, 1903) (m,f)
Holocnemus labyrinthi Kulczyn'ski, 1903: 34, 44; Bristowe, 1935: 754.
Artema cretica Roewer, 1928: 121.
Hoplopholcus labyrinthi; Senglet, 1971: 348; Brignoli, 1971b: 260; Brignoli, 1976b: 559; Brignoli, 1984: 289; Deltshev, 1985: 43.

Citations:

KRITI: Chania: Afrata, cave Helinospilo (Brignoli, 1984); Afrata, cave Kromiri (Brignoli, 1984); Azogyres-Paleohora cave (Senglet, 1971); Topolia cave (Senglet, 1971). Irakleio: Kamilari cave (Deltshev, 1985); Irakleio, cave Nereidospilia (Brignoli, 1984); Skotino, cave Aghia Paraskevi (Brignoli, 1976b, 1984); cave Sarchos (Brignoli, 1984); Labyrinthus (type locality; Kulczyn'ski, 1903). Lasithi: Aghios Nikolaos, cave Kronion (Brignoli, 1984); Psychron cave (Senglet, 1971); Sitia, Karouba (Brignoli, 1971b). Rethymno: Axos-Anogia cave (Senglet, 1971); Perama, Melidoni cave (Roewer, 1928; Senglet, 1971; Brignoli, 1984).

Distribution: Kriti.

Hoplopholcus minotaurinus Senglet, 1971 (m,f)
Hoplopholcus minotaurinus Senglet, 1971: 349; Brignoli, 1976b: 561; Brignoli, 1984: 289; Senglet, 2001: 62.
Hoplopholcus labyrinthi; Brignoli, 1971b: 260
 (misidentification); Brignoli, 1978: 489.

Citations:

Irakleio: E Irakleio E, cave Ithilia (Brignoli, 1976b). Lasithi: Karouba, Sitia (Brignoli, 1971b); Kato Zakros, Pelekita Spilia (Brignoli, 1984); Milatos cave (type locality; Senglet, 1971; Brignoli, 1976b, 1984); Zakros, Katsimboudou cave (Brignoli, 1984; Senglet, 2001).

Distribution: Kriti.

Hoplopholcus minous Senglet, 1971 (m,f)
Hoplopholcus minous Senglet, 1971: 350; Brignoli, 1976b: 561.
Hoplopholcus palladis Brignoli, 1971b: 260.

Citations:

DODEKANISA: Karpathos: Odhos (Brignoli, 1971b). KRITI: Lasithi: Exo Mouliana (type locality; Senglet, 1971).

Distribution: Greece: Kriti and Karpathos.

Pholcus creticus Senglet, 1971 (m,f)
Pholcus creticus Senglet, 1971: 345; Senglet, 2001: 62.

Citations:

CHANIA: Azogyres (type locality; Senglet, 1971); Azogyres-Paleochora (Senglet, 2001); Topolia (Senglet, 1971, 2001).

Distribution: Kriti.

Pholcus opilionoides (Schrank, 1781) (m,f)

Pholcus opilionoides; Capriacco, 1925: 108; Drensky, 1928: 186; Roewer, 1928: 120; Werner, 1934: 163; Bristowe, 1935: 754; Drensky, 1936: 56; Hadjissarantos, 1940: 47; Roewer, 1959a: 10; Senglet, 1971: 345; Brignoli, 1976b: 562.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Oros Pendeli (Roewer, 1928). DODEKANISA: Megisti (as Castelorizo; Capriacco, 1925). Tilos (as Piskopi; Capriacco, 1925). EASTERN AEGEAN ISLANDS: Limnos (Werner, 1934). IPEIROS: Ioannina: Metsovo (Brignoli, 1976b). KRITI: Chania: Afrata, Hellinospilo (Roewer, 1959a); Chania (Roewer, 1928). Irakleio: Koubeddes, cave Camilari (Roewer, 1959a); Pyrgos, Peristira cave (Roewer, 1959a); Sarchos cave (Roewer, 1959a); Skotino cave (Roewer, 1959a). Lasithi: Milatos cave (Roewer, 1959a); Sitia, cave Megalo Katofngui (Roewer, 1959a); Milatos, Neraidospilo, inner hall (Roewer, 1959a). Rethymno: Angeliano, Gria Spilia (Roewer, 1959a); Kato Marathospilo (Roewer, 1959a); Margarites, Lamia cave (Roewer, 1959a); Perama, cave Melidoni (Roewer, 1959a). PELOPONNISOS: Arkadia: Tripoli (Roewer, 1928). Lakonia: Skala-Githio (Senglet, 1971). THRAKI: Rodopi: Komotini (as Gumurjina; Drensky, 1928). Xanthi: Xanthi (as Sketscha; Drensky, 1928).

Distribution: Holarctic.

Pholcus phalangioides (Fuesslin, 1775) (m,f)

Pholcus nemastomoides C. L. Koch, 1837: 97.
Pholcus phalangioides; Pavesi, 1878: 343, 372; Simon, 1880: 140; Simon, 1884: 336; Cecconi, 1895: 191; Capriacco, 1925: 108; Roewer, 1928: 120; Capriacco, 1929: 230; Reimoser, 1930: 146; Giltay, 1932: 24; Werner, 1934: 163; Werner, 1935: 296; Bristowe, 1935: 754; Drensky, 1936: 56; Hadjissarantos, 1940: 148; Capriacco, 1948: 38; Roewer, 1959a: 9; Senglet,

1971: 345; Brignoli, 1976b: 562; Brignoli, 1979: 191; Brignoli, 1984: 290; Deltshev, 1985: 43.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Athina (Simon, 1884; Hadjissarantos, 1940).
DODEKANISA: Rodos: Katavia (Capriacco, 1928); Koschno (Capriacco, 1928). Patmos (Capriacco, 1925; Bristowe, 1935). Simi (Capriacco, 1925).
EVVOIA-VOROI SPORADES: Skyros (Werner, 1934).
IONIAN ISLANDS: Ithaca (Bristowe, 1935). Lefkada: Sivros (Reimoser, 1930).
KRITI: Chania: Akrotiri, Arkoudas cave, Aghios Ioannis cave (Roewer, 1959a; Brignoli, 1984); Akrotiri, Arhalospileo (Brignoli, 1976b); Akrotiri, Katholico monastery (Roewer, 1928); Governetou, Achyrosipilo (Roewer, 1959a); Lakki (Roewer, 1928). Irakleio: Sarchos cave (Brignoli, 1984); Kastelli (Giltay, 1932); Milatos, Aghios Konstantinos cave (Roewer, 1959a). Lasithi: Sitia, Micro Katofyngui cave (Roewer, 1959a). Rethymno: Rethymno (Ceconi, 1895).
KYKLADES: Antiparos (Pavesi, 1878; Brignoli, 1976b; Deltshev, 1985). Milos (Werner, 1934). Paros (Werner, 1935). Santorini (Pavesi, 1878; Simon, 1880).
MAKEDONIA: Imathia: Naoussa (Roewer, 1959a). Pella: Edessa, Boudliva and Mintsiva cave (Roewer, 1959a).
PELOPONNISOS: Argolida: Nafplio (C. L. Koch, 1838). Lakonia: Pirgos Dirou (Senglet, 1971).

Distribution: Cosmopolitan.

Pholcus spiliensis Wunderlich, 1995 (m,f)
Pholcus spiliensis Wunderlich, 1995b: 625; Senglet, 2001: 63.

Citations:

CHANIA: Frangokastello (Senglet, 2001).
LASITHI: Kato Metochi (Senglet, 2001).
RETHYMNO: Koxare-Spili (Senglet, 2001); Spili S. (type locality; Wunderlich, 1995b).

Distribution: Kriti.

Spermophora senoculata (Dugès, 1836) (m,f)
Segestria senoculata; Lucas, 1853: 517.
Spermophora senoculata; Fage, 1921: 99; Bristowe, 1935: 755; Drensky, 1936: 57; Senglet, 1971: 358; Brignoli, 1971b: 262; Brignoli, 1984: 290; Senglet, 2001: 63.
Spermophora topolia Roewer, 1928: 120; Hadjissarantos, 1940: 48.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Athina (Hadjissarantos, 1940); Moni Kaisariani (Hadjissarantos, 1940); Oros Parnitha, Aghia Triada (Hadjissarantos, 1940).
DODEKANISA: Karpathos: Pyghadia, cave Tsourlaki (Brignoli, 1984).
KRITI: Chania: Topolia (Roewer, 1928; Senglet, 2001). Irakleio: Knossos (Senglet, 1971).
MAKEDONIA: Kilkis: Skra (as Ljumnica; Fage, 1921).
PELOPONNISOS: Argolida: Achladokambos (Senglet, 2001).
STEREA ELADA: Fthiotida: Malesina (Senglet, 2001); Theologos (Senglet, 2001).

Distribution: Holarctic.

Stygopholcus photophilus Senglet, 1971 (m,f)
Stygopholcus photophilus Senglet, 1971: 356; Senglet, 2001: 65.
Hoploholcus kratochvili Brignoli, 1971b: 259; Deltshev, 1985: 43.
Hoploholcus photophilus; Brignoli, 1976b: 561; Brignoli, 1979: 191; Brignoli, 1984: 290.

Citations:

EASTERN AEGEAN ISLANDS: Thassos: Panagia, Drakotrypa cave (Deltshev, 1985).

EVVOIA-VOROI SPORADES: Evvoia: Artemision-Istiaia (Senglet, 2001); Kato Steni, Aghia Kiriaki (Senglet, 2001).
IONIAN ISLANDS: Kerkyra: Loutses (Senglet, 2001); Oros Pantokratoras (Brignoli, 1976b); Strinilas, cave Katsaba (Brignoli, 1976b).

IPEIROS: Ioannina: Konitsa SE, Potamos Bogsomatis (Brignoli, 1971b); Prosgoli, Peristeri (Brignoli, 1971b).

KRITI: Chania: Topolia, Aghia Sophia cave (Senglet, 2001). Rethymno: Choumeri-Perama (Senglet, 1971); Keramoti-Perama (Senglet, 1971).

MAKEDONIA: Kavala: Zygos, Aghia Helleni cave (Deltshev, 1985).

PELOPONNISOS: Arkadia: Mistras-Sparti (Senglet, 1971). Messinia: Aghios Dimistros-Leuktron (Senglet, 1971).

THESSALIA: Larisa: Omolion-Tembi (type locality; Senglet, 1971); Oros Ossa, Ambelakia, Profitis Ilias (Brignoli, 1979); Oros Ossa, Oros Psilodendron near Spilia, cave Tsari Tripa (Brignoli, 1984).

Distribution: Greece, continent and islands.

33. Family Segestriidae

Ariadna insidiatrix Audouin, 1826 (m,f)

Ariadna spinipes; Capriacco, 1925: 108; Capriacco, 1929: 227; Roewer, 1928: 93; Reimoser, 1930: 148; Bristowe, 1935: 744; Capriacco, 1948: 39.

Ariadna jonica O. P.-Cambridge, 1873: 532; Pavesi, 1877: 327; Pavesi, 1878: 379; Simon, 1884: 344.

Citations:

DODEKANISA: Rodos: Katavia (Capriacco, 1929). Tilos (as Piskopi; Capriacco, 1925, 1929).

IONIAN ISLANDS: Kerkyra (Cambridge, 1873).

KRITI: Chania: Topolia (Roewer, 1928).

Distribution: Mediterranean.

Segestria bavarica C. L. Koch, 1843 (m,f)

Segestria bavarica; Ceconi, 1895: 191; Hadjissarantos, 1940: 27.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Oros Parnitha, Paleochori (Hadjissarantos, 1940).

KRITI: Rethymno: Melidoni (Ceconi, 1895).

Distribution: Europe to Azerbaijan.

Segestria florentina (Rossi, 1790) (m,f)

Segestria florentina; Brullé, 1832: 51; Lucas, 1853: 517; Pavesi, 1878: 379; Simon, 1884: 344; Ceconi, 1895: 191; Strand, 1917: 160; Roewer, 1928: 94; Fage, 1921: 99; Gerhardt, 1928a: 39; Capriacco, 1929: 227; Bristowe, 1935: 740; Dresco, 1936: 17; Hadjissarantos, 1940: 27; Capriacco, 1948: 39.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Moni Kaisariani (Hadjissarantos, 1940); Kifissia, Aghios Georgios (Gerhardt, 1928a); Liopesi (Hadjissarantos, 1940); Oros Pendeli (Roewer, 1928).

IONIAN ISLANDS: Kerkyra (Pavesi, 1878; Bristowe, 1935). Ithaca (Bristowe, 1935).

DODEKANISA: Patmos (Bristowe, 1935). Rodos: Aghios Theodoros (Capriacco, 1948); Campochiaro (Capriacco, 1948); Kastelo (Strand, 1917); Katavia (Capriacco, 1929); Koschno (Capriacco, 1929).

KRITI: Chania: Chania (Lucas, 1853; Ceconi, 1895); Topolia (Roewer, 1928). Rethymno: Rethymno (Ceconi, 1895; Roewer, 1928).

KYKLADES: Dilos (Bristowe, 1935). Kea (Strand, 1917).

MAKEDONIA: Pella: Edessa (as Vodena; Fage, 1921).
PELOPONNISOS: "Morée" (Brullé, 1832); without precise locality (Lucas, 1853).

Distribution: Europe to Georgia, N Africa.

Segestria sibordoni Brignoli, 1984 (m)
Segestria sibordoni Brignoli, 1984: 282.

Citations:

KRITI: Chania: Afrata, Kromiri cave (type locality; Brignoli, 1984).

Distribution: Only known from the type locality.

Segestria senoculata (Linnaeus, 1758) (m,f)
Segestria senoculata; Drensky, 1928: 189; Bristowe, 1935: 740;
Drensky, 1936: 17; Brignoli, 1977: 939.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Attiki (Bristowe, 1935).
IONIAN ISLANDS: Kerkyra: Oros Pantokratoras, Peristero Grava cave (Brignoli, 1977).
KRITI: Without precise locality (Bristowe, 1935).
STEREA ELADA: Fokida: Delfoi (Bristowe, 1935).
THRAKI: Evros: near Alexandroupoli (as Burugeul; Drensky, 1928); Makri (Drensky, 1928). Xanthi: Xanthi (as Sketscha; Drensky, 1928).

Distribution: Palearctic.

34. Family Dysderidae

Dasumia cephalleniae Brignoli, 1976 (f)
Dasumia cephalleniae Brignoli 1976b: 553.

Citations:

IONIAN ISLANDS: Kefalonia: Sami (type locality; Brignoli, 1976b); Lixourion (Brignoli, 1976b).

Distribution: Greece: Kefalonia.

{*Dasumia kusceri* (Kratochvil, 1935)}

Remark:

Platnick (2004) states that the species is only known from Greece, but in fact it occurs only in the republic Makedonia (Kratochvil, 1935).

Dasumia navitatis Brignoli, 1974 (m,f)
Harpactea amoenus; Reimoser, 1930: 144, 148; Hadjissarantos, 1940: 27 (misidentifications).
Dasumia navitatis Brignoli, 1974a: 164; Brignoli 1975: 34; Brignoli, 1976b: 553; Brignoli, 1979: 188; Brignoli, 1984: 283.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Oros Parnitha (Hadjissarantos, 1940, sub *Harpactea amoenus*).
IONIAN ISLANDS: Kerkyra: Kassiopi (Brignoli, 1976b); Paleokastritsa (Brignoli, 1974a); Oros Pantokratoras (Brignoli, 1976b). Lefkada: Frini-Tsoukalades (Brignoli, 1974a); Polus Tripas cave (Reimoser, 1930, sub *Harpactea amoenus*). Zakynthos: Katastari (Brignoli, 1984); Oros Vrachionas (Brignoli, 1979). IPEIROS: Ioannina: Kopani (Brignoli, 1976b). STEREA ELADA: Aitolo-Akarnania: Klissura, Agrinio (Brignoli, 1979). PELOPONNISOS: Achaia: Patra-Kastrition, Oros Panachaiko (type locality; Brignoli, 1974a). Arkadia: between Vitina and Lividi, Dari (Brignoli, 1984). Ileia: between Vasses and Perivolia (Brignoli, 1979). Messina: Vasses (Brignoli, 1979).

Distribution: Continental Greece and Ionian islands.

Remark on th the genus *Dysdera*

The genus *Dysdera* is a highly diverse genus, with many species with small distribution areas. Only the cosmopolitan *D. crocata* and the palearctic *D. erythrina* have large distribution areas. Greece has a large number of endemic species (Deeleman-Reinhold & Deeleman, 1988), which were not recognised as such in the past. Therefore former citations of species described before 1988 from Greece therefore all have to be checked. These species are *D. ninnii*, *D. nubila*, *D. punctata* and *D. westringi*.

Dysdera beieri Deeleman-Reinhold, 1988 (m,f)

Dysdera crocata; Reimoser, 1958: 569 (misidentifications).

Dysdera beieri Deeleman-Reinhold, in Deeleman-Reinhold & Deeleman, 1988: 228.

Citations:

IPEIROS: Arta: Katafigio (type locality; Reimoser, 1958, sub *D. crocata*; Deeleman-Reinhold & Deeleman, 1988).

Distribution: Only known from the type locality in Ipeiros.

Dysdera cephalonica Deeleman-Reinhold, 1988 (m)

Dysdera cephalonica Deeleman-Reinhold, in Deeleman-Reinhold & Deeleman, 1988: 188.

Citations:

IONIAN ISLANDS: Kefalonia (type locality; Deeleman-Reinhold & Deeleman, 1988).

Distribution: Only known from the type locality in Kefalonia.

Dysdera circularis Deeleman-Reinhold, 1988 (m)

Dysdera circularis Deeleman-Reinhold, in Deeleman-Reinhold & Deeleman, 1988: 196.

Citations:

IONIAN ISLANDS: Kerkyra (type locality; Deeleman-Reinhold & Deeleman, 1988).

Distribution: Only known from the type locality in Kerkyra.

Dysdera corfuensis Deeleman-Reinhold, 1988 (m,f)

Dysdera corfuensis Deeleman-Reinhold, in Deeleman-Reinhold & Deeleman, 1988: 196.

Citations:

IONIAN ISLANDS: Kerkyra (type locality; Deeleman-Reinhold & Deeleman, 1988); Aghios Spiridon (Deeleman-Reinhold & Deeleman, 1988); Ipsos (Deeleman-Reinhold & Deeleman, 1988); Korission (Deeleman-Reinhold & Deeleman, 1988); Oros Pantokratoras (Deeleman-Reinhold & Deeleman, 1988); Peroulades (Deeleman-Reinhold & Deeleman, 1988); Potamos (Deeleman-Reinhold & Deeleman, 1988). Lefkada: Megan Oros (Deeleman-Reinhold & Deeleman, 1988).

Distribution: Only known from the Ionian Islands.

Dysdera crocata C. L. Koch, 1838 (m,f)

Dysdera crocata C. L. Koch, 1838: 81; Pavesi, 1878: 378; Simon, 1880: 140; Simon, 1884: 344; Carlini, 1901: 79; Strand, 1917: 160; Roewer, 1928: 94; Caporiacco, 1929: 229; Werner, 1934: 164; Bristowe, 1935: 740; Drensky, 1936: 12; Hadjissarantos, 1940: 22; Caporiacco, 1948: 38; Reimoser, 1958: 569; Roewer, 1959a: 6; Deeleman-Reinhold, in Deeleman-Reinhold & Deeleman, 1988: 157.

Dysdera erythrina; Lucas, 1853: 517 (misidentification).

Dysdera sternalis Roewer, 1928: 94.

Dysdera cretica Roewer, 1928: 95.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Athina (Simon, 1880); Dionisos (Hadjissarantos, 1940); Elefsina (Simon, 1884); Moni Kaisariani (Hadjissarantos, 1940); Kato Souli (Hadjissarantos, 1940); Nea Filadelfoia (Hadjissarantos, 1940); Oros Parnitha, Aghia Triada (Hadjissarantos, 1940); Podoniftis (Hadjissarantos, 1940); Skaramagkas (Hadjissarantos, 1940); Tourkovounia (Hadjissarantos, 1940); Vouliagmeni (Hadjissarantos, 1940).

DODEKANISA: Rodos: Brussali (Caporiacco, 1929); Rodos (Caporiacco, 1929).

EVVOIA-VOROES SPORADES: Evvoia (Simon, 1884); Dystos (Strand, 1917). Karystos (Strand, 1917). Skopelos (Werner, 1934).

IONIAN ISLANDS: Kefalonia (Carlini, 1901). Kerkyra (Bristowe, 1935). Lefkada (Reimoser, 1958).

IPEROS: Arta: Katafigio (Reimoser, 1958).

KRITI: Chania: Akrotiri (Roewer, 1958); Fournes (Roewer, 1928); Topolia (Roewer, 1928). Irakleio: Koubeddes, cave Kamilari (Roewer, 1928); Messara plain (Lucas, 1853). Lasithi: Lasithi (Strand, 1917). Rethymno: Rethymno (Lucas, 1853; Roewer, 1928).

KYKLADES: Naxos (Werner, 1934). Santorini: Nea Kaimeni (Deeleman-Reinhold & Deeleman, 1988).

MAKEDONIA: Grevena: Paraskvi (Reimoser, 1958). Kavala: Iraklitsa (Roewer, 1959a). Pella: Edessa (Roewer, 1959a).

PELOPONNISOS: Achaia: Patra (Simon, 1884).

STEREA ELADA: Fokida: Vardousa and Giona Oros (as Korax mountains; Strand, 1917).

Distribution: Cosmopolitan.

Dysdera erythrina (Walckenaer, 1802) (m,f)

Dysdera cambridgei; Drensky, 1928: 189.

Dysdera erythrina; Drensky, 1936: 12.

Citations:

THRAKI: Rodopi: Komotini (as Gumurjina; Drensky, 1928).

Distribution: Europe to Georgia.

Dysdera festai Caporiacco, 1929 (m,f)

Dysdera festai Caporiacco, 1929: 225; Caporiacco, 1948: 38; Brignoli, 1980: 75; Deeleman-Reinhold, in Deeleman-Reinhold & Deeleman, 1988: 198.

Citations:

DODEKANISA: Rodos: Koschino (type locality; Caporiacco, 1929); Petaloudes (Deeleman-Reinhold & Deeleman, 1988).

Distribution: Only known from Rodos.

Dysdera fragaria Deeleman-Reinhold, 1988 (m,f)

Dysdera fragaria Deeleman-Reinhold, in Deeleman-Reinhold & Deeleman, 1988: 192.

Citations:

DODEKANISA: Rodos: Archipolis (Deeleman-Reinhold & Deeleman, 1988); Apollona (Deeleman-Reinhold & Deeleman, 1988); Kattavia (type locality; Deeleman-Reinhold & Deeleman, 1988); Lindos (Deeleman-Reinhold & Deeleman, 1988); Profitis Ilias (Deeleman-Reinhold & Deeleman, 1988).

Distribution: Only known from Rodos.

Dysdera gigas Roewer, 1928 (m,f)

Dysdera gigas Roewer, 1928: 94; Deeleman-Reinhold, in Deeleman-Reinhold & Deeleman, 1988: 224.

Citations:

KRITI: Chania: Meskla (Deeleman-Reinhold & Deeleman, 1988); Omalos (Deeleman-Reinhold & Deeleman, 1988). Irakleio: Knossos (Deeleman-Reinhold & Deeleman, 1988);

Pefkos (Deeleman-Reinhold & Deeleman, 1988). Rethymno: Rethymno (type locality; Roewer, 1928).

Distribution: Only known from Kriti.

Dysdera halkidikii Deeleman-Reinhold, 1988 (m,f)

Dysdera halkidikii Deeleman-Reinhold, in Deeleman-Reinhold & Deeleman, 1988: 220.

Citations:

MAKEDONIA: Chalkidiki: Gerakini (type locality; Deeleman-Reinhold & Deeleman, 1988); Poligiro (Deeleman-Reinhold & Deeleman, 1988). Kavala: Iraklitsa (Deeleman-Reinhold & Deeleman, 1988).

Distribution: Northern Greece.

Dysdera hiemalis Deeleman-Reinhold, 1988 (m,f)

Dysdera hiemalis Deeleman-Reinhold, in Deeleman-Reinhold & Deeleman, 1988: 190.

Citations:

DODEKANISA: Karpathos: Aperi (Deeleman-Reinhold & Deeleman, 1988); Mesohori (Deeleman-Reinhold & Deeleman, 1988).

KRITI: Chania: Agios Matheos (Deeleman-Reinhold & Deeleman, 1988); Topolia (Deeleman-Reinhold & Deeleman, 1988). Rethymno: Perama (type locality; Deeleman-Reinhold & Deeleman, 1988).

Distribution: Kriti, Karpathos.

Dysdera kollari Doblika, 1853 (f)

Dysdera kollari; Reimoser, 1958: 569.

Citations:

IPEROS: Arta: Katafigio (Reimoser, 1958; Deeleman-Reinhold, 1988).

Distribution: the Balkans to Ukraine.

Dysdera lata Wider, 1834 (m,f)

Dysdera lata; Pavese, 1878: 378; Bristowe, 1935: 70; Deeleman-Reinhold, in Deeleman-Reinhold & Deeleman, 1988: 210.

Citations:

KYKLADES: Antiparos (Pavesi, 1878).

PELOPONNISOS: Korinthia: Akrokorinthos (Deeleman-Reinhold & Deeleman, 1988).

Distribution: North Africa, Turkey, Greece, Krim area, the Caucasus.

Dysdera laterispina Pesarini, 2001 (m)

Dysdera laterispina Pesarini, 2001: 299.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Attiki: Oros Parnitha (type locality; Pesarini, 2001).

Distribution: Attiki.

Dysdera limnos Deeleman-Reinhold, 1988 (m)

Dysdera limnos Deeleman-Reinhold, in Deeleman-Reinhold & Deeleman, 1988: 228.

Citations:

EASTERN AEGEAN ISLANDS: Limnos (type locality; Deeleman-Reinhold & Deeleman, 1988).

Distribution: Only known from the type locality Limnos.

Dysdera longirostris Doblika, 1853 (m,f)
Dysdera longirostris; Deeleman-Reinhold, in Deeleman-Reinhold & Deeleman, 1988: 167.

Citations:

EASTERN AEGEAN ISLANDS: Chios: Parapria (Deeleman-Reinhold & Deeleman, 1988).
EVVOIA-VOROIES SPORADES: Skiathos: Troulos (Deeleman-Reinhold & Deeleman, 1988).
THESSALIA: Larisa: Karia (Deeleman-Reinhold & Deeleman, 1988).

Distribution: the Balkans to Ukraine.

Dysdera minuta Deeleman-Reinhold, 1988 (m,f)
Dysdera nubila; Capriacco, 1929: 225; Capriacco, 1948: 38 (misidentifications).
Dysdera minuta Deeleman-Reinhold, in Deeleman-Reinhold & Deeleman, 1988: 176.

Citations:

DODEKANISA: Rodos: Aghios Isidoros (Capriacco, 1929, sub *D. nubila*); Apollona (Deeleman-Reinhold & Deeleman, 1988); Lindos (type locality; Deeleman-Reinhold & Deeleman, 1988).

Remark: Specimens cited by Capriacco (1929, 1948) from Rodos as *D. nubila*, a small species from Corsica in France and Elba and Casentino in Italy, are considered incorrectly identified. The citations are attributed to *D. minuta*, a small, endemic species from Rodos.

Distribution: Only known from Rodos.

Dysdera murphiorum Deeleman-Reinhold, 1988 (m,f)
Dysdera murphiorum Deeleman-Reinhold, in Deeleman-Reinhold & Deeleman, 1988: 188.

Citations:

IONIAN ISLANDS: Kerkyra: Aghios Spiridonas (Deeleman-Reinhold & Deeleman, 1988); Kalamaki (Deeleman-Reinhold & Deeleman, 1988); Nissaki, Kassiopi (Deeleman-Reinhold & Deeleman, 1988); Oros Pantokratoras (type locality; Deeleman-Reinhold & Deeleman, 1988); Troumpeta, Vistas (Deeleman-Reinhold, 1988).

Distribution: Kerkyra, Albania.

Dysdera neocretica Deeleman-Reinhold, 1988 (m,f)
Dysdera neocretica Deeleman-Reinhold, in Deeleman-Reinhold & Deeleman, 1988: 175.

Citations:

KRITI: Rethymno: Perama (type locality; Deeleman-Reinhold, 1988). Lasithi: Pano Episkopi (Deeleman-Reinhold & Deeleman, 1988); Zakros (Deeleman-Reinhold & Deeleman, 1988).

Distribution: Only known from Kriti.

Dysdera ninnii Canestrini, 1868 (m,f)
Dysdera ninnii; Simon, 1884: 6; Bristowe, 1935: 740;
Capriacco, 1948: 38; Roewer, 1959a: 6; Roewer, 1962: 12.

Citations:

DODEKANISA: Rodos: Katavia (Capriacco, 1929).
IONIAN ISLANDS: Vories Echinades: Petalas (Roewer, 1962).
KRITI: Chania: Governetou, cave Arkoudas (Roewer, 1959a).
STEREA ELADA: Fokida: Oros Parnassos (Bristowe, 1935).

Distribution: North Italy, Slovenia, Croatia, Austria, Hungaria, Romania, Ukraine. The presence in Greece is doubted; Reimoser's citations (1930, 1958) for instance refer to *D.*

pectinata or *D. pretneri* (Deeleman-Reinhold & Deeleman, 1988).

{Dysdera nubila Simon, 1882 (m,f)}
Dysdera nubila; Capriacco, 1929: 225; Capriacco, 1948: 38.

Citations:

Cited erroneously from Rodos; see *Dysdera minuta*. *D. nubila* is a species from Corsica (France) and Elba and Casentino (Italy).

Dysdera pandazisi Hadjissarantos, 1940 (m,f)
Dysdera pandazisi Hadjissarantos, 1940: 22; Deeleman-Reinhold, in Deeleman-Reinhold & Deeleman, 1988: 226; Deltshev & Paraschi, 1990: 3.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Cholargos (Hadjissarantos, 1940); Ekali (Hadjissarantos, 1940); Moni Kaisariani (Hadjissarantos, 1940); Kokkinaras (Hadjissarantos, 1940); Liopetra (Hadjissarantos, 1940); Oros Parnitha (type locality; Hadjissarantos, 1940; Deeleman-Reinhold, 1988); Oros Parnitha, Paleochori (Hadjissarantos, 1940); Phili (Hadjissarantos, 1940); Rafina (Hadjissarantos, 1940); Vileia (Hadjissarantos, 1940).

IONIAN ISLANDS: Kefalonia: Oros Aeneos (Deeleman-Reinhold & Deeleman, 1988). Kerkyra: Aghios Spiridonas (Deeleman-Reinhold & Deeleman, 1988); Ipsos (Deeleman-Reinhold & Deeleman, 1988); Roda (Deeleman-Reinhold & Deeleman, 1988); Troumpeta (Deeleman-Reinhold & Deeleman, 1988). IPEIROS: Ioannina: Pindos (Deeleman-Reinhold & Deeleman, 1988).

KYKLADES: Naxos (Deltshev & Paraschi, 1990). PELOPONNISOS: Argolida: Epidavros (Deltshev & Paraschi, 1990).

Distribution: Continental Greece, Ionian Islands and Kyklades.

Dysdera pectinata Deeleman-Reinhold, 1988 (m,f)

Dysdera ninnii; Reimoser, 1958: 569 (misidentification).
Dysdera pectinata Deeleman-Reinhold, in Deeleman-Reinhold & Deeleman, 1988: 187.

Citations:

IPEIROS: Arta: Katafigio (Reimoser, 1958, sub *D. ninnii*; Deeleman-Reinhold & Deeleman, 1988). Preveza: Xerovouni (Reimoser, 1958, sub *D. ninnii*; Deeleman-Reinhold & Deeleman, 1988).

Distribution: NW Greece.

Dysdera pretneri Deeleman-Reinhold, 1988 (m,f)
Dysdera ninnii; Reimoser, 1958: 569 (misidentification).
Dysdera pretneri Deeleman-Reinhold, in Deeleman-Reinhold & Deeleman, 1988: 186.

Citations:

IONIAN ISLANDS: Oros Pantokratoras (Deeleman-Reinhold & Deeleman, 1988); Potamos (Deeleman-Reinhold & Deeleman, 1988). IPEIROS: Preveza: Oros Xerovouni (Reimoser, 1958, sub *D. ninnii*; Deeleman-Reinhold & Deeleman, 1988).

Distribution: Montenegro, Bosnia-Herzegovina, NW Greece.

Dysdera punctata C. L. Koch, 1838 (m,f)
Dysdera punctata C. L. Koch, 1838: 84; Pavese, 1878: 379; Simon, 1884: 344; Strand, 1917: 160; Reimoser, 1930: 146; Bristowe 1935: 740; Hadjissarantos, 1940: 24; Capriacco, 1948: 39; Deeleman-Reinhold & Deeleman, 1988: 195.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Athina (Simon, 1884); Dafni (Hadjissarantos, 1940); Faliro (Strand, 1917); Moni Kaisariani (Hadjissarantos, 1940); Tourkovounia (Hadjissarantos, 1940). Saronic Islands: Salamina (Hadjissarantos, 1940).
 DODEKANISA: Kalimnos (Strand, 1917). Karpathos (Strand, 1917). Kassos (Strand, 1917). Kos (Strand, 1917). Rodos: Kastelo (Strand, 1917).
 EASTERN AEGEAN ISLANDS: Chios (Bristowe, 1935). Icaria (Strand, 1917).
 EVVIOA-VOROIES SPORADES: Evvoia: Karystos (Strand, 1917).
 IONIAN ISLANDS: Kerkyra (Reimoser, 1930).
 KRITI: Irakleio: Viano (Strand, 1917). Lasithi: Lasithi (Strand, 1917).
 KYKLADES: Kea (Bristowe, 1935).
 PELOPONNISOS: Achaia: Patra (Simon, 1884). Argolida: Nafplio (type locality; C. L. Koch, 1838). Korinthia: Korinthos (Deeleman-Reinhold & Deeleman, 1988).
 STEREIA ELADA: Fokida: Vardousa and Giona Oros (as Korax mountains; Strand, 1917).

Distribution: the Balkans to Georgia. Deeleman-Reinhold & Deeleman (1988) think that only the Greek localities on the Peloponnisos are correct and that citations refer to other (endemic) species.

***Dysdera punctocretica* Deeleman-Reinhold, 1988 (m,f)**
Dysdera punctocretica Deeleman-Reinhold, in Deeleman-Reinhold & Deeleman, 1988: 176.

Citations:

IONIAN ISLANDS: Kerkyra: Ipsos (type locality; Deeleman-Reinhold & Deeleman, 1988); between Nisaki and Kassiopi (Deeleman-Reinhold & Deeleman, 1988).

Distribution: Only known from Kerkyra.

***Dysdera romantica* Deeleman-Reinhold, 1988 (m,f)**
Dysdera romantica Deeleman-Reinhold, in Deeleman-Reinhold & Deeleman, 1988: 190.

Citations:

EASTERN AEGEAN ISLANDS: Chios: Parparia (Deeleman-Reinhold & Deeleman, 1988). Samos: Karlovasi (Deeleman-Reinhold & Deeleman, 1988); Koutsi (Deeleman-Reinhold & Deeleman, 1988); Valeondates (type locality; Deeleman-Reinhold & Deeleman, 1988).

Distribution: Samos, Lesvos, Chios.

***Dysdera rubus* Deeleman-Reinhold, 1988 (m,f)**
Dysdera rubus Deeleman-Reinhold, in Deeleman-Reinhold & Deeleman, 1988: 194.

Citations:

EASTERN AEGEAN ISLANDS: Samos: Koutsi (Deeleman-Reinhold & Deeleman, 1988).

Distribution: Turkey, Eastern Aegean Islands.

***Dysdera sciakyi* Pesarini, 2001 (m)**
Dysdera sciakyi Pesarini, 2001: 298.

Citations:

PELOPONNISOS: Lakonia: Oros Taigetos (type locality; Pesarini, 2001).

Distribution: Peloponnisos, Lakonia.

***Dysdera spinicrus* Simon, 1882 (m,f)**
Dysdera spinicrus; Deeleman-Reinhold & Deeleman, 1988: 204.

***Dysdera rhodiensis* Caporiacco, 1929: 226; Caporiacco, 1948: 38.**
***Dysdera westringi*; Roewer, 1928: 93.**

Citations:

ATTIKI-SARONIC ISLANDS: Saronic Islands: Aigina (Deeleman-Reinhold & Deeleman, 1988).

DODEKANISA: Kasos (Deeleman-Reinhold & Deeleman, 1988). Rodos: Katavia (type locality of *D. rhodiensis*; Caporiacco, 1929).

IONIAN ISLANDS: Kerkyra (Deeleman-Reinhold & Deeleman, 1988).

KRITI: Chania: Akrotiri, Katholiko Monastery (Roewer, 1928, sub *D. westringi*); Georgioupoli (Deeleman-Reinhold & Deeleman, 1988); Omalos (Roewer, 1928, sub *D. westringi*).

Irakleio: Malia (Deeleman-Reinhold & Deeleman, 1988); Phaestos (Deeleman-Reinhold & Deeleman, 1988).

KYKLADES: Naxos: Chalkion (Deeleman-Reinhold & Deeleman, 1988). Santorini (Deeleman-Reinhold & Deeleman, 1988).

Distribution: the Balkans to Syria.

***Dysdera sultani* Deeleman-Reinhold, 1988 (m)**
Dysdera sultani Deeleman-Reinhold, in Deeleman-Reinhold & Deeleman, 1988: 214.

Citations:

EASTERN AEGEAN ISLANDS: Samos: Koutsi (Deeleman-Reinhold & Deeleman, 1988).

Distribution: Eastern Aegean Islands, SE Turkey.

***Dysdera wernerii* Deeleman-Reinhold, 1988 (m,f)**
Dysdera wernerii Deeleman-Reinhold, in Deeleman-Reinhold & Deeleman, 1988: 226.

Citations:

IONIAN ISLANDS: Kefalonia (type locality; Deeleman-Reinhold & Deeleman, 1988).

Distribution: Only known from Kefalonia.

***Dysdera westringi* O. P.- Cambridge, 1872 (m,f)**
Dysdera westringi; Kulczynski 1903: 33; Roewer, 1928: 93; Giltay, 1932: 9; Drensky, 1936: 11; Deeleman-Reinhold & Deeleman, 1988: 202.

Citations:

KRITI: Chania: Chiloskala (Roewer, 1928), Tyrokomos, towards Omalos plateau (Giltay, 1932). Lasithi: Dafni (Kulczyn'ski, 1903).

KYKLADES: Naxos: Apirathos (Deeleman-Reinhold & Deeleman, 1988).

Distribution: Israel, Syria, Turkey, Greece.

***Dysderocrates egregius* (Kulczyn'ski, 1897) (m,f)**
Harpactocrates egregius; Roewer, 1959a: 6.

Citations:

Cited erroneously from Crete; see *Dysderocrates marani*. *D. egregius* is limited to Hungary and Romania.

***Dysderocrates gasparoi* Deeleman-Reinhold, 1988 (m)**
Dysderocrates gasparoi Deeleman-Reinhold, in Deeleman-Reinhold & Deeleman, 1988: 246.

Citations:

IONIAN ISLANDS: Kerkyra: Loutses, Megali Grava cave (type locality; Deeleman-Reinhold & Deeleman, 1988).

Distribution: Only known from the type locality in Kerkyra.

***Dysderocrates marani* (Kratochvil, 1937) (m,f)**

Harpactocrates marani Kratochvil, 1937: 560.
Harpactocrates lindbergi Roewer, 1959a: 6; Brignoli, 1979: 188.
Harpactocrates egregius; Roewer, 1959a: 6 (misidentification).
Dysderocrates marani; Deeleman-Reinhold & Deeleman, 1988: 246.

Citations:

KRITI: Chania: Topolia cave (Deeleman-Reinhold & Deeleman, 1988). Lasithi: Tzermiado, Trapeza cave (Brignoli, 1979). Rethymno: Marathospila (Roewer, 1959a); Margarites, cave Lamia (Roewer, 1959a, sub *Harpactocrates egregius*); Oros Ida (type locality; Kratochvil, 1937).

Remark: Specimens cited by Roewer (1959a) from Crete as *Dysderocrates egregius*, a species from Hungary and Romania, are considered erroneous and are attributed here to *Dysderocrates marani*, an endemic species of Kriti.

Distribution: Only known from Kriti.

***Folkia lugens* Brignoli, 1974 (f)**

Folkia lugens Brignoli, 1974a: 159; Brignoli, 1976b: 554.

Citations:

IONIAN ISLANDS: Lefkada: Sivota (type locality; Brignoli, 1974a).

Distribution: Only known from the type locality in Lefkada.

***Harpactea abantia* (Simon, 1884) (m,f)**

Harpactes abantius Simon, 1884: 345; Bristowe, 1935: 740; Hadjissarantos, 1940: 25.
Harpactea abantia; Brignoli, 1974b: 494; Deltshew & Paraschi, 1990: 3.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Ekali (Hadjissarantos, 1940); Moni Kaisariani (Hadjissarantos, 1940); Liopetra (Hadjissarantos, 1940); Oros Parnitha, Metochi (Hadjissarantos, 1940); Oros Parnitha, Mola (Hadjissarantos, 1940); Vari, Nymphis Kouvara (Brignoli, 1974b); Vouliagmeni (Hadjissarantos, 1940).
EVVOIA-VOROIES SPORADES: Evvoia: Steni (Simon, 1884). PELOPONNISOS: Argolida: Epidavros (Deltshew & Paraschi, 1990).

Distribution: Attiki, Evvoia, Argolida.

***Harpactea apollinea* Brignoli, 1979 (m)**

Harpactea apollinea Brignoli, 1979: 184.

Citations:

STEREA ELADA: Voiotia: Oros Parnassos (type locality; Brignoli, 1979).

Distribution: Only known from the type locality on the Oros Parnassos.

***Harpactea argus* (Brignoli, 1976) (m,f)**

Stalagitia argus Brignoli, 1976b: 557.
Harpactea argus; Deeleman-Reinhold, 1993: 112.

Citations:

YPEIROS: Ioannina: Ioannina (type locality; Brignoli, 1976b); Kopani (Brignoli, 1976b). Thesprotia: Psaka lake (Brignoli, 1976b).

Distribution: Only known from Ipeiros.

***Harpactea camenarum* Brignoli, 1977 (m)**

Harpactea camenarum Brignoli, 1977: 938.

Citations:

THESSALIA: Larisa: Oros Ossa, Karitsa (type locality; Brignoli, 1977).

Distribution: Greece to Georgia.

***Harpactea catholica* (Brignoli, 1984) (m,f)**

Minotauria catholica Brignoli, 1984: 287.
Harpactea catholica; Deeleman-Reinhold, 1993: 129.

Citations:

KRITI: Chania: Akrotiri peninsula, cave Aghios Ioannis (type locality; Brignoli, 1984; Deeleman-Reinhold, 1993); Chania (Deeleman-Reinhold, 1993); Topolia, Aghia Sophia cave (Deeleman-Reinhold, 1993).

Distribution: Only known from Kriti.

***Harpactea ceconii* (Kulczyn'ski, 1908) (m,f)**

Harpactea ceconii; Deltshew & Paraschi, 1990: 3.

Citations:

PELOPONNISOS: Argolida: Epidavros (Deltshew & Paraschi, 1990).

Distribution: Greece, Cyprus.

***Harpactea coccifera* Brignoli, 1984 (m)**

Harpactea coccifera Brignoli, 1984: 283.

Citations:

KRITI: Lasithi: Sfaka, road Irakleio-Sitia (type locality; Brignoli, 1984).

Distribution: Only known from the type locality in Kriti.

***Harpactea corinthia* Brignoli, 1984 (m)**

Harpactea corinthia Brignoli, 1984: 285.

Citations:

PELOPONNISOS: Korinthia: cave Tripa tou Kalivaki, road Klenia-Aghinori (type locality; Brignoli, 1984).

Distribution: Only known from the type locality in the Peloponnisos.

***Harpactea cressa* Brignoli, 1984 (m)**

Harpactea cressa Brignoli, 1984: 285.

Citations:

KRITI: Lasithi: Oros Aloitha above Mesa Lasithaki (type locality; Brignoli, 1984).

Distribution: Only known from the type locality in Kriti.

***Harpactea hauseri* Brignoli, 1976 (m)**

Harpactea hauseri Brignoli, 1976b: 548; Deltshew & Paraschi, 1990: 3.

Citations:

IONIAN ISLANDS: Zakynthos: Lithakia-Agalas (type locality; Brignoli, 1976b).

PELOPONNISOS: Argolida: Epidavros (Deltshew & Paraschi, 1990).

Distribution: Only known from Greece, from Zakynthos and Argolida.

***Harpactea heliconia* Brignoli, 1984 (m,f)**

Harpactea heliconia Brignoli, 1984: 286.

Citations:

STEREA ELADA: Voiotia: Oros Elikonas, Kiriaki-Koukoura (type locality; Brignoli, 1984).

Distribution: Only known from Voiotia.

***Harpactea incerta* Brignoli, 1979 (f)**

Harpactea incerta Brignoli, 1979: 187.

Citations:

PELOPONNISOS: Lakonia: Sparti-Kalamata (type locality; Brignoli, 1979).

Distribution: Only known from the type locality in the Peloponnisos.

***Harpactea johannitica* Brignoli, 1976 (f)**

Harpactea johannitaca Brignoli, 1976b: 550.

Citations:

DODEKANISA: Rodos: Petaloudes (type locality; Brignoli, 1976b).

Distribution: Only known from the type locality in Rodos.

***Harpactea krueperi* (Simon, 1884) (m,f)**

Harpactes krueperi Simon, 1884: 344; Bristowe, 1935: 740;

Drensky, 1936: 14; Hadjissarantos, 1940: 27.

Harpactea krueperi; Alicata 1973: 349.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Athina (Simon, 1884).

Distribution: Only known from the type locality in Attiki.

***Harpactea kulczynskii* Brignoli, 1976 (m)**

Harpactea kulczynskii Brignoli, 1976b: 546.

Citations:

IPEIROS: Ioannina: Tristeno (type locality; Brignoli, 1976b).

Distribution: Only known from the type locality in Ipeiros.

***Harpactea lepida* (C. L. Koch, 1838) (m,f)**

Harpactes seideli; Drensky, 1928: 189.

Harpactea lepida; Drensky, 1936: 14; Lüdicke & Madel, 1937: 298.

Citations:

PELOPONNISOS: Messinia: Leonidio (Lüdicke & Madel, 1937). THRAKI: Evros: Alexandroupoli (as Dede-Agatch; Drensky, 1928). Rodopi: Komotini (as Gumurjina; Drensky, 1928).

Distribution: Central Europe, the Balkans, Moldavia.

***Harpactea loebli* Brignoli, 1974 (m,f)**

Harpactea loebli Brignoli, 1974a: 162.

Citations:

IONIAN ISLANDS: Kefalonia: Livadion (type locality; Brignoli, 1974a).

Distribution: Only known from the type locality in Kefalonia.

***Harpactea nausicaae* Brignoli, 1976 (m,f)**

Harpactea nausicaae Brignoli, 1976b: 549; Brignoli, 1979: 187.

Citations:

IONIAN ISLANDS: Kefalonia: Oros Rudi (Brignoli, 1979).

Kerkyra: Ipsos (Brignoli, 1976b).

IPEIROS: Arta: Kato Kalentini (Brignoli, 1976b). Ioannina: Aghios Kosmas (Brignoli, 1976b); Elati (type locality; Brignoli,

1976b); Greveniti (Brignoli, 1976b); Karies, direction Elati (Brignoli, 1976b); Kopani (Brignoli, 1976b).

Distribution: Ipeiros, Kefalonia, Kerkyra.

***Harpactea rubicunda* (C. L. Koch, 1838) (m,f)**

Harpactea rubicunda; Roewer, 1959a: 6.

Citations:

MAKEDONIA: Kavala: Iraklitsa, Cyclop cave (Roewer, 1959a). Serres: Orini, Pestereta cave (Roewer, 1959a).

THRAKI: Xanthi: Toxotes, Thalassinos cave (Roewer, 1959a).

Distribution: Central Europe to Georgia and southern part of European Russia.

***Harpactea strinatii* Brignoli, 1979 (m)**

Harpactea strinatii Brignoli, 1979: 185.

Citations:

PELOPONNISOS: Lakonia: Glifada cave, Pyrgo Dirou (type locality; Brignoli, 1979).

Distribution: Only known from the type locality in the Peloponnisos.

***Harpactea vallei* Brignoli, 1976 (f)**

Harpactea vallei Brignoli, 1976b: 552; Brignoli, 1979: 187.

Citations:

KRITI: Irakleio: Ilithia cave (Brignoli, 1979). Lasithi: Kritsa, cave near aquaduct (type locality; Brignoli, 1976b).

Distribution: Only known from Kriti.

***Harpactea villehardouini* Brignoli, 1979 (m)**

Harpactea villehardouini Brignoli, 1979: 185; Brignoli, 1984: 283.

Citations:

PELOPONNISOS: Achaia: Oros Panachaiko (type locality; Brignoli, 1979); Oros Panachaiko, near Kastrition (Brignoli, 1984).

Distribution: Only known from the type locality in the Peloponnisos.

***Hygrocrates lycaoniae* Brignoli, 1978 (m,f)**

Harpactocrates lycaoniea Brignoli, 1978: 463.

Hygrocrates lycaoniae; Deeleman-Reinhold & Deeleman, 1988: 240.

Citations:

DODEKANISA: Rodos: Archipolis (Deeleman-Reinhold & Deeleman, 1988); Laerma (Deeleman-Reinhold & Deeleman, 1988); Petaloudes (Deeleman-Reinhold & Deeleman, 1988); Profitis Ilias (Deeleman-Reinhold & Deeleman, 1988).

Distribution: Rodos, Turkey.

***Minotauria attemsi* Kulczyn'ski, 1903 (m,f)**

Minotauria attemsi Kulczyn'ski, 1903: 33, 39; Bristowe, 1935: 741; Roewer, 1959a: 8; Deeleman-Reinhold, 1993: 126.

Citations:

KRITI: Irakleio: Ilithia cave (Deeleman-Reinhold, 1993); Labyrinthus (type locality; Kulczyn'ski, 1903); Irakleio, Scotina cave (Roewer, 1959a; Deeleman-Reinhold, 1993). Lasithi: Milatos cave, Neraidospilo (Roewer, 1959a; Deeleman-Reinhold, 1993); Trapezas cave (Deeleman-Reinhold, 1993).

Distribution: Only known from caves in the eastern half of Kriti.

***Minotauria attenuata fagei* (Kratochvil, 1970) (m,f)**
Stalita cretica Fage, 1945: 110 (misidentification).
Stalagtitia (Folkia) cretica Kratochvil, 1970: 48.
Minotauria cretica fagei Brignoli, 1974a: 161.
Minotauria attenuata fagei; Deeleman-Reinhold, 1993: 126.

Citations:

KRITI: Rethymno: Perama, Melidoni cave (type locality; Kratochvil, 1970; Deeleman-Reinhold, 1993); Zoniana, Sentoni cave (Deeleman-Reinhold, 1993).

Distribution: Only known from caves in the north central part of Kriti.

***Rhodera hypogea* Deeleman-Reinhold, 1989 (f)**
Rhodera hypogea Deeleman-Reinhold, 1989: 47.

Citations:

KRITI: Lasithi: Milatos cave (type locality; Deeleman-Reinhold, 1989).

Distribution: Only known from the type locality in Kriti.

{*Stalagtitia hercegovinensis* (Nosek, 1905)}

Sulcia cretica Roewer, 1928: 96.
Stalagtitia cretica; Kratochvil, 1970.
Minotauria cretica cretica; Brignoli, 1974: 161; Brignoli, 1979: 229, Deeleman & Deeleman-Reinhold, 1993: 112.

Remark:

Deeleman & Deeleman-Reinhold (1993) gave sufficient evidence that *Sulcia cretica* is a junior synonym of *Stalagtitia hercegovinensis*. They also found proof that Roewer's type material of *Sulcia cretica* evidently comes from Bosnia-Herzegovina and not from Kriti. The species is therefore deleted from the list of Greece.

***Stalagtitia kratochvili* Brignoli, 1976 (m,f)**
Stalagtitia kratochvili Brignoli, 1976b: 554; Brignoli, 1979: 189.

Citations:

IPEIROS: Ioannina: Aristi S. (Brignoli, 1976b); Karies, direction Elati (Brignoli, 1976b); Konitsa (Brignoli, 1976b); Megalo Peristeri (Brignoli, 1976b). Thesprotia: Filiates (type locality; Brignoli, 1976b).
STEREA ELADA: Voiotia: Arachova-Eptalofos (Brignoli, 1979).

Distribution: Ipeiros and Sterea Elada.

35. Family Oonopidae

***Oonopinus ionicus* Brignoli, 1979 (m,f)**
Oonopinus ionicus Brignoli, 1979: 182.

Citations:

IONIAN ISLANDS: Ithaca: Agros-Katharon monastery (Brignoli, 1979); Ithaca-Agros (Brignoli, 1979). Lefkada: Kalligoni (Brignoli, 1979). Zakynthos: Katastari (Brignoli, 1979); Vasilikos (Brignoli, 1979).
IPEIROS: Thesprotia: Igoumenitsa (type locality; Brignoli, 1979).

Distribution: Greece: Ipeiros and Ionian Islands.

***Oonops mahnerti* Brignoli, 1974 (f)**
Oonops mahnerti Brignoli, 1974a: 156; Brignoli, 1979: 182.

Citations:

EASTERN AEGEAN ISLANDS: Icaria: Metallio, near Aghios Kirikos (Brignoli, 1979).
IONIAN ISLANDS: Lefkada: Karia (type locality; Brignoli, 1974a).

PELOPONNISOS: Ileia: Perivolia, Figalia, Potamos Nedas, Thea Dimitra cave (Brignoli, 1979); idem, Mavro Spilia cave near Thea Dimitra cave (Brignoli, 1979).

Distribution: Peloponnisos, Aegean and Ionian Islands.

***Popaea punctata* (O. P.- Cambridge, 1872) (m,f)**
Popaea punctata; Hadjissarantos, 1940: 28.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Kato Souli (Hadjissarantos, 1940).

Distribution: Pantropical.

***Orchestina ebriola* Brignoli, 1972 (m)**
Orchestina ebriola Brignoli, 1972: 287.

Citations:

DODEKANISA: Karpathos (type locality; Brignoli, 1972).

Distribution: Only known from the type locality in Karpathos.

***Orchestina simoni* Dalmas, 1916 (m,f)**
Orchestina simoni; Brignoli, 1974a: 158.

Citations:

IONIAN ISLANDS: Ithaca: Anogi (Brignoli, 1974a). Lefkada: Phryni-Tsoukalades (Brignoli, 1974a).

Distribution: Southern France, Italy, Greece.

***Silhouettella loricatula* (Roewer, 1942) (m,f)**

Gamasomorpha loricata; Simon, 1884: 345.
Dysderina loricata; Giltay, 1932: 10; Bristowe, 1935: 741;
Hadjissarantos, 1940: 27; Caporiacco, 1948: 39; Brignoli,
1974a: 155; Brignoli, 1979: 182.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Podoniftis (Hadjissarantos, 1940).
DODEKANISA: Rodos: Anginovato (Caporiacco, 1948).
EASTERN AEGEAN ISLANDS: Samos: Ampelos (Brignoli, 1979).
EVVOIA-VOROI SPORADES: Evvoia: Steni (Simon, 1884).
IONIAN ISLANDS: Ithaca: Anogi (Brignoli, 1974a, 1979).
Kerkyra: Kassiopi (Brignoli, 1974a); Loutses, near Peristerograva cave (Brignoli, 1974a). Lefkada: Kalligoni (Brignoli, 1974a); Frini (Brignoli, 1974a).
PELOPONNISOS: Ileia: Olympia (Giltay, 1932).

Distribution: Europe to Central Asia, North Africa, Canary Islands.

44. Family Palpimanidae

***Palpimanus gibbulus* Dufour, 1820 (m,f)**
Palpimanus haematinus C. L. Koch, 1836: 21; Erber, 1866:
827.
Palpimanus gibbulus; Pavesi, 1878: 389; Simon, 1880: 140;
Simon, 1884: 325; Kulczyn'ski, 1903: 34; Strand, 1915: 24;
Strand, 1917: 160; Gerhardt, 1927: 100; Gerhardt, 1928a: 37;
Roewer, 1928: 98; Reimoser, 1930: 145, 147; Giltay, 1932: 11;
Werner, 1934: 163; Bristowe, 1935: 743; Werner, 1935: 296;
Drensky, 1936: 32; Lüdicke & Madel, 1937: 298;
Hadjissarantos, 1940: 34; Caporiacco, 1948: 50; Reimoser,
1958: 570; Roewer, 1959a: 11.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Athina (Simon, 1884);
Gerhardt, 1928a; Werner, 1934); Faliro (Strand, 1915, 1917);
Oros Imitos (Gerhardt, 1927, 1928a); Oros Imitos, cave
Leondariou (Roewer, 1959a); Lavrio (Strand, 1917); Oros

Drakonera (Roewer, 1959a); Oros Pendeli (Gerhardt, 1927, 1928a); Voula (Werner, 1935; Hadjissarantos, 1940).
DODEKANISA: Karpathos (Strand, 1917). Kassos (Strand, 1917). Kos (Strand, 1917). Patmos (Bristowe, 1935). Rodos: Kastelo (Strand, 1917). Simi (Strand, 1917).
EASTERN AEGEAN ISLANDS: Icaria (Strand, 1917). Limnos (Werner, 1934). Lesvos: Mytilini (Werner, 1934). Samos: Marathocampos (Strand, 1917).
EVVOIA-VOROIES SPORADES: Evvoia (Simon, 1884); Gides (Giltay, 1932); Karystos (Strand, 1917).
IONIAN ISLANDS: Kerkyra (Simon, 1884; Strand, 1917; Reimoser, 1930). Kefalonia: Argostoli (Reimoser, 1930); Krane (Reimoser, 1930). Lefkada (Reimoser, 1958).
IPEIROS: Arta: Ammotopos (as Kumsades; Reimoser, 1958); Arta (Reimoser, 1958); Katarakti (Reimoser, 1958).
KRITI: Chania: Akrotiri, Governetou Monastery (Roewer, 1928); Chania (Kulczyn'ski, 1903); Lakki (Roewer, 1928). Lasithi: Lasithi (Strand, 1917); Sitia (Strand, 1917; Roewer, 1959a); Tsikalaria (Kulczyn'ski, 1903).
KYKLADES: Amorgos (Werner, 1934). Kea (Strand, 1917). Milos (Werner, 1934). Mykonos (Strand, 1917). Naxos (Simon, 1884). Paros (Werner, 1935). Santorini (Simon, 1880). Syros (Erber, 1866; Strand, 1917).
PELOPONNISOS: Achaia: Eglikas (Reimoser, 1930); Oros Panachaiko (as Voidea; Reimoser, 1930). Argolida: Mycenae (Gerhardt, 1927, 1928a). Arkadia: Tripoli (Roewer, 1928). Ileia: Kallithea (as Zacha; Giltay, 1932); Olympia (Giltay, 1932). Messinia: Leonidio (Lüdicke & Madel, 1937).

Distribution: Circummediterranean, Central Asia.

***Palpimanus orientalis* Kulczyn'ski, 1909 (m,f)**
Palpimanus orientalis Kulczyn'ski, 1909: 674; Platnick 1981: 171.

Citations:

DODEKANISA: Rodos (Platnick, 1981).
IONIAN ISLANDS: Kerkyra: Ipsos (Kulczyn'ski, 1909).
PELOPONNISOS: Without precise locality (Platnick, 1981).

Distribution: Albania, Greece.

***Palpimanus uncatus* Kulczyn'ski, 1909 (m,f)**
Palpimanus uncatus Kulczyn'ski, 1909: 675; Platnick 1981: 172.

Citations:

DODEKANISA: Kos (Platnick, 1981).

Distribution: Egypt, Turkey, Greece (Kos).

46. Family Mimetidae

***Ero aphana* (Walckenaer, 1802) (m,f)**
Ero aphana; Simon, 1884: 330; Bristowe, 1935: 755; Drensky, 1936: 129; Hadjissarantos, 1940: 73; Caporiacco, 1948: 57; Thaler et al., 2004: 359.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Ekali (Hadjissarantos, 1940).
DODEKANISA: Rodos (Bristowe, 1935; Caporiacco, 1948). Patmos (Bristowe, 1935).
EVVOIA-VOROIES SPORADES: Evvoia: Steni (Simon, 1884).
IONIAN ISLANDS: Kefalonia: Atheras beach (Thaler et al., 2004). Kerkyra: Sgombou-Gravolimni (Thaler et al., 2004); Spartilas (Thaler et al., 2004).
KRITI: Lasithi: Aghios Georgios, Vidiatis (Thaler et al., 2004).
MAKEDONIA: Chalkidiki: Nikiti (Thaler et al., 2004).

Distribution: Palearctic.

***Ero cambridgei* Kulzyn'ski, 1911**
Ero cambridgei; Thaler et al., 2004: 360.

Citations:

DODEKANISOS: Rodos: Profitis Ilias above Salakas (Thaler et al., 2004).
PELOPONNISOS: Lakonia: Oros Parnonas, Kaloregovouni near Metamorfosi (Thaler et al., 2004).

Distribution: Palearctic.

***Ero flammeola* Simon, 1881 (m,f)**
Ero flammeola; Brignoli, 1977: 944; Thaler et al., 2004: 362.

Citations:

DODEKANISOS: Rodos: Aghios Isidoros, Attaviros (Thaler et al., 2004); Profitis Ilias above Salakas (Thaler et al., 2004).
IONIAN ISLANDS: Kerkyra: Oros Pantokratoras, Gravolithia cave (Brignoli, 1977); Spartilas (Thaler et al., 2004).
KRITI: Lasithi: Lastros, near Sitia (Thaler et al., 2004).
MAKEDONIA: Chalkidiki: Sithonia, Koutloumousi beach (Thaler et al., 2004).

Distribution: Mediterranean region, Azores, Madeira.

***Ero furcata* (Villers, 1789) (m,f)**
Theridium variegatum; Brullé, 1832: 52.
Ero furcata; Thaler et al., 2004: 363.

Citations:

IONIAN ISLANDS: Kerkyra (Thaler et al., 2004).
PELOPONNISOS: Lakonia: Mani (as « Le Magne, environs de Scardamula », Brullé, 1832).

Distribution: Palearctic.

***Ero tuberculata* (De Geer, 1778) (m,f)**
Ero tuberculata; Bristowe, 1935: 755; Caporiacco, 1948: 57.

Citations:

DODEKANISA: Rodos (Bristowe, 1935).

Distribution: Palearctic.

***Mimetus laevigatus* (Keyserling, 1863) (m,f)**
Mimetus laevigatus; Roewer, 1928: 99; Bristowe, 1935: 755; Reimoser, 1958: 571.

Citations:

IONIAN ISLANDS: Kefalonia (Bristowe, 1935).
IPEIROS: Arta: Katarakti (Reimoser, 1958).
KRITI: Chania: Topolia (Roewer, 1928).

Distribution: Mediterranean to Central Asia.

47. Family Eresidae

***Adonea fimbriata* Simon, 1873 (m,f)**
Storkaniella janinensis Kratochvil & Miller, 1940: 93.

Citations:

IPEIROS: Ioannina: Ioannina (as Janina; Kratochvil & Miller, 1940).

Distribution: North Africa, Greece.

***Eresus cinnaberinus* (Olivier, 1789) (m,f)**
Eresus ctenizoides C. L. Koch, 1836: 19
Eresus puniceus C. L. Koch, 1838: 103; Simon, 1873: 345.
Eresus niger; Strand, 1915: 21; Drensky, 1928: 191; Gerhardt, 1928a: 34; Roewer, 1928: 98; Giltay, 1932: 11; Werner, 1934: 163; Drensky, 1936: 32; Hadjissarantos, 1940: 35. Werner 1935 296.
Eresus cinnaberinus; Reimoser, 1958: 573; Roewer, 1959a: 33.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Athina (Gerhardt, 1928a; Werner, 1934, 1935, Hadjissarantos, 1940); Oros Imitos (Werner, 1934, 1935); Oros Imitos, Aghios Ioannis Kunigos (Hadjissarantos, 1940); Oros Imitos, near Leondariou cave (Roewer, 1959a); Oros Likavitos (Hadjissarantos, 1940); Podoniftis (Hadjissarantos, 1940).
EASTERN AEGEAN ISLANDS: Chios (Werner, 1935). Lesvos: Mytilini (Werner, 1934). Samothraki (Werner, 1935).
EVVOIA-VOROIES SPORADES: Kyra Panagia (Werner, 1934).
IONIAN ISLANDS: Kerkyra: Oros Pantokratoras, Perithia (Giltay, 1932). Lefkada (Reimoser, 1958).
IPEROS: Arta (Reimoser, 1958).
KRITI: Chania: Akrotiri, Governetou Monastery (Roewer, 1928).
KYKLADES: Kythnos (Werner, 1935). Mykonos (Werner, 1934).
PELOPONNISOS: Argolida: Nafplio (C. L. Koch, 1836, 1838). Korinthia: Korinthos (Werner, 1934). Messinia: Areopoli, Velychada cave (Roewer, 1959a).
THRAKI: Evros: Makri (Drensky, 1928); Potamos (as Badoma; Drensky, 1928).

Distribution: Europe to Central Asia, North Africa, Canary Islands.

***Eresus ruficapillus* C. L. Koch, 1846 (f)**

Eresus ruficapillus; Roewer, 1928: 98.
Eresus niger ignicomis; Hadjissarantos, 1940: 35.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Pikermi (Hadjissarantos, 1940).
PELOPONNISOS: Arkadia: Tripoli (Roewer, 1928).

Distribution: Corsica, Greece.

***Eresus solitarius* Simon, 1873 (m)**

Eresus laetus; Bristowe, 1935: 743; Caporiacco, 1948: 35.

Citations:

DODEKANISA: Rodos (Bristowe, 1935).

Distribution: Mediterranean. Insufficiently known species with a strange distribution area. It was cited as *Eresus solitarius* from Spain and Portugal and as *E. laetus* from Syria and Greece.

***Eresus walckenaeri* Brullé, 1832 (m,f)**

Eresus walckenaeri Brullé, 1832: 55.
Eresus walckenaerii; Simon, 1873: 356; Simon, 1880: 140; Simon, 1884: 325; Strand, 1907: 393; Strand, 1915: 22; Strand, 1917: 161; Gerhardt, 1928a: 34; Gerhardt 1928b: 595; Roewer, 1928: 98; Caporiacco, 1929: 224; Reimoser, 1930: 145, 147; Werner, 1934: 163; Bristowe, 1935: 743; Drensky, 1936: 33; Hadjissarantos, 1940: 35; Caporiacco, 1948: 35; Reimoser, 1958: 573; Roewer, 1959a: 33.
Eresus audouin Brullé, 1832: 54; Pavese, 1878: 388.
Eresus theis Brullé, 1832: 55.
Eresus luridus C. L. Koch, 1836: 19.
Eresus pruinosus C. L. Koch, 1846: 3.
Eresus moerens C. L. Koch, 1846: 1; Simon, 1873: 356.
Eresus ctenoides (sic); Erber, 1866: 826.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Athina (Simon, 1884; Gerhardt, 1928b); Charvati (Hadjissarantos, 1940); Faliro (Strand, 1915); Oros Imitos (Hadjissarantos, 1940); Moni Kaisariani (Hadjissarantos, 1940); Kokkinaras (Gerhardt, 1928a); Lavrio (Hadjissarantos, 1940); Oros Parnitha, Keramidi (Hadjissarantos, 1940); Oros Parnitha, Mola (Hadjissarantos, 1940); Oros Parnitha, Paleochori (Hadjissarantos, 1940); Oros Pendeli (Roewer, 1928, 1959); Rafina (Hadjissarantos, 1940); Vari (Hadjissarantos, 1940).

DODEKANISA: Armathia (Strand, 1917). Chalki (Strand, 1917). Kalimnos (Strand, 1917). Karpathos (Strand, 1917). Kassos (Strand, 1917). Kos (Strand, 1917). Rodos: Aghios Demetrios (Caporiacco, 1948); Aghios Isidoros (Caporiacco, 1929); Campochiaro (Caporiacco, 1948); Cuzzuti (Caporiacco, 1948); Kastelo (Strand, 1917); Katavia (Caporiacco, 1929); Koschino (Caporiacco, 1929); Profitis Ilias (Caporiacco, 1929); Rodos town (Strand, 1917; Caporiacco, 1929). Simi (Strand, 1917). EASTERN AEGEAN ISLANDS: Chios (Strand, 1915; Strand, 1917). Icaria (Strand, 1917). Samos: Marathocampos (Strand, 1917). EVVOIA-VOROIES SPORADES: Evvoia: Karystos (Strand, 1917). Skopelos (Werner, 1934). Skyros (Werner, 1934). IONIAN ISLANDS: Kefalonia: Oros Aeneos (Reimoser, 1930); Argostoli (Reimoser, 1930). Lefkada (Reimoser, 1958). KRITI: Chania: Akrotiri, Katholiko Monastery (Roewer, 1928); Omalos plateau (Roewer, 1928). Lasithi: Milatos (Roewer, 1959a). KYKLADES: Amorgos (Werner, 1934). Andros (Strand, 1917). Kea (Strand, 1917). Mykonos (Strand, 1917). Paros (Werner, 1934). Santorini (Simon, 1880); le Messa-Vouno (Simon, 1884). Syros (Erber, 1866; Strand, 1907). Tinos (Strand, 1917). MAKEDONIA: Kavala: Iraklitsa (Roewer, 1959a). PELOPONNISOS: as Morea (type locality of *E. moerens*; C. L. Koch, 1846). Argolida: Nafplio (C. L. Koch, 1836, sub *E. luridus*). Arkadia: "plaines de l'Arkadie" (type locality of *E. theisi*; Brullé, 1832). Lakonia: Sparti (type locality of *E. walckenaeri*; Brullé, 1832). Messinia: Areopoli, Velychada cave (Roewer, 1959a); Methoni (as Plaine de Modon; type locality of *E. audouin*; Brullé, 1832). STEREA ELADA: Fokida: Delfoi (Bristowe, 1935).

Distribution: Mediterranean.

***Stegodyphus lineatus* (Latreille, 1817) (m,f)**

Stegodyphus lineatus; Roewer, 1928: 98; Gerhardt, 1928a: 33; Gerhardt, 1928b: 592; Caporiacco, 1929: 224; Bristowe, 1935: 743; Werner, 1935: 296; Hadjissarantos, 1940: 36; Caporiacco, 1948: 35; Kraus & Kraus, 1990: 231.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Athina (Gerhardt, 1928b); Charvati (Hadjissarantos, 1940); Dafni (Hadjissarantos, 1940); Ekali (Hadjissarantos, 1940); Oros Imitos (Werner, 1935); Oros Imitos, Moni Karea (Hadjissarantos, 1940); Moni Kaisariani (Hadjissarantos, 1940); Kifissia (Hadjissarantos, 1940); Kraus & Kraus, 1990); Kokkinaras (Gerhardt, 1928a); Kopanas (Hadjissarantos, 1940); Lopesi (Hadjissarantos, 1940); Loutsa (Hadjissarantos, 1940); Oros Pendeli (Hadjissarantos, 1940); Porto-Rapti (Hadjissarantos, 1940); Psichiko (Hadjissarantos, 1940); Sounio (Bristowe, 1935); Varkiza (Hadjissarantos, 1940); Vari (Hadjissarantos, 1940); Voula (Werner, 1935); Vouliagmeni (Hadjissarantos, 1940). Saronic Islands: Aigina (Hadjissarantos, 1940); Salamina (Hadjissarantos, 1940). DODEKANISA: Karpathos (Bristowe, 1935). Patmos (Bristowe, 1935). Rodos: Aghios Isidoros (Caporiacco, 1929); Aghios Theodoros (Caporiacco, 1948); Archipoli (Caporiacco, 1948); Campochiaro (Caporiacco, 1948); Draco (Caporiacco, 1948); Katavia (Caporiacco, 1929); Koschino (Caporiacco, 1929); Pissipi (Caporiacco, 1948); Rodos town (Bristowe, 1935; Kraus & Kraus, 1990); Scafe (Caporiacco, 1948). KRITI: Chania: Akrotiri, Governetou Monastery (Roewer, 1928). Irakleio: Galipe (as Chalepa; Kraus & Kraus, 1990).

Distribution: Europe to Tajikistan, North Africa.

48. Family Oecobiidae

***Oecobius cellariorum* (Dugès, 1836) (m,f)**
Oecobius cellariorum; Caporiacco, 1925: 108; Gerhardt, 1928a: 32; Bristowe, 1935: 742; Hadjissarantos, 1940: 28.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Athina (Gerhardt, 1928a); Ekali (Hadjissarantos, 1940); Sounio (Bristowe, 1935); Hadjissarantos, 1940); Vouliagmeni (Hadjissarantos, 1940). DODEKANISA: Patmos (Capriacco, 1925; Bristowe, 1935). IONIAN ISLANDS: Kerkyra (Bristowe, 1935).

Distribution: Cosmopolitan.

Oecobius maculatus Simon, 1870 (m,f)

Oecobius maculatus; Wunderlich, 1995a: 594.

Oecobius annulipes maculatus; Hadjissarantos, 1940: 28; Capriacco, 1948: 35.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Loutsa (Hadjissarantos, 1940). DODEKANISA: Rodos: Aghios Dimitrios (Capriacco, 1948); Anginovato (Capriacco, 1948).

KRITI: Without precise locality (Wunderlich, 1995a).

PELOPONNISOS: Argolida: Epidavros (Wunderlich, 1995a).

Distribution: Mediterranean to Azerbaijan.

Oecobius navus Blackwall, 1859 (m,f)

Oecobius ionicus Cambridge, 1873: 531; Pavesi, 1878: 374; Simon, 1884: 336.

Oecobius annulipes; Gerhardt 1928a: 33; Gerhardt 1928b: 589; Bristowe, 1935: 741; Hadjissarantos, 1940: 28; Capriacco, 1948: 35 (according to Wunderlich, 1995a: misidentifications). *Oecobius navus*; Wunderlich, 1995a: 595.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Moni Kaisariani (Hadjissarantos, 1940); Kato Souli (Hadjissarantos, 1940); Ligina (Hadjissarantos, 1940); Liopesi (Hadjissarantos, 1940); Loutsa (Hadjissarantos, 1940); Oros Pendeli (Gerhardt, 1928a; Hadjissarantos, 1940); Pikermi (Hadjissarantos, 1940); Podoniftis (Hadjissarantos, 1940); Rafina (Hadjissarantos, 1940); Skaramagkas (Hadjissarantos, 1940); Varimbombi (Hadjissarantos, 1940). Saronic Islands: Aigina (Hadjissarantos, 1940); Salamina (Hadjissarantos, 1940).

DODEKANISA: Rodos (Bristowe, 1935).

IONIAN ISLANDS: Kerkyra (Cambridge, 1873).

KYKLADES: Dilos (Bristowe, 1935).

PELOPONNISOS: Argolida: Mycenae (Bristowe, 1935); Nafplio (Bristowe, 1935).

Distribution: Cosmopolitan.

Oecobius rhodiensis Kritscher, 1966 (m,f)

Oecobius rhodiensis Kritscher 1966: 291; Wunderlich, 1995a: 597.

Citations:

DODEKANISA: Rodos: Lindos (Reimoser, 1966).

KYKLADES: Naxos (Wunderlich, 1995a).

Distribution: Rodos, Naxos.

Uroctea durandi (Latreille, 1809) (m,f)

Clothe durandi; Brullé, 1832: 51.

Uroctea durandi; Pavesi, 1878: 373; Simon, 1884: 336; Strand, 1917: 162; Roewer, 1928: 97; Reimoser, 1930: 89; Bristowe, 1935: 742; Roewer, 1959a: 11.

Citations:

EASTERN AEGEAN ISLANDS: Chios (Strand, 1917).

IONIAN ISLANDS: Kerkyra (Simon, 1884).

KRITI: Chania: Akrotiri, Gouvernetou Monastery (Roewer, 1928).

Lasithi: Lasithi (Strand, 1917).

MAKEDONIA: Serres: Chrisopighi (Roewer, 1959a); Orini (Roewer, 1959a).

PELOPONNISOS: Lakonia : Oros Taigetos (Brullé, 1872).

Distribution: Mediterranean.

51. Family Uloboridae

Hyptiotes flavidus (Blackwall, 1862) (m,f)

Hyptiotes flavidus; Gerhardt, 1928a: 65; Hadjissarantos, 1940: 64.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Oros Pendeli (Gerhardt, 1928a).

Distribution: Mediterranean.

Hyptiotes gerhardti Wiehle, 1929 (m,f)

Hyptiotes sp.; Gerhardt 1928a: 35.

Hyptiotes gerhardti; Wiehle, 1929: 295; Hadjissarantos, 1940: 64.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Oros Pendeli near Athina (type locality; Gerhardt, 1928a; Wiehle, 1929).

Distribution: Greece, Russia.

Hyptiotes paradoxus (C. L. Koch, 1834) (m,f)

Hyptiotes paradoxus; Roewer, 1928: 97; Hadjissarantos, 1940: 64.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Dekelia (Hadjissarantos, 1940); Ekali (Hadjissarantos, 1940).

KRITI: Chania: Topolia (Roewer, 1928).

Distribution: Palearctic.

Uloborus gilvus (Blackwall, 1870) (f)

Uloborus gilvus; Gerhardt, 1928a: 35; Hadjissarantos, 1940: 63.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Kokkinaras (Gerhardt, 1928a).

Distribution: Italy, Greece.

Uloborus plumipes Lucas, 1846 (m,f)

Uloborus plumipes; Gerhardt, 1928a: 35; Bristowe, 1935: 766; Hadjissarantos, 1940: 64; Capriacco, 1948: 37; Roewer, 1959a: 34.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Drakonera cave (Roewer, 1959a); Moni Kaisariani (Gerhardt, 1928a; Hadjissarantos, 1940); Kato Souli (Hadjissarantos, 1940); Kokkinos Milos (Hadjissarantos, 1940); Kokkinaras (Gerhardt, 1928a); Kopanas (Hadjissarantos, 1940); Likavittos (Gerhardt, 1928a); Marathonas (Hadjissarantos, 1940); Podoniftis (Hadjissarantos, 1940); Pikermi (Hadjissarantos, 1940); Vouliagmeni (Hadjissarantos, 1940); Vyron (Hadjissarantos, 1940). DODEKANISA: Rodos (Bristowe, 1935).

IONIAN ISLANDS: Ithaca (Bristowe, 1935).

PELOPONNISOS: Argolida: Nafplio (Bristowe, 1935).

STEREA ELADA: Fokida: Delfoi (Bristowe, 1935). Viotia: Oros Liakoura (Roewer, 1959a).

Distribution: Old world.

Uloborus walckenaerius Latreille, 1806 (m,f)

Uloborus walckenaerius; Simon, 1884: 330; Fage, 1921: 99; Capriacco, 1925: 107; Drensky, 1928: 185; Gerhardt, 1928a: 35; Capriacco, 1929: 223; Bristowe, 1935: 766; Drensky, 1936: 109; Hadjissarantos, 1940: 64; Capriacco, 1948: 37; Roewer, 1959a: 34.

Citations:

Greece: Without precise locality (Simon, 1884).
ATTIKI-SARONIC ISLANDS: Attiki: Athina (Hadjissarantos, 1940); Ekali (Hadjissarantos, 1940); Oros Imitos, near cave Leondariou (Roewer, 1959a); Oros Imitos, Moni Karea (Hadjissarantos, 1940); Moni Kaisariani (Hadjissarantos, 1940); Kokkinaras (Gerhardt, 1928a); Marathonas (Hadjissarantos, 1940); Oros Parnitha, Keramidi (Hadjissarantos, 1940); Oros Parnitha, Paleochori (Hadjissarantos, 1940); Oros Parnitha, Phili (Hadjissarantos, 1940); Oros Pendeli (Hadjissarantos, 1940); Rafina (Hadjissarantos, 1940). Saronic Islands: Salamina (Hadjissarantos, 1940).
DODEKANISA: Kos (Caporiacco, 1925). Patmos (Bristowe, 1935). Rodos (Bristowe, 1935): Draco (Caporiacco, 1948); Scafa (Caporiacco, 1948).
MAKEDONIA: Florina (Fage, 1921).
THRAKI: Rodopi: Komotini (as Gumurjina; Drensky, 1928)

Distribution: Palearctic.

54. Family Nesticidae

Nesticus beshkovi Deltshev, 1979 (f)

Nesticus beshkovi Deltshev, 1979: 53.

Citations:

KRITI: Lasithi: Tzermadio, Trapezas cave (type locality; Deltshev, 1979).

Distribution: Only known from the type locality in Kriti.

Nesticus cellularanus (Clerck, 1757) (m,f)

Nesticus cellularanus; Roewer, 1959a: 13.

Citations:

IPEIROS: Ioannina (Roewer, 1959a).
MAKEDONIA: Imathia: Naoussa, Apano Skala and Paparados cave (Roewer, 1959a). Kastoria: Kastoria, Goloubintsa cave (Roewer, 1959a). Serres: Chrisopighi, cave Natsiosuk (Roewer, 1959a); Orini (Roewer, 1959a).

Distribution: Holarctic.

Nesticus eremita Simon, 1879 (m,f)

Nesticus eremita; Bristowe, 1935: 759; Brignoli, 1977: 944; Brignoli, 1984: 292; Deltshev, 1985: 44.
Nesticus speluncarum eremita; Drensky, 1936: 76.

Citations:

EVVOIA-VOROI SPORADES: Evvoia: Tharounia, Skotini cave (Deltshev, 1985).
IONIAN ISLANDS: Zakynthos: Oros Vrachionas, Spila tou Cgajoti (Brignoli, 1977).
THESSALIA: Larisa: Oros Ossa, Kokkino Vracho cave (Bristowe, 1935); Oros Ossa, several caves on this mountain (Brignoli, 1977, 1984).

Distribution: Europe.

Nesticus henderickxi Bosselaers, 1998 (m,f)

Nesticus henderickxi Bosselaers, 1998: 9.

Citations:

KRITI: Chania: Kournas cave (type locality; Bosselaers, 1998).

Distribution: Only known from the type locality in Kriti.

55. Family Theridiidae

Achaearanea tepidariorum (C. L. Koch, 1841) (m,f)

Theridion tepidariorum; Fage, 1921: 100; Bristowe, 1935: 756; Caporiacco, 1948: 52.

Citations:

DODEKANISA: Rodos: Aghios Theodoros (Caporiacco, 1948). MAKEDONIA: Pella: Edessa (as Vodena; Fage, 1921).

Distribution: Cosmopolitan.

Anelosimus pulchellus (Walckenaer, 1802) (m,f)

Anelosimus pulchellus; Caporiacco, 1948: 51.

Citations:

DODEKANISA: Rodos: Draco (Caporiacco, 1948).

Distribution: Europe to Russia, North Africa.

Anelosimus vittatus (C. L. Koch, 1836) (m,f)

Theridion vittatum; Reimoser, 1930: 147; Bristowe, 1935: 756.
Anelosimus vittatus; Caporiacco, 1948: 51.

Citations:

DODEKANISA: Rodos: Rodos town (Bristowe, 1935). IONIAN ISLANDS: Kerkyra: Agios Matheos (Reimoser, 1930).

Distribution: Palearctic.

Argyrodes argyrodes (Walckenaer, 1842) (m,f)

Argyrodes gibbosus; Bristowe, 1935: 759.
Conopistha argyrodes; Reimoser, 1958: 570.
Argyrodes argyrodes; Knoflach, 2004: 223.

Citations:

IONIAN ISLANDS: Ithaca (Bristowe, 1935). Kefalonia: Lassi (Knoflach, 2004). Kerkyra (Bristowe, 1935). Lefkada (Reimoser, 1958).

Distribution: Mediterranean to West Africa, Seychelles.

Crustulina scabripes Simon, 1881 (m,f)

Crustulina scabripes; Simon, 1884: 331; Bristowe, 1935: 758; Hadjissarantos, 1940: 52; Caporiacco, 1948: 52; Brignoli, 1984: 292; Knoflach, 1994: 322.

Crustulina nitida Simon, 1884: 331; Bristowe, 1935: 758; Hadjissarantos, 1940: 51.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Athina (Simon, 1884); Pikermi (Hadjissarantos, 1940). DODEKANISA: Karpathos: Lastos Massif, between Aperi and Spoa; Pyghadia, Tsourlaki cave (Brignoli, 1984). Rodos: Aghios Theodoros (Caporiacco, 1948); Draco (Caporiacco, 1948). IPEIROS: Ioannina: Tristeno (Brignoli, 1984). PELOPONNISOS: Lakonia: Kalamata-Areopoli, Kardamili (Knoflach, 1994); Kentro, Kambos gorge (Knoflach, 1994).

Distribution: Mediterranean.

Crustulina sticta (O. P.- Cambridge, 1861) (m,f)

Crustulina sticta; Strand, 1917: 163; Bristowe, 1935: 757; Knoflach, 1994: 334.

Citations:

EVVOIA-VOROI SPORADES: Evvoia: Dystos (Strand, 1917); Karystos (Strand, 1917). THRAKI: Evros: Evros delta (Knoflach, 1994).

Distribution: Holarctic.

Dipoena convexa (Blackwall, 1870) (m,f)

Dipoena convexa; Hadjissarantos, 1940: 54; Reimoser, 1958: 570.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Oros Parnitha, Keramidi (Hadjissarantos, 1940).
IPEROS: Arta: Katarakti (Reimoser, 1958). Ioannina: Platanousa (Reimoser, 1958).

Distribution: Mediterranean.

***Dipoena erythropus* (Simon, 1881) (m,f)**
Dipoena erythropus; Hadjissarantos, 1940: 54.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Oros Parnitha, Mola (Hadjissarantos, 1940).

Distribution: Central Europe to Ukraine.

***Dipoena torva* (Thorell, 1875) (m,f)**
Dipoena procax; Hadjissarantos, 1940: 54.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Oros Parnitha (Hadjissarantos, 1940).

Distribution: Palearctic.

***Enoplognatha afrodite Hippa & Oksala, 1983* (m,f)**
Enoplognatha afrodite Hippa & Oksala, 1983: 73; Bosmans & Van Keer, 1999: 211; Knoflach, 2004: 229.

Citations

DODEKANISA: Rodos: Attaviros, Aghios Isidoros (Knoflach, 2004); Profitis Ilias, above Salakos (Knoflach, 2004).
EVVOIA-VOROIES SPORADES: Skiathos: Troulos, Moni Panafios (Bosmans & Van Keer, 1999).
IONIAN ISLANDS: Kerkyra: Kassiopi (Bosmans & Van Keer, 1999). Kefalonia: Aghios Spiridon (Bosmans & Van Keer, 1999); Atsoupades (Bosmans & Van Keer, 1999); Pastra (Bosmans & Van Keer, 1999); Sami (Bosmans & Van Keer, 1999); Skala (Bosmans & Van Keer, 1999). KRITI: Chania: Kastelli (Hippa & Oksala, 1983). Irakleio: Matala (Bosmans & Van Keer, 1999). Rethymno: Plakias (Bosmans & Van Keer, 1999); Spili (Bosmans & Van Keer, 1999). MAKEDONIA: Chalkidiki: Poligiro (Hippa & Oksala, 1983).

Distribution: France, Italy, the Balkans, Turkey.

***Enoplognatha caricis* (Fickert, 1876) (m,f)**
Enoplognatha caricis; Caporiacco, 1948: 53.

Citations:

Cited erroneously from Rodos; see *Enoplognatha mariae*. *E. caricis* is a holarctic species, limited to the temperate part.

***Enoplognatha diversa* (Blackwall, 1859) (m,f)**
Enoplognatha robusta Simon, 1884: 332; Bristowe, 1935: 758.
Enoplognatha diversa; Bosmans & Van Keer, 1999: 226.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Thoriki, Velatouri (Bosmans & Van Keer, 1999).
EVVOIA-VOROIES SPORADES: Evvoia: Steni (Simon, 1884). DODEKANISA: Rodos: Ladiko Bay (Bosmans & Van Keer, 1999). KRITI: Chania: Akrotiri (Bosmans & Van Keer, 1999); Chania (Bosmans & Van Keer, 1999); between Apesokari and Miamou (Bosmans & Van Keer, 1999); Cape Koutri (Bosmans & Van Keer, 1999); Sfinari (Bosmans & Van Keer, 1999). Irakleio: Chersonisos (Bosmans & Van Keer, 1999); Karteros (Bosmans & Van Keer, 1999); Kommos near Pitsidia (Bosmans & Van Keer, 1999); Matala (Bosmans & Van Keer, 1999); Malia (Bosmans & Van Keer, 1999). Lasithi: Aghios Nikolaos (Bosmans & Van Keer, 1999). Rethymno: Aghia Galini (Bosmans & Van Keer, 1999).

Distribution: Mediterranean, Madeira, Canary Islands.

***Enoplognatha gemina* Bosmans & Van Keer, 1999 (m,f)**
Enoplognatha mandibularis; Wunderlich, 1995h: 706
(misidentification).
Enoplognatha gemina Bosmans & Van Keer, 1999: 235

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Athina, Akropolis (Bosmans & Van Keer, 1999).

DODEKANISA: Rodos: Filerimos (Bosmans & Van Keer, 1999). EVVOIA-VOROIES SPORADES: Kapsos: Poli (Bosmans & Van Keer, 1999).

IONIAN ISLANDS: Kefalonia: Sami (Bosmans & Van Keer, 1999).

KYKLADES: Santorini (Wunderlich, 1995h, sub *E. mandibularis*).

KRITI: Chania: Merada (as Merader; Bosmans & Van Keer, 1999). Irakleio: Chersonisos (Bosmans & Van Keer, 1999); Irakleio (Bosmans & Van Keer, 1999); Karteros (Bosmans & Van Keer, 1999); Malia (Bosmans & Van Keer, 1999); Matala (Bosmans & Van Keer, 1999); Phaestos (Bosmans & Van Keer, 1999). Lasithi: Aghios Nikolaos (Bosmans & Van Keer, 1999); Mirtos (Bosmans & Van Keer, 1999); Zakros (Bosmans & Van Keer, 1999). Rethymno: Aghia Galini (Bosmans & Van Keer, 1999); Kalathas (Bosmans & Van Keer, 1999). MAKEDONIA: Chalkidiki: Gerakini (Bosmans & Van Keer, 1999).

PELOPONNISOS: Korinthia: Korinthos (Bosmans & Van Keer, 1999).

STEREIA ELADA: Fokida: Delfoi (Bosmans & Van Keer, 1999).

Distribution: France, Italy, the Balkans, Israel, Turkey, Syria, Egypt.

***Enoplognatha giladensis* (Levy & Amitai, 1982) (m,f)**
Enoplognatha giladensis; Knoflach & Thaler, 2000: 412.

Citations:

DODEKANISA: Rodos: Aghios Isidoros, Oros Ataviros (Knoflach & Thaler, 2000); Laerma (Knoflach & Thaler, 2000); Petaloudes, near Aghios Kalopetra (Knoflach & Thaler, 2000); Profitis Ilias, above Salakos (Knoflach & Thaler, 2000); Stellies, Oros Akramitis (Knoflach & Thaler, 2000).

Distribution: Israel, Rodos.

***Enoplognatha latimana* Hippa & Oksala, 1982 (m,f)**
Enoplognatha latimana; Bosmans & Van Keer, 1999: 212.

Citations:

THESSALIA: Trikala: between Kastraki and Meteora (Bosmans & Van Keer, 1999).

Distribution: Holarctic.

***Enoplognatha macrochelis* Levy & Amitai, 1981 (m,f)**
Enoplognatha macrochelis; Wunderlich, 1995g: 705.
Enoplognatha macrochelis; Bosmans & Van Keer, 1999: 229.

Citations:

MAKEDONIA: Chalkidiki: Gerakini (Bosmans & Van Keer, 1999). DODEKANISA: Rodos: Petaloudes (Bosmans & Van Keer, 1999); Ladiko bay (Bosmans & Van Keer, 1999); Laerma (Bosmans & Van Keer, 1999); Theologos (Bosmans & Van Keer, 1999). KRITI: Chania: Merada (as Merader; Bosmans & Van Keer, 1999). KYKLADES: Santorini: Thiros (Wunderlich, 1995g).

Distribution: Greece, Turkey, Cyprus, Israel.

***Enoplognatha mandibularis* (Lucas, 1846) (m,f)**
Enoplognatha mandibularis; Simon, 1884: 332; Werner, 1934: 164; Bristowe, 1935: 758; Hadjissarantos, 1940: 52; Caporiacco, 1948: 53; Bosmans & Van Keer, 1999: 231.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Athina (Simon, 1884); Cholargos (Hadjissarantos, 1940); Dafni (Hadjissarantos, 1940); Oros Imitos, Moni Karea (Hadjissarantos, 1940); Moni Kaisariani (Hadjissarantos, 1940); Kavouri (Hadjissarantos, 1940); Liospesi (Hadjissarantos, 1940); Loutsa (Hadjissarantos, 1940); Oros Parnitha, Phili (Hadjissarantos, 1940). Saronic Islands: Aigina (Hadjissarantos, 1940).
DODEKANISA: Rodos: Aghios Theodoros (Caporiacco, 1948).
EVVOIA-VOROI SPORADES: Evvoia (Simon, 1884). Skopelos (Werner, 1934).
IONIAN ISLANDS: Kerkyra: Korission (Bosmans & Van Keer, 1999).
KRITI: Chania (Bosmans & Van Keer, 1999).
KYKLADES: Syros (Simon, 1884).
PELOPONNISOS: Argolida: Nafplio (Bristowe, 1935).

Distribution: Incorrectly cited from all over Europe, but distribution area limited to Mediterranean region: Portugal, Spain, France, Italy, Croatia, Greece, Algeria and Morocco (Bosmans & Van Keer, 1999). Some of the old citations probably refer to other species.

Enoplognatha mariae Bosmans & Van Keer, 1999 (m,f)
Enoplognatha mariae Bosmans & Van Keer, 1999: 215.
Enoplognatha caricis; Caporiacco, 1948: 53 (misidentification).

Citations:

DODEKANISA: Rodos: Draco (Caporiacco, 1948, sub *E. caricis*); SE Laerma (Bosmans & Van Keer, 1999).
KRITI: Irakleio: Festos (Bosmans & Van Keer, 1999).

Remark: Specimens cited from Rodos by Caporiacco (1948) from Rodos as *Enoplognatha caricis*, a species from temperate Europe, are considered incorrectly identified and are reported here as the related *E. mariae*.

Distribution: Kriti, Rodos.

Enoplognatha mediterranea Levy & Amitai, 1981 (m,f)
Enoplognatha mediterranea; Bosmans & Van Keer, 1999: 223.

Citations:

THESSALIA: Magnisia: Volos (Bosmans & Van Keer, 1999).

Distribution: Greece, Turkey, Cyprus, Israel.

{*Enoplognatha nigromarginata* (Lucas, 1846) (m,f)}
Enoplognatha nigromarginata; Bristowe, 1935: 758.

Citations:

STEREA ELADA: Fokida: Delfoi (Bristowe, 1935). Considered erroneous.

Distribution: Spain, France, Italy, Algeria, Morocco. Bristowe (1935) cites juvenile specimens from Greece, which cannot be identified to species level. *E. nigromarginata* is removed from the Greek list.

Enoplognatha ovata (Clerck, 1757) (m,f)
Theridion (-um) ovatum; Fage, 1921: 100; Caporiacco, 1929: 230; Drensky, 1936: 60; Bristowe, 1935: 755.
Theridium redimitum; Kulczyn'ski, 1903: 34; Werner, 1934: 164; Hadjissarantos, 1940: 57.
Phyllonetis lineatus; Drensky, 1928: 186.
Theridion ovatum ovatum; Caporiacco, 1948: 52.
Theridion ovatum lineatum; Caporiacco, 1948: 52.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Oros Parnitha, Phili (Hadjissarantos, 1940); Podoniftis (Hadjissarantos, 1940).
DODEKANISA: Rodos: Aghios Theodoros (Caporiacco, 1948); Koschino (Caporiacco, 1929); Rodos town (Caporiacco, 1929).

KRITI: Rethymno: Gallos (Kulczyn'ski, 1903).

KYKLADES: Mykonos (Werner, 1934).

MAKEDONIA: Florina (Fage, 1921).

THRAKI: Evros: Didimoticho (as Dimotika; Drensky, 1928). Rodopi: Komotini (as Gumurjina; Drensky, 1928). Xanthi: Xanthi (as Sketscha; Drensky, 1928).

Distribution: Holarctic, but probably limited to the temperate part. Frequently cited from Greece by Kulczyn'ski (1903), Caporiacco (1929, 1948), Drensky (1928), Fage (1921), Werner (1934) and Hadjissarantos (1940). Most probably most of these refer to other *Enoplognatha* species of the *ovata* group (*E. afrodite* and *E. penelope*), which were unknown at that time. The presence in the north of Greece however remains possible.

Enoplognatha parathoracica Levy & Amitai, 1981 (m,f)
Enoplognatha parathoracica; Bosmans & Van Keer, 1999: 220.

Citations:

THESSALIA: Magnisia: Volos (Bosmans & Van Keer, 1999).

Distribution: Greece, Israel, Turkey.

Enoplognatha penelope Hippa & Oksala, 1982 (m,f)
Enoplognatha penelope Hippa & Oksala, 1982: 221; Bosmans & Van Keer, 1999: 212; Knoflach, 2004: 232.

Citations:

IONIAN ISLANDS: Kefalonia: Sami (Bosmans & Van Keer, 1999); Skala (Bosmans & Van Keer, 1999). Kerkyra: Dasia, Kato Korakiana (Knoflach, 2004).

PELOPONNISOS: Lakonia: Kastorio (Bosmans & Van Keer, 1999). DODEKANISA: Rodos: Apolakia-Vatio (Bosmans & Van Keer, 1999); Archipolis-Platania (Bosmans & Van Keer, 1999); Filerimos (Bosmans & Van Keer, 1999); Laerma (Bosmans & Van Keer, 1999); Salachos (Hippa & Oksala, 1982).

MAKEDONIA: Chalkidiki: Kallithea (Bosmans & Van Keer, 1999). THESSALIA: Magnisia: Kato Gatzea (Bosmans & Van Keer, 1999). Pieria: Pandeleimonas (Bosmans & Van Keer, 1999); Platamonas (Bosmans & Van Keer, 1999).

Distribution: Greece, Bulgaria.

Enoplognatha quadripunctata Simon, 1884 (m,f)
Enoplognatha quadripunctata Simon, 1884: 333; Bosmans & Van Keer, 1999: 218; Knoflach, 2004: 237.
Enoplognatha thoracica quadripunctata; Simon, 1916: 274.
Enoplognatha thoracica; Bristowe, 1935: 758; Hadjissarantos, 1940: 52; Caporiacco, 1948: 53 (misidentifications).

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Alepochori (Bosmans & Van Keer, 1999); Athina (Simon, 1884); Charvati (Hadjissarantos, 1940, sub *E. thoracica*); Ekali (Hadjissarantos, 1940, sub *E. thoracica*); Moni Kaisariani (Hadjissarantos, 1940, sub *E. thoracica*); Pikermi (Hadjissarantos, 1940, sub *E. thoracica*); Podoniftis (Hadjissarantos, 1940, sub *E. thoracica*); Vari (Hadjissarantos, 1940, sub *E. thoracica*).

DODEKANISA: Rodos: Draco (Caporiacco, 1948, sub *E. thoracica*); Eptapiges (Bosmans & Van Keer, 1999); Laerma (Bosmans & Van Keer, 1999); Filerimos (Bosmans & Van Keer, 1999); Petaloudes (Bosmans & Van Keer, 1999); Profitis Ilias, above Salakos (Knoflach, 2004); Rodos town (Bristowe, 1935, sub *E. thoracica*).

EASTERNAEAEAN ISLANDS: Chios (Bosmans & Van Keer, 1999). EVVOIA-VOROI SPORADES: Evvoia: Steni (type locality; Simon, 1884).

IONIAN ISLANDS: Kerkyra: Barbati (Bosmans & Van Keer, 1999); Korission (Bosmans & Van Keer, 1999). Kefalonia: Atsoupades (Bosmans & Van Keer, 1999); Castle hill (Bosmans & Van Keer, 1999); Lakithra (Bosmans & Van Keer, 1999); Oros Aeneos (Bosmans & Van Keer, 1999); Sami (Bosmans & Van Keer,

1999); Sisia (Bosmans & Van Keer, 1999); Svoronata (Bosmans & Van Keer, 1999).

KRITI: Chania: Akrotiri, near Kalathas bay (Bosmans & Van Keer, 1999); Festos (Bosmans & Van Keer, 1999); Frangokastelo (Bosmans & Van Keer, 1999); Kalathas (Bosmans & Van Keer, 1999); Kera, S. Mochos (Knoflach, 2004); Omalos (Bosmans & Van Keer, 1999). Irakleio: Karteros (Bosmans & Van Keer, 1999); Malia (Bosmans & Van Keer, 1999); Pefkos (Knoflach, 2004); Skotino (Bosmans & Van Keer, 1999). Lasithi: Aghios Nikolaos (Bosmans & Van Keer, 1999); between Vai and Palekastro (Bosmans & Van Keer, 1999); Zoniana, near cave Sventoni (Bosmans & Van Keer, 1999).

KYKLADES: Paros (Bosmans & Van Keer, 1999).

MAKEDONIA: Grevena: Eleftherochori (Bosmans & Van Keer, 1999). Chalkidiki: Gerakini (Bosmans & Van Keer, 1999). Thessaloniki (Simon, 1916; Bosmans & Van Keer, 1999).

THESSALIA: Magnisia: Kata Gatzea (Bosmans & Van Keer, 1999); Volos (Bosmans & Van Keer, 1999). Pieria: Pandeleimonas (Bosmans & Van Keer, 1999).

Distribution: Mediterranean.

Enoplognatha testacea Simon, 1884 (m,f)

Enoplognatha testacea; Brignoli, 1984: 293; Bosmans & Van Keer, 1999: 222.

Citations:

EASTERN AEGEAN ISLANDS: Chios (Bosmans & Van Keer, 1999). IPEIROS: Ioannina: Emin Aga bridge (Brignoli, 1984); Konitsa (Brignoli, 1984). IONIAN ISLANDS: Ithaki: Exoghi (Brignoli, 1984). Kefalonia: Sami, Afragias-Poros (Brignoli, 1984). Zakynthos: Aghios Nikolaos (Brignoli, 1984). KRITI: Lasithi: Sitia (Brignoli, 1984).

Distribution: European part of the Mediterranean region to Central Asia.

Enoplognatha thoracica (Hahn, 1833) (m,f)

Enoplognatha thoracica; Bosmans & Van Keer, 1999: 216.

Citations:

THESSALIA: Magnisia: Volos (Bosmans & Van Keer, 1999).

Distribution: The temperate part of Europe. All citations from the south of Greece are considered to belong to *E. quadripunctata* (Bosmans & Van Keer, 1999).

Enoplognatha verae Bosmans & Van Keer, 1999 (m,f)

Enoplognatha verae Bosmans & Van Keer, 1999: 213.

Citations:

DODEKANISA: Rodos: NW Laerma (Bosmans & Van Keer, 1999). KRITI: Irakleio: Lentas (Bosmans & Van Keer, 1999); Malia (Bosmans & Van Keer, 1999). Rethymno: Aghia Galini (Bosmans & Van Keer, 1999).

Distribution: Coastal areas of Morocco, Tunisia, Spain, Italy and Greece.

Episinus maculipes Cavanna, 1876 (m,f)

Episinus maculipes; Knoflach & Thaler, 2000: 417.

Citations:

KRITI: Chania: Georgioupoli (Knoflach & Thaler, 2000).

Distribution: Mediterranean to South England.

Episinus truncatus Latreille, 1809 (m,f)

Episinus truncatus; Brullé, 1832: 53; Pavesi, 1878: 370; Bristowe, 1935: 759; Hadjissarantos, 1940: 55; Knoflach & Thaler, 2000: 421.

Episinus lugubris; Simon, 1884: 330.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Athina (Simon, 1884); Dekelia (Hadjissarantos, 1940); Kokkinos Milos (Hadjissarantos, 1940); Oros Parnitha, Phili (Hadjissarantos, 1940); Oros Parnitha, Paleochori (Hadjissarantos, 1940); Podoniftis (Hadjissarantos, 1940).

IPEIROS: Ioannina: Ioannina camping (Knoflach & Thaler, 2000).

PELOPONNISOS: "Morée" (Brullé, 1832). Achaia: Akrata (Knoflach & Thaler, 2000).

Distribution: Palearctic.

Euryopis episinoides (Walckenaer, 1847) (m,f)

Euryopis acuminata; Simon, 1884: 332; Fage, 1921: 100; Bristowe, 1935: 758; Hadjissarantos, 1940: 55; Brignoli, 1984: 293.

Euryopis acuminata tarsalis; Bristowe, 1935: 758; Caporiacco, 1948: 50.

Euryopis episinoides; Knoflach, 2004: 238.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Athina (Simon, 1884); Ekali (Hadjissarantos, 1940); Kato Souli (Hadjissarantos, 1940); Kopanas (Hadjissarantos, 1940); Liospesi (Hadjissarantos, 1940); Oros Parnitha, Paleochori (Hadjissarantos, 1940).

DODEKANISA: Rodos (Bristowe, 1935): Anginovato (Caporiacco, 1948).

IONIAN ISLANDS: Ithaca: near Ithaki (Brignoli, 1984). Kerkyra: Kassiopi (Brignoli, 1984).

IPEIROS: Ioannina: Ioannina (Knoflach, 2004).

MAKEDONIA: Chalkidiki: Ioannina (Knoflach, 2004); Olympiada (Knoflach, 2004). Pella: Edessa (as Vodena, Fage, 1921).

Distribution: Mediterranean, China.

Euryopis margaritata (L. Koch, 1867) (m,f)

Theridium margaritatum L. Koch, 1867: 861.

Euryopis margaritata; Pavesi, 1878: 370; Simon, 1884: 330; Bristowe, 1935: 758; Hadjissarantos, 1940: 56; Reimoser, 1958: 570.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Ekali (Hadjissarantos, 1940); Podoniftis (Hadjissarantos, 1940).

IONIAN ISLANDS: Lefkada (Reimoser, 1958).

KYKLADES: Tinos (type locality; L. Koch, 1867).

Distribution: Greece, Italy.

Euryopis mutoloi Caporiacco, 1948 (m)

Euryopis mutoloi Caporiacco, 1948: 50.

Citations:

DODEKANISA: Rodos: Petrolaco (type locality; Caporiacco, 1948).

Distribution: Rodos. Insufficiently known species. Caporiacco's sketch (1948) hardly allows identification.

Euryopis quinqueguttata Thorell, 1875 (m,f)

Euryopis quinqueguttata; Simon, 1884: 332; Simon, 1916: 274; Bristowe, 1935: 758.

Citations:

EVVOIA-VOROIES SPORADES: Evvoia: Steni (Simon, 1884).

MAKEDONIA: Thessaloniki (Simon, 1916).

Distribution: Central and Southern Europe to Turkmenistan.

***Euryopis sexalbomaculata* (Lucas, 1846) (m,f)**

Euryopis sexalbomaculata; Simon, 1885: 210; Simon, 1916: 274; Bristowe, 1935: 758.
Euryopis particeps; Bristowe, 1935: 758.

Citations:

STEREA ELADA: Fokida: Delfoi (Bristowe, 1935).
THESSALIA: Larisa: Tembi valley (Simon, 1885).

Distribution: Algeria, Tunisia, Libya, Greece, Israel.

***Keijia tincta* (Walckenaer, 1802) (m,f)**

Theridion tinctum; Brignoli, 1984: 301.

Citations:

IPEROS: Thesprotia: Igoumenitsa (Brignoli, 1984).

Distribution: Holarctic.

***Kochiura aulica* (C. L. Koch, 1838) (m,f)**

Theridion aulicum C. L. Koch, 1838: 115; Simon, 1884: 331;
Capriacco, 1929: 230; Bristowe, 1935: 755; Hadjissarantos,
1940: 56; Capriacco, 1948: 52.
Anelosimus aulicus; Knoflach, 2004: 221.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Athina (Simon, 1884); Sounio (Bristowe, 1935).
DODEKANISA: Rodos: Aghios Isidores (Capriacco, 1929); Koschino (Capriacco, 1929); Rodos town (Capriacco, 1929).
IONIAN ISLANDS: Kefalonia: Karavados (Knoflach, 2004).
KRITI: Chania: Georgioupolis (Knoflach, 2004).
KYKLADES: Dilos (Bristowe, 1935). Syros (Simon, 1884).
PELOPONNISOS: Argolida: Nafplio (type locality; C. L. Koch, 1838; Bristowe, 1935).
STEREA ELADA: Aitolo-Akarnania: Akarnania (Simon, 1884).

Distribution: Canary and Cape Verde Islands to Azerbaijan.

***Lasaeola prona* (Menge, 1868) (m,f)**

Dipoena prona; Giltay, 1932: 23.

Citations:

IONIAN ISLANDS: Kerkyra (Giltay, 1932).

Distribution: Holarctic.

{*Latrodectus schuchii* (C. L. Koch, 1836)}

Meta schuchii C. L. Koch, 1836: 10.
Latrodectus schuchi; Pavesi, 1878: 372; Simon, 1884: 332;
Bristowe, 1935: 757; Hadjissarantos, 1940: 55
(misidentifications).

Comments :

The species *Meta schuchii* described by Koch (1836) from Greece has to be considered a synonym of *Latrodectus tredecimguttatus* and not of the North American *L. mactans*, as indicated in catalogues. There is only one native *Latrodectus* species in Greece; exotic *Latrodectus* species may occasionally have been introduced.

***Latrodectus tredecimguttatus* (Rossi, 1790) (m,f)**

Theridion tredecimguttatum; Brullé, 1832: 51.
Meta schuchii C. L. Koch, 1836: 10.
Meta hispida C. L. Koch, 1836: 9.
Latrodectus congregatus C. L. Koch, 1837: 41.
Latrodectus tredecimguttatus; Pavesi, 1878: 372; Cecconi,
1895: 191; Strand, 1917: 163; Capriacco, 1929: 231; Bristowe,
1935: 757; Hadjissarantos, 1940: 54; Capriacco, 1948: 53;
Roewer, 1959a: 12.
Latrodectus schuchi; Pavesi, 1878: 372; Simon, 1884: 332;
Bristowe, 1935: 757; Hadjissarantos, 1940: 55
(misidentifications).

Latrodectus mactans tredecimguttatus; Brignoli, 1984: 293.

Latrodectus tredecimguttatus erebus; Fage, 1921: 100;
Bristowe, 1935: 757.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Aghia Irena (Roewer, 1959a); Athina (Bristowe, 1935); Ekali (Hadjissarantos, 1940); Oros Imitos, Moni Karea (Hadjissarantos, 1940); Oros Imitos-Kopanas (Hadjissarantos, 1940); Moni Kaisariani (Hadjissarantos, 1940); Kifissia (Hadjissarantos, 1940); Oros Pendeli Monastery (Hadjissarantos, 1940).
DODEKANISA: Armathia (Strand, 1917). Kos (Strand, 1917). Rodos: Jali (Capriacco, 1929); Profitis Ilias (Capriacco, 1929).
EASTERN AEGEAN ISLANDS: Chios (Strand, 1917). Samos: Marathocampus (Strand, 1917).
EVVOIA-VOROIES SPORADES: Evvoia: Steni (Simon, 1884).
KRITI: Chania: lake Kournas (Roewer, 1959a). Irakleio: Almiros (Brignoli, 1984); Irakleio (Roewer, 1959a); Karteros (Roewer, 1959a); Koubbeddes, cave Camilaria (Roewer, 1959a). Rethymno: Melidoni (Cecconi, 1895).
MAKEDONIA: Kavala: Iraklitsa (Roewer, 1959a). Thessaloniki (Fage, 1921).
PELOPONNISOS: 'Morée' (Brullé, 1832). Argolida: Nafplio (C. L. Koch, 1836).
THRAKI: Xanthi: Avdira (Roewer, 1959a).

Distribution: Mediterranean to China.

***Neottiura herbigrada* (Simon, 1873) (m,f)**

Theridion herbigradum; Hadjissarantos, 1940: 57.
Neottiura herbigrada; Knoflach, 1999: 353.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Podoniftis (Hadjissarantos, 1940); Sounio (Knoflach, 1999).
IONIAN ISLANDS: Kerkyra: Dasia, Kato Korakiana (Knoflach, 1999).
KRITI: Chania: Akrotiri, Governetou, Aghia Triada (Knoflach, 1999).
PELOPONNISOS: Korinthia: Gerania, Loutraki (Knoflach, 1999). Lakonia: Githio, Elos-Skala (Knoflach, 1999).

Distribution: Madeira to Israel, China.

***Neottiura uncinata* (Lucas, 1846) (m,f)**

Theridion uncinatum; Simon, 1916: 274; Bristowe, 1935: 756;
Capriacco, 1948: 52; Brignoli, 1984: 301.
Neottiura uncinata; Knoflach, 1999: 358.

Citations:

MAKEDONIA: Thessaloniki (Simon, 1916).
PELOPONNISOS: Korinthia: Gerania, Loutraki (Knoflach, 1999).

Distribution: Mediterranean.

***Paidiscura pallens* (Blackwall, 1834) (m,f)**

Paidiscura pallens; Knoflach & Thaler, 2000: 425.

Citations:

KRITI: Lasithi: Kato Metochi (Knoflach & Thaler, 2000).

Distribution: Palearctic.

***Pholcomma gibbum* (Westring, 1851) (m,f)**

Pholcomma gibbum; Brignoli, 1974a: 169; Brignoli, 1984: 293.

Citations:

DODEKANISA: Rodos: Petaloudes valley (Brignoli, 1984).
IONIAN ISLANDS: Ithaca: Katharon Monastery (Brignoli, 1984).
Kefalonia: Livadiotis (Brignoli, 1974a). Kerkyra: Oros Pantokratoras, between Perithia and Loutses (Brignoli, 1984).
Lefkada: Kalligoni (Brignoli, 1974a).

IPEIROS: Ioannina: Aghios Kosmas (Brignoli, 1984); near Ioannina (Brignoli, 1984); Metsovo (Brignoli, 1984); Tristeno (Brignoli, 1984).
PELOPONNISOS: Achaia: Patra (Brignoli, 1974a).

Distribution: Europe, Russia, Ukraine, North Africa.

Robertus arundineti (O. P.- Cambridge, 1871) (m,f)
Robertus arundineti; Fage, 1921: 100; Bristowe, 1935: 759; Lüdicke & Madel, 1937: 298.

Citations:

PELOPONNISOS: Messinia: Leonidio (Lüdicke & Madel, 1937).
THRAKI: Xanthi: Stavroupoli (as Zeitenlik, Fage, 1921).

Distribution: Palearctic.

Robertus heydemanni Wiehle, 1965 (m,f)
Robertus heydemanni; Wunderlich, 1973b: 411.

Citations:

KRITI: Irakleio: Protoria (Wunderlich, 1973b).

Remark: The validity of this species is doubted, possibly it is a synonym of *Robertus arundineti*.

Distribution: Germany, Austria, Sweden, Kriti.

{**Robertus lividus** (Blackwall, 1836)}
Robertus lividus; Brignoli, 1984: 295 (misidentification).

Citations:

Thaler & Knoflach (2000) consider Brignoli's citations (1984) from Greece as belonging to *R. mediterraneus* and the species is thus deleted from the Greek list.

Robertus mediterraneus Eskov, 1987 (m,f)
Robertus lividus; Brignoli, 1984: 295 (misidentification).
Robertus mediterraneus; Knoflach & Thaler, 2000: 434.

Citations:

IPEIROS: Ioannina: Metsovo (sub *R. lividus*; Brignoli, 1984).
MAKEDONIA: Chalkidiki: Oros Cholomonas, Paleochora-Arnea (Knoflach & Thaler, 2000); Olympiada-Stavros (Knoflach & Thaler, 2000). Kastoria: Grammos, Pendalofo (Knoflach & Thaler, 2000). Serres: Rodopoli, Kalochori (Knoflach & Thaler, 2000).
STEREA ELADA: Voiotia: Arachova-Eptalofos, Oros Parnassos (Knoflach & Thaler, 2000).

Distribution: European part of the Mediterranean. Brignoli's citation (1984) of *Robertus lividus* refers to *R. mediterraneus* (Thaler & Knoflach, 2000).

Simitidion simile (C. L. Koch, 1836) (m,f)
Theridion simile; Bristowe, 1935: 756; Hadjissarantos, 1940: 58; Caporiacco, 1948: 52; Brignoli, 1984: 301; Knoflach, 1996a: 153.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Bogiati (Hadjissarantos, 1940); Kato Souli (Hadjissarantos, 1940); Oros Parnitha, Phili (Hadjissarantos, 1940); Oros Pendeli (Hadjissarantos, 1940); Pikermi (Hadjissarantos, 1940).
DODEKANISA: Rodos (Bristowe, 1935): Aghios Dimitrios (Caporiacco, 1948); Draco (Caporiacco, 1948).
IPEIROS: Ioannina: SE Konitsa, Potamos Bogsomatis (Brignoli, 1984).
KRITI: Irakleio: Zaros (Knoflach, 1996a). Rethymno: Axos (Knoflach, 1996a).
KYKLADES: Naxos (Knoflach, 1996a).
PELOPONNISOS: Korinthia: Gerania, Loutraki (Knoflach, 1996a). Lakonia: Oros Taigetos, Anavriti (Knoflach, 1996a).

THESSALIA: Magnisia: Malaki (Knoflach, 1996a).

Distribution: Holarctic.

Steatoda albomaculata (Degeer, 1778) (m,f)
Lithyphantes corollatus; Simon, 1884: 331; Strand, 1917: 163; Drensky, 1928: 186.
Lithyphantes albomaculata; Heyden 1890: 136; Simon, 1916: 274; Fage, 1921: 100; Caporiacco, 1929: 231; Bristowe, 1935: 757; Drensky, 1936: 63; Hadjissarantos, 1940: 52; Caporiacco, 1948: 53; Knoflach, 1996c: 142.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Athina (Simon, 1884); Dionisos (Hadjissarantos, 1940); Ekali (Hadjissarantos, 1940); Oros Imitos, Moni Karea (Hadjissarantos, 1940); Skaramagkas (Hadjissarantos, 1940); Oros Parnitha, Paleochori (Hadjissarantos, 1940).

DODEKANISA: Rodos: Aghios Isidoros (Caporiacco, 1929); Aghios Theodoros (Caporiacco, 1948).

IONIAN ISLANDS: Kerkyra (Bristowe, 1935).

KRITI: Chania (Heyden, 1890). Lasithi (Strand, 1917).

KYKLADES: Santorini (Bristowe, 1935).

MAKEDONIA: Thessaloniki: Thessaloniki (Simon, 1916); Vasilika (Fage, 1921).

PELOPONNISOS: Lakonia: Githio (Knoflach, 1996c).

THRAKI: Evros: Alexandroupoli (as Dede-Agatch; Drensky, 1928); Potamos (as Badoma; Drensky, 1928). Rodopi: Komotini (as Gumurjina; Drensky, 1928). Xanthi: Xanthi (as Sketscha; Drensky, 1928).

Distribution: Cosmopolitan.

Steatoda bipunctata (Linnaeus, 1758) (m,f)
Steatoda bipunctata; Drensky, 1928: 186; Caporiacco, 1929: 230; Drensky, 1936: 63; Caporiacco, 1948: 53; Brignoli, 1977: 943.

Citations:

DODEKANISA: Rodos: Aghios Isidoros (Caporiacco, 1929).
IONIAN ISLANDS: Kerkyra: Paleokastritsa (Brignoli, 1977).

THRAKI: Evros: Alexandroupoli (as Dede-Agatch; Drensky, 1928); Makri (Drensky, 1928); Potamos (as Badoma; Drensky, 1928). Xanthi: Xanthi (as Sketscha; Drensky, 1928).

Distribution: Holarctic.

Steatoda brignolii Knoflach, 1996 (f)
Steatoda meridionalis; Brignoli, 1984: 295.
Steatoda brignolii Knoflach, 1996b: 394.

Citations:

PELOPONNISOS: Lakonia: Oros Parnonas, West Kosmas (Knoflach, 1996b).

STEREA ELADA: Fokida: Oros Vardousia, near Profitis Ilias (sub *S. meridionalis*; Brignoli, 1984; type locality of *S. brignolii*; Knoflach, 1996b).

Distribution: Only known from Greece and only from the female.

Steatoda castanea (Clerck, 1757) (m,f)
Teutana castanea; Fage, 1921: 100; Bristowe, 1935: 756.
Steatoda castanea; Drensky, 1928: 186; Drensky, 1936: 64; Brignoli, 1984: 295.

Citations:

IPEIROS: Ioannina: Metsovo (Brignoli, 1984).

KRITI: Irakleio: Skotino, cave Aghia Paraskevi (Brignoli, 1984).
MAKEDONIA: Florina (Fage, 1921).

THRAKI: "Everywhere" (Drensky, 1928).

Distribution: Palearctic.

***Steatoda erigoniformis* (O. P.- Cambridge, 1872) (m,f)**
Lithyphantes signatus; Simon, 1884: 331; Bristowe, 1935: 757.
Asagena signata; Strand, 1917: 163.

Citations:
EVVOIA-VOROI SPORADES: Evvoia: Karystos (Strand, 1917); Steni (Simon, 1884).
STEREA ELADA: Fokida: Vardousa and Giona Oros (as Korax mountains; Strand, 1917).

Distribution: Pantropical.

***Steatoda grossa* (C. L. Koch, 1838) (m,f)**
Theridium grossum C. L. Koch, 1838: 112.
Lithyphantes grossus; Pavesi, 1878: 371.
Teutana grossa; Simon, 1884: 331; Strand, 1917: 162; Fage, 1921: 100; Caporiacco, 1925: 108; Werner, 1934: 164; Bristowe, 1935: 756; Hadjissarantos, 1940: 53.
Steatoda grossa; C. L. Koch, 1851: 17; Brignoli, 1979: 191; Brignoli, 1984: 295.

Citations:
ATTIKI-SARONIC ISLANDS: Attiki: Athina (Simon, 1884).
DODEKANISA: Patmos (Caporiacco, 1925).
EASTERN AEGEAN ISLANDS: Lesvos: Mytilini (Werner, 1934).
EVVOIA-VOROI SPORADES: Evvoia: Karystos (Strand, 1917).
Skyros (Werner, 1934).
IONIAN ISLANDS: Kithira: Agia Sofia cave near Kalamos (Brignoli, 1979).
KYKLADES: Ios : Jali (Strand, 1917).
KRITI: Irakleio: Sarchos cave (Brignoli, 1984).
MAKEDONIA: Thessaloniki (Fage, 1921).
PELOPONNISOS: "Morea" (type locality; C. L. Koch, 1838).
STEREA ELADA: Fokida: Vardousa and Giona Oros (as Korax mountains; Strand, 1917).

Distribution: Cosmopolitan.

***Steatoda maura* (Simon, 1909) (m,f)**
Lithyphantes gerhardtii Wieghe 1934: 71; Bristowe, 1935: 757; Hadjissarantos, 1940: 53.

Citations:
ATTIKI-SARONIC ISLANDS: Attiki: Athina (Wieghe, 1934); Bristowe, 1935); Charvati (Hadjissarantos, 1940); Ekali (Hadjissarantos, 1940); Kato Souli (Hadjissarantos, 1940); Kifissia (Hadjissarantos, 1940); Kopanas (Hadjissarantos, 1940); Vari (Hadjissarantos, 1940); Vouliagmeni (Hadjissarantos, 1940).

Distribution: Mediterranean.

***Steatoda meridionalis* (Kulczyn'ski, 1894) (m,f)**
Steatoda meridionalis; Knoflach, 1996b: 388.

Citations:
THESSALIA: Magnisia: Oros Pilio, Milies (Knoflach, 1996b).
Trikala: Kalambaka (Knoflach, 1996b).

Distribution: SE Europe to Georgia.

***Steatoda paykulliana* (Walckenaer, 1805) (m,f)**
Phrurolithus hamatus C. L. Koch, 1839: 105.
Phrurolithus lunatus C. L. Koch, 1839: 107.
Lithyphantes paykullianus; Simon, 1880: 140; Simon, 1884: 331; Simon, 1916: 274; Strand, 1917: 163; Fage, 1921: 100; Drensky, 1928: 186; Caporiacco, 1929: 231; Reimoser, 1930: 146, 147; Giltay, 1932: 23; Bristowe, 1935: 757; Werner, 1935: 296; Drensky, 1936: 64; Hadjissarantos, 1940: 53; Caporiacco, 1948: 53; Reimoser, 1958: 570.
Steatoda paykulliana; Brignoli, 1984: 295

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Athina (Simon, 1880); Faliro (Strand, 1917); Oros Imitos (Werner, 1935); Voula (Werner, 1935).

DODEKANISA: Karpathos (Strand, 1917). Kassos (Strand, 1917). Rodos: Aghios Dimitrios (Caporiacco, 1948); Aghios Isidores (Caporiacco, 1929); Anginovato (Caporiacco, 1948); Draco (Caporiacco, 1948); Kastelo (Strand, 1917); Katavia (Caporiacco, 1929); Koschino (Caporiacco, 1929). EASTERN AEGEAN ISLANDS: Lesvos: Mitilini (Werner, 1935). Samothraki (Werner, 1935).

EVVOIA-VOROI SPORADES: Evvoia (Simon, 1884): Karystos (Strand, 1917); Oros Ocha (Strand, 1917).

IONIAN ISLANDS: Kefalonia: Argostoli (Reimoser, 1930). Kerkyra: Aghios Matheos (Reimoser, 1930); Kassiopi (Brignoli, 1984); Kondokali (Giltay, 1932); Spartilas, Oros Pantokratoras (Brignoli, 1984). Lefkada: Meganisi (Reimoser, 1958); Sivota (Brignoli, 1984); Sivros (Reimoser, 1930). Zakynthos: Oros Skopos (Brignoli, 1984); Vasilikos (Brignoli, 1984).

IPEIROS: Artia: Anemorrachi (Brignoli, 1984); Katarakti (Reimoser, 1958).

KRITI: Cani Kuku (Brignoli, 1984); Chania (Strand, 1917); Lasithi (Strand, 1917); Oros Ida, Anogchia (Brignoli, 1984); Sitia (Brignoli, 1984).

KYKLADES: Andros (Strand, 1917). Kea (Strand, 1917). Kimolos (Werner, 1935).

MAKEDONIA: Florina (Fage, 1921). Thessaloniki (Simon, 1916).

PELOPONNISOS: Achaia: Patra (Brignoli, 1984). Argolida: Nafplio (C. L. Koch, 1839).

THRAKI: Evros: Alexandroupoli (as Dede-Agatch; Drensky, 1928); Makri (Drensky, 1928). Xanthi: Stavroupoli (as Zeitenlik; Fage, 1921); Xanthi (as Sketscha; Drensky, 1928).

Distribution: Southern Europe, North Africa to Central Asia.

***Steatoda phalerata* (Panzer, 1801) (m,f)**

Asagena phalerata; Simon, 1916: 274; Fage, 1921: 100; Drensky, 1928: 186; Strand, 1928: 186; Giltay, 1932: 23; Werner, 1934: 296; Bristowe, 1935: 757; Werner, 1935: 296; Drensky, 1936: 60; Hadjissarantos, 1940: 51; Reimoser, 1958: 570; Knoflach, 1996b: 382.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Oros Parnitha, Agia Triada (Hadjissarantos, 1940); Oros Parnitha, Paleochori (Hadjissarantos, 1940); Podoniftis (Hadjissarantos, 1940); Rafina (Hadjissarantos, 1940).

EASTERN AEGEAN ISLANDS: Samothraki (Werner, 1935).

EVVOIA-VOROI SPORADES: Evvoia (Bristowe, 1935).

IONIAN ISLANDS: Kerkyra: Kalikiopoulos (Giltay, 1932).

IPEIROS: Artia: Katarakti (Reimoser, 1958).

MAKEDONIA: Grevena: Paraskevi (Reimoser, 1958). Pella: Arnissa (as Ostrovo; Fage, 1921). Thessaloniki (Simon, 1916).

PELOPONNISOS: Achaia: Mourochova and Montsenitsa (Giltay, 1932).

STEREA ELADA: Fokida: Vardousa and Giona Oros (as Korax mountains; Strand, 1917).

THESSALIA: Trikala: Kalambaka (Knoflach, 1996b).

THRAKI: Evros: Alexandroupoli (as Dede-Agach; Drensky, 1928); Makri (Drensky, 1928). Rodopi: Komotini (as Gumurjina; Drensky, 1928). Xanthi: Xanthi (as Sketscha; Drensky, 1928).

Distribution: Palearctic.

***Steatoda triangulosa* (Walckenaer, 1802) (m,f)**

Theridium venustissimum C. L. Koch, 1838: 114.
Teutana triangulosa; Simon, 1884: 331; Cecconi, 1895: 191; Strand, 1917: 162; Drensky, 1928: 186; Bristowe, 1935: 756; Drensky, 1936: 64; Hadjissarantos, 1940: 53.
Steatoda triangulosa; Pavesi, 1878: 371; Brignoli, 1977: 944; Brignoli, 1984: 296; Knoflach, 2004: 246.

Teutana triangulosa punica; Fage, 1921: 100; Bristowe, 1935: 758; Hadjissarantos, 1940: 54.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Athina (Hadjissarantos, 1940); Oros Imitos-Koropi (Hadjissarantos, 1940); Moni Kaisariani (Hadjissarantos, 1940); Kato Souli (Hadjissarantos, 1940); Kifissia (Hadjissarantos, 1940); Liospesi (Hadjissarantos, 1940); Loutsa (Hadjissarantos, 1940); Marathonas (Hadjissarantos, 1940).
DODEKANISA: Kos (Strand, 1917). Karpathos: Pygadia, Tsourlaki cave (Brignoli, 1984); Voladas (Knoflach, 2004).
IONIAN ISLANDS: Kefalonia : Lassi (Knoflach, 2004). Kerkyra: Spartilas, Oros Pantokratoras (Brignoli, 1977).
IPEROS: Ioannina: Karies-Elati (Brignoli, 1984).
KRITI: Lasithi: Ierapetra, Sarakinias gorge (Knoflach, 2004); Lastros (Knoflach, 2004); Sitia (Strand, 1917). Rethymno: Melidoni (Cecconi, 1895).
MAKEDONIA: Thessaloniki: Thessaloniki (Fage, 1921).
PELOPONNISOS: "Morea" (C. L. Koch, 1838).
THRAKI: common in houses (Drensky, 1928). Xanthi: Stavroupoli (as Zeitenlik; Fage, 1921).

Distribution: Cosmopolitan.

***Theridion adrianopoli* Drensky, 1915 (m,f)**

Theridion dodonaeum Brignoli, 1984: 297.
Theridion hauseri Brignoli, 1984: 298.
Theridion cretaensis Wunderlich, 1995e: 691.
Theridion adrianopoli; Drensky, 1928: 186; Drensky, 1936: 69; Knoflach, 1997: 133.

Citations:

DODEKANISA: Rodos: Akramitis (Knoflach, 1997); Attaviros, Aghios Isidoros (Knoflach, 1997); Profitis Ilias, Salakos (Knoflach, 1997).
EASTERN AEGEAN ISLANDS: Icaria: road Oxea-Monokampion (type locality of *T. hauseri*; Brignoli, 1984).
IONIAN ISLANDS: Kerkyra: Spartilas (Knoflach, 1997).
IPEROS: Ioannina: 11 km SE Konitsa, river Bogsomatis, Kalivia (type locality of *T. dodonaeum*; Brignoli, 1984); Konitsa, Aoos valley (Knoflach, 1997).
KRITI: Without precise locality (type locality of *T. cretaensis*; Wunderlich, 1995e). Irakleio: Ammoudara (Knoflach, 1997).
MAKEDONIA: Chalkidiki: Olympiada-Stavros valley (Knoflach, 1997). Serres: Ano Poroia, Oros Kerkini (Knoflach, 1997).
PELOPONNISOS: Argolida: Artemisio (Knoflach, 1997).
STEREA ELADA: Fokida: Oros Parnassos (Knoflach, 1997).
THESSALIA: Magnisia: Volos (Knoflach, 1997).
THRAKI: Evros: Didimoticho (as Dimotika; Drensky, 1928).

Distribution: Bulgaria, Croatia, Greece, Kriti, Turkey.

{*Theridion bicolor* Brullé, 1832 (f)}

Theridion bicolor Brullé, 1832: 51; Simon, 1884: 335.

Citations:

PELOPONNISOS: Lakonia (Brullé, 1832).

Distribution: This species is only known from its original description by Brullé (1832). According to Platnick (2004) it is a nomen dubium.

***Theridion blackwalli* O. P.- Cambridge, 1871 (m,f)**

Theridion blackwalli; Fage, 1921: 100; Bristowe, 1935: 756.

Citations:

MAKEDONIA: Florina (Fage, 1921).

Distribution: Europe, Russia, Ukraine, North Africa.

***Theridion carpathium* Brignoli, 1984 (f)**

Theridion carpathium Brignoli, 1984: 296.

Citations:

DODEKANISA: Karpathos (type locality; Brignoli, 1984).

Distribution: Only known from the type locality in Karpathos.

***Theridion corycraeum* Brignoli, 1984 (f)**

Theridion corycraeum Brignoli, 1984: 297.

Citations:

IONIAN ISLANDS: Kerkyra: near Kerkyra (type locality; Brignoli, 1984).

Distribution: Only known from the type locality in Kerkyra.

***Theridion impressum* L. Koch, 1881 (m,f)**

Theridion impressum; Drensky, 1928: 186; Drensky, 1936: 70; Hadjissarantos, 1940: 57; Brignoli, 1984: 299.
Theridion cornutum; Drensky, 1928: 186; Drensky, 1936: 69.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Pikermi (Hadjissarantos, 1940).

THESSALIA: Trikala: Katara (Brignoli, 1984).

THRAKI: Evros: Alexandroupoli (as Dede-Agatch; Drensky, 1928); Soufli (as Soflu; Drensky, 1928). Rodopi: Komotini (as Gumurjina; Drensky, 1928). Xanthi: Xanthi (as Sketscha; Drensky, 1928).

Distribution: Holarctic.

***Theridion melanurum* Hahn, 1831 (m,f)**

Theridion denticulatum; Simon, 1884: 331; Fage, 1921: 100; Drensky, 1928: 186; Bristowe, 1935: 755; Drensky, 1936: 69; Hadjissarantos, 1940: 57; Caporiacco, 1948: 52; Brignoli, 1984: 300.

Theridion undulatum; Drensky, 1928: 186.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Athina (Simon, 1884).

DODEKANISA: Rodos (Bristowe, 1935): Campochiaro (Caporiacco, 1948).

EVVOIA-VOROIES SPORADES: Evvoia (Simon, 1884).

KRITI: Lasithi: Kroustas-Prina (Brignoli, 1984).

KYKLADES: Naxos (Simon, 1884).

MAKEDONIA: Florina (Fage, 1921).

THRAKI: Evros: Alexandroupoli (as Dede-Agatch; Drensky, 1928); Soufli (as Soflu; Drensky, 1928). Rodopi: Komotini (as Gumurjina; Drensky, 1928).

Distribution: Holarctic, Azores.

***Theridion nigropunctatum* Lucas, 1846 (m,f)**

Theridion nigropunctatum; Caporiacco, 1929: 230; Caporiacco, 1948: 52.

Citations:

DODEKANISA: Rodos: Koschino (Caporiacco, 1929).

Distribution: Mediterranean.

***Theridion nigrovariegatum* Simon, 1873 (m,f)**

Theridion nigrovariegatum; Fage, 1921: 100; Bristowe, 1934: 757.

Citations:

MAKEDONIA: Florina (Fage, 1921).

Distribution: Southern palearctic.

***Theridion petraeum* L. Koch, 1872 (m,f)**

Theridion petraeum; Hadjissarantos, 1940: 57.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Oros Imitos, Moni Karea (Hadjissarantos, 1940); Kato Souli (Hadjissarantos, 1940); Oros Parnitha, Paleochori (Hadjissarantos, 1940); Podoniftis (Hadjissarantos, 1940).

Distribution: Cited from Central and Southern Europe, Morocco and Algeria, but probably often misidentified. In Greece it was cited from Attiki, but this should be confirmed by reexamining Hadjissarantos' material.

***Theridion pinastri* L. Koch, 1872 (m,f)**

Theridion pinastri; Fage, 1921: 100; Bristowe, 1935: 756.

Citations:

MAKEDONIA: Thessaloniki: Vasilika (Fage, 1921).

Distribution: Palearctic.

***Theridion refugum* Drensky, 1929 (m,f)**

Theridion pindi Brignoli, 1984: 300.

Citations:

IPEIROS: Ioannina: surroundings of Ioannina (Brignoli, 1984). THESSALIA: Trikala: Koridalos (type locality of *T. pindi* Brignoli, 1984).

Distribution: Austria, Bulgaria, continental Greece, Russia.

***Theridion sisypium* (Clerck, 1757) (m,f)**

Theridion sisypium; Pavesi, 1878: 370; Simon, 1884: 355; Drensky, 1928: 186; Drensky, 1936: 74.

Citations:

THRAKI: Evros: Alexandroupoli (as Dede-Agatch; Drensky, 1928); Didimoticho (as Dimotika; Drensky, 1928). Rodopi: Komotini (as Gumurjina; Drensky, 1928). Xanthi: Xanthi (as Sketscha; Drensky, 1928).

Distribution: Palearctic.

***Theridion tenellum* C. L. Koch, 1841 (f)**

Theridium tenellum C. L. Koch, 1841: 80; Pavesi, 1878: 370; Drensky, 1936: 74; Caporiacco, 1948: 52.

Citations:

PELOPONNISOS: Argolida: Nafplio (type locality; C. L. Koch, 1841). DODEKANISA: Rodos: Aghios Dimitrios (Caporiacco, 1948, 1 "pullus"); Draco (Caporiacco, 1948, 1 "pullus").

Distribution: An insufficiently known species, described from the Peloponnisos (C. L. Koch, 1841). Later only mentioned from Rodos (Caporiacco, 1948) but only juveniles were found, so these records are unreliable.

***Theridion varians* Hahn, 1833 (m,f)**

Theridion varians; Drensky, 1928: 186; Caporiacco, 1948: 52; Reimoser, 1958: 570; Wunderlich, 1977b: 289; Knoflach 1998: 546.

Citations:

DODEKANISA: Rodos: Draco (Caporiacco, 1948). EVVOIA-VOROIES SPORADES: Evvoia (Wunderlich, 1977b). IONIAN ISLANDS: Kerkyra: Dasia (Knoflach, 1998). IPEIROS: Ioannina: Platanousa (Reimoser, 1958). THRAKI: Rodopi: Komotini (as Gumurjina, Drensky, 1928).

Distribution: Holarctic.

56. Family Theridiosomatidae

***Theridiosoma gemmosum* (L. Koch, 1877) (m,f)**

Theridiosoma gemmosum; Simon, 1880: 140; Simon, 1884: 330; Bristowe, 1935: 759; Drensky, 1936: 129.

Citations:

IONIAN ISLANDS: Kerkyra (Simon, 1880).

Distribution: North America, Central Europe to Georgia.

58. Family Anapidae

***Zangherella apuliae* (Caporiacco, 1949) (m,f)**

Pseudanapis apuliae; Brignoli, 1974a: 169; Brignoli, 1977: 943.

Zangherella apuliae; Brignoli, 1984: 302; Thaler & Knoflach, 1998: 76.

Citations:

IONIAN ISLANDS: Kefalonia: Sami (Brignoli, 1974a). Lefkada: Kalligoni (Brignoli, 1974a). Kerkyra: Dasia, between Ano Korakiana and Aghios Markos (Thaler & Knoflach, 1998). IPEIROS: Ioannina: Emin Aga bridge (Brignoli, 1977); Aghios Kosmas (Brignoli, 1977). Thesprotia: Filiates (Brignoli, 1977); Polidoro, N Neraida (Brignoli, 1977, 1984).

Distribution: Italy, Greece, Turkey.

62. Family Linyphiidae

***Alioranus pastoralis* (O. P.- Cambridge, 1872) (m,f)**

Hubertinus planiceps Wunderlich, 1980a: 124.

Citations:

KRITI: Lasithi: Ierapetra (Wunderlich, 1980a).

Distribution: Kriti, Cyprus, Israel, Tadzhikistan.

***Araeoncus humilis* (Blackwall, 1841) (m,f)**

Araeoncus humilis; Hadjissarantos, 1940: 62.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Kokkinos Milos (Hadjissarantos, 1940).

Distribution: Palearctic, New Zealand.

***Bolyphantes lamellaris* Tanasevitch, 1990 (m,f)**

Bolyphantes lamellaris; Van Helsdingen et al. 2001: 9.

Citations:

STEREA ELADA: Voiotia: Oros Parnassos, Arachova (Van Helsingin et al., 2001).

Distribution: Italy, Greece, Caucasus.

***Canariphantes zonatus* (Simon, 1881) (m,f)**

Leptyphantes zonatus; Caporiacco, 1948: 53.

Citations:

DODEKANISA: Rodos: Anginovato (Caporiacco, 1948).

Distribution: Mediterranean.

***Cresmatoneta mutinensis* (Canestrini, 1868) (m,f)**

Formicina mutinensis; Simon, 1884: 330; Strand, 1917: 162; Fage, 1921: 100; Hadjissarantos, 1940: 58.
Cresmatoneta mutinensis; Bristowe, 1935: 760.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Athina (Simon, 1884); Faliro (Strand, 1917).

EVVOIA-VOROIES SPORADES: Evvoia (Simon, 1884).

MAKEDONIA: Pella: Edessa (as Vodena; Fage, 1921).

Distribution: Palearctic, in Europe only occurring in the Mediterranean region.

***Dicymbium nigrum* (Blackwall, 1834) (m,f)**

Dicymbium nigrum; Drensky, 1928: 186; Drensky, 1936: 96.

Citations:

THRAKI: Rodopi: Komotini (as Gumurjina; Drensky, 1928).

Distribution: Palearctic.

***Diplocephalus alpinus* (O. P.- Cambridge, 1872) (m,f)**

Diplocephalus connectens; Hadjissarantos, 1940: 63.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Kato Souli (Hadjissarantos, 1940).

Distribution: Italy to Russia, Ukraine.

***Diplocephalus graecus* (O. P.- Cambridge, 1872) (m,f)**

Erigone graeca O. P.- Cambridge, 1872: 755.

Entelecara graeca; Simon, 1884: 334; Bristowe, 1935: 760.

Citations:

IONIAN ISLANDS: Kerkyra (type locality; O. P.- Cambridge, 1872).

Distribution: Southern Europe, North Africa.

***Diplocephalus turcicus* Brignoli, 1972 (m,f)**

Diplocephalus turcicus; Brignoli, 1974b: 496.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Amomon, Oros Pendeli (Brignoli, 1974b).

Distribution: Greece, Turkey

***Erigone dentipalpis* (Wider, 1834) (m,f)**

Erigone dentipalpis; Simon, 1916: 274; Drensky, 1928: 186; Bristowe, 1935: 760; Hadjissarantos, 1940: 63; Roewer, 1959a: 13; Drensky, 1936: 103.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Athina (Hadjissarantos, 1940); Kokkinos Milos (Hadjissarantos, 1940); Oros Drakonera (Roewer, 1959a).

MAKEDONIA: Thessaloniki (Simon, 1916).

THRAKI: Evros: Alexandroupoli (as Dede-Agatch; Drensky, 1928); Didimoticho (as Dimotika; Drensky, 1928).

Distribution: Holarctic.

***Erigonoplus inspinosus* Wunderlich, 1995 (m,f)**

Erigonoplus inspinosus Wunderlich, 1995d: 661.

Citations:

KYKLADES: Naxos (type locality; Wunderlich, 1995d).

Distribution: Only known from the type locality in Naxos.

***Erigonoplus setosus* Wunderlich, 1995 (m,f)**

Erigonoplus setosus Wunderlich, 1995d: 662.

Citations:

PELOPONNISOS: Argolida: Epidavros (type locality; Wunderlich, 1995d).

Distribution: Greece, Dalmatia.

***Frontinellina frutetorum* (C. L. Koch, 1834) (m,f)**

Linypbia frutetorum; Fage, 1921: 100; Drensky, 1928: 185; Bristowe, 1935: 759; Hadjissarantos, 1940: 60; Reimoser, 1958: 570.

Linypbia frutetorum niger Giltay, 1932: 24; Hadjissarantos, 1940: 61; Drensky, 1936: 83.

Frontinellina frutetorum; Helsdingen, 1970: 70.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Ekali (Hadjissarantos, 1940); Bogiati (Hadjissarantos, 1940); Oros Parnitha, Mola (Hadjissarantos, 1940); Oros Parnitha, Palaeochori (Hadjissarantos, 1940); Oros Parnitha, Phili (Hadjissarantos, 1940); Oros Pendeli (Hadjissarantos, 1940).

IONIAN ISLANDS: Ithaca (Bristowe, 1935). Kerkyra (Bristowe, 1935; Helsdingen, 1970)

IPEIROS: Arta: Katarakti (Reimoser, 1958); Rodvgi (as Nisista; Reimoser, 1958). Ioannina: Platanousa (Reimoser, 1958).

KRITI: Chania (Helsdingen, 1970).

MAKEDONIA: Pella: Arnissa (as Ostrovo; Fage, 1921); Edessa (as Vodena; Fage, 1921).

PELOPONNISOS: Ileia: confluents of Divri and Doana rivers (Giltay, 1932).

THRAKI: Evros: Didimoticho (as Dimotika; Drensky, 1928); Makri (Drensky, 1928); Potamos (as Badoma; Drensky, 1928). Rodopi: Komotini (as Gumurjina; Drensky, 1928). Xanthi: Xanthi (as Sketscha; Drensky, 1928).

Distribution: Palearctic, in Europe in the south and central part.

***Gnathonarium dentatum* (Wider, 1834) (m,f)**

Erigone dentatum; Simon, 1880: 140.

Gongylidium dentatum; Simon, 1884: 335.

Gnathonarium dentatum; Bristowe, 1935: 760.

Citations:

KYKLADES: Syros (Simon, 1884).

STEREA ELADA: Aitolo-Akarnania: Mesologi (Simon, 1880).

Distribution: Palearctic.

***Gonatum hilare* (Thorell, 1875) (m,f)**

Gonatum hilare; Fage, 1921: 100; Bristowe, 1935: 760; Hadjissarantos, 1940: 62.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Ekali (Hadjissarantos, 1940). MAKEDONIA: Florina (Fage, 1921).

Distribution: Palearctic.

***Icariella hauseri* Brignoli, 1979 (f)**

Icariella hauseri Brignoli, 1979: 200.

Citations:

EASTERN AEGEAN ISLANDS: Icaria: old mine near Metallio, Aghios Kirikos (type locality; Brignoli, 1979).

Distribution: Only known from the type locality in Icaria.

Remark: This species of which only the female is known has a typical *Diplocephalus*-like epigyne, and Brignoli (1979) created the new genus *Icariella* for it, without giving proper diagnostic characters or any other reasons for creating the new genus.

{*Incestophantes frigidus* (Simon, 1884) (m,f)}

Leptyphantes frigidus; Hadjissarantos, 1940: 59.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Oros Parnitha, 1000m (Hadjissarantos, 1940).

Distribution: This species occurs at high altitudes in the Pyrénées and the western Alps, so the citation from the oros Parhnitha in Greece has to be considered erroneous. Hadjissarantos (1940) cited one female at an altitude of 1000m. Possibly it refers to an undescribed species.

Leptyphantes aegeus Caporiacco, 1948 (m)
Leptyphantes aegeus Caporiacco, 1948: 54.

Citations:
DODEKANISA: Rodos: Aghios Demetria (type locality; Caporiacco, 1948).

Distribution: Only known from the type locality in Rodos.

Leptyphantes beroni Deltshev, 1979 (m,f)
Leptyphantes beroni Deltshev, 1979: 61.

Citations:
KRITI: Irakleio: Zoodochus, Kamari Thera (type locality; Deltshev, 1979).

Distribution: Only known from caves in Kriti.

Leptyphantes beshkovi Deltshev, 1979 (f)
Leptyphantes kratochvili; Brignoli, 1971a: 231 (female only, male = *L. brignolianus*).
Leptyphantes beshkovi Deltshev, 1979: 57.

Citations:
KRITI: Chania: Omalos (Brignoli, 1971a); Tzani, near Omalos (type locality; Deltshev, 1979).

Distribution: Only known from caves in Kriti.

Leptyphantes brignolianus Deltshev, 1979 (m,f)
Leptyphantes kratochvili; Brignoli, 1971a: 234 (male only, female = *L. beshkovi*).
Leptyphantes brignolianus Deltshev, 1979: 54.

Citations:
KRITI: Chania: Katholico, Arkoudas cave (Deltshev, 1979). Lasithi: Psichro, AGHIOS Nikolaos, Dikteon Antron cave (Brignoli, 1971a; Deltshev, 1979); Tzermiado, Trapezas cave (Deltshev, 1979).

Distribution: Only known from caves in Kriti.

Leptyphantes corfuensis Wunderlich, 1995 (m,f)
Leptyphantes corfuensis Wunderlich, 1995d: 657.

Citations:
IONIAN ISLANDS: Kerkyra: Mesaria (type locality; Wunderlich, 1995d).

Distribution: Only known from the type locality on Kerkyra.

Leptyphantes kratochvili Fage, 1945 (f)
Leptyphantes kratochvili Fage, 1945: 113.

Citations:
KRITI: Mendeli (Fage, 1945).

Distribution: Only known from caves in Kriti. Brignoli's citations (1981) of males and females of *L. kratochvili* concern respectively *L. brignolianus* and *L. beshkovi*.

Leptyphantes leprosus (Ohlert, 1865) (mf)
Leptyphantes leprosus; Drensky, 1928: 186; Drensky, 1936: 80.

Citations:
THRAKI: Rodopi: Komotini (as Gumurjina; Drensky, 1928).

Distribution: Holarctic.

Leptyphantes magnesiae Brignoli, 1979 (m,f)
Leptyphantes magnesiae Brignoli, 1979: 199; Dumitrescu & Georgescu 1981: 14; Thaler, 1982: 407; Thaler, 1986: 316.

Citations:
MAKEDONIA: Chalkidiki: Athos, Dafni (Thaler, 1982). PELOPONNISOS: Lakonia: Oros Taigetos, above Anogia (Thaler, 1986); W Sparti, cave near border with Messinia (Brignoli, 1979). THESSALIA: Larisa: Oros Ossa, above Ambelakia, Profitis Ilias (type locality; Brignoli, 1979).

Distribution: Greece.

Leptyphantes minutus (Blackwall, 1833) (m,f)
Leptyphantes minutus; Hadjissarantos, 1940: 59.

Citations:
ATTIKI-SARONIC ISLANDS: Attiki: Oros Parnitha (Hadjissarantos, 1940).

Distribution: Europe, Asia.

{*Linyphia maura* Thorell, 1875 (m,f)}
Linyphia triangularis maura; Bristowe, 1935: 759; Caporiacco, 1948: 55.

Citations:
DODEKANISA: Rodos: Rodos town (Bristowe, 1935).

Distribution: Western part of the Mediterranean. Bristowes citation from Rodos (1935) falls completely outside this range and is therefore not accepted. It could refer to a Linyphiid of the same size: *Linyphia mimonti*, or a *Neriene* species. The species is deleted from the Greek list.

Linyphia mimonti Simon, 1884 (m,f)
Linyphia mimonti Simon, 1884: 334; Bristowe, 1935: 759; Reimoser, 1959: 94; Helsdingen, 1969: 68.

Citations:
EVVOIA-VOROIES SPORADES: Evvoia: Steni (type locality; Simon, 1884).

Distribution: Italy, Greece, Lebanon.

Linyphia triangularis (Clerck, 1757) (m,f)
Linyphia triangularis; Hadjissarantos, 1940: 61.

Citations:
ATTIKI-SARONIC ISLANDS: Attiki: Loutsa (Hadjissarantos, 1940).

Distribution: Palearctic, but probably absent from the Mediterranean region. The occurrence in the north of Greece is possible, but Hadjissarantos' (1940) citation from the region of Athens needs confirmation, also because it refers to a juvenile specimen.

Maculoncus parvipalpus Wunderlich, 1995 (m,f)
Maculoncus parvipalpus Wunderlich, 1995d: 647.

Citations:
KYKLADES: Naxos (Wunderlich, 1995d). PELOPONNISOS: Argolida: Epidavros (type locality; Wunderlich, 1995d).

Distribution: Continental Greece, Naxos.

Mecopisthes nasutus Wunderlich, 1995 (m,f)

Mecopisthes nasutus Wunderlich, 1995d: 664.

Citations:

KYKLADES: Naxos (type locality; Wunderlich, 1995d).

Distribution: Only known from the type locality in Naxos.

***Megalepthyphantes collinus* (L. Koch, 1872) (m,f)**

Lepthyphantes collinus; Hadjissarantos, 1940: 58.

Megalepthyphantes klingelbachi Wunderlich, 1977a: 57.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Athina (Hadjissarantos, 1940); Ekali (Hadjissarantos, 1940); Kato Souli (Hadjissarantos, 1940); Kokkinaras (Hadjissarantos, 1940); Oros Parnitha, Aghia Triada (Hadjissarantos, 1940); Oros Parnitha, Paleochori (Hadjissarantos, 1940); Oros Parnitha, Keramidi (Hadjissarantos, 1940); Pendeli Monastery (Hadjissarantos, 1940); Podoniftis (Hadjissarantos, 1940); Vileia (Hadjissarantos, 1940).

MAKEDONIA: Thessaloniki: Chortiatis (type locality of *L. klingelbachi*; Wunderlich, 1977a).

Distribution: Palearctic.

***Megalepthyphantes lydiae* Wunderlich, 1994 (m,f)**

Megalepthyphantes lydiae Wunderlich, 1994: 169.

Citations:

KYKLADES: Naxos (type locality: Wunderlich, 1994).

PELOPONNISOS: Argolida: Epidavros (Wunderlich, 1994).

Distribution: Peloponnisos, Naxos.

***Megalepthyphantes nebulosus* (Sundevall, 1830) (m,f)**

Lepthyphantes nebulosus; Hadjissarantos, 1940: 59.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Athina (Hadjissarantos, 1940); Dionisos (Hadjissarantos, 1940); Kokkinos Milos (Hadjissarantos, 1940).

Distribution: Holarctic.

***Meioneta fuscipalpa* (C. L. Koch, 1836) (m,f)**

Meioneta fuscipalpis; Hadjissarantos, 1940: 58.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Athina (Hadjissarantos, 1940); Ekali (Hadjissarantos, 1940); Moni Kaisariani (Hadjissarantos, 1940); Kato Souli (Hadjissarantos, 1940); Lousta (Hadjissarantos, 1940); Oros Pendeli Monastery (Hadjissarantos, 1940); Podoniftis (Hadjissarantos, 1940); Rafina (Hadjissarantos, 1940).

Distribution: Palearctic.

***Meioneta punctata* (Wunderlich, 1995) (m)**

Agyneta punctata Wunderlich, 1995d: 656.

Citations:

PELOPONNISOS: Argolida: Epidavros (type locality; Wunderlich, 1995d).

Distribution: Only known from the type locality.

***Meioneta pseudorurestris* (Wunderlich, 1980) (m,f)**

Micryphantes rurestris; Caporiacco, 1948: 535

(misidentification).

Citations:

DODEKANISA: Rodos: Anginovato (Caporiacco, 1958, sub *Micryphantes rurestris*).

Distribution: Mediterranean.

{*Meioneta rurestris* (C. L. Koch, 1836)}

Micryphantes rurestris; Caporiacco, 1948: 535
(misidentification).

Citations:

Caporiacco's citation (1958) of *A. rurestris* from the temperate part of Europe is attributed to the Mediterranean *A. pseudorurestris*.

***Microlinyphia pusilla* (Sundevall, 1830) (m,f)**

Linyphia pusilla; Simon, 1884: 334; Simon, 1916: 274; Fage, 1921: 100; Drensky, 1928: 185; Bristowe, 1935: 759; Lüdicke & Madel, 1937: 298; Hadjissarantos, 1940: 61.

Microlinyphia pusilla; Helsdingen, 1970: 9.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Athina (Simon, 1884); Kato Souli (Hadjissarantos, 1940); Kokkinos Milos (Hadjissarantos, 1940); Liopesi (Hadjissarantos, 1940); Podoniftis (Hadjissarantos, 1940).

KRITI: Chania (Helsdingen, 1970).

MAKEDONIA: Florina (Fage, 1921). Thessaloniki (Simon, 1916).

PELOPONNISOS: Messinia: Leonidio (Lüdicke & Madel, 1937).

THRAKI: Evros: Alexandroupoli (as Dede-Agatch; Drensky, 1928); Soufli (Helsdingen, 1970). Rodopi: Komotini (as Gumurjina; Drensky, 1928).

Distribution: Holarctic.

***Neriene furtiva* (O. P.- Cambridge, 1871) (m,f)**

Linyphia furtiva; Hadjissarantos, 1940: 60.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Charvati (Hadjissarantos, 1940); Ekali (Hadjissarantos, 1940); Oros Parnitha, Phili (Hadjissarantos, 1940); Pendeli Monastery (Hadjissarantos, 1940).

Distribution: Europe, North Africa, Russia, Ukraine.

***Oedothorax apicatus* (Blackwall, 1850) (m,f)**

Oedothorax apicatus; Simon, 1916: 274; Bristowe, 1935: 776; Drensky, 1936: 99.

Citations:

MAKEDONIA: Thessaloniki (Simon, 1916).

Distribution: Palearctic.

***Palliduphantes byzantinus* (Fage, 1931) (m,f)**

Lepthyphantes papalis; Hadjissarantos, 1940: 59
(misidentification).

Lepthyphantes thucididis Brignoli, 1979: 198.

Lepthyphantes byzantinus; Deeleman-Reinhold, 1985: 44.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Dafni (Deeleman-Reinhold, 1985); Kokkinos Milos (Hadjissarantos, 1940); Oros Pendeli (Hadjissarantos, 1940); Phili (Hadjissarantos, 1940); Podoniftis (Hadjissarantos, 1940).

DODEKANISA: Rodos: Filerimos (Deeleman-Reinhold, 1985).

KRITI: Lasithi: between Vai and Palekastro (Deeleman-Reinhold, 1985).

KYKLADES: Naxos (Deeleman-Reinhold, 1985).

MAKEDONIA: Kastoria: Germas (Deeleman-Reinhold, 1985).

Kozani: Ermakia, Miska Pestera (Deeleman-Reinhold, 1985).

PELOPONNISOS: Lakonia: Glifada cave near Pirgos Dirou (Brignoli, 1979).

Distribution: Bulgaria, Romania, Greece, European Turkey.

Palliduphantes epaminondae (Brignoli, 1979) (m,f)
Lepthyphantes epaminondae Brignoli, 1979: 197; Deeleman-Reinhold, 1985: 40.

Citations:
STEREA ELADA: Voiotia: Arachova, cave Koryghion Antron (type locality; Brignoli, 1979).

Distribution: Only known from the type locality in Voiotia.

Palliduphantes istrianus (Kulczyn'ski, 1914) (m,f)
Lepthyphantes prope istrianus; Brignoli, 1972: 862.
Lepthyphantes istrianus; Deltshev, 1985: 442; Deeleman-Reinhold, 1985: 42.

Citations:
IONIAN ISLANDS: Kerkyra: Oros Pantokratoras, Bodolekos cave (Brignoli, 1972).
MAKEDONIA: Kavala: Zigos, Mavritripa cave (Deltshev, 1985).

Distribution: South Eastern Europe.

Palliduphantes malickyi (Wunderlich, 1980) (m,f)
Lepthyphantes malickyi Wunderlich, 1980a: 322; Deeleman-Reinhold, 1985: 46.

Citations:
KRITI: Chania: Kaki Skala, lake Kournas (type locality; Wunderlich, 1980a). Irakleio: Karteros (Deeleman-Reinhold, 1985).

Distribution: Kriti.

Palliduphantes spelaeorum (Kulczyn'ski, 1914) (m,f)
Lepthyphantes spelaeorum; Deeleman-Reinhold, 1985: 39.

Citations:
MAKEDONIA: Pella: Edessa, cave Kerasias (Deeleman-Reinhold, 1985).

Distribution: Bosnia-Herzegovina, Croatia, Serbia-Montenegro, eastern Bulgaria and northern Greece.

Pelecopsis inedita (O. P. – Cambridge, 1875) (m,f)
Pelecopsis inedita; Bosmans & Abrous, 1992: 71.

Citations:
KRITI: Irakleio: Chersonisos (Bosmans & Abrous, 1992).

Distribution: Mediterranean.

Pelecopsis parallela (Wider, 1834) (m,f)
Lophocarenum parallelum; Simon, 1916: 274; Bristowe, 1935: 761.

Citations:
MAKEDONIA: Thessaloniki (Simon, 1916).

Distribution: Temperate part of the Palearctic region. The presence in the north of Greece is possible, but should be confirmed.

Prinerigone vagans (Adouin, 1826) (m,f)
Erigone vagans; Simon, 1884: 335; Simon, 1916: 274; Strand, 1917: 163; Drensky, 1928: 186; Bristowe, 1935: 760; Drensky, 1936: 104; Hadjissarantos, 1940: 63; Kronestedt, 1997: 77.
Erigone jeannei Bristowe, 1935: 760, 782.

Citations:
ATTIKI-SARONIC ISLANDS: Attiki: Athina (Simon, 1884); Oros Imitos (Hadjissarantos, 1940); Kato Souli (Hadjissarantos, 1940); Oros Parnitha (Hadjissarantos, 1940).

EVVOIA-VOROI SPORADES: Evvoia: Dystos (Strand, 1917); Karystos (Strand, 1917).
IONIAN ISLANDS: Kerkyra (Bristowe, 1935).
MAKEDONIA: Thessaloniki (Simon, 1916).
THRAKI: Evros: Soufli (as Soflu; Drensky, 1928). Xanthi: Porto Lago (Kronestedt, 1997).

Distribution: Old World.

Savignia fronticornis (Simon, 1884) (m,f)
Delorhynchus fronticornis; Giltay, 1932: 25.

Citations:
KRITI: Chania: Kefali (Giltay, 1932).

Distribution: France, Spain, Algeria, Tunisia and Giltay's (1932) citation from Kriti. This last citation of females which are very difficult to distinguish from *Diplocephalus* has to be confirmed.

Savignia naniplopi Bosselaers & Henderickx, 2002 (m,f)
Savignia naniplopi Bosselaers & Henderickx, 2002: 3.

Citations:
KRITI: Irakleio: Marathos, Doxa cave (Bosselaers & Henderickx, 2002).

Distribution: Only known from the type locality in Kriti.

Sintula cretaensis Wunderlich, 1995 (m,f)
Sintula cretaensis Wunderlich, 1995d: 659.

Citations:
KRITI: Lasithi: Mesa Potami (type locality; Wunderlich, 1995d).

Distribution: Only known from the type locality in Kriti.

Sintula retroversus (O. P. Cambridge, 1875) (m,f)
Sintula retroversus; Hadjissarantos, 1940: 61; Capriacco, 1948: 55.

Citations:
ATTIKI-SARONIC ISLANDS: Attiki: Dionisos (Hadjissarantos, 1940); Moni Kaisariani (Hadjissarantos, 1940); Oros Pendeli (Hadjissarantos, 1940).
DOKEANISA: Rodos (Capriacco, 1948).

Distribution: S. France, Italy, the Balkans, Azerbaijan.

Tallusia pindos Thaler, 1997 (m)
Tallusia pindos Thaler, 1997: 377.

Citations:
IPEIROS: Trikala: Pindos Oros, W Kalambaka, Kastania (type locality; Thaler, 1997).

Distribution: Only known from the type locality in Ipeiros.

Tenuiphantes tenuis (Blackwall, 1852) (m,f)
Lepthyphantes tenuis; Simon, 1916: 274; Bristowe, 1935: 760; Hadjissarantos, 1940: 60.

Citations:
ATTIKI-SARONIC ISLANDS: Attiki: Oros Parnitha, Aghia Triada (Hadjissarantos, 1940).
MAKEDONIA: Thessaloniki (Simon, 1916).

Distribution: Cosmopolitan.

Trichopterna krueperi (Simon, 1884) (m)
Erigonoplus krueperi Simon, 1884: 335; Bristowe, 1935: 760; Drensky, 1936: 92.
Trichopterna krueperi; Hadjissarantos, 1940: 62

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Athina (type locality; Simon, 1884).

Distribution: Only known from the type locality in Attiki.

***Typhochrestus chiosensis* Wunderlich, 1995 (m,f)**
Typhochrestus chiosensis Wunderlich, 1995d: 666

Citations:

EASTERN AEGEAN ISLANDS: Chios: Neomonie Monastery (Wunderlich, 1995d).

Distribution: Only known from the type locality in Chios.

***Typhochrestus epidaurensis* Wunderlich, 1995 (m)**
Typhochrestus epidaurensis Wunderlich, 1995d: 667

Citations:

PELOPONNISOS: Argolida: Epidavros (type locality; Wunderlich, 1995d).

Distribution: Only known from the type locality in the Peloponnisos.

{*Walckenaeria antica* (Wider, 1834) (m,f)}
Wideria antica; Hadjissarantos, 1940: 62 (misidentification).

Citations:

Cited from Attiki by Hadjissarantos (1940), but this is considered to be the recently described *W. christae* (see there).

Distribution: Palearctic. Citation in Greece is considered incorrect.

***Walckenaeria christae* Wunderlich, 1995 (m,f)**
Walckenaeria christae Wunderlich, 1995d: 670.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Dionisos (as *W. antica*; Hadjissarantos, 1940); Oros Parnitha (type locality; Wunderlich, 1995d).

Distribution: Only known from Attiki.

***Walckenaeria cirriceps* Thaler, 1996 (m,f)**
Walckenaeria cirriceps Thaler, 1996: 158.

Citations:

PELOPONNISOS: Achaia: Oros Chelmos, Agidi (Thaler, 1996); Xirokampos near Kalavrita (type locality; Thaler, 1996). Arkadia: Oros Menalo, near Kardaras (Thaler, 1996); S. Vitina (Thaler, 1996). Lakonia: Oros Parnonas, Kosmas (Thaler, 1996); idem, Polidroso (Thaler, 1996); Oros Taigetos, Anogia (Thaler, 1996); idem, near Lipovouni (Thaler, 1996).

Distribution: Only known from the Peloponnisos.

***Walckenaeria claviloba* Wunderlich, 1995 (m)**
Walckenaeria claviloba Wunderlich, 1995d: 672.

Citations:

KRITI: Lasithi: Mesa Potami (type locality; Wunderlich, 1995d).

Distribution: Only known from the type locality in Kriti.

***Walckenaeria coniceps* Thaler, 1996 (m,f)**
Walckenaeria coniceps Thaler, 1996: 156.

Citations:

PELOPONNISOS: Achaia: Oros Erimanthos, Michas-Olonos (type locality; Thaler, 1996); Kaledzi (Thaler, 1996).

Distribution: Only known from two localities in the Peloponnisos.

{*Walckenaeria corniculans* (O. P.- Cambridge, 1875)}
Walckenaeria corniculans; Heyden, 1890: 136.

Citations:

W. corniculans is a species from North, West and Central Europe and North Africa; in Greece there is one citation from Kriti (Heiden, 1890), but this citation must be attributed to the recently described *W. cretaensis*.

***Walckenaeria cretaensis* Wunderlich, 1995 (m,f)**
Walckenaeria corniculans; Heyden, 1890: 136
(misidentification).
Walckenaeria cretaensis Wunderlich, 1995d: 671.

Citations:

KRITI: Chania: Chania (Heiden, 1890, sub *W. corniculans*). Lasithi: Mesa Potami (type locality; Wunderlich, 1995d).

Distribution: Kriti.

{*Walckenaeria erythrina* (Simon, 1884) (m,f)}
Prosopotheca erythrina; Hadjissarantos, 1940: 62.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Cholargos (Hadjissarantos, 1940); Dafni (Hadjissarantos, 1940); Dionisos (Hadjissarantos, 1940); Moni Kaisariani (Hadjissarantos, 1940); Liopezi (Hadjissarantos, 1940); Oros Parnitha (Hadjissarantos, 1940); Pendeli Monastery (Hadjissarantos, 1940); Phili (Hadjissarantos, 1940); Skaramagkas (Hadjissarantos, 1940). All considered misidentifications.

Distribution: Corsica, Morocco, Algeria, Tunisia; in Greece cited by Hadjissarantos (1940) from Attiki. Recently several new *Walckenaeria* species have been described from Greece (Wunderlich, 1995d; Thaler 1996), among them *W. christae* from the Oros Parnitha, one of the localities cited by Hadjissarantos (1940). The presence of *W. erythrina* in Greece is not accepted here.

***Walckenaeria extraterrestris* Bosmans, 1993 (m,f)**
Walckenaeria extraterrestris; Thaler 1996: 156.

Citations:

PELOPONNISOS: Achaia: Michas, between Halandritsa and Kalavrita (Thaler, 1996).

Distribution: Algeria, Greece.

***Walckenaeria hamus* Wunderlich, 1995 (m)**
Walckenaeria hamus Wunderlich, 1995d: 673.

Citations:

KRITI: Lasithi: Mesa Potami (type locality; Wunderlich, 1995d).

Distribution: Only known from the type locality in Kriti.

63. Family Tetragnathidae

***Meta bourneti* Simon, 1922 (m,f)**

Meta bourneti; Hadjissarantos, 1940: 71; Roewer, 1959a: 16; Brignoli, 1984: 291.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Imitos, Stavron cave (Hadjissarantos, 1940); Oros Imitos, Koutouki cave near Peania (Hadjissarantos, 1940; Roewer, 1959a; Brignoli, 1984); Oros Imitos, Oros Rakhi cave (Roewer, 1959a).

MAKEDONIA: Imathia: Naoussa, Apano Skala cave (Roewer, 1959a); idem, Paparados cave (Roewer, 1959a). Kastoria: Kastoria, Patarangou cave (Roewer, 1959a). Kavala: Iraklitsa, Cyclop cave (Roewer, 1959a). Serres: Orini, Pestereta cave (Roewer, 1959a); Sidirokastro, Milosavrakhi (Roewer, 1959a). PELOPONNISOS: Korinthia: Klenia-Agionori, Tripa tou Kalivaki cave (Brignoli, 1984).

Distribution: Europe to Georgia, North Africa.

***Meta menardi* (Latreille, 1804) (m,f)**

Meta menardi; Simon, 1885: 211; Bristowe, 1935: 765; Brignoli, 1984: 291.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Oros Imitos, Koutouki cave near Peania (Brignoli, 1984). PELOPONNISOS: Argolida: Kefalovriso cave (Brignoli, 1984). Korinthia: Klenia-Agionori, Tripa tou Kalivaki cave (Brignoli, 1984). THESSALIA: Larisa: Oros Ossa, Spilia, Kokkino Vracho cave and Liparo Tripa cave (Simon, 1885; Brignoli, 1984).

Distribution: Europe to Korea.

***Metellina mengei* (Blackwall, 1870) (m,f)**

Meta mengei; Drensky, 1928: 185.
Meta segmentata mengei; Drensky, 1936: 130.

Citations:

THRAKI: Rodopi: Komotini (as Gumurjina; Drensky, 1928).

Distribution: Europe to Georgia.

***Metellina merianae* (Scopoli, 1763) (m,f)**

Metellina merianae; Hadjissarantos, 1940: 71; Reimoser, 1958: 570; Roewer, 1959a: 16; Brignoli, 1972: 861; Brignoli, 1984: 292.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Ekali (Hadjissarantos, 1940); Oros Parnitha, Pan cave (Roewer, 1959a); Oros Pendeli, Papentoksa (Hadjissarantos, 1940). IONIAN ISLANDS: Kerkyra: Oros Pantokratoras (Brignoli, 1972); Oros Pantokratoras N., Bodolekos cave (Brignoli, 1972). IPEROS: Arta: Katarakti (Reimoser, 1958). KRITI: Chania: Azogryes (Roewer, 1959a). Irakleio: Gazi, Almiro cave and spring (Brignoli, 1984; Roewer, 1959a); Sarchos cave (Roewer, 1959a). Rethymno: Angeliano, Ilitchavris spring (Roewer, 1959a); Marathospili (Roewer, 1959a). MAKEDONIA: Drama: Drama, cave Mara (Roewer, 1959a). Imathia: Naoussa, Apano Skala cave (Roewer, 1959a); idem, Izborgia cave (Roewer, 1959a); idem, Paparados cave (Roewer, 1959a). Kastoria: Kastoria, Agios Nikolaos cave (Roewer, 1959a); idem, Goloubintsa cave (Roewer, 1959a); Maghazia (Roewer, 1959a). Pella: Edessa, Boudliva cave (Roewer, 1959a). Serres: Chrisopighi, Nasioutsik cave (Roewer, 1959a); Sidirokastro, Zestanera (Roewer, 1959a).

Distribution: Europe to Georgia.

***Metellina segmentata* (Clerck, 1757) (m,f)**

Meta segmentata; Capriacco, 1948: 56.

Citations:

DODEKANISA: Rodos: Campochiaro (Capriacco, 1948).

Distribution: Palearctic.

***Pachygnatha clercki* Sundevall, 1823 (m,f)**

Pachygnatha clercki; Reimoser, 1930: 140; Bristowe, 1935: 766.

Citations:

IONIAN ISLANDS: Lefkada: Kalligoni (Reimoser, 1930).

Distribution: Holarctic.

***Pachygnatha degeeri* Sundevall, 1830 (m,f)**

Pachygnatha degeeri; Strand, 1917: 164; Fage, 1921: 100; Drensky, 1928: 185; Giltay, 1932: 25; Bristowe, 1935: 766; Drensky, 1936: 126.

Citations:

EVVOIA-VOROIES SPORADES: Evvoia: Karystos (Strand, 1917). IONIAN ISLANDS: Kerkyra: Alepou-Pelekas (Giltay, 1932). MAKEDONIA: Florina (Fage, 1921). THRAKI: Rodopi: Komotini (as Gumurjina; Drensky, 1928). Xanthi: Xanthi (as Sketscha; Drensky, 1928).

Distribution: Palearctic.

***Tetragnatha dear mata* Thorell, 1873 (m,f)**

Tetragnatha punctipes; Fage, 1921: 100; Bristowe, 1935: 765.

Citations:

MAKEDONIA: Florina (Fage, 1921). Pella: Arnissa (as Ostrovo; Fage, 1921).

Distribution: Holarctic.

***Tetragnatha extensa* (Linnaeus, 1758) (m,f)**

Tetragnatha extensa; Simon, 1880: 140; Simon, 1884: 330; Strand, 1917: 164; Fage, 1921: 100; Drensky, 1928: 185; Gerhardt, 1928a: 40; Reimoser, 1930: 152; Bristowe, 1935: 765; Drensky, 1936: 127; Lüdicke & Madel, 1937: 298; Hadjissarantos, 1940: 72; Capriacco, 1948: 50; Reimoser, 1958: 570.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Athina (Simon, 1880); Ekali (Hadjissarantos, 1940); Kato Souli (Hadjissarantos, 1940). DODEKANISA: Rodos: Rodos town (Strand, 1917). EVVOIA-VOROIES SPORADES: Evvoia (Strand, 1917). IONIAN ISLANDS: Kerkyra (Simon, 1880; Strand, 1917). Lefkada (Reimoser, 1958). MAKEDONIA: Thessaloniki: Mikra (Fage, 1921). PELOPONNISOS: Ilaea: Olympia (Gerhardt, 1928a). Messinia: Leonidio (Lüdicke & Madel, 1937). THRAKI: Evros: Near Alexandroupoli (as Burugeul; Drensky, 1928); Potamos (as Badoma; Drensky, 1928).

Distribution: Holarctic, Madeira.

***Tetragnatha montana* Simon, 1874 (m,f)**

Tetragnatha solandri; Drensky, 1928: 185.

Tetragnatha montana; Drensky, 1936: 127; Hadjissarantos, 1940: 72; Roewer, 1959a: 17.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Bogiati (Hadjissarantos, 1940); Vasiliko (Hadjissarantos, 1940). MAKEDONIA: Kastoria: Kastoria, Goloubintsa cave (Roewer, 1959a). THRAKI: Evros: Alexandroupoli (as Burugeul; Drensky, 1928). Rodopi: Komotini (as Gumurjina; Drensky, 1928).

Distribution: Palearctic.

***Tetragnatha nitens* (Audouin, 1826) (m,f)**

Tetragnatha nitens; Simon, 1880: 140; Simon, 1884: 330; Carlini, 1901: 79; Bristowe, 1935: 765; Hadjissarantos, 1940: 72; Reimoser, 1958: 570.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Athina (Simon, 1880); Vasiliko (Hadjissarantos, 1940).
IONIAN ISLANDS: Kefalonia (Carlini, 1901).
IPEIROS: Arta (Reimoser, 1958).

Distribution: Cosmotropical, Mediterranean.

Tetragnatha obtusa C. L. Koch, 1837 (m,f)

Tetragnatha obtusa; Fage, 1921: 100; Giltay, 1932: 25; Bristowe, 1935: 765; Hadjissarantos, 1940: 72; Caporiacco, 1948: 50; Roewer, 1959a: 17.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Bogiati (Hadjissarantos, 1940); Loutsa (Hadjissarantos, 1940).
DOKEKANISA: Rodos: Anginovato (Caporiacco, 1948).
MAKEDONIA: Imathia: Naoussa (Roewer, 1959a). Kastoria: Kastoria (Roewer, 1959a); Maghazia (Roewer, 1959a). Pella: Arnissa (as Ostrovo; Fage, 1921); Edessa (as Vodena; Fage, 1921); Edessa, near waterfall (Roewer, 1959a).
PELOPONNISOS: Ileia: Olympia (Giltay, 1932).

Distribution: Palearctic.

64. Family Araneidae

Aculepeira armida (Audouin, 1826) (m,f)

Epeira armida; Simon, 1878: 369; Pavesi, 1878: 369; Simon, 1884: 327.
Araneus armidus; Caporiacco, 1925: 109; Werner, 1934: 165; Bristowe, 1935: 762; Drensky, 1936: 110; Hadjissarantos, 1940: 66; Brignoli, 1977: 941.
Araneus victoria; Fage, 1921: 100; Bristowe, 1935: 762; Drensky, 1936: 117; Hadjissarantos, 1940: 68.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Athina (Simon, 1884); Oros Imitos, Aghios Ioannis Kunigis (Hadjissarantos, 1940, sub *A. victoria*); Oros Imitos, Moni Karea (Hadjissarantos, 1940, sub *A. victoria*); Oros Parnitha, Phili (Hadjissarantos, 1940, sub *A. victoria*).
DOKEKANISA: Kos (Caporiacco, 1925).
EASTERN AEGEAN ISLANDS: Samos (Werner, 1934).
IPEIROS: Ioannina: Eleousa (Brignoli, 1977).
MAKEDONIA: Florina (Fage, 1921).
PELOPONNISOS: Korinthia: Korinthos (Werner, 1935).

Distribution: Mediterranean to Central Asia.

Aculepeira ceropagia (Walckenaer, 1802) (m,f)

Araneus ceropagius; Drensky, 1928: 185; Werner, 1934: 165; Drensky, 1936: 111; Roewer, 1959a: 16.

Citations:

EASTERN AEGEAN ISLANDS: Lesvos: Mytilini (Werner, 1934). Limnos (Werner, 1934).
MAKEDONIA: Kastoria (Roewer, 1959a).
THRAKI: Rodopi: Komotini (as Gumurjina; Drensky, 1928).

Distribution: Palearctic.

Agalenata redii (Scopoli, 1763) (m,f)

Araneus redii; Simon, 1884: 327; Simon, 1916: 274; Fage, 1921: 100; Caporiacco, 1925: 109; Drensky, 1928: 185; Caporiacco, 1929: 232; Reimoser, 1930: 146, 148; Giltay, 1932: 26; Werner, 1934: 165; Bristowe, 1935: 762; Drensky, 1936: 116; Hadjissarantos, 1940: 68; Caporiacco, 1948: 57.
Epeira redii; Strand, 1917: 163.
Agalenata redii; Brignoli, 1984: 302.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Dafni (Hadjissarantos, 1940); Dekelia (Hadjissarantos, 1940); Ekali (Hadjissarantos, 1940);

Oros Imitos, Moni Karea (Hadjissarantos, 1940); Moni Kaisariani (Hadjissarantos, 1940); Kato Souli (Hadjissarantos, 1940); Oros Parnitha, Phili (Hadjissarantos, 1940).
DOKEKANISA: Kos (Caporiacco, 1925). Rodos: Katavia (Caporiacco, 1929); Koschino (Caporiacco, 1929).
EASTERN AEGEAN ISLANDS: Lesvos: Mytilini (Werner, 1934). Limnos (Werner, 1934)

EVVOIA-VOROIES SPORADES: Evvoia (Simon, 1884): Karystos (Strand, 1917).

IONIAN ISLANDS: Kefalonia: Argostoli (Reimoser, 1930); Krane (Reimoser, 1930).

IPEIROS: Ionnina: Emin Aga bridge (Brignoli, 1984).

KRITI: Chania: Chania (Giltay, 1932); Omalos plateau (Giltay, 1932).

MAKEDONIA: Thessaloniki (Simon, 1916; Fage, 1921).

PELOPONNISOS: Achaia: between Andritsena and Rovia (Giltay, 1932).

THRAKI: Evros: Alexandroupoli (as Dede-Agatch; Drensky, 1928). Xanthi: Xanthi (as Sketscha; Drensky, 1928).

Distribution: Palearctic.

Araniella cucurbitina (Clerck, 1757) (m,f)

Araneus cucurbitinus; Simon, 1884: 327; Drensky, 1928: 185; Reimoser, 1930: 152; Giltay, 1932: 26; Bristowe, 1935: 761; Drensky, 1936: 111; Hadjissarantos, 1940: 67; Reimoser, 1958: 571.

Araniella cucurbitina; Brignoli, 1984: 302.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Athina (Simon, 1884).

IONIAN ISLANDS: Kerkyra (Reimoser, 1930).

IPEIROS: Arti: Katarakti (Reimoser, 1958).

MAKEDONIA: Grevena: Paraskevi (Reimoser, 1958).

PELOPONNISOS: Achaia: Patra (Brignoli, 1984). Arkadia: Megalopoli (Giltay, 1932).

THRAKI: Rodopi: Komotini (as Gumurjina; Drensky, 1928). Xanthi: Xanthi (as Sketscha; Drensky, 1928).

Distribution: Palearctic.

Araniella inconspicua (Simon, 1874) (m,f)

Epeira inconspicua; Strand, 1917: 163;
Araneus inconspicuus; Fage, 1921: 100; Bristowe, 1935: 762.

Citations:

MAKEDONIA: Without precise locality (Fage, 1921).

STEREA ELADA: Fthiotida (Strand, 1917).

Distribution: Palearctic.

Araniella opistographa (Kulczyn'ski, 1905) (m,f)

Araneus cucurbitinus opistographus; Drensky, 1928: 185; Drensky, 1936: 112; Hadjissarantos, 1940: 67.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Dafni (Hadjissarantos, 1940); Oros Parnitha, Mola (Hadjissarantos, 1940).

THRAKI: Rodopi: Komotini (as Gumurjina; Drensky, 1928).

Distribution: Europe to Central Asia.

Araneus angulatus Clerck, 1757 (m,f)

Araneus angulatus; Fage, 1921: 100; Caporiacco, 1925: 109; Drensky, 1928: 185; Caporiacco, 1929: 231; Reimoser, 1930: 146; Werner, 1934: 165; Werner, 1935: 296; Bristowe, 1935: 762; Drensky, 1936: 110; Hadjissarantos, 1940: 66; Caporiacco, 1948: 56; Reimoser, 1958: 570.

Araneus regius; Drensky, 1928: 184.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Oros Imitos (Werner, 1934, 1935).

DODEKANISA: Kos (Caporiacco, 1925). Patmos (Bristowe, 1935). Rodos: Campochiara (Caporiacco, 1948); Draco (Caporiacco, 1948); Koschino (Caporiacco, 1929); Rodos town (Caporiacco, 1929; Bristowe, 1935).

EASTERN AEGEAN ISLANDS: Icaria (Werner, 1935).

IONIAN ISLANDS: Ithaca (Bristowe, 1935). Kefalonia: Oros Aeneos (Reimoser, 1930); Rudi (Reimoser, 1930). Kerkyra (Bristowe, 1935). Lefkada (Reimoser, 1958).

KYKLADES: Folegrandos (Werner, 1935). Paros (Werner, 1935).

MAKEDONIA: Florina (Fage, 1921). Kilkis: Polikastro (as Karasouli; Fage, 1921). Pella: Edessa (as Vodena; Fage, 1921).

PELOPONNISOS: Achaia: Oros Panachaiko (Reimoser, 1930).

Arkadia: Nafplio (Bristowe, 1935).

STEREA ELADA: Fokida: Delfoi (Bristowe, 1935).

THRAKI: Evros: Alexandroupoli (as Dede-Agatch; Drensky, 1928); Didimoticho (as Dimotika; Drensky, 1928). Rodopi: Komotini (as Gumurjina; Drensky, 1928).

Distribution: Palearctic.

Araneus circe (Audouin, 1826) (m,f)

Epeira pectoralis C. L. Koch, 1837: 3.

Epeira circe; Pavesi, 1878: 341, 367; Simon, 1880: 140; Simon, 1884: 327; Simon, 1885: 210; Strand, 1917: 163.

Araneus circe; Fage, 1921: 100; Gerhardt, 1928a: 35; Werner, 1934: 165; Giltay, 1935: 26; Werner, 1935: 297; Bristowe, 1935: 761; Drensky, 1936: 111; Hadjissarantos, 1940: 66; Caporiacco, 1948: 57; Reimoser, 1958: 570; Brignoli, 1977: 941; Brignoli, 1984: 302.

Araneus schreibersii; Drensky, 1928: 184.

Citations:

Greece: Without precise locality (C. L. Koch, 1837).

ATTIKI-SARONIC ISLANDS: Attiki: Athina (Simon, 1880); Moni Kaisariani (Gerhardt, 1928a); Kato Souli (Hadjissarantos, 1940); Kopanas (Hadjissarantos, 1940); Bogiati (Hadjissarantos, 1940); Pikermi (Hadjissarantos, 1940). Saronic Islands: Salamina (Hadjissarantos, 1940).

DODEKANISA: Armathia (Strand, 1917). Kassos (Strand, 1917).

Rodos: Rodos town (Strand, 1917). Simi (Strand, 1917).

EASTERN AEGEAN ISLANDS: Chios (Werner, 1935). Icaria (Werner, 1934). Kythnos (Werner, 1935). Lesvos: Mitilini (Werner, 1935). Paros (Werner, 1935). Samos (Strand, 1917; Werner, 1934).

IONIAN ISLANDS: Ithaca (Bristowe, 1935). Kerkyra (Simon, 1884); Perithia, Oros Pantokratoras (Giltay, 1935). Lefkada: Meganisi (Reimoser, 1958).

IPEIROS: Arta: Arta (Reimoser, 1958); Katarakti (Reimoser, 1958).

KYKLADES: Dilos (Brignoli, 1984). Kea (Strand, 1917). Kythnos (Werner, 1935). Paros (Werner, 1935). Santorini (Pavesi, 1878; Simon, 1880; Brignoli, 1977). Serifos (Werner, 1934).

MAKEDONIA: Kilkis: Goumenissa (as Cümendze; Fage, 1921).

PELOPONNISOS: Argolida: Nafplio (Bristowe, 1935). Korinthia: Korinthos (Werner, 1935).

STEREA ELADA: Fokida: Delfoi (Bristowe, 1935).

THESSALIA: Oros Ossa, Monastery Aghios Demetrios (Simon, 1885).

THRAKI: Evros: Alexandroupoli (as Dede-Agatch; Drensky, 1928).

Distribution: Palearctic, absent from the temperate part.

Araneus diadematus Clerck, 1757 (m,f)

Araneus diadematus; Caporiacco, 1925: 109; Drensky, 1928: 185; Caporiacco, 1929: 231; Bristowe, 1935: 763; Drensky, 1936: 112; Hadjissarantos, 1940: 67; Brignoli, 1977: 940.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Liopesi (Hadjissarantos, 1940).

DODEKANISA: Simi (Caporiacco, 1925).

KRITI: Chania (Brignoli, 1977).

THRAKI: Evros: Alexandroupoli (as Dede-Agatch; Drensky, 1928); Soufli (as Soflu; Drensky, 1928). Rodopi: Komotini (as Gumurjina; Drensky, 1928). Xanthi: Xanthi (as Sketscha; Drensky, 1928).

Distribution: Holarctic.

Araneus grossus (C. L. Koch, 1844) (m,f)

Epeira grossa; Cecconi, 1895: 191.

Araneus grossus; Fage, 1921: 100; Drensky, 1928: 184; Giltay, 1932: 26; Werner, 1934: 165; Bristowe, 1935: 762; Drensky, 1936: 114; Hadjissarantos, 1940: 67; Brignoli, 1977: 940.

Citations:

EASTERN AEGEAN ISLANDS: Limnos (Werner, 1934).

EVVOIA-VOROES SPORADES: Skopelos (Werner, 1934). Skyros (Werner, 1934).

KRITI: Aghios Theodoros island (Cecconi, 1895).

KYKLADES: Mykonos (Werner, 1934).

MAKEDONIA: Without precise locality (Fage, 1921).

PELOPONNISOS: Achaia: between Andritsena and Rovia (Giltay, 1932). Argolida: Achladokambos (Giltay, 1932).

THRAKI: Rodopi: Komotini (as Gumurjina; Drensky, 1928).

Distribution: Europe to Central Asia.

Araneus marmoreus Clerck, 1757 (m,f)

Araneus marmoreus; Drensky, 1928: 184; Drensky, 1936: 115.

Citations:

THRAKI: Rodopi: Komotini (as Gumurjina; Drensky, 1928).

Distribution: Holarctic.

Araneus quadratus Clerck, 1757 (m,f)

Araneus marmoreus; Drensky, 1928: 184; Drensky, 1936: 115.

Citations:

THRAKI: Evros: Didimoticho (as Dimotika; Drensky, 1928).

Rodopi: Komotini (as Gumurjina; Drensky, 1928).

Distribution: Palearctic.

Araneus sturmii (Hahn, 1831) (m,f)

Araneus sturmii; Strand, 1917: 163; Giltay, 1932: 27; Bristowe, 1935: 763; Drensky, 1936: 116; Caporiacco, 1948: 57.

Citations:

DODEKANISA: Rodos: Draco (Caporiacco, 1948).

PELOPONNISOS: Ileia: Olympia (Giltay, 1932).

STEREA ELADA: Fokida: Vardousa and Giona Oros (as Korax mountains; Strand, 1917).

Distribution: Palearctic.

Argiope bruennichi (Scopoli, 1772) (m,f)

Epeira fasciata; Brullé, 1832: 53; Lucas, 1853: 526.

Argiope bruennichi; Pavesi, 1878: 367; Simon, 1884: 326; Cecconi, 1895: 192; Fage, 1921: 100; Drensky, 1928: 184; Caporiacco, 1929: 231; Werner, 1934: 165; Bristowe, 1935: 761; Drensky, 1936: 108; Hadjissarantos, 1940: 65; Caporiacco, 1948: 56.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Kato Souli (Hadjissarantos, 1940).

DODEKANISA: Rodos: Rodos town (Caporiacco, 1929).

EASTERN AEGEAN ISLANDS: Lesvos: Mytilini (Werner, 1934).

KRITI: Chania: Chania (Lucas, 1853); Kalives (Cecconi, 1895).

Irakleio: Irakleio (as Megalokastron; Cecconi, 1895).

Rethymno: Oros Psiloriti (Cecconi, 1895).

KYKLADES: Dilos (Bristowe, 1935).

MAKEDONIA: Florina (Fage, 1921). Pella: Arnissa (as Ostrovo; Fage, 1921). PELOPONNISOS: Argolida: Epidavros (Bristowe, 1935). Arkadia (Brullé, 1832). Messinia (Brullé, 1832). THRAKI: Rodopi: Komotini (as Gumurjina; Drensky, 1928).

Distribution: Palearctic.

***Argiope lobata* (Pallas, 1772) (m,f)**

Epeira sericea; Brullé, 1832: 53.
Argyopes impudicus L. Koch, 1867: 857; Pavesi, 1877: 326.
Argiope lobata; Simon, 1880: 140; 1884: 326; Pavesi, 1878: 340, 367; Cecconi, 1895: 192; Carlini, 1901: 79; Strand, 1917: 163; Fage, 1921: 100; Caporiacco, 1925: 108; Drensky, 1928: 184; Caporiacco, 1929: 231; Werner, 1934: 165; Bristowe, 1935: 761; Drensky, 1936: 107; Hadjissarantos, 1940: 65; Caporiacco, 1948: 55; Bjorn, 1997: 221.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Athina (Simon, 1884); Ekali (Hadjissarantos, 1940); Oros Imitos, Aghios Ioannis Kunigis (Hadjissarantos, 1940); Moni Kaisariani (Hadjissarantos, 1940); Loutsa (Hadjissarantos, 1940); Sounio (Bristowe, 1935; Hadjissarantos, 1940). Kithyra (as Cerigo): Kapsali Bay (Pavesi, 1878). DODEKANISA: Kos (Caporiacco, 1925). Rodos: Campochiaro (Caporiacco, 1948); Dendruglia (Caporiacco, 1948); Ialyssos, 5 km SW Rodos (Bjorn, 1997); Pissipi (Caporiacco, 1948). EASTERN AEGEAN ISLANDS: Samos (Werner, 1934); Marathocampos (Strand, 1917). IONIAN ISLANDS: Kefalonia (Carlini, 1901). Kerkyra (Simon, 1880). KRITI: Rethymno: Kalivos (Cecconi, 1895). KYKLADES: Milos (Werner, 1934). Naxos (Werner, 1935). Santorini (Pavesi, 1878). Serifos (Werner, 1934). Tinos (L. Koch, 1867). MAKEDONIA: Florina (Fage, 1921). Thessaloniki (Fage, 1921). PELOPONNISOS: 'Morée' (Brullé, 1832). Argolida: Epidavros (Bristowe, 1935). THRAKI: Evros: Alexandroupoli (as Dede-Agatch; Drensky, 1928). Rodopi: Komotini (as Gumurjina; Drensky, 1928).

Distribution: Old world.

***Cyclosa conica* (Pallas, 1772) (m,f)**

Cyclosa conica; Drensky, 1928: 185; Caporiacco, 1929: 231; Reimoser, 1930: 147; Giltay, 1932: 27; Bristowe, 1935: 764; Drensky, 1936: 117; Caporiacco, 1948: 56; Reimoser, 1958: 570; Brignoli, 1977: 941.

Citations:

DODEKANISA: Rodos: Aghios Isidoros (Caporiacco, 1929); Anginovato (Caporiacco, 1948); Campochiaro (Caporiacco, 1948); Koschino (Caporiacco, 1929); Pissipi (Caporiacco, 1948). IONIAN ISLANDS: Kerkyra: Aghios Matheos (Reimoser, 1930). IPEIROS: Ioannina: Platanousa (Reimoser, 1958). PELOPONNISOS: Ileia: confluent rivers Divri and Doana (Giltay, 1932). THESSALIA: Trikala: Malakasi (Brignoli, 1977). THRAKI: "Everywhere" (Drensky, 1928).

Distribution: Holarctic.

***Cyclosa insulana* (Costa, 1834) (m,f)**

Cyclosa insulana; Simon, 1884: 328; Bristowe, 1935: 764; Drensky, 1936: 117; Brignoli, 1977: 942.
Cyrtophora argentea Ausserer, 1871: 821; Pavesi, 1877: 327.
Cyclosa trituberculata Ausserer, 1871: 821.

Citations:

IONIAN ISLANDS: Kerkyra (Ausserer, 1871; Brignoli, 1977). KYKLADES: Syros (Simon, 1884). Tinos (Ausserer, 1871).

Distribution: Mediterranean to Philippines, Australia.

***Cyclosa sierrae* Simon, 1870 (m,f)**

Cyclosa sierrae; Drensky, 1928: 185; Drensky, 1936: 118; Hadjissarantos, 1940: 69.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Charvati (Hadjissarantos, 1940); Ekali (Hadjissarantos, 1940); Oros Imitos, Aghios Ioannis Kunigis (Hadjissarantos, 1940); Liopesi (Hadjissarantos, 1940); Loutsa (Hadjissarantos, 1940); Bogiati (Hadjissarantos, 1940); Oros Parnitha, Phili (Hadjissarantos, 1940); Patisia (Hadjissarantos, 1940); Vouliagmeni (Hadjissarantos, 1940). Saronic Islands: Salamina (Hadjissarantos, 1940). THRAKI: Evros: Alexandroupoli (as Dede-Agatch; Drensky, 1928); Soufli (as Soflu; Drensky, 1928). Rodopi: Komotini (as Gumurjina; Drensky, 1928).

Distribution: Europe to Georgia.

***Cyrtarachne ixoides* (Simon, 1870) (m,f)**

Peniza europaea Ausserer, 1871: 818.
Cyrtarachne ixoides; Reimoser, 1930: 152; Bristowe, 1935: 765; Drensky, 1936: 120; Brignoli, 1977: 942.

Citations:

IONIAN ISLANDS: Kerkyra (Ausserer, 1871). IPEIROS: Thesprotia: Igoumenitsa (Brignoli, 1977).

Distribution: Mediterranean to Georgia.

***Cyrtophora citricola* (Forskål, 1775) (m,f)**

Cyrtophora citricola; Gerhardt, 1928a: 36; Bristowe, 1935: 765; Drensky, 1936: 118; Hadjissarantos, 1940: 69; Brignoli, 1977: 942.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Athina (Gerhardt, 1928a); Liopesi (Hadjissarantos, 1940). IONIAN ISLANDS: Ithaca (Bristowe, 1935). Kerkyra (Bristowe, 1935). PELOPONNISOS: Argolida: Epidavros (Bristowe, 1935; Brignoli, 1977); Nafplio (Bristowe, 1935); Tirins (Gerhardt, 1928a).

Distribution: Old World, introduced to Colombia and Hispaniola.

***Gibbaranea bituberculata* (Walckenaer, 1802) (m,f)**

Epeira dromedaria; Simon, 1884: 327.
Araneus dromedarius; Caporiacco, 1925: 109; Drensky, 1928: 184; Caporiacco, 1929: 232; Reimoser, 1930: 147; Drensky, 1936: 113.
Araneus bituberculatus; Bristowe, 1935: 761; Hadjissarantos, 1940: 66; Caporiacco, 1948: 57; Reimoser, 1958: 570.
Gibbaranea bituberculata; Brignoli, 1984: 302.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Dafni (Hadjissarantos, 1940); Ekali (Hadjissarantos, 1940); Oros Imitos, Aghios Ioannis Kunigis (Hadjissarantos, 1940); Oros Imitos, Moni Karea (Hadjissarantos, 1940); Moni Kaisariani (Hadjissarantos, 1940); Loutsa (Hadjissarantos, 1940); Oros Parnitha, Phili (Hadjissarantos, 1940); Oros Parnitha, Paleochori (Hadjissarantos, 1940); Rafina (Hadjissarantos, 1940). DODEKANISA: Kalimnos (Caporiacco, 1925). Patmos (Caporiacco, 1925). Rodos: Aghios Demetrios (Caporiacco, 1948); Aghios Isidoros (Caporiacco, 1929); Anginovato (Caporiacco, 1948); Apollona (Caporiacco, 1948); Campochiaro (Caporiacco, 1948); Draco (Caporiacco, 1948); Koschino (Caporiacco, 1929). Leros (Caporiacco, 1925). EVVOIA-VOROI SPORADES: Evvoia: Steni (Simon, 1884).

IONIAN ISLANDS: Kefalonia: Oros Aeneos (Reimoser, 1930); Argostoli (Reimoser, 1930); Sami, road Afagas-Poros (Brignoli, 1984). Kerkyra: Aghios Matheos (Reimoser, 1930). IPEIROS: Arta: Katarakti (Reimoser, 1958). Ioannina: Platanousa (Reimoser, 1930). THRAKI: Evros: Alexandroupoli (as Dede-Agatch; Drensky, 1928); Makri (Drensky, 1928); Potamos (as Badoma; Drensky, 1928).

Distribution: Palearctic.

Gibbaranea gibbosa (Walckenaer, 1802) (m,f)

Epeira gibbosa; Simon, 1884: 327; Strand, 1917: 163.
Araneus gibbosus; Fage, 1921: 100; Caporiacco, 1925: 109; Caporiacco, 1929: 231; Bristowe, 1935: 761; Drensky, 1936: 114; Hadjissarantos, 1940: 68.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Athina (Simon, 1894). DODEKANISA: Karpathos (Strand, 1917). Lipsos (Caporiacco, 1925). Nisiros (Strand, 1917). EASTERN AEGEAN ISLANDS: Samos: Marathocampus (Strand, 1917). MAKEDONIA: Without precise locality (Fage, 1921).

Distribution: Europe to Azerbaijan.

Glyptogona sextuberculata (Keyserling, 1863) (m,f)

Glyptogona sextuberculata; Simon, 1884: 326; Simon, 1916: 275; Caporiacco, 1929: 231; Bristowe, 1935: 765; Drensky, 1936: 121; Hadjissarantos, 1940: 69; Caporiacco, 1948: 56.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Athina (Simon, 1884); Ekali (Hadjissarantos, 1940); Kokkinos Milos (Hadjissarantos, 1940). DODEKANISA: Rodos: Koschino (Caporiacco, 1929); Rodos town (Caporiacco, 1929). EVVOIA-VOROI SPORADES: Evvoia: Steni (Simon, 1884). MAKEDONIA: Thessaloniki (Simon, 1916).

Distribution: Italy to Israel.

Hypsosinga albovittata (Westring, 1851) (m,f)

Singa albovittata; Ausserer, 1871: 827; Pavesi, 1878: 370; Simon, 1884: 329; Drensky, 1928: 185; Bristowe, 1935: 764; Hadjissarantos, 1940: 70; Reimoser, 1958: 570.
Singa attica Simon, 1884: 329.
Araneus atticus; Simon, 1916: 274.
Hypsosinga albovittata; Drensky, 1936: 121; Brignoli, 1984: 302.
Hypsosinga attica; Drensky, 1936: 121.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Athina (Simon, 1884); Moni Kaisariani (Hadjissarantos, 1940); Kokkinos Milos (Hadjissarantos, 1940); Oros Parnitha, Phili (Hadjissarantos, 1940). IONIAN ISLANDS: Kefalonia: Assos (Brignoli, 1984). Kerkyra (Ausserer, 1871). Lefkada (Reimoser, 1958). Kyklades (Ausserer, 1871). MAKEDONIA: Thessaloniki (Simon, 1916). THRAKI: Xanthi: Xanthi (as Sketscha; Drensky, 1928).

Distribution: Europe, North Africa, Russia, Ukraine.

Hypsosinga heri (Hahn, 1831) (m,f)

Singa heri; Caporiacco, 1925: 109; Caporiacco, 1929: 231; Bristowe, 1935: 764.

Citations:

DODEKANISA: Tilos (as Piskopi; Caporiacco, 1925).

Distribution: Palearctic.

Hypsosinga pygmaea (Sundevall, 1831) (m,f)

Singa pygmaea; Simon, 1916: 274; Strand, 1917: 164; Bristowe, 1935: 764; Hadjissarantos, 1940: 70.
Singa grammica Simon, 1884: 328; Drensky, 1936: 122.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Athina (Simon, 1884); Faliro (Strand, 1917). EVVOIA-VOROI SPORADES: Evvoia: Karystos (Strand, 1917). MAKEDONIA: Thessaloniki (Simon, 1916).

Distribution: Holarctic.

Larinoides cornutus (Clerck, 1757) (m,f)

Epeira cornuta; Pavesi, 1878: 367; Drensky, 1936: 119.
Epeira apoclsa; Cecconi, 1895: 191.
Araneus cornutus; Simon, 1884: 327; Simon, 1916: 274; Fage, 1921: 100; Bristowe, 1935: 762; Drensky, 1936: 119; Roewer, 1959a: 15.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Athina (Simon, 1884). KRITI: Chania: Milos (Cecconi, 1895). Irakleio: Koubes (Roewer, 1959a). Lasithi: Milatos (Roewer, 1959a); Sitia, cave Megalo Katofyngi (Roewer, 1959a). Rethymno: Marathospilo, Margarites (Roewer, 1959a). MAKEDONIA: Florina (Fage, 1921). Kastoria: Lake Kastoria (Roewer, 1959a). Kavala: Iraklitsa (Roewer, 1959a). Thessaloniki: Thessaloniki (Simon, 1916).

Distribution: Holarctic. The two related species *Larinoides cornutus* and *L. suspicax* have only recently been correctly diagnosed. *L. cornutus* is very common in the temperate part of Europe, whereas *L. suspicax* is the dominant species in Mediterranean Europe. It is very well possible that almost all previous citations of *L. cornutus* in fact refer to *L. suspicax*.

Larinoides patagiatus (Clerck, 1757) (m,f)

Araneus patagiatus; Caporiacco, 1925: 109; Caporiacco, 1929: 231.
Araneus ocellatus; Bristowe, 1935: 763.

Citations:

DODEKANISA: Leros (Caporiacco, 1925).

Distribution: Holarctic.

Larinoides sclopetarius (Clerck, 1757) (m,f)

Araneus sclopetarius; Simon, 1884: 327; Drensky, 1928: 184.
Epeira sclopetaria; Drensky, 1936: 120.

Citations:

EVVOIA-VOROI SPORADES: Evvoia (Simon, 1884). THRAKI: Evros: Makri (Drensky, 1928).

Distribution: Holarctic.

Larinoides suspicax (O.P-Cambridge, 1876) (m,f)

Araneus cornutus orientalis; Fage, 1921: 101; Bristowe, 1935: 762.
Araneus folium; Drensky, 1928: 185.
Araneus foliatus; Reimoser, 1930: 146, 147; Werner, 1934: 165; Bristowe, 1935: 763; Hadjissarantos, 1940: 68.
Larinoides folium; Grasshoff, 1983: 226.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Kato Souli (Hadjissarantos, 1940); Skaramagkas (Hadjissarantos, 1940). Saronic Islands: Salamina (Hadjissarantos, 1940). EASTERN AEGEAN ISLANDS: Lesvos: Mitilini (Werner, 1934). IONIAN ISLANDS: Kefalonia: Argostoli (Reimoser, 1930); Krane (Reimoser, 1930).

KRITI: Apokoro plain (Grasshoff, 1983).

MAKEDONIA: Pella: Arnissa (as Ostrovo; Fage, 1921).

Thessaloniki: Mikra (Fage, 1921); Thessaloniki (Grasshoff, 1983).

THRAKI: Evros: near Alexandroupoli (as Burugeul; Drensky, 1928). Rodopi: Komotini (as Gumurjina; Drensky, 1928).

Distribution: Mediterranean to Central Asia. See remark under *L. cornutus*.

***Leviellus thorelli* (Ausserer, 1871) (m,f)**

Zygiella thorelli; Hadjissarantos, 1940: 71.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Kato Souli (Hadjissarantos, 1940).

Distribution: Europe.

***Mangora acalypha* (Walckenaer, 1802) (m,f)**

Epeira acalypha; Simon, 1884: 327; Cecconi, 1895: 191.

Mangora acalypha; Kulczyn'ski, 1903: 34; Simon, 1916: 274; Fage, 1921: 100; Caporiacco, 1929: 232; Reimoser, 1930: 147; Giltay, 1932: 26; Werner, 1934: 165; Bristowe, 1935: 764; Drensky, 1936: 122; Hadjissarantos, 1940: 69; Caporiacco, 1948: 56; Reimoser, 1958: 570; Brignoli, 1984: 302.

Araneus acalyphus; Drensky, 1928: 185.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Athina (Simon, 1884).

DODEKANISA: Rodos: Aghios Demetrios (Caporiacco, 1948); Campochiaro (Caporiacco, 1948); Koschino (Caporiacco, 1929); Petrolaco (Caporiacco, 1948); Pissipi (Caporiacco, 1948).

EVVOIA-VOROI SPORADES: Skyros (Werner, 1934).

IONIAN ISLANDS: Kerkyra (Reimoser, 1930): Aghia Elia (Giltay, 1932); Alepou-Pelekas (Giltay, 1932); Kassiopi (Brignoli, 1984); Roda valley (Giltay, 1932). Lefkada (Reimoser, 1958).

IPEIROS: Arta: Arta (Reimoser, 1958); Katarakti (Reimoser, 1958).

KRITI: Chania: Katavothro, between Chania and Omalos (Cecconi, 1895). Rethymno: Gallos (Kulczyn'ski, 1903); Kisamo, near Rethymno (Cecconi, 1895).

KYKLADES: Mykonos (Werner, 1934).

MAKEDONIA: Florina (Fage, 1921). Pella: Edessa (as Vodena; Fage, 1921). Thessaloniki (Simon, 1916): Mikra (Fage, 1921).

PELOPONNISOS: Ileia: Olympia (Giltay, 1932).

THRAKI: Alexandroupoli (as Dede-Agatch; Drensky, 1928); Potamos (as Badoma; Drensky, 1928). Xanthi: Xanthi (as Sketscha; Drensky, 1928).

Distribution: Palearctic.

***Neoscona adianta* (Walckenaer, 1802) (m,f)**

Miranda pictilis C. L. Koch, 1837: 4; C. L. Koch, 1839: 50.

Epeira adianta; Pavesi, 1878: 369; Strand, 1917: 164.

Araneus adiantus; Simon, 1884: 327; Simon, 1916: 274; Fage, 1921: 101; Drensky, 1928: 185; Caporiacco, 1929: 232; Reimoser, 1930: 146, 148; Werner, 1934: 165; Werner, 1935: 297; Bristowe, 1935: 763; Drensky, 1936: 109; Hadjissarantos, 1940: 65; Caporiacco, 1948: 57; Reimoser, 1958: 570.

Araneus byzanthinus; Bristowe, 1935: 763; Drensky, 1936: 110.

Neoscona adianta; Brignoli, 1984: 303.

Citations:

Greece: Without precise locality (C. L. Koch, 1837).

ATTIKI-SARONIC ISLANDS: Attiki: Bogiati (Hadjissarantos, 1940); Kato Souli (Hadjissarantos, 1940); Oros Imitos, Aghios Ioannis Kunigas (Hadjissarantos, 1940); Porto Rafti (Hadjissarantos, 1940); Sounio (Bristowe, 1935). Saronic Islands: Salamina (Hadjissarantos, 1940).

DODEKANISA: Jali (Strand, 1917). Karpathos (Strand, 1917). Kos (Strand, 1917). Nisiros (Strand, 1917). Patmos (Bristowe,

1935). Rodos: Aghios Demetrios (Caporiacco, 1948);

Anginovato (Caporiacco, 1948); Draco (Caporiacco, 1948); Campochiaro (Caporiacco, 1948); Kastelo (Strand, 1917); Katavia (Caporiacco, 1929); Koschino (Caporiacco, 1929); Petrolaco (Caporiacco, 1948); Pissipi (Caporiacco, 1948); Rodos town (Strand, 1917; Caporiacco, 1929). Simi (Strand, 1917).

EASTERN AEGEAN ISLANDS: Samos (Werner, 1934). Samothraki (Werner, 1935).

EVVOIA-VOROI SPORADES: Evvoia (Simon, 1884). Skyros (Brignoli, 1984).

IONIAN ISLANDS: Kefalonia: Oros Aeneos (Reimoser, 1930); Argostoli (Reimoser, 1930); Krane (Reimoser, 1930). Lefkada: Meganisi (Reimoser, 1958).

IPEIROS: Arta (Reimoser, 1958).

KYKLADES: Antiparos (Werner, 1935). Dilos (Bristowe, 1935; Brignoli, 1984). Folegrandos (Werner, 1935). Samos (Werner, 1934). Syros (Simon, 1884).

MAKEDONIA: Florina (Fage, 1921). Thessaloniki (Simon, 1916).

THRAKI: Evros: Didimoticho (as Dimotika; Drensky, 1928). Rodopi: Komotini (as Gumurjina; Drensky, 1928). Xanthi: Xanthi (as Sketscha; Drensky, 1928).

Distribution: Palearctic.

***Neoscona subfuscata* (C. L. Koch, 1837) (m,f)**

Atea subfuscata C. L. Koch, 1837: 4; C. L. Koch, 1845: 140.

Epeira impedita L. Koch, 1867: 859; Pavesi, 1877: 326; Pavesi, 1878: 367.

Epeira variegata; Pavesi, 1878: 367.

Epeira dalmatica; Simon, 1884: 327; Simon, 1885: 210; Strand, 1917: 163.

Araneus dalmaticus; Simon, 1884: 328; Simon, 1885: 210; Fage, 1921: 100; Bristowe, 1935: 761; Drensky, 1936: 116; Hadjissarantos, 1940: 67.

Araneus impeditus; Reimoser, 1930: 152; Bristowe, 1935: 763.

Neoscona dalmatica; Caporiacco, 1948: 57.

Araneus subfuscus; Roewer, 1962: 12.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Ekali (Hadjissarantos, 1940); Kato Souli (Hadjissarantos, 1940); Kokkinos Milos (Hadjissarantos, 1940); Likobrisi (Hadjissarantos, 1940); Megara (Roewer, 1962); Podoniftis (Hadjissarantos, 1940); Vyron (Hadjissarantos, 1940).

DODEKANISA: Patmos (Bristowe, 1935). Rodos: Rodos town (Strand, 1917).

EASTERN AEGEAN ISLANDS: Icaria (Strand, 1917).

IONIAN ISLANDS: Kerkyra (L. Koch, 1867).

KYKLADES: Dilos (Bristowe, 1935). Milos (Bristowe, 1935). Santorini (Bristowe, 1935)

MAKEDONIA: Thessaloniki: Vasilika (Fage, 1921).

PELOPONNISOS: Argolida: Epidavros (Bristowe, 1935); Nafplio (C. L. Koch, 1837).

THESSALIA: Larisa: Tembi valley (Simon, 1885).

Distribution: Old world.

***Nuctenea umbratica* (Clerck, 1757) (m,f)**

Epeira umbratica; Simon, 1884: 327; Strand, 1917: 163; Fage, 1921: 100.

Araneus umbraticus; Fage, 1921: 100; Caporiacco, 1929: 232; Bristowe, 1935: 762; Caporiacco, 1948: 57.

Aranea sexpunctata; Werner, 1934: 165.

Epeira umbratilis; Drensky, 1936: 120.

Nuctenea umbratica; Brignoli, 1977: 941.

Citations:

DODEKANISA: Rodos: Koschino (Caporiacco, 1929).

EVVOIA-VOROI SPORADES: Karystos (Strand, 1917).

IPEIROS: Ioannina: Metsovo (Brignoli, 1977).

KYKLADES: Milos: Profitis Ilias (Werner, 1934).

MAKEDONIA: Florina (Fage, 1921).

STEREA ELADA: Aitolo-Akarnania: Akarnania (Simon, 1884).

Distribution: Europe to Azerbaijan.

***Singa lucina* (Audouin, 1826) (m,f)**

Araneus lucinus; Simon, 1916: 274; Fage, 1921: 101.
Singa lucina; Drensky, 1928: 1875; Bristowe, 1935: 764;
Drensky, 1936: 123.

Citations:

MAKEDONIA: Florina (Fage, 1921). Thessaloniki (Simon, 1916).
THRAKI: Evros: near Alexandroupoli (as Burugeul; Drensky, 1928).

Distribution: Mediterranean to Central Asia.

***Singa semiatra* L. Koch, 1867 (m,f)**

Singa semiatra L. Koch, 1867: 860; Ausserer, 1871: 827;
Pavesi, 1878: 369; Simon, 1884: 328; Bristowe, 1935: 763;
Drensky, 1936: 123; Hadjissarantos, 1940: 70.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Oros Parnitha, Phili (Hadjissarantos, 1940); Podoniftis (Hadjissarantos, 1940).
EVVOIA-VOROIES SPORADES: Evvoia: Steni (Simon, 1884).
IONIAN ISLANDS: Kerkyra (type locality; L. Koch, 1867).
KYKLADES: Naxos (Simon, 1884).

Distribution: Mediterranean, Ukraine.

***Zilla diodia* (Walckenaer, 1802) (m,f)**

Araneus diodius; Caporiacco, 1925: 109; Drensky, 1928: 185;
Caporiacco, 1929: 231; Reimoser, 1930: 147; Bristowe, 1935:
765; Drensky, 1936: 112.
Zilla diodia; Hadjissarantos, 1940: 70.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Bogiati (Hadjissarantos, 1940); Kopanas (Hadjissarantos, 1940); Oros Parnitha, Aghia Triada (Hadjissarantos, 1940); Oros Parnitha, Phili (Hadjissarantos, 1940); Oros Pendeli (Hadjissarantos, 1940).
DOKEKANISA: Tilos (as Piskopi; Caporiacco, 1925).
IONIAN ISLANDS: Kerkyra: Aghios Matheos (Reimoser, 1930).
THRAKI: Evros: Makri (Drensky, 1928).

Distribution: Western and Mediterranean Europe to Azerbaijan.

***Zygiella atrica* (C. L. Koch, 1845) (m,f)**

Araneus atricus; Caporiacco, 1929: 232.
Zygiella atrica; Caporiacco, 1948: 56.

Citations:

DOKEKANISA: Rodos: Koschino (Caporiacco, 1929); Pissipi (Caporiacco, 1948).

Distribution: Europe, Russia.

***Zygiella keyserlingi* (Ausserer, 1871) (m,f)**

Zygiella keyserlingi; Reimoser, 1930: 148; Bristowe, 1935: 769;
Hadjissarantos, 1940: 71; Caporiacco, 1948: 56; Reimoser, 1958: 570.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Charvati (Hadjissarantos, 1940); Ekali (Hadjissarantos, 1940); Kato Souli (Hadjissarantos, 1940); Liopesi (Hadjissarantos, 1940); Kopanas (Hadjissarantos, 1940); Oros Pendeli, Dionisos (Hadjissarantos, 1940); Vouliagmeni (Hadjissarantos, 1940).
DOKEKANISA: Rodos: Draco (Caporiacco, 1948).
IONIAN ISLANDS: Kefalonia: Argostoli (Reimoser, 1930).
IPEIROS: Arta: Arta (Reimoser, 1958).

Distribution: Southern Europe.

***Zygiella x-notata* (Clerck, 1757) (m,f)**

Epeira calophyla; Lucas, 1853: 526; Cecconi, 1895: 192.
Zilla x-notata; Pavesi, 1876: 60; Simon, 1884: 328; Carlini, 1901: 79; Drensky, 1936: 124.
Araneus decemnotatus; Caporiacco, 1925: 109; Caporiacco, 1929: 232.
Zygiella x-notata; Bristowe, 1935: 764; Hadjissarantos, 1940: 71; Caporiacco, 1948: 56.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Athina (Simon, 1884); Kifissia (Hadjissarantos, 1940); Oros Parnitha, Paleochori (Hadjissarantos, 1940).

DOKEKANISA: Lipsos (Caporiacco, 1925). Patmos (Bristowe, 1935). Rodos: Katavia (Caporiacco, 1925); Rodos town (Bristowe, 1935).

IONIAN ISLANDS: Kefalonia (Carlini, 1901). Kerkyra (Bristowe, 1935). Ithaca (Bristowe, 1935);

KRITI: Chania (Lucas, 1853; Cecconi, 1895).

KYKLADES: Dilos (Bristowe, 1935). Lipsos (Caporiacco, 1925). Milos (Bristowe, 1935).

PELOPONNISOS: Argolida: Epidavros (Bristowe, 1935); Mycenae (Bristowe, 1935).

Distribution: Holarctic, Neotropical.

65. Family Lycosidae

***Alopecosa accentuata* (Latreille, 1817) (m,f)**

Tarentula accentuata; Drensky, 1928: 190; Wolf, 2003: 91, 226.

Citations:

MAKEDONIA: Drama: Oros Falakro (Wolf, 2003); Oros Lekani (Wolf, 2003). Kavala: Oros Pangeo (Wolf, 2003).

THRAKI: Rodopi: Komotini (as Gumurjina; Drensky, 1928).

Distribution: Palearctic.

***Alopecosa aculeata* (Clerck, 1757) (m,f)**

Tarentula aculeata; Giltay, 1932: 16; Drensky, 1936: 40.

Citations:

IONIAN ISLANDS: Kerkyra (Giltay, 1932).

Distribution: Holarctic.

***Alopecosa albofasciata* (Brullé, 1832) (m,f)**

Lycosa albofasciata Brullé, 1832: 54; Simon, 1884: 317; Strand, 1917: 166; Fage, 1921: 102; Caporiacco, 1925: 236; Caporiacco, 1929: 236; Bristowe, 1935: 768.

Lycosa sagittata C. L. Koch, 1847: 177.

Tarentula albofasciata; Pavesi, 1878: 386; Kulczyn'ski, 1903: 34; Reimoser, 1930: 145, 147; Giltay, 1932: 14; Werner, 1934: 165; Werner, 1935: 296; Drensky, 1936: 40; Hadjissarantos, 1940: 39.

Xerolycosa albofasciata; Reimoser, 1958: 571; Roewer, 1959a: 23; Roewer, 1962: 14.

Alopecosa albofasciata; Caporiacco, 1948: 44; Lugetti & Tongiorgi, 1969: 50; Thaler et al., 2000: 1072.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Athina (Simon, 1884); Oros Imitos, Aghios Ionannis Kunigis (Hadjissarantos, 1940); Oros Imitos, Kakavoula cave (Roewer, 1959a); Moni Kaisariani (Hadjissarantos, 1940); Kato Souli (Hadjissarantos, 1940); Liopesi (Hadjissarantos, 1940); Loutsa (Hadjissarantos, 1940); Oros Parnitha, Aghia Triada (Hadjissarantos, 1940); Oros Parnitha, Phili (Hadjissarantos, 1940); Oros Pendeli (Hadjissarantos, 1940); Roewer, 1959a); Podoniftis (Hadjissarantos, 1940); Rafina (Hadjissarantos, 1940); cape

Sounio (Thaler et al., 2000); Vari (Hadjissarantos, 1940); Voula (Werner, 1935); Vouliagmeni (Hadjissarantos, 1940).
 DODEKANISA: Rodos: Aghios Demetrios (Caporiacco, 1948); Aghios Isidoros (Caporiacco, 1929); Anginovato (Caporiacco, 1948); Draco (Caporiacco, 1948); Katavia (Caporiacco, 1929); Koschino (Caporiacco, 1929); Petrolaco (Caporiacco, 1948); Salacos (Thaler et al., 2000); Scafe (Caporiacco, 1948); Veli (Caporiacco, 1948).
 EASTERN AEGEAN ISLANDS: Icaria (Werner, 1935).
 EVVOIA-VOROIES SPORADES: Evvoia: Karystos (Strand, 1917).
 IONIAN ISLANDS: Kefalonia: Argostoli (Reimoser, 1930). Kerkyra: Aghios Matheos (Reimoser, 1930); Perithia-Oros Pantokratoras (Giltay, 1932); Roda valley (Giltay, 1932); Spartilas (Thaler et al., 2000). Lefkada (Reimoser, 1958); Frini (Reimoser, 1930). Vories Echinades: Cuzzolaris; Petalas (Roewer, 1962).
 IPEIROS: Arta: Ammotopos (as Kumsades; Reimoser, 1958); Arta (Reimoser, 1958); Katarakti (Reimoser, 1958). Ioannina: Platanousa (Reimoser, 1958).
 KRITI: Chania: near Chania (Giltay, 1932); Georgioupoli (Thaler et al., 2000); Lake Kournas (Roewer, 1959a). Irakleio: Koubeddes, Camilaris cave (Roewer, 1959a); Fortetsa near Irakleio (Roewer, 1959a); Marathospilo, Moni Vrontissou (Thaler et al., 2000); Pefkos (Thaler et al., 2000); Psichro (Roewer, 1959a). Lasithi: Ammoudara (Thaler et al., 2000); Lasithi plain (Strand, 1917); Tsikalaria (Kulczyn'ski, 1903); Zenia (Thaler et al., 2000).
 KYKLADES: Mykonos (Strand, 1917).
 MAKEDONIA: Without precise locality (Fage, 1921): Drama: Drama, cave Mara (Roewer, 1959a). Chalkidiki: Gomati (Thaler et al., 2000); Nikiti (Thaler et al., 2000); Oros Sithonia (Thaler et al., 2000); Ouranoupoli (Thaler et al., 2000). Imathia: Naoussa (Roewer, 1959a). Kavala: Iraklitsa (Roewer, 1959a). Serres: Aghios Prodromos (Roewer, 1959a); Chrisopighi (Roewer, 1959a); Orini (Roewer, 1959a); Serres castle (Roewer, 1959a); Sidirokastro, Fea Petra (Roewer, 1959a).
 PELOPONNISOS: Achaia: Patra (Giltay, 1932). Argolida: Nafplio (type locality of *Lycosa sagittata*; C. L. Koch, 1847). Ileia: Bartsi river near Dafnoula (Giltay, 1932); Grema-Platiani (Giltay, 1932). Lakonia: Mistras (Thaler et al., 2000); Sparti (Giltay, 1932). Korinthia: Korinthos (Werner, 1934, 1935). Messinia: Methoni (as Plaine de Modon; type locality of *L. albofasciata*; Brullé, 1832).
 STEREIA ELADA: Fokida: Delfoi (Roewer, 1959a).
 THESSALIA: Magnisia: Malaki (Thaler et al., 2000). THRAKI: Evros: Alexandroupoli, W Provatonas (Thaler et al., 2000). Rodopi: Komotini (Thaler et al., 2000). Xanthi: Kara Oglou, Satrai (Thaler et al., 2000). ?Pruska (Lugetti & Tongiorgi, 1969).

Distribution: Mediterranean to Central Asia.

***Alopecosa cuneata* (Clerck, 1757) (m,f)**
Tarentula cuneata; Drensky, 1928: 190; Drensky, 1936: 41.
Alopecosa cuneata; Roewer, 1959a: 23.

Citations:

KRITI: Chania: Lake Kourna (Roewer, 1959a).
 THRAKI: Rodopi: Komotini (as Gumurjina; Drensky, 1928).

Distribution: Palearctic.

***Alopecosa cursor* (Hahn, 1831) (m,f)**
Lycosa cursoria; Reimoser, 1930: 145.
Tarentula cursor; Giltay, 1932: 16.
Alopecosa cursor; Roewer, 1959a: 23.

Citations:

IONIAN ISLANDS: Kerkyra: Perithia, Oros Pantokratoras (Giltay, 1932). Kefalonia: Krane (Reimoser, 1930). MAKEDONIA: Serres: Chrisopighi (Roewer, 1959a).

Distribution: Palearctic.

***Alopecosa dryada* Cordes, 1996 (m,f)**
Alopecosa dryada Cordes, 1996: 211; Thaler et al., 2000: 1073.

Citations:

IPEIROS: Arta: Katafigio (Thaler et al., 2000). MAKEDONIA: Kavala (Cordes, 1996). PELOPONNISOS: Lakonia: Oros Parnonas (Thaler et al., 2000); Oros Taigetos (Cordes, 1996; Thaler et al., 2000); Stephani (Thaler et al., 2000). Messinia: Vasses (Cordes, 1996). THESSALIA: Trikala: Katara pass (type locality; Cordes, 1996; Thaler et al., 2000).

Distribution: Only known from continental Greece.

***Alopecosa fuscipes* (C. L. Koch, 1847) (m,f)**
Lycosa fuscipes C. L. Koch, 1847: 182.

Citations:

PELOPONNISOS: Argolida: Nafplio (type locality; C. L. Koch, 1847).

Distribution: Greece, the Balkans. Insufficiently described species, according to Lugetti & Tongiorgi (1969) a nomen dubium. Citations of Simon (1884, 1885), Fage (1921), Bristowe (1935) and Hadjissarantos (1940) refer according to Thaler et al. (2000) to *A. pentheri* (see there), so the two are probably synonyms.

***Alopecosa inquilina* (Clerck, 1757) (m,f)**
Tarentula inquilina; Drensky, 1928: 190; Drensky, 1936: 42; Wolf, 2003: 93.

Citations:

MAKEDONIA: Drama: Oros Falakro (Wolf, 2003). THRAKI: Rodopi: Komotini (as Gumurjina; Drensky, 1928).

Distribution: Palearctic.

***Alopecosa pentheri* (Nosek, 1905) (m,f)**
Lycosa fuscipes; Simon, 1884: 317; Simon, 1885: 210; Fage, 1921: 102; Bristowe, 1935: 768.
Tarentula fuscipes; Pavesi, 1878: 386; Giltay, 1932: 16; Drensky, 1936: 41; Hadjissarantos, 1940: 39.
Alopecosa pentheri; Thaler et al., 2000: 1073.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Ampelokipoi (Hadjissarantos, 1940); Athina (Simon, 1884); Dafni (Hadjissarantos, 1940); Dionisos (Hadjissarantos, 1940); Ekali (Hadjissarantos, 1940); Moni Kaisariani (Hadjissarantos, 1940); Liopesi (Hadjissarantos, 1940); Oros Parthena (Hadjissarantos, 1940); Phili (Hadjissarantos, 1940); Rafina (Hadjissarantos, 1940) (all sub *T. fuscipes*, according to Thaler et al., 2000).

IONIAN ISLANDS: Kefalonia: Oros Aeneos (Thaler et al., 2000). Kerkyra: Potamos (Giltay, 1932).

KRITI: Chania: Lefka Oros (Thaler et al., 2000). Lasithi: Aghios Timios-Stavros (Thaler et al., 2000); Avrakondes (Thaler et al., 2000); Kritsa (Thaler et al., 2000); Selena Oros (Thaler et al., 2000). Rethymno: Ida Oros, Psiloritis (Thaler et al., 2000).

MAKEDONIA: Without precise locality (Fage, 1921). Chalkidiki: Athos mountain (Thaler et al., 2000); Oros Sithonia, Itamos (Thaler et al., 2000).

THESSALIA: Larisa: Tembi Valley (Simon, 1885).

Distribution: Bulgaria, Greece to Azerbaijan.

***Alopecosa pulverulenta* (Clerck, 1757) (m,f)**
Lycosa pulverulenta; Caporiacco, 1929: 236.
Tarentula pulverulenta; Drensky, 1928: 190; Drensky, 1936: 43.
Alopecosa pulverulenta; Caporiacco, 1948: 44; Wolf, 2003: 94.

Citations:

DODEKANISA: Rodos: castle of Rodos (Caporiacco, 1929).
MAKEDONIA: Drama: Oros Falakro (Wolf, 2003).
THRAKI: Rodopi: Komotini (as Gumurjina; Drensky, 1928).

Distribution: Palearctic.***Alopecosa solitaria* (Herman, 1879) (m,f)**

Lycosa thessala Simon, 1885: 210; Bristowe, 1935: 768;
Drensky, 1936: 44.
Alopecosa solitaria; Thaler et al., 2000: 1074; Wolf, 2003: 96.

Citations:

MAKEDONIA: Drama: Oros Falakro (Wolf, 2003). Kavala: Oros Pangeo (Wolf, 2003).
STEREA ELADA: Evrytania: Oros Timfristos, near Karpenisi (Thaler et al., 2000). Voiotia: Oros Parnassos, Arachova (Thaler et al., 2000).
THESSALIA: Larisa: summit of Oros Ossa (type locality of *L. thessala*; Simon, 1885).

Distribution: Central Europe to Kazakhstan and South Siberia.***Alopecosa sulzeri* (Pavesi, 1873) (m,f)**

Alopecosa sulzeri; Caporiacco, 1948: 44; Wolf, 2003: 96.

Citations:

DODEKANISA: Rodos: Dendruglia (Caporiacco, 1948).
MAKEDONIA: Drama: Oros Falakro (Wolf, 2003).

Distribution: Palearctic. Caporiacco's citation (1948) from Rodos is doubtful.***Alopecosa trabalis* (Clerck, 1757) (m,f)**

Alopecosa trabalis; Wolf, 2003: 97.

Citations:

MAKEDONIA: Drama: Oros Falakro (Wolf, 2003). Kavala: Oros Pangeo (Wolf, 2003).

Distribution: Europe to Central Asia.***Arctosa cinerea* (Fabricius, 1777) (m,f)**

Lycosa cinerea; Simon, 1884: 318; Strand, 1917: 166; Giltay, 1932: 21; Bristowe, 1935: 769.
Trochosa cinerea; Drensky, 1928: 191.
Arctosa cinerea; Werner, 1934: 165; Drensky, 1936: 34;
Hadjissarantos, 1940: 37; Thaler et al., 2000: 1075.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Podoniftis (Hadjissarantos, 1940).
EVVOIA-VOROIES SPORADES: Evvoia (Simon, 1884). Skyros (Werner, 1934).
IONIAN ISLANDS: Kerkyra: Aghios Ilias (Giltay, 1932).
KRITI: Lasithi: Aghios Nikolaos, E Neapolis (Giltay, 1932); Sitia (Strand, 1917).
KYKLADES: Naxos (Werner, 1934).
MAKEDONIA: Chalkidiki: Pirgadikia (Thaler et al., 2000).
PELOPONNISOS: Messinia: Kalamata (Giltay, 1932).
THRAKI: Evros: Alexandroupoli (as Dede-Agatch; Drensky, 1928).

Distribution: Palearctic.***Arctosa latithorax* Lugetti & Tongiorgi, 1965 (m,f)**

Arctosa latithorax; Kronestedt, 1997: 77; Thaler et al., 2000: 1075.

Citations:

MAKEDONIA: Chalkidiki: Nikiti (Thaler et al., 2000).
THRAKI: Xanthi: Porto Lagos (Kronestedt, 1997).

Distribution: Mediterranean.***Arctosa leopardus* Sundevall, 1833 (m,f)**

Lycosa leopardus; Fage, 1921: 102; Bristowe, 1935: 769.
Arctosa leopardus; Hadjissarantos, 1940: 37; Kronestedt, 1997: 77; Thaler et al., 2000: 1075.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Kato Souli (Hadjissarantos, 1940).
IPEIROS: Ioannina: Smolikas (Thaler et al., 2000).
KRITI: Chania: Georgioupoli (Thaler et al., 2000); Lake Kournas (Thaler et al., 2000). Irakleio: Ammoudara (Thaler et al., 2000); Gazi (Thaler et al., 2000); Zaros (Thaler et al., 2000).
MAKEDONIA: Thessaloniki: Mikra (Fage, 1921).
THRAKI: Xanthi: Porto Lagos (Kronestedt, 1997).

Distribution: Palearctic.***Arctosa maculata* (Hahn, 1822) (m,f)**

Trochosa amyacea; Drensky, 1928: 191.

Citations:

THRAKI: Rodopi: Komotini (as Gumurjina; Drensky, 1928).
Xanthi: Xanthi (as Sketscha; Drensky, 1928).

Distribution: Europe, Russia.***Arctosa perita* (Latreille, 1799) (m,f)**

Lycosa perita; Caporiacco, 1925: 110; Caporiacco, 1929: 236; Bristowe, 1935: 769.
Trochosa perita; Drensky, 1928: 191.
Arctosa perita; Reimoser, 1930: 145; Drensky, 1936: 35; Caporiacco, 1948: 44.

Citations:

DODEKANISA: Kos (Caporiacco, 1925). Rodos: Katavia (Caporiacco, 1929).
IONIAN ISLANDS: Lefkada: Megan Oros (Reimoser, 1930); Stavrotas (Reimoser, 1930).
THRAKI: Rodopi: Komotini (as Gumurjina; Drensky, 1928).

Distribution: Holarctic.***Arctosa tbilisiensis* Mccheidze, 1946 (m,f)**

Arctosa tbilisiensis; Thaler et al., 2000: 1076.

Citations:

MAKEDONIA: Chalkidiki: Nikiti (Thaler et al., 2000).
PELOPONNISOS: Argolida: Tolo (Thaler et al., 2000).

Distribution: Bulgaria, Greece, the Caucasus.***Arctosa variana* C. L. Koch, 1847 (m,f)**

Arctosa variana C. L. Koch, 1847: 125.
Trochosa variana; Pavesi, 1878: 387.
Lycosa variana; Simon, 1884: 318; Simon, 1916: 276; Strand, 1917: 166; Fage, 1921: 102; Reimoser, 1930: 147; Bristowe, 1935: 769.
Arctosa variana; Giltay, 1932: 21; Drensky, 1936: 36; Hadjissarantos, 1940: 37; Caporiacco, 1948: 44.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Kato Souli (Hadjissarantos, 1940); Faliro (Strand, 1917); Pikermi (Hadjissarantos, 1940).
DODEKANISA: Rodos: Anginovato (Caporiacco, 1948); Campochiaro (Caporiacco, 1948).
EVVOIA-VOROIES SPORADES: Evvoia: Karystos (Strand, 1917); Steni (Simon, 1884); Stira (Strand, 1917).
IONIAN ISLANDS: Kerkyra: Reimoser, 1930: Alepou-Pelekas (Giltay, 1932); Gastouri N., towards Achillion (Giltay, 1932); Kalikiopoulos (Giltay, 1932).
KRITI: Chania (Giltay, 1932).

KYKLADES: Kea (Strand, 1917; Bristowe, 1935). Naxos (Simon, 1884).
MAKEDONIA: Without precise locality (Fage, 1921): Thessaloniki (Simon, 1916).
PELOPONNISOS: Argolida: Nafplio (type locality; C. L. Koch, 1847). Ileia: Olympia (Giltay, 1932).

Distribution: Mediterranean to Central Asia.

***Aulonia albimana* (Walckenaer, 1805) (m,f)**

Aulonia albimana; Thaler et al., 2000: 1076; Wolf, 2003: 99.

Citations:

MAKEDONIA: Drama: Oros Falakro (Wolf, 2003).
THESSALIA: Trikala: Katara pass (Thaler et al., 2000).

Distribution: Palearctic, rare in the Mediterranean part, in Greece probably only in the north.

***Aulonia kratochvili* Dunin, Buchar & Absolon, 1986 (m,f)**

Aulonia kratochvili; Kronestedt, 1997: 77; Thaler et al., 2000: 1076.

Citations:

MAKEDONIA: Chalkidiki: Gomati (Thaler et al., 2000).
THRAKI: Xanthi: Porto Lagos (Kronestedt, 1997).

Distribution: Azerbaijan, Turkmenia, N Greece.

***Geolycosa vultuosa* C. L. Koch, 1838 (m,f)**

Hogna vultuosa; Reimoser, 1930: 147; Werner, 1934: 165; Hadjissarantos, 1940: 39.
Lycosa vultuosa; Bristowe, 1935: 769; Thaler et al., 2000: 1078.
Lycosa infernalis; Simon, 1916: 276; Fage, 1921: 102; Bristowe, 1935: 769.
Trochosa infernalis; Drensky, 1938: 190.
Geolycosa vultuosa; Zyuzin & Logunov, 2000: 308.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Ekali (Hadjissarantos, 1940); Oros Imittos (Hadjissarantos, 1940); Moni Kaisariani (Hadjissarantos, 1940); Kato Souli (Hadjissarantos, 1940); Liopesi (Hadjissarantos, 1940); Oros Parnitha (Werner, 1934); Oros Pendeli Monastery (Hadjissarantos, 1940); Fragkoklisisa (Hadjissarantos, 1940); Podoniftis (Hadjissarantos, 1940); Rafina (Hadjissarantos, 1940). Saronic Islands: Aigina (Hadjissarantos, 1940).
EASTERN AEGEAN ISLANDS: Lesvos: Mytilini (Werner, 1934). Limnos (Werner, 1934).
IONIAN ISLANDS: Kefalonia: Oros Aeneos (Reimoser, 1930); Argostoli (Reimoser, 1930).
KYKLADES: Naxos (Werner, 1934).
MAKEDONIA: Without precise locality (Fage, 1921): Halkikidi: Nikiti (Thaler et al., 2000); Oros Sithonia (Thaler et al., 2000). Thessaloniki (Simon, 1916).
THRAKI: Rodopi: Komotini (Thaler et al., 2000).

Distribution: the Balkans to Central Asia.

***Hogna graeca* (Roewer, 1951) (f)**

Lycosa grisea C. L. Koch, 1847: 161.
Tarentula grisea; Pavesi, 1878: 385; Werner, 1935: 296.
Tarentula graeca Roewer 1951: 441 (replacement name).
Hogna graeca; Reimoser, 1958: 571.

Citations:

KYKLADES: Kimolos (Werner, 1935).
MAKEDONIA: Grevena: Paraskevi (Reimoser, 1958).
PELOPONNISOS: Argolida: Nafplio (type locality of *L. grisea*; C. L. Koch, 1847).

Distribution: Greece, Turkey, Syria. The species is insufficiently known.

***Hogna radiata* (Latrelle, 1817) (m,f)**

Lycosa melanognatha Lucas, 1853: 519.
Lycosa hellenica C. L. Koch, 1836: 24; 1838: 104; Drensky, 1936: 37.
Lycosa tarentula hellenica Walckenaer, 1837: 283, 303.
Tarentula famelica C. L. Koch, 1839: 123.
Tarentula radiata; Pavesi, 1876: 70; Pavesi, 1878: 385; Kulczynski, 1903: 34.
Lycosa radiata; Simon, 1880: 139; Simon, 1884: 317; Simon, 1885: 210; Strand, 1917: 166; Fage, 1921: 101; Caporiacco, 1925: 110; Caporiacco, 1929: 236; Bristowe, 1935: 768; Drensky, 1936: 37.
Hogna radiata; Hadjissarantos, 1940: 38; Caporiacco, 1948: 42; Reimoser, 1958: 571; Roewer, 1959a: 22; Roewer, 1959b: 407; Thaler et al., 2000: 1076; Wolf, 2003: 99, 226.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Athina (Simon, 1880); Dafni (Hadjissarantos, 1940); Ekali (Hadjissarantos, 1940); Kiourka (Hadjissarantos, 1940); Lavrio (Hadjissarantos, 1940); Oros Parnitha, Palaeochori (Hadjissarantos, 1940); Pikermi (Pavesi, 1878).
DODEKANISA: Karpathos: Stes (Thaler et al., 2000).
Kassos (Strand, 1917; Bristowe, 1935). Kos (Strand, 1917; Caporiacco, 1925); Pili (Thaler et al., 2000). Nisiros (Strand, 1917; Bristowe, 1935). Patmos (Bristowe, 1935). Rodos: Aghios Dimitrios (Caporiacco, 1948); Aghios Isidoros (Caporiacco, 1929, 1948); Apolona (Caporiacco, 1948); Draco (Caporiacco, 1948); Kastelo (Strand, 1917); Katavia (Caporiacco, 1929); Rodos town (Strand, 1917; Caporiacco, 1929). Tilos (Thaler et al., 2000).
EASTERNAEAEAN ISLANDS: Chios (Strand, 1917). Icaria (Strand, 1917).
IONIAN ISLANDS: Kerkyra (Simon, 1880; Strand, 1917). Ithaca (Bristowe, 1935). Kefalonia: Grizata (Thaler et al., 2000); Poros (Thaler et al., 2000). Lefkada: Aghios Donatos (Thaler et al., 2000); Meganisi (Reimoser, 1958).
IPEIROS: Ioannina: Dodoni (Thaler et al., 2000).
KRITI: Chania: Chania (Lucas, 1853); Governetou, Koutrouli cave (Roewer, 1959a); Omalos plateau (Roewer, 1959a-b).
Iraklio: Malia (Thaler et al., 2000). Lasithi: Dafne (Kulczynski, 1903). Rethymno: Asomatos (Kulczynski, 1903); Gallos (Kulczynski, 1903); Vizari (Kulczynski, 1903).
KYKLADES: Syros (Strand, 1917; Bristowe, 1935).
MAKEDONIA: Drama: Oros Falakro (Wolf, 2003). Kavala: Hrisoupoli (Wolf, 2003). Florina (Fage, 1921). Chalkidiki: Nikiti (Thaler et al., 2000); Ouranopoli (Thaler et al., 2000). Kavala: Hrisoupoli (Wolf, 2003). Kozani: Morfi (Thaler et al., 2000). Serres: Chrisopighi (Roewer, 1959a). Thessaloniki: Pentalofo (as Gradobor; Fage, 1921).
PELOPONNISOS: 'Morea' (C. L. Koch, 1839). Argolida: Epidavros (Bristowe, 1935); Nafplio (Simon, 1884). Ileia: Olympia (Bristowe, 1935). Lakonia: Nomia (Thaler et al., 2000). Messinia: Taigetos, Monastery Panagia Giatrossa (Thaler et al., 2000).
STEREEAELADA: Aitolo-Akarnania: Mesologi (Simon, 1880). Fokida: Delfoi (Bristowe, 1935).
THESSALIA: Larisa: Spilia, Oros Ossa (Thaler et al., 2000); Tembi valley (Simon, 1885).
THRAKI: Xanthi: Stavroupoli (Thaler et al., 2000).

Distribution: Mediterranean to Central Asia, Central Africa.

***Hygrolycosa strandi* Caporiacco, 1948 (juv.)**

Hydrolycosa strandi Caporiacco, 1948: 44 (lapsus).

Citations:

DODEKANISA: Rodos: Anginovato (Caporiacco, 1949).

Distribution: Rodos. Caporiacco's description of a subadult female is very incomplete and the name is probably a synonym of another Lycosid species.

{*Lycosa carbonensis* Walckenaer, 1806}

Citations:

All previous citations of the western Mediterranean *L. carbonensis* refer to *L. praegrandis* (Brullé, 1832; Lucas, 1853; Cecconi, 1895, Drensky, 1936). *L. carbonensis* must be deleted from the Greek list.

***Lycosa praegrandis* C. L. Koch, 1836 (m,f)**

Lycosa carbonensis; Brullé, 1832: 54; Lucas, 1853: 518; Cecconi, 1895: 190; Drensky, 1936: 37 (misidentifications). *Lycosa praegrandis* C. L. Koch, 1836: 22; 1838: 114; Simon, 1884: 317; Simon, 1885: 209; Strand, 1917: 165; Fage, 1921: 101, 228; Caporiacco, 1925: 110; Caporiacco, 1929: 236; Bristowe, 1935: 768; Drensky, 1936: 37; Caporiacco, 1948: 42; Reimoser, 1958: 571; Roewer, 1959a: 22; Zyuzin & Logunov, 2000: 306; Thaler et al., 2000: 1077. *Lycosa lupulina* C. L. Koch, 1837: 22. *Tarentula praegrandis*; Pavesi, 1878: 387; Strand, 1908: 300; Drensky, 1928: 190; Giltay, 1932: 14. *Hogna praegrandis*; Reimoser, 1930: 145, 147; Werner, 1934: 165; Hadjissarantos, 1940: 37.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Athina (Simon, 1884); Bogiati (Hadjissarantos, 1940); Ekali (Hadjissarantos, 1940); Elefsina (Simon, 1884); Heliopolis (Hadjissarantos, 1940); Oros Imitos (Hadjissarantos, 1940); Oros Imitos, Moni Karea (Hadjissarantos, 1940); Kato Souli (Hadjissarantos, 1940); Kiourka-Aghia Triada (Hadjissarantos, 1940); Kopanas (Hadjissarantos, 1940); Lavrio (Strand, 1917); Makronisos (Strand, 1917); Melissia (Hadjissarantos, 1940); Oros Parnitha, Mola (Hadjissarantos, 1940); Patissia (Hadjissarantos, 1940); Rafina (Hadjissarantos, 1940); Skaramagkas (Hadjissarantos, 1940); Vileia (Hadjissarantos, 1940). Saronic Islands: Salamina (Hadjissarantos, 1940). DODEKANISA: Kalimnos (Strand, 1917). Karpathos (Strand, 1917). Kos (Strand, 1917; Caporiacco, 1925). Patmos (Caporiacco, 1925; Bristowe, 1935). Rodos: Aghios Dimitrios (Caporiacco, 1948); Aghios Isidoros (Caporiacco, 1929); Kastelo (Strand, 1917); Katavia (Caporiacco, 1929); Koschino (Caporiacco, 1929); Profitis Ilias (Caporiacco, 1929); Rodos town (Caporiacco, 1929; Bristowe, 1935); Scafe (Caporiacco, 1948). Simi (Strand, 1917).

EASTERN AEGEAN ISLANDS: Samos : Marathocampus (Strand, 1917).

EVVOIA-VOROI SPORADES: Evvoia: Chalkis (Strand, 1917); Karystos (Strand, 1917); Stira (Strand, 1917).

IONIAN ISLANDS: Kefalonia: Oros Aeneos (Reimoser, 1930; Thaler et al. 2000); Aghia Efimia (Thaler et al. 2000); Argostoli (Reimoser, 1930); Purnarokastron (Reimoser, 1930). Kerkyra: Perithia-Oros Pantokratoras (Giltay, 1932). Lefkada: Megan Oros (Reimoser, 1930); Meganisi (Reimoser, 1958); Stavrotas (Reimoser, 1930).

IPEROS: Arta: Katarakti (Reimoser, 1958).

KRITI: Chania: Chania (Lucas, 1853); Omalos plateau (Giltay, 1932); Paleochora (Roewer, 1959a); Tyrokomos (Giltay, 1932).

Irakleio: Arkadi (Thaler et al. 2000); Irakleio, (as Megalokastron; Cecconi, 1895); Vianos (Strand, 1917). Lasithi: Aghios Georgios (Thaler et al. 2000); Aghios Timodis near Tzermiado (Thaler et al. 2000); Lasithi plain (Strand, 1917). Rethymno: Rethymno (Cecconi, 1895).

KYKLADES: Dilos (Bristowe, 1935). Kea (Strand, 1917). Paros (Werner, 1935). Serifos (Werner, 1934). Tinos (Strand, 1917).

MAKEDONIA: Grevena: Paraskevi (Reimoser, 1958).

Thessaloniki: Eleftherio (as Harmanköj; Fage, 1921).

PELOPONNISOS: Without precise locality (as Morée; Brullé, 1832; Lucas, 1853; Strand, 1908). Achaia: Koumaris (Thaler et al. 2000); Kalavrita, around Karstia caves (Thaler et al. 2000); Mourochova-Mostenitsa (Giltay, 1932); Oros Panachaiko (as Voidea; Reimoser, 1930). Argolida: Nafplio (C. L. Koch, 1836). Lakonia: Mani, Porto Kagio (Thaler et al. 2000).

STEREA ELADA: Aitolo-Akarnania: Akarnania (Simon, 1884).

THESSALIA: Larisa: Tembi valley (Simon, 1885). Trikala:

Koridalos, Katara pass (Thaler et al., 2000).

THRAKI: Evros: Alexandroupoli (ad Dede-Agatch; Drensky, 1928); Makri (Drensky, 1928). Xanthi: Xanthi (as Sketscha; Drensky, 1928).

Distribution: Greece to Central Asia.

***Megarctosa naccai* Caporiacco, 1948 (f)**

Megarctosa naccai Caporiacco, 1948: 42.

Citations:

DODEKANISA: Rodos: Aghios Demetrios (type locality); Caporiacco, 1948.

Distribution: Only known from the type locality. Insufficiently known species.

***Pardosa agrestis* (Westring, 1861) (m,f)**

Lycosa agrestis; Drensky, 1928: 190.

Pardosa agrestis; Fage, 1921: 102, 229; Bristowe, 1935: 770; Drensky, 1936: 46; Wolf, 2003: 226.

Pardosa amnicola; Caporiacco, 1948: 46.

Citations:

DODEKANISA: Rodos: Anginovato (Caporiacco, 1948); Pissipi (Caporiacco, 1948); Psito (Caporiacco, 1948).

MAKEDONIA: Imathia: Oros Vermio (Wolf, 2003). Pella: Arnissa (as Ostrovo; Fage, 1921).

THRAKI: Rodopi: Komotini (as Gumurjina; Drensky, 1928).

Distribution: Palearctic.

***Pardosa agricola* (Thorell, 1856) (m,f)**

Pardosa arenaria; Cecconi, 1895: 190.

Pardosa agricola; Roewer, 1959a: 21.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Imitos, Leondariou cave (Roewer, 1959a).

MAKEDONIA: Imathia: Naoussa (Roewer, 1959a). Kastoria: lake Kastoria (Roewer, 1959a). Kavala: Iraklitsa (Roewer, 1959a). Serres: Siderokastro (Roewer, 1959a).

KRITI: Chania: Akrotiri, Arkoudas cave (Roewer, 1959a); Omalos plain (Cecconi, 1895). Lasithi: Milatos (Roewer, 1959a).

Distribution: Europe to Kazakhstan. Cecconi's (1865) and Roewer's (1895) citations need confirmation.

***Pardosa alacris* (C. L. Koch, 1833) (m,f)**

Pardosa alacris; Töpfer-Hofmann et al., 2000: 268; Wolf, 2003: 91.

Citations:

DODEKANISA: Karpathos: Aperi forest (Töpfer-Hofmann et al., 2000).

MAKEDONIA: Kavala: Oros Pangeo (Wolf, 2003).

THESSALIA: Trikala: Katara pass (Töpfer-Hofmann et al., 2000).

Distribution: Europe, Russia.

***Pardosa albatula* (Roewer, 1951) (m,f)**

Lycosa albatula; Drensky, 1928: 190.

Pardosa albatula; Drensky, 1936: 46.

Pardosa albatula; Wolf, 2003: 100.

Citations:

IPEROS: Ioannina: Oros Timfi (Wolf, 2003).

MAKEDONIA: Drama: Oros Falakro (Wolf, 2003). Imathia: Oros Vermio (Wolf, 2003). Kavala: Oros Pangeo (Wolf, 2003).

Serres: Oros Menikio (Wolf, 2003).

THRAKI: Rodopi: Komotini (as Gumurjina; Drensky, 1928).

Distribution: Central Europe, Balkans, Russia.

***Pardosa amentata* (Clerck, 1757) (m,f)**

Lycosa amentata; Drensky, 1928: 190.

Pardosa amentata; Drensky, 1936: 47; Wolf, 2003: 226.

Citations:

IPEIROS: Ioannina: Oros Timfi (Wolf, 2003).

MAKEDONIA: Serres: Oros Vrondous (Wolf, 2003).

THRAKI: "Everywhere" (Drensky, 1928).

Distribution: Europe, Russia. This species is very common in the temperate part of Europe, but rare or absent from the Mediterranean part. In Greece probably only present in the North.

***Pardosa atomaria* (C. L. Koch, 1847) (m,f)**

Lycosa atomaria C. L. Koch, 1847: 31; Pavesi, 1878: 384; Simon, 1880: 139; Simon, 1884: 318; Strand, 1917: 166; Fage, 1921: 102, 229; Caporiacco, 1925: 110; Drensky, 1928: 190; Reimoser, 1930: 145; Giltay, 1932: 16; Bristowe, 1935: 770; Hadjissarantos, 1940: 40.

Pardosa atomaria; Drensky, 1936: 47; Caporiacco, 1948: 46.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Athina (C. L. Koch, 1847; Simon, 1880); Kokkinos Milo (Hadjissarantos, 1940); Oros Parnitha (Hadjissarantos, 1940); Oros Pendeli (Hadjissarantos, 1940); Pikermi (Pavesi, 1878); Podoniftis (Hadjissarantos, 1940).

DODEKANISA: Karpathos (Strand, 1917). Kos (Caporiacco, 1925). Rodos: Aghios Demetrios (Caporiacco, 1948); Anginovato (Caporiacco, 1948); Campochiaro (Caporiacco, 1948); Draco (Caporiacco, 1948); Kastelo (Strand, 1917); Rodos town (Bristowe, 1935).

EASTERN AEGEAN ISLANDS: Icaria (Strand, 1917). Samos: Marathocampos (Strand, 1917).

IONIAN ISLANDS: Kerkyra (C. L. Koch, 1847; Simon, 1880); Aghios Ilias Cape (Giltay, 1932). Lefkada: Kalogini (Reimoser, 1930).

KRITI: Chania: Kefali (Giltay, 1932); Keramaris valley (Giltay, 1932); Mournies, Theriso (Giltay, 1932); Garipas-Panagia (Giltay, 1932); Omalos plateau (Giltay, 1932). Irakleio: Katsaba valley (Giltay, 1932). Lasithi: Vrachasi, W Neapolis (Giltay, 1932).

MAKEDONIA: Florina (Fage, 1921). Pella: Arnissa (as Ostrovo; Fage, 1921). Thessaloniki: Thessaloniki (Fage, 1921).

PELOPONNISOS: Achaia: Mourochova-Motenitsa (Giltay, 1932). Argolida: Nafplio (type locality; C. L. Koch, 1847). Arkadia: Soulous (Giltay, 1932). Ilisia: Divri-Lalas (Giltay, 1932). Messinia: Kalamata (Giltay, 1932).

STEREA ELADA: Aitoliko-Akarnania: Aghios Vlasios (Giltay, 1932). Fokida: Lidoriki (Strand, 1917).

THRAKI: Xanthi: Xanthi (as Sketscha; Drensky, 1928).

Distribution: the Balkans, Cyprus, Rodos, Eastern Aegean Islands.

***Pardosa bifasciata* (C. L. Koch, 1834) (m,f)**

Pardosa bifasciata; Wolf, 2003: 91.

Citations:

MAKEDONIA: Drama: Oros Falakro (Wolf, 2003).

Distribution: Palearctic.

***Pardosa blanda* (C. L. Koch, 1833)**

Pardosa blanda; Wolf, 2003: 103, 226.

Citations:

IPEIROS: Ioannina: Oros Timfi (Wolf, 2003).

MAKEDONIA: Drama: Oros Falakro (Wolf, 2003); Oros Lekani (Wolf, 2003).

Distribution: Palearctic.

***Pardosa drenskii* Buchar, 1968 (m,f)**

Pardosa drenskii; Wolf, 2003: 104.

Citations:

MAKEDONIA: Drama: Oros Falakro (Wolf, 2003).

Distribution: Bulgaria, Greece.

***Pardosa hortensis* (Thorell, 1872) (m,f)**

Pardosa hortensis; Fage, 1921: 102; Bristowe, 1935: 770; Drensky, 1936: 49; Hadjissarantos, 1940: 41; Roewer, 1959a: 21.

Lycosa hortensis; Giltay, 1932: 18.

Lycosa annulata; Drensky, 1928: 190.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Ekali (Hadjissarantos, 1940); Podoniftis (Hadjissarantos, 1940).

IONIAN ISLANDS: Kerkyra: Aghios Ilias Cape (Giltay, 1932).

KRITI: Chania: Lake Kourna (Roewer, 1959a). Irakleio: Sarchos (Roewer, 1959a). Rethymno: Margarites, Lamia cave (Roewer, 1959a).

MAKEDONIA: Florina (Fage, 1921). Chalkidiki: Vasiliki (Fage, 1921). Imathia: Naoussa (Roewer, 1959a). Kavala: Iraklitsa (Roewer, 1959a). Serres: Sidirokastro, Zestanera (Roewer, 1959a).

THRAKI: "Everywhere" (Drensky, 1928).

Distribution: Palearctic.

***Pardosa invenusta* (C. L. Koch, 1837) (f)**

Lycosa invenusta C. L. Koch, 1837: 22; C. L. Koch, 1847: 27; Pavesi, 1878: 384.

Pardosa invenusta; Caporiacco, 1925: 110; Caporiacco, 1929: 237; Bristowe, 1935: 770; Caporiacco, 1948: 47.

Citations:

DODEKANISA: Tilos (as Piskopi; Caporiacco, 1925). Castelorizo (Caporiacco, 1925). Rodos: Aghios Isidoros (Caporiacco, 1929); Katavia (Caporiacco, 1929).

PELOPONNISOS: Argolida: Nafplio (type locality; C. L. Koch, 1837).

Distribution: Insufficiently known species, only known from Greece. According to Thaler et al. (2000) possibly a synonym of *Arctosa leopardus*.

***Pardosa luctinosa* Simon, 1876 (m,f)**

Pardosa luctinosa; Hadjissarantos, 1940: 41.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Skaramagkas (Hadjissarantos, 1940).

Distribution: Mediterranean coast and inland salt marshes, Asia.

***Pardosa lugubris* (Walckenaer, 1802) (m,f)**

Pardosa lugubris; Cecconi, 1895: 190; Roewer, 1959a: 21.

Pardosa lugubris; Wolf, 2003: 104, 226.

Remark:

It is possible that citations from Crete by Cecconi (1895) and Roewer (1959) refer to recently correctly diagnosed species of the *Pardosa lugubris* group.

Citations:

KRITI: Without precise locality (Cecconi, 1895). Chania: Governetou, near Arkoudas cave (Roewer, 1959a); Lake Kournas (Roewer, 1959a). Rethymno: Angueliana (Roewer, 1959a). MAKEDONIA: Drama: Oros Falakro (Wolf, 2003); Oros Lekani (Wolf, 2003). Kavala: Oros Pangeo (Wolf, 2003). Serres: Oros Vrondous (Wolf, 2003). THRAKI: Xanthi: Kimeria (Roewer, 1959a).

Distribution: Palearctic.

***Pardosa morosa* (L. Koch, 1870) (m,f)**

Lycosa morosa; Drensky, 1928: 190.
Pardosa morosa; Drensky, 1936: 49.

Citations:

THRAKI: Rodopi: Komotini (as Gumurjina; Drensky, 1928).

Distribution: Central and South Europe to Central Asia.

***Pardosa nebulosa* (Thorell, 1872) (m,f)**

Lycosa nebulosa; Werner, 1934: 165.
Pardosa nebulosa; Reimoser, 1958: 571.

Citations:

EASTERN AEGEAN ISLANDS: Chios (Werner, 1934). IPEIROS: Arta: Katarakti (Reimoser, 1958).

Distribution: Italy, the Balkans to Central Asia.

***Pardosa nigriceps* (Thorell, 1856) (m,f)**

Lycosa nigriceps; Drensky, 1928: 190.
Pardosa nigriceps; Drensky, 1936: 50.

Citations:

THRAKI: Rodopi: Komotini (as Gumurjina; Drensky, 1928).

Distribution: Europe.

***Pardosa olympica* Tongiorgi, 1966 (m,f)**

Pardosa olympica Tongiorgi, 1966b: 342.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Oros Pendeli (type locality; Tongiorgi, 1966).

KRITI: Chania: Akrotiri-Chernosios (Tongiorgi, 1966b).

Distribution: Greece.

***Pardosa pertinax* von Helversen, 2000 (m,f)**

Pardosa pertinax; Töpfer-Hofmann et al., 2000: 271.

Citations:

MAKEDONIA: Florina: Oros Verno (type locality; Töpfer-Hofmann et al., 2000).

THESSALIA: Trikala: Katara pass (Töpfer-Hofmann et al., 2000).

Distribution: Recently described, actually only known from continental Greece.

***Pardosa prativaga* (L. Koch, 1870) (m,f)**

Pardosa prativaga; Fage, 1921: 102; Wolf, 2003: 105, 226.
Pardosa riparia; Bristowe, 1935: 770.

Citations:

IPEIROS: Ioannina: Oros Timfi (Wolf, 2003).

MAKEDONIA: Drama: Oros Falakro (Wolf, 2003); Oros Lekani (Wolf, 2003). Florina (Fage, 1921). Kavala: Oros Pangeo (Wolf, 2003). Pella: Arnissa (as Ostrovo; Bristowe, 1935). Serres: Oros Vrondous (Wolf, 2003).

Distribution: Europe, Russia.

***Pardosa proxima* (C. L. Koch, 1847) (m,f)**

Pardosa proxima C. L. Koch, 1847: 53; Simon, 1884: 318; Simon, 1916: 276; Fage, 1921: 102, 229; Drensky, 1928: 190; Caporiacco, 1929: 237; Bristowe, 1935: 770; Drensky, 1936: 51; Caporiacco, 1948: 47.

Lycosa proxima; Giltay, 1932: 18.

Lycosa proxima tenuipes; Hadjissarantos, 1940: 41.

Citations:

Greece: Without precise locality (type locality; C. L. Koch, 1847).

ATTIKI-SARONIC ISLANDS: Attiki: Athina (Simon, 1884); Kato Souli (Hadjissarantos, 1940); Kokkinos Milos (Hadjissarantos, 1940); Oros Parnitha (Hadjissarantos, 1940); Phili (Hadjissarantos, 1940).

DODEKANISA: Rodos: Koschino (Caporiacco, 1929); Rodos (Caporiacco, 1929).

IONIAN ISLANDS: Kerkyra: Kalikiopoulos laguna (Giltay, 1932).

KRITI: Chania: Mournies (Giltay, 1932); Chania (Giltay, 1932). Lasithi: Aghios Nikolaos (Giltay, 1932).

MAKEDONIA: Without precise locality (Fage, 1921).

Thessaloniki (Simon, 1916).

PELOPONNISOS: Argolida: Mycenae (Bristowe, 1935).

THRAKI: Evros: Didimoticho (as Dimotika; Drensky, 1928).

Distribution: Palearctic, Canary Islands, Azores.

***Pardosa proxima poetica* Simon, 1876 (m,f)**

Lycosa proxima poetica; Hadjissarantos, 1940: 41.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Kokkinos Milos (Hadjissarantos, 1940).

Distribution: Portugal, Spain, France, Greece. The validity of this subspecies can be doubted and should be cleared.

***Pardosa pullata* (Clerck, 1757) (m,f)**

Pardosa pullata; Roewer, 1959a: 21.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Mont Drakonera (Roewer, 1959a).

Distribution: Europe, Russia, Central Asia.

***Pardosa riparia* (C. L. Koch, 1833) (m,f)**

Lycosa corsoria; Reimoser, 1930: 145.
Pardosa cursoria; Bristowe, 1935: 770.

Citations:

IONIAN ISLANDS: Kefalonia: Krane (Reimoser, 1930).

Distribution: Central and North Europe, Balkans, Russia to Siberia.

***Pardosa tasevi* Buchar, 1968 (m, f)**

Pardosa tasevi; Wolf, 2003: 105.

Citations:

MAKEDONIA: Drama: Oros Falakro (Wolf, 2003).

Distribution: Eastern Europe, Russia, Azerbaijan.

***Pardosa tatarica* (Thorell, 1875) (m,f)**

Pardosa strigillata; Caporiacco, 1929: 237; Caporiacco, 1948: 46; Tongiorgi, 1966a: 308; Wolf, 2003: 226.

Pardosa tatarica; Wunderlich, 1984: 436.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Pikermi (Tongiorgi, 1966a).

DODEKANISA: Rodos: Aghios Isidoros (Capriacco, 1929); Campochiaro (Capriacco, 1948); Katavia (Capriacco, 1929); Koschino (Capriacco, 1929); Rodos (Capriacco, 1929). EVVOIA-VOROI SPORADES: Skyros (Tongiorgi, 1966a). IPEIROS: Ioannina: Oros Timfi (Wolf, 2003). KRITI: Without precise locality (Tongiorgi, 1966a; Wunderlich, 1984). PELOPONNISOS: Arkadia: Tripoli (Tongiorgi, 1966a); Vitina (Tongiorgi, 1966a).

Distribution: Palearctic, in Europe in the Central and Southeastern part.

Pardosa tatarica saturator Capriacco, 1948 (f)
Pardosa strigillata saturator Capriacco, 1948: 46.

Citations:

DODEKANISA: Rodos: Aghios Demetrios (Capriacco, 1948).

Distribution: Rodos. A subspecies of doubtful value.

Pardosa vittata (Keyserling, 1863) (m,f)
Pardosa vittata; Simon, 1884: 318; Bristowe, 1935: 770; Capriacco, 1948: 46.
Lycosa palitans; Fage, 1921: 102.
Pardosa politans; Bristowe, 1935: 770.

Citations:

DODEKANISA: Rodos: Anginovato (Capriacco, 1948); Campochiaro (Capriacco, 1948); Petrolaco (Capriacco, 1948). MAKEDONIA: Without precise locality (Fage, 1921). STEREELADA: Aitolo-Akarnania: Mesologi (Simon, 1884).

Distribution: Central Europe, Balkans to Georgia.

Pirata hygrophilus Thorell, 1872 (m,f)
Pirata hygrophilus; Wolf, 2003: 227.

Citations:

MAKEDONIA: Serres: Oros Vrondous (Wolf, 2003).

Distribution: Palearctic.

Pirata knorri (Scopoli, 1763) (m,f)
Pirata knorri; Drensky, 1928: 191; Drensky, 1936: 39.

Citations:

THRAKI: Rodopi: Komotini (as Gumurjina; Drensky, 1928).

Distribution: Palearctic. A species occurring along running water and in Europe common in the temperate part. The presence in the north of Greece is possible but should be confirmed.

Pirata latitans (Blackwall, 1841) (m,f)
Pirata latitans; Drensky, 1928: 191; Giltay, 1932: 22; Drensky, 1936: 39; Thaler et al., 2000: 1078.

Citations:

IONIAN ISLANDS: Kerkyra: Aghios Ilias (Giltay, 1932). KRITI: Irakleio: Ammoudara (Thaler et al., 2000). MAKEDONIA: Chalkidiki: Gomati (Thaler et al., 2000). STEREELADA: Voiotia: Oros Parnassos (Thaler et al., 2000). THRAKI: Rodopi: Komotini (as Gumurjina; Drensky, 1928).

Distribution: Europe to Azerbaijan.

Pirata piraticus (Clerck, 1757) (m,f)
Lycosa piratica; Simon, 1916: 276.
Pirata piraticus; Giltay, 1932: 22; Bristowe, 1935: 770; Thaler et al., 2000: 1078.

Citations:

KRITI: Chania: Georgioupoli (Thaler et al., 2000); Keramaris valley (Giltay, 1932). MAKEDONIA: Chalkidiki: Gomati (Thaler et al., 2000). Thessaloniki (Simon, 1916).

Distribution: Holarctic.

Pirata piscatorius (Clerck, 1757) (m,f)
Pirata piscatorius; Simon, 1916: 276; Reimoser, 1930: 145; Bristowe, 1935: 769.

Citations:

IONIAN ISLANDS: Lefkada: Kalligoni (Reimoser, 1930); Sivros (Reimoser, 1930). MAKEDONIA: Thessaloniki (Simon, 1916).

Distribution: Palearctic.

Trochosa hispanica Simon, 1870 (m,f)
Trochosa ruricola rustica; Kulczyn'ski, 1903: 34.
Trochosa robusta; Capriacco, 1948: 44 (misidentification).
Trochosa hispanica; Thaler et al., 2000: 1079

Citations:

IONIAN ISLANDS: Kefalonia: Lake Avithos near Poros (Thaler et al., 2000).

KRITI: Chania: Georgioupoli, lake Kournas (Thaler et al., 2000). Irakleio: Gazi (Thaler et al., 2000). Lasithi: Ammoudara (Thaler et al., 2000). Rethymno (Kulczyn'ski, 1903). MAKEDONIA: Chalkidiki: Gomati (Thaler et al., 2000). Serres: Oros Kerkini, Ano Poroia (Thaler et al., 2000). PELOPONNISOS: Achaia: Kalavrta (Thaler et al., 2000). Argolida: Tolo (Thaler et al., 2000). Messinia: Oros Likeo, Neda river near Kakaletri (Thaler et al., 2000).

Distribution: Circummediterranean.

{Trochosa robusta (Simon, 1876) (m,f)}
Trochosa robusta; Capriacco, 1948: 44.

Citations:

Cited from Rodos by Capriacco, 1948, but this record must be attributed to the Mediterranean *T. hispanica*.

Distribution: Palearctic.

Trochosa ruricola (Degeer, 1778) (m,f)
Lycosa ruricola; Simon, 1884: 318; Strand, 1917: 166; Bristowe, 1935: 769; Capriacco, 1948: 44.
Trochosa ruricola; Drensky, 1928: 190; Drensky, 1936: 45; Hadjissarantos, 1940: 40; Roewer, 1959a: 23.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Athina (Simon, 1884); Kato Souli (Hadjissarantos, 1940). DODEKANISA: Rodos: Aghios Demetrios (Capriacco, 1948); Apollona (Capriacco, 1948); Campochiaro (Capriacco, 1948). EVVOIA-VOROI SPORADES: Evvoia: Dystos (Strand, 1917); Karystos (Strand, 1917).

KYKLADES: Kea (Bristowe, 1935). Naxos (Simon, 1884).

MAKEDONIA: Kastoria: lake Kastoria (Roewer, 1959a).

THRAKI: Evros: Alexandroupoli (as Dede-Agatch, Drensky, 1928).

Rodopi: Komotini (as Gumurjina; Drensky, 1928).

Xanthi: Kimeria (Roewer, 1959a).

Distribution: Palearctic. Due to possible confusion with the only recently correctly diagnosed *T. hispanica*, the presence of *T. ruricola* in Greece should be confirmed. Probably, it is only present in the north of the country.

Trochosa terricola Thorell, 1856 (m,f)
Lycosa terricola; Bristowe, 1935: 769

Trochosa terricola; Drensky, 1928: 191; Reimoser, 1930: 147; Giltay, 1932: 20; Werner, 1935: 296; Drensky, 1936: 45; Hadjissarantos, 1940: 40; Roewer, 1959a: 21; Wolf, 2003: 106. *Trochosina terricola*; Reimoser, 1958: 571.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Kato Souli (Hadjissarantos, 1940).

EASTERN AEGEAN ISLANDS: Samothraki (Werner, 1935).

IONIAN ISLANDS: Kerkyra (Reimoser, 1930); Roda valley (Giltay, 1932). Kefalonia: Oros Aeneos (Reimoser, 1930). Lefkada (Reimoser, 1958).

IPEIROS: Arta: Katarakti (Reimoser, 1958).

MAKEDONIA: Drama: Oros Falakro (Wolf, 2003). Kavala: Oros Pangeo (Wolf, 2003). Serres: Aghios Prodromos (Roewer, 1959a).

PELOPONNISOS: Ileia: Olympia, along Potamos Alphios (Giltay, 1932).

THRAKI: Evros: Alexandroupoli (as Dede-Agatch; Drensky, 1928). Rodopi: Komotini (as Gumurjina; Drensky, 1928).

Distribution: Holarctic. Same remark as in *T. ruricola*, for the citations from the south of Greece. Recent records from northern Greece (Wolf, 2003) confirm its presence in Greece.

Wadicosa fidelis (O. P.- Cambridge, 1872) (m,f)

Pardosa venatrix; Caporiacco, 1948: 46.

Citations:

DODEKANISA: Rodos: Anginovato (Caporiacco, 1948).

Distribution: South Palearctic.

Xerolycosa nemoralis (Westring, 1861) (m,f)

Lycosa nemoralis; Fage, 1921: 102; Bristowe, 1935: 769. *Tarentula nemoralis*; Drensky, 1928: 190; Drensky, 1936: 42.

Citations:

MAKEDONIA: Without precise locality (Fage, 1921). THRAKI: Evros: Didimoticho (as Dimotika; Drensky, 1928). Rodopi: Komotini (as Gumurjina; Drensky, 1928). Xanthi: Xanthi (as Sketscha; Drensky, 1928).

Distribution: Palearctic.

67. Family Pisauridae

Dolomedes plantarius (Clerck, 1757) (m,f)

Dolomedes fimbriatus; Pavesi, 1878: 387; Bristowe, 1935: 768. *Dolomedes plantarius*; Hadjissarantos, 1940: 36.

Citations:

Greece: Without precise locality (Pavesi, 1878).

ATTIKI-SARONIC ISLANDS: Attiki: Kato Souli (Hadjissarantos, 1940).

Distribution: Europe, Russia. Hajissarantos' citation of a male from Attiki should be confirmed.

Pisaura mirabilis (Clerck, 1757) (m,f)

Ociale mirabilis; C. L. Koch, 1847: 107; Pavesi, 1878: 387; Simon, 1884: 317; Cecconi, 1895: 190. *Pisaura rufofasciata*; Kulczyn'ski, 1903: 34. *Pisaura mirabilis*; Simon, 1916: 276; Strand, 1917: 165; Fage, 1921: 101; Caporiacco, 1929: 110; Drensky, 1928: 191; Drensky, 1936: 33; Caporiacco, 1948: 41; Reimoser, 1958: 571; Roewer, 1959a: 20; Brignoli, 1977: 952. *Pisaura listeri*; Reimoser, 1930: 145, 147; Giltay, 1932: 12; Werner, 1934: 165; Bristowe, 1935: 768; Werner, 1935: 296; Hadjissarantos, 1940: 36.

Citations:

Greece: Without precise locality (C. L. Koch, 1847).

ATTIKI-SARONIC ISLANDS: Attiki: Athina (Simon, 1884); Bogiati (Hadjissarantos, 1940); Ekali (Hadjissarantos, 1940); Oros Imitos, Moni Karea (Hadjissarantos, 1940); Moni Kaisariani (Hadjissarantos, 1940); Kato Souli (Hadjissarantos, 1940); Oros Parnitha Phili (Hadjissarantos, 1940); Sounio (Bristowe, 1935). DODEKANISA: Kassos (Strand, 1917). Rodos: Aghios Isidoros (Caporiacco, 1929); Draco (Caporiacco, 1948); Koschino (Caporiacco, 1929); Katavia (Caporiacco, 1929).

EVVOIA-VOROI SPORADES: Evvoia: Karystos (Strand, 1917). Skyros (Werner, 1934).

IONIAN ISLANDS: Ithaca (Bristowe, 1935). Kefalonia: Argostoli (Reimoser, 1930). Kerkyra (Reimoser, 1930; Bristowe, 1935).

Lefkada: Kalligoni (Brignoli, 1977); Sivros (Reimoser, 1958).

KRITI: Without locality (Cecconi, 1895). Chania: Chania (Strand, 1917); Kolimbari (Roewer, 1959a). Lasithi: Dafni (Kulczyn'ski, 1903).

KYKLADES: Amorgos (Werner, 1935).

MAKEDONIA: Imathia: Naoussa (Roewer, 1959a). Thessaloniki (Simon, 1916; Fage, 1921).

PELOPONNISOS: Achaia: Oros Panachaiko (Brignoli, 1977). Argolida: Epidavros (Bristowe, 1935); Mycenae (Bristowe, 1935); Nafplio (Bristowe, 1935). Ileia: near confluents of rivers Divri and Doana (Giltay, 1932).

STEREA ELADA: Fokida: Delfoi (Bristowe, 1935).

THESSALIA: Larisa (Werner, 1934).

THRAKI: "Everywhere" (Drensky, 1928).

Distribution: Palearctic.

Pisaura orientalis Kulczyn'ski, 1913 (f)

Pisaura orientalis; Brignoli, 1984: 38.

Citations:

PELOPONNISOS: Arkadia: Mistras ruins (Brignoli, 1984).

Distribution: Italy, Greece, Lebanon.

68. Family Oxyopidae

Oxyopes globifer Simon, 1876 (m,f)

Oxyopes attica Hadjissarantos, 1940: 42.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Tatoi (type locality of *O. attica*; Hadjissarantos, 1940).

Distribution: Mediterranean to Central Asia.

Oxyopes heterophthalmus (Latreille, 1804) (m,f)

Oxyopes heterophthalmus; Simon, 1884: 316; Simon, 1916: 276; Strand, 1917: 165; Fage, 1921: 102; Drensky, 1928: 192; Caporiacco, 1929: 237; Giltay, 1932: 22; Bristowe, 1935: 771; Werner, 1934: 165; Drensky, 1936: 53; Hadjissarantos, 1940: 45; Caporiacco, 1948: 47; Reimoser, 1958: 571. *Oxyopes lineatus*; Pavesi, 1878: 387.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Athina (Simon, 1884; Werner, 1934); Bogiati (Hadjissarantos, 1940); Oros Imitos (Werner, 1934); Kareas (Hadjissarantos, 1940); Kato Souli (Hadjissarantos, 1940); Lavrio (Hadjissarantos, 1940); Vouliagmeni (Hadjissarantos, 1940).

DODEKANISA: Rodos: Aghios Isidoros (Caporiacco, 1929); Koschino (Caporiacco, 1929).

EASTERN AEGEAN ISLANDS: Samos (Werner, 1934).

EVVOIA-VOROI SPORADES: Evvoia: Karystos (Strand, 1917); Dystos (Strand, 1917). Skyros (Werner, 1934).

IPEIROS: Arta: Arta (Reimoser, 1958); Katarakti (Reimoser, 1958).

KRITI: Chania: Chania (Strand, 1917). Iraklio: Katsaba valley (Giltay, 1932). Lasithi: Sitia (Strand, 1917).

KYKLADES: Milos (Werner, 1934). Serifos (Werner, 1934).

MAKEDONIA: Florina (Fage, 1921). Thessaloniki (Simon, 1916): Pendalofos (as Gradobor; Fage, 1921).
THRAKI: "Everywhere" (Drensky, 1928).

Distribution: Palearctic.

Oxyopes lineatus Latreille, 1806 (m,f)

Sphasus lineatus C. L. Koch, 1836: 12.
Sphasus gentilis C. L. Koch, 1838: 97.
Oxyopes lineatus var. *gentilis*; Simon, 1884: 317; Bristowe, 1935: 771.
Oxyopes lineatus; Simon, 1916: 276; Strand, 1917: 276; Fage, 1921: 102; Drensky, 1928: 192; Caporiacco, 1929: 237; Reimoser, 1930: 145; Werner, 1934: 165; Drensky, 1936: 54; Hadjissarantos, 1940: 45; Caporiacco, 1948: 4; Reimoser, 1958: 571.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Athina (Simon, 1884); Bogiati (Hadjissarantos, 1940); Ekali (Hadjissarantos, 1940); Oros Imitos (Hadjissarantos, 1940); Kokkinos Milos (Hadjissarantos, 1940); Loutsa (Hadjissarantos, 1940); Oros Parnitha, Mola (Hadjissarantos, 1940); Sounio (Bristowe, 1935).
DODEKANISA: Rodos: Aghios Isidores (Caporiacco, 1929); Katavia (Caporiacco, 1929); Koschino (Caporiacco, 1929); Rodos town (Strand, 1917).
EASTERN AEGEAN ISLANDS: Samos (Werner, 1934); Marathocampus (Strand, 1917). Samothraki (Werner, 1935).
IONIAN ISLANDS: Ithaca (Bristowe, 1935). Kefalonia: Krane (Reimoser, 1930). Lefkada (Reimoser, 1958); Kalligoni (Reimoser, 1930); Meganisi (Reimoser, 1958).
IPEIROS: Arta: Katarakti (Reimoser, 1958). Ioannina: Platanousa (Reimoser, 1958).
KYKLADES: Serifos (Werner, 1934).
MAKEDONIA: Thessaloniki (Simon, 1916).
PELOPONNISOS: Morea (C. L. Koch, 1838). Argolida: Epidavros (Bristowe, 1935); Mycenae (Bristowe, 1935); Nafplio (Bristowe, 1935).
THRAKI: Evros: Alexandroupoli (as Dede-Agatch; Drensky, 1928); Didimoticho (as Dimotika; Drensky, 1928); Potamos (as Badoma; Drensky, 1928). Rodopi: Komotini (as Gumurjina; Drensky, 1928). Xanthi: Xanthi (as Sketscha; Drensky, 1928).

Distribution: Palearctic.

Oxyopes mediterraneus Levy, 1999 (m,f)

Oxyopes globifer; Hadjissarantos, 1940: 43.
Oxyopes candidus; Hadjissarantos, 1940: 43.
Oxyopes mediterraneus Levy, 1999: 43.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Imitos-Heliopolis (Hadjissarantos, 1940); Oros Imitos, Moni Karea (Hadjissarantos, 1940). Saronic Islands: Salamina (Hadjissarantos, 1940).

Distribution: Morocco, Spain, Greece, North Syria, Israel.

Oxyopes ramosus (Martini & Goeze, 1778)

Oxyopes candidus; L. Koch, 1867: 866; Pavesi, 1878: 388.
Oxyopes ramosus; Simon, 1884: 317; Bristowe, 1935: 771; Caporiacco, 1948: 47.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Imitos-Heliopolis (Hadjissarantos, 1940); Oros Imitos, Moni Karea (Hadjissarantos, 1940). Saronic Islands: Salamina (Hadjissarantos, 1940).
DODEKANISA: Rodos: Draco (Caporiacco, 1948).
IONIAN ISLANDS: Kerkyra (type locality of *O. candidus*; L. Koch, 1867).

Distribution: Palearctic.

Peucetia viridis (Blackwall, 1858) (m,f)
Peucetia arabica; Strand, 1917: 165; Bristowe, 1935: 771 (misidentification).

Peucetia viridis; Caporiacco, 1929: 237.

Peucetia virescens; Reimoser, 1958: 571 (misidentification).

Citations:

DODEKANISA: Rodos: Katavia (Caporiacco, 1929). Simi (Strand, 1917).

IONIAN ISLANDS: Lefkada (Reimoser, 1958).

Distribution: Spain, Greece, Africa, Middle East.

74. Family Zoropsidae

Zoropsis lutea (Thorell, 1875) (m,f)

Zoropsis lutea; Simon, 1884: 343; Dahl, 1901: 190; Strand, 1917: 161; Caporiacco, 1925: 107; Caporiacco, 1929: 223; Bristowe, 1935: 748; Hadjissarantos, 1940: 73; Caporiacco, 1948: 37; Thaler & Knoflach, 1998a: 180.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Athina (Simon, 1884); Hadjissarantos, 1940); Ekali (Hadjissarantos, 1940); Moni Kaisariani (Hadjissarantos, 1940); Kato Souli (Hadjissarantos, 1940); Kokkinaras (Hadjissarantos, 1940); Liopesi (Hadjissarantos, 1940); Oros Parnitha, Aghia Triada (Hadjissarantos, 1940); Oros Parnitha, Phili (Hadjissarantos, 1940); Podoniftis (Hadjissarantos, 1940); Sounio (Hadjissarantos, 1940); Vileia (Hadjissarantos, 1940); Vouliagmeni (Hadjissarantos, 1940).

DODEKANISA: Rodos: Aghios Demetrios (Caporiacco, 1948); Campochiaro (Caporiacco, 1948); Katavia (Caporiacco, 1929); Koschino (Caporiacco, 1929); Rodos town (Caporiacco, 1929).

EASTERN AEGEAN ISLANDS: Chios (Dahl, 1901).

EVVOIA-VOROES SPORADES: Evvoia: Eretria (Thaler & Knoflach, 1998a); Katheni (Thaler & Knoflach, 1998a).

KRITI: Without precise locality (Dahl, 1901).

KYKLADES: Kea (Strand, 1917).

PELOPONNISOS: Korinthia: Krioneri, Akrata (Thaler & Knoflach, 1998a). Lakonia: Githio (Thaler & Knoflach, 1998a).

Distribution: Eastern Mediterranean, Ukraine.

Zoropsis oertzeni Dahl, 1901 (m,f)

Zora ocreata; Ceconni, 1895: 191.

Zoropsis oertzeni; Thaler & Knoflach, 1998a: 179.

Zoropsis spinimana; Bristowe, 1935: 748; Reimoser, 1930: 145 (probably misidentifications).

Citations:

IONIAN ISLANDS: Kerkyra: Aghios Matheos (Reimoser, 1930); Perithia (Thaler & Knoflach, 1998a).

IPEIROS: Ioannina: Dodoni (Thaler & Knoflach, 1998a).

KRITI: Rethymno: Kalivos (Ceconni, 1895).

Distribution: N Italy, Croatia, Albania, N Greece.

{*Zoropsis spinimana* Dufour, 1820} (m,f)

Remark:

All recently collected specimens of *Zoropsis* appear to refer to the recently revised *Z. oertzeni* (Thaler & Knoflach, 1998a; unpublshed records of author), so until definitive proof *Z. spinimana* is deleted from the Greek list.

75. Family Zoridae

Zora nemoralis (Blackwall, 1861) (m,f)

Zora nemoralis; Reimoser, 1958: 572.

Citations:

IPEIROS: Arta: Rodavgi (as Nisista; Reimoser, 1958).

Distribution: Palearctic.

77. Family Agelenidae

***Agelena gracilens* C. L. Koch, 1841 (m,f)**

Agelena similis; Pavesi, 1878: 344, 375; Simon, 1884: 337; Strand, 1917: 162; Drensky, 1928: 187; Reimoser, 1930: 146; Bristowe, 1935: 767; Drensky, 1936: 21; Hadjissarantos, 1940: 31.

Agelena gracilens; Roewer, 1959a: 17.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Nymfoliptos cave (Roewer, 1959a); Pikermi (Pavesi, 1878).

IONIAN ISLANDS: Kefalonia: Krane (Reimoser, 1930).

STEREA ELADA: Fokida: Vardousa and Giona Oros (as Korax mountains; Strand, 1917).

THRAKI: Rodopi: Komotini (as Gumurjina; Drensky, 1928).

Distribution: Mediterranean to Central Asia.***Agelena labyrinthica* (Clerck, 1757) (m,f)**

Theridion maxillare Brullé, 1832: 52.

Agelena labyrinthica; C. L. Koch, 1841: 58; Pavesi, 1878: 343, 375; Cecconi, 1895: 191; Kulczyn'ski, 1903: 34; Simon, 1916: 276; Strand, 1917: 162; Drensky, 1928: 187; Gerhardt, 1928a: 35; Caporiacco, 1929: 235; Reimoser, 1930: 146; Werner, 1934: 165; Bristowe, 1935: 767; Drensky, 1936: 21; Caporiacco, 1948: 39; Reimoser, 1958: 571; Roewer, 1959a: 18; Wolf, 2003: 108.

Citations:

EASTERN AEGEAN ISLANDS: Icaria (Werner, 1934). Samos (Werner, 1934).

ATTIKI-SARONIC ISLANDS: Attiki: Athina (Simon, 1880); Kokkinaras (Gerhardt, 1928a). DODEKANISA: Kos (Strand, 1917). Patmos (Bristowe, 1935). Rodos: Aghios Demetrios (Caporiacco, 1948); Aghios Isidores (Caporiacco, 1929); Anginovato (Caporiacco, 1948); Campochiaro (Caporiacco, 1948); Kastelo (Strand, 1917); Katavia (Caporiacco, 1929); Petrolaco (Caporiacco, 1948); Rodos town (Strand, 1917); Caporiacco, 1929).

EASTERN AEGEAN ISLANDS: Icaria (Werner, 1934). Samos (Werner, 1934).

IONIAN ISLANDS: Ithaca (Bristowe, 1935). Kefalonia: Krane (Reimoser, 1930); Rudi (Reimoser, 1930). Kithira (as Cerigo); Kapsali Bay (Pavesi, 1878).

IPEIROS: Arta: Katarakti (Reimoser, 1958).

KRITI: Lasithi: Milatos cave (Roewer, 1959a). Rethymno: Atsipopoulo (Cecconi, 1895); Rethymno (Cecconi, 1895); Vizari (Kulczyn'ski, 1903).

KYKLADES: Antiparos (Pavesi, 1878). Milos (Pavesi, 1878). Santorini (Simon, 1884). Serifos: Porto Livadi (Pavesi, 1878). Syros (Simon, 1884).

MAKEDONIA: Drama: Oros Falakro (Wolf, 2003). Thessaloniki (Simon, 1916).

PELOPONNISOS: Argolida: Epidavros (Bristowe, 1935); Mycenae (Bristowe, 1935); Nafplio (C. L. Koch, 1841). Arkadia (Brullé, 1832). Ilaea: Olympia (Bristowe, 1935).

STEREA ELADA: Fokida: Delfoi (Bristowe, 1935).

THESSALIA: Larisa: Tembi valley (Simon, 1885).

THRAKI: "Everywhere" (Drensky, 1928).

Distribution: Europe, Russia. *Agelena labyrinthica* is very common in the temperate part of Europe, but probably rare or absent in the Mediterranean part. It is to be expected that most records from the South of Greece are in fact *A. orientalis*. The presence of *A. labyrinthica* in the North of Greece was recently confirmed (Wolf, 2003).

***Agelena orientalis* C. L. Koch, 1837 (m,f)**

Agelena orientalis C. L. Koch, 1841: 58; Brignoli, 1976b: 563; Brignoli, 1984: 303.

Agelena labyrinthica orientalis; Simon, 1880: 140; Simon, 1884: 337; Hadjissarantos, 1940: 30; De Blauwe, 1980b: 16.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Athina (Simon, 1880); Bogiati (Hadjissarantos, 1940); Heliopolis (Hadjissarantos, 1940); Oros Imitos, Moni Karea (Hadjissarantos, 1940); Moni Kaisariani (Hadjissarantos, 1940); Kiourka (Hadjissarantos, 1940); Koropi (Hadjissarantos, 1940); Liopesi (Hadjissarantos, 1940); Sounio (Hadjissarantos, 1940).

IONIAN ISLANDS: Kerkyra (Simon, 1880).

KYKLADES: Naxos (Brignoli, 1984).

PELOPONNISOS: Argolida: Nafplio (type locality; C. L. Koch, 1841).

THESSALIA: Larisa: Tsition (Brignoli, 1976b).

Distribution: Italy to Central Asia, Iran.***Agelescape livida* (Simon, 1875) (m,f)**

Agelena livida; Caporiacco, 1925: 109; Bristowe, 1935: 767; Hadjissarantos, 1940: 31.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Oros Parnitha, Mola (Hadjissarantos, 1940); Oros Parnitha, Paleochori (Hadjissarantos, 1940).

DODEKANISA: Castelorizo (Caporiacco, 1925).

Distribution: Mediterranean.***Histopona hauseri* (Brignoli, 1972) (m,f)**

Roeweriana hauseri Brignoli, 1972: 863; Brignoli, 1976b: 566; Deeleman-Reinhold, 1983: 334; Deltshev, 1985: 44.

Citations:

IONIAN ISLANDS: Kerkyra: Oros Pantokratoras, Spartilas, Gravulithia cave (Brignoli, 1976b; Deeleman-Reinhold, 1983); idem, Bodolekos cave (type locality; Brignoli, 1972); Strinilas, Katsaba cave (Brignoli, 1976b). Zakynthos: Girio, Vrachionas Massif, Spilia tou Chajoti cave (Brignoli, 1976b); idem, Megali Spilia cave (Brignoli, 1976b).

Distribution: Only known from the Ionian Islands.***Histopona isolata* Deeleman-Reinhold, 1983 (m,f)**

Histopona isolata Deeleman-Reinhold, 1983: 334.

Citations:

KRITI: Chania: Topolia, Aghia Sofia cave (type locality; Deeleman-Reinhold, 1983).

Distribution: Only known from the type locality in Kriti.***Histopona myops* (Simon, 1885) (m,f)**

Hadites myops Simon, 1885: 212; Bristowe, 1935: 768.

Roeweriana myops; Brignoli, 1972: 865; Brignoli, 1979: 191; Brignoli, 1984: 305; Deltshev, 1985: 44.

Histopona myops; Wolf, 2003: 104.

Citations:

MAKEDONIA: Drama: Oros Falakro (Wolf, 2003).

PELOPONNISOS: Larisa: Alepochori (Deltshev, 1985).

THESSALIA: Larisa: Oros Ossa, Spilia, Kokkino Vrachos cave (type locality; Simon, 1885; Brignoli, 1972, 1979, 1984); idem, Lipara Trippa cave (Brignoli, 1984); idem, Tsari Tripa cave on Oros Psylodendron (Brignoli, 1984).

Distribution: Continental Greece.

***Histopona strinatii* (Brignoli, 1976) (m,f)**

Roeweriana strinatii Brignoli, 1976: 567; Deeleman-Reinhold, 1983: 333.

Citations:

PELOPONNISOS: Achaia: Kalavrita S, Kato Klitoria, Ton Limnon cave (type locality; Brignoli, 1976b).

Distribution: Only known from the Peloponnisos.

***Histopona vignai* Brignoli, 1980 (m,f)**

Histopona sinuata; Brignoli, 1977: 950 (misidentification).
Histopona vignai Brignoli, 1980: 78; Deeleman-Reinhold, 1983: 331.

Citations:

THESSALIA: Larisa: Oros Ossa, Karitsa (type locality; Brignoli, 1980). Pieria: Oros Olymbos, Litochoro (Brignoli, 1980).

Distribution: Only known from Thessalia.

***Lycosoides coarctata* (Dufour, 1831) (m,f)**

Textrix ferruginea C. L. Koch, 1837: 14; 1841: 50.
Textrix coarctata; Pavesi, 1878: 376; Simon, 1884: 337; Caporiacco, 1925: 110; Caporiacco, 1929: 236; Bristowe, 1935: 767; Caporiacco, 1948: 41.

Citations:

DODEKANISA: Tilos (as Piscopi; Caporiacco, 1925). Rodos: Aghios Isidoros (Caporiacco, 1929); Koschino (Caporiacco, 1929). PELOPONNISOS: Achaia: Patra (Simon, 1884). Argolida: Nafplio (type locality; C. L. Koch, 1837).

Distribution: Mediterranean.

***Maimuna cretica* (Kulczyn'ski, 1903) (m,f)**

Textrix cretica Kulczyn'ski, 1903: 34, 52; Giltay, 1932: 10; Werner, 1934: 165; Bristowe, 1935: 767; Roewer, 1959a: 20; Brignoli, 1976b: 574; De Blauwe, 1980a: 17; Brignoli, 1984: 303.

Citations:

EASTERN AEGEAN ISLANDS: Limnos (Werner, 1934). EVVOIA-VOROIES SPORADES: Skyros (Werner, 1934). KRITI: Chania: Askifou, Niatos (Kulczyn'ski, 1903; Brignoli, 1976b); Chania (Kulczyn'ski, 1903); between Garipas and Panagia (Giltay, 1932); Lakki (Kulczyn'ski, 1903); Omalos (Kulczyn'ski, 1903; Giltay, 1932; Brignoli, 1976b); Tirokamaos, direction of Omalos plain (Giltay, 1932). Irakleio: Koubeddes, Camilaria cave (Roewer, 1959a). Lasithi: Gournia (Brignoli, 1976b); Kasteli, NE Neapolis (Giltay, 1932); Kritsa (Brignoli, 1976b); Selinari (Brignoli, 1976b); Sitia (Brignoli, 1976b, 1984); Vrouchias (Brignoli, 1976b). Rethymno: Galos (Kulczyn'ski, 1903); Oros Ida, Anogchia (Brignoli, 1976b). KYKLADES: Milos (Werner, 1934). Mykonos (Werner, 1934). Naxos (Werner, 1934).

Distribution: Only known from Crete.

***Maimuna inornata* (O. P. – Cambridge, 1872) (m,f)**

Maimuna inornata; Brignoli, 1976b: 574.

Citations:

DODEKANISA: Rodos: Kallithea (Brignoli, 1976b).

Distribution: Greece, Syria, Israel.

***Maimuna vestita* (C. L. Koch, 1841) (m,f)**

Textrix vestita C. L. Koch, 1841: 52; Pavesi, 1878: 344; Simon, 1880: 140; Simon, 1884: 337; Strand, 1917: 162; Caporiacco, 1929: 236; Reimoser, 1930: 146, 147; Bristowe, 1935: 767; Werner, 1935: 296; Hadjissarantos, 1940: 33; Caporiacco, 1948:

41; Reimoser, 1958: 571; Roewer, 1959a: 20; De Blauwe, 1980a: 46; Deltshev & Paraschi, 1990: 11. *Maimuna vestita*; Brignoli, 1976b: 573.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Athina (Simon, 1880); Oros Imitos (Werner, 1935); Oros Imitos, Leondariou and Kakavoula cave (Roewer, 1959a); Lavrio (Strand, 1917); Oros Pendeli (Roewer, 1959a); Pikermi (Pavesi, 1878). DODEKANISA: Karpathos: Aperi (Caporiacco, 1929); Pigadia (Caporiacco, 1929). Patmos (Bristowe, 1935). Rodos (Bristowe, 1935).

EASTERN AEGEAN ISLANDS: Chios (Strand, 1917). Icaria (Strand, 1917).

EVVOIA-VOROIES SPORADES: Evvoia: Karystos (Strand, 1917). IONIAN ISLANDS: Ithaca (Bristowe, 1935). Kefalonia: Oros Aeneos (Reimoser, 1930); Argostoli (Reimoser, 1930). Kerkyra (Simon, 1880); Kassiopi (Brignoli, 1976b); Gravolimne (Brignoli, 1976b); Potamos (Reimoser, 1930); Pirgi-Spartilas (Brignoli, 1976b). Lefkada: Megan Oros (Reimoser, 1930); Meganisi (Reimoser, 1958).

IPEIROS: Arta: Arta (Reimoser, 1958); Katarakti (Reimoser, 1958). Ioannina: Aghios Kosmas (Brignoli, 1976b); S Ioannina (Brignoli, 1976b). Thesprotia: Filiates (Brignoli, 1976b); Lake Psaka (Brignoli, 1976b); Plakoti (Brignoli, 1976b); Polidroso (Brignoli, 1976b).

KYKLADES: Antiparos (Pavesi, 1878). Dilos (Bristowe, 1935). Kea (Strand, 1917). Naxos (Deltshev & Paraschi, 1990). Santorini (Simon, 1880). Syros (Strand, 1917).

MAKEDONIA: Imathia: Naoussa, Siassiaki cave (Roewer, 1959a). Serres: Chrisopighi (Roewer, 1959a).

PELOPONNISOS: Achaia: Oros Panachaiko (as Voidea; Reimoser, 1930); Patra (Simon, 1880). Argolida: Epidavros (Bristowe, 1935; Deltshev & Paraschi, 1990); Mycenae (Bristowe, 1935); Nafplio (type locality; C. L. Koch, 1841). Korinthia: Korinthos (Werner, 1934).

STEREA ELADA: Aitolo-Akarnania: Mesologi (Simon, 1880). THRAKI: Xanthi: Kimeria (Roewer, 1959a).

Distribution: Eastern Mediterranean.

***Malthonica daedali* Brignoli, 1980 (f)**

Malthonica daedali Brignoli, 1980: 80.

Citations:

KRITI: Irakleio: S Irakleio (type locality; Brignoli, 1980).

Distribution: Only known from the type locality in Kriti.

***Malthonica minoa* (Brignoli, 1976) (f)**

Cicurina minoa Brignoli, 1976b: 565

Citations:

KRITI: Chania: Omalos (type locality; Brignoli, 1976b).

Distribution: Only known the type locality in Kriti.

***Malthonica paraschiae* Brignoli, 1984 (m,f)**

Malthonica paraschiae Brignoli, 1984: 303; Deltshev & Paraschi, 1990: 6.

Citations:

KYKLADES: Naxos (type locality; Brignoli, 1984; Deltshev & Paraschi, 1990).

Distribution: Only known the type locality in Naxos.

***Malthonica spinipalpis* Deltshev, 1990 (m,f)**

Malthonica spinipalpis Deltshev, 1990, in Deltshev & Paraschi, 1990: 11.

Citations:

PELOPONNISOS: Argolida: Epidavros (Deltshev & Paraschi, 1990).

Distribution: Only known the type locality in Argolida.

{Pseudotegenaria bayeri (Kratochvil, 1934) (m,f)}
Tegenaria bayeri; Roewer, 1959a: 18.

Citations:

KRITI: Chania: Governetou, Koutrouli cave (Roewer, 1959a); Topolia, cave Aghia Sofia (Roewer, 1959a). Irakleio: Almiro cave (Roewer, 1959a); Koubedes, Camilaris cave (Roewer, 1959a). Lasithi: Sitia, Megalo Katofyngui cave (Roewer, 1959a).

Distribution: An endemic species from caves in Croatia and Bosnia-Herzegovina. Roewer's most doubtful citations (1959a) probably refer to one of the endemic species of Kriti: *Tegenaria labyrinthi*, *T. pieperi* or *T. regispyrri*. The species is deleted from the Greek list.

Tegenaria agrestis (Walckenaer, 1802) (m,f)
Tegenaria agrestis; Fage, 1921: 101; Bristowe, 1935: 767; Hadjissarantos, 1940: 31; Reimoser, 1958: 571; Brignoli, 1976b: 568.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Cholargos (Hadjissarantos, 1940); Dionisos (Hadjissarantos, 1940); Ekali (Hadjissarantos, 1940); Oros Parnitha, Phili (Hadjissarantos, 1940); Oros Pendeli, Aghia Triada (Hadjissarantos, 1940); Rafina (Hadjissarantos, 1940); Skaramagkas (Hadjissarantos, 1940); IPEIROS: Arta: Ammotopos (as Kumsades; Reimoser, 1958); Anemorachi (Brignoli, 1976b); Ioannina: Elousa (Brignoli, 1976b); Mazia (Brignoli, 1976b); Votonosi (Brignoli, 1976b). Thesprotia: Igoumenitsa (Brignoli, 1976b); Polidroso (Brignoli, 1976b); Lake Psaka (Brignoli, 1976b). MAKEDONIA: Thessaloniki (Fage, 1921). THESSALIA: Trikala: Koridalos (Brignoli, 1976b). THRAKI: Evros: Alexandropoli (Brignoli, 1976b).

Distribution: Europe to Central Asia, USA, Canada.

{Tegenaria argaeica Nosek, 1905 (m,f)}
Tegenaria argaeica; Caporiacco, 1929: 235; Caporiacco, 1948: 40.

Citations:

DODEKANISA: Rodos: Afando cave (Caporiacco, 1929).

Distribution: Bulgaria, Turkey. Caporiacco's specimens are juvenile, hence this citation cannot be accepted. The species is deleted from the Greek list.

Tegenaria ariadnae Brignoli, 1984 (f)
Tegenaria ariadnae Brignoli, 1984: 305.

Citations:

KRITI: Rethymno: Perama, Melidoni Spilia cave (type locality; Brignoli, 1984).

Distribution: Kriti.

Tegenaria atrica C. L. Koch, 1843 (m,f)
Tegenaria atrica; Cecconi, 1895: 191; Caporiacco, 1925: 110; Caporiacco, 1929: 235; Bristowe, 1935: 766; Reimoser, 1958: 571; Roewer, 1959a: 19.

Citations:

DODEKANISA: Megisti (as Castelorizo; Caporiacco, 1925). IONIAN ISLANDS: Lefkada (Reimoser, 1958). KRITI: Chania: Akrotiri (Cecconi, 1895). PELOPONNISOS: Lakonia: Trachila, N Areopoli (Roewer, 1959a).

Distribution: Europe.

Tegenaria campestris C. L. Koch, 1834 (m,f)
Tegenaria campestris; Drensky, 1928: 187; Drensky, 1936: 25; Wolf, 2003: 111.

Citations:

MAKEDONIA: Drama: Oros Falakro (Wolf, 2003). Kavala: Oros Pangeo (Wolf, 2003). THRAKI: Rodopi: Komotini (as Gumurjina; Drensky, 1928).

Distribution: Europe to Azerbaijan.

Tegenaria dalmatica Kulezyn'ski, 1906 (m,f)
Tegenaria zinzulusensis; Brignoli, 1974b: 496; Brignoli, 1976b: 568.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Vari, Nymfoliptou (Brignoli, 1974b). IONIAN ISLANDS: Lefkada: Sivros, Karoucha cave (Brignoli, 1976b).

Distribution: Italy to Israel.

Tegenaria domestica (Clerck, 1757) (m,f)
Tegenaria domestica; Brullé, 1832: 51; Simon, 1884: 337; Cecconi, 1895: 191; Fage, 1921: 101; Drensky, 1928: 187; Roewer, 1959a: 18; Roewer, 1962: 13; Brignoli, 1976b: 569; Brignoli, 1979: 191; Deltshev, 1985: 43.
Tegenaria cretica Lucas, 1853: 524; Pavesi, 1876: 63.
Tegenaria derhami; Caporiacco, 1925: 110; Caporiacco, 1929: 235; Bristowe, 1935: 766; Drensky, 1936: 25; Hadjissarantos, 1940: 31; Caporiacco, 1948: 40.

Citations:

Greece: Without precise locality (Simon, 1884). ATTIKI-SARONIC ISLANDS: Attiki: Imitos, Nymfoliptos cave (Roewer, 1959a); Keratea, Spilia tou Panos cave (Brignoli, 1976b, 1979); Kokkinos Mylos (Hadjissarantos, 1940). DODEKANISA: Castelorizo (Caporiacco, 1925). Leros (Caporiacco, 1925). Rodos: Aghios Isidoros (Caporiacco, 1929); Rodos town (Caporiacco, 1929). IONIAN ISLANDS: Zakynthos: Oros Vrachionas, Megali Spilia cave (Brignoli, 1976b). Vories Echinades: Cuzzolaris (Roewer, 1962). KRITI: Chania (Lucas, 1853). Irakleio: Irakleio (as Megalokastron; Cecconi, 1895). KYKLADES: Antiparos (Deltshev, 1985). MAKEDONIA: Florina (Fage, 1921). Serres: Chrisopighi, Nasioutsik cave (Roewer, 1959a). PELOPONNISOS: Without precise locality (Brullé, 1832): Achaia: S Kalavrita, Kato Klitoria, cave Ton Limnon (Brignoli, 1976b). STEREA ELADA: Aitolo-Akarnania: Petalia (Bristowe, 1979). THRAKI: "Everywhere" (Drensky, 1928).

Distribution: Cosmopolitan.

Tegenaria ferruginea (Panzer, 1804) (m,f)
Tegenaria domestica; C. L. Koch, 1840: 25; Caporiacco, 1929: 235; Bristowe, 1935: 766; Caporiacco, 1948: 39.
Tegenaria stabularia; C. L. Koch, 1840: 32.
Tegenaria ferruginea; Simon, 1884: 337; Reimoser, 1930: 146; Hadjissarantos, 1940: 32; Roewer, 1959a: 19.

Citations:

Greece: Without precise locality (C. L. Koch, 1840). ATTIKI-SARONIC ISLANDS: Attiki: Athina (Hadjissarantos, 1940); Oros Imitos, Oros Rhaki cave (Roewer, 1959a); Oros Parnitha, Aghia Triada (Hadjissarantos, 1940). DODEKANISA: Rodos: Aghios Isidoros (Caporiacco, 1929).

IONIAN ISLANDS: Kerkyra: Oros Pantokratoras (Reimoser, 1930).

KRITI: Chania: Gouvernetou, Achyrospilo cave (Roewer, 1959a). Irakleio: Kamilari cave (Roewer, 1959a); Skotino cave (Roewer, 1959a). Lasithi: Milatos cave (Roewer, 1959a); Neraidospilo (Roewer, 1959a). Rethymno: Angeliano, Gria Spilia (Roewer, 1959a).

KYKLADES: Dilos (Bristowe, 1935).

PELOPONNISOS: Lakonia: Areopoli, Plaka (Roewer, 1959a).

MAKEDONIA: Kastoria: Goloubintsa cave (Roewer, 1959a); Maghazia (Roewer, 1959a). Pella: Edessa, Boudliva cave (Roewer, 1959a).

STEREA ELADA: Fokida: Delfoi (Bristowe, 1935).

THRAKI: Xanthi: Toxotes, Thalassinos cave (Roewer, 1959a).

Distribution: Europe, Azores.

***Tegenaria hauseri* Brignoli, 1979 (m,f)**

Tegenaria hauseri Brignoli, 1979: 192.

Citations:

IONIAN ISLANDS: Kithyra: Milopotamos, cave Aghia Sofia (type locality; Brignoli, 1979).

Distribution: Only known from the type locality in Kithyra.

***Tegenaria labyrinthi* Brignoli, 1984 (f)**

Tegenaria labyrinthi Brignoli, 1984: 306.

Citations:

KRITI: Irakleio: Gazi, Almiros spring (type locality; Brignoli, 1984).

Distribution: Only known from the type locality in Kriti.

***Tegenaria pagana* C. L. Koch, 1840 (m,f)**

Tegenaria pagana C. L. Koch, 1840: 31; Pavesi, 1878: 343; Simon, 1884: 337; Bristowe, 1935: 766; Drensky, 1936: 26; Hadjissarantos, 1940: 32; Roewer, 1959a: 19; Roewer, 1962: 12; Brignoli, 1984: 307; Deltshev, 1985: 44.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Athina (Simon, 1884); Marcopulo, Vavrona cave (Deltshev, 1985); Oros Pendeli Monastery (Hadjissarantos, 1940);

Tourkovounia(Hadjissarantos, 1940); Vouliagmeni (Hadjissarantos, 1940).

DODEKANISA: Patmos (Bristowe, 1935).

IONIAN ISLANDS: Ithaca (Bristowe, 1935). Kerkyra (Bristowe, 1935). Vories Echinades: Petalas (Roewer, 1962).

KRITI: Chania: Akrotiri, Aghios Ioannis cave (Roewer, 1959a); idem, Arkoudas cave (Roewer, 1959a; Brignoli, 1984). Irakleio: Ano Viannos, cave Vigla (Brignoli, 1979); Koubeddes, Camilaris cave (Roewer, 1959a).

KYKLADES: Antiparos (Pavesi, 1878).

PELOPONNISOS: Argolida: Epidavros (Bristowe, 1935); Mycenae (Bristowe, 1935); Nafplio (C. L. Koch, 1840; Bristowe, 1935). Korinthia: Klenia-Agionori (Brignoli, 1984).

STEREA ELADA: Aitolo-Akarnania: Akarnania (Simon, 1884).

Distribution: Mediterranean to Central Asia, USA to Chile, New Zealand.

***Tegenaria parietina* (Fourcroy, 1785) (m,f)**

Tegenaria intricata C. L. Koch, 1840: 29.

Tegenaria parietina; Pavesi, 1878: 374; Simon, 1880: 140; Simon, 1884: 337; Simon, 1885: 211; Caporiacco, 1925: 110; Caporiacco, 1929: 235; Reimoser, 1930: 146; Bristowe, 1935: 766; Hadjissarantos, 1940: 32; Caporiacco, 1948: 39; Roewer, 1959a: 19; Brignoli, 1974b: 496; Brignoli, 1976b: 568; Brignoli, 1979: 307; Brignoli, 1984: 307; Deltshev, 1985: 44.

Citations:

Greece: Without precise locality (C. L. Koch, 1840; Simon, 1884).

ATTIKI-SARONIC ISLANDS: Attiki:Athina (Bristowe, 1935); Oros Imitos-Vyron (Hadjissarantos, 1940); Keratea, Spilia tou Panos cave (Brignoli, 1976b); Moni Kaisariani (Hadjissarantos, 1940); Kopanas (Hadjissarantos, 1940); Liopesi, Koutouki cave (Brignoli, 1976b); Marcopulo, Vavrona cave (Deltshev, 1985); Vari, Havara (Brignoli, 1974b).

DODEKANISA: Patmos (Bristowe, 1935). Rodos (Caporiacco, 1929). Simi (Caporiacco, 1925).

IONIAN ISLANDS: Ithaca (Bristowe, 1935). Kerkyra (Simon, 1880); Oros Pantokratoras, Strinilas, Katsaba cave (Brignoli, 1976b); idem, Barbatia, Katsuri cave (Brignoli, 1986). Lefkada: Englouvi (Reimoser, 1930); Sivros, Karoucha cave (Brignoli, 1976b). Zakynthos: Oros Vrachionas, Megali Spilea cave (Brignoli, 1976b).

KRITI: Chania: Afrata, Hellinospilo cave (Brignoli, 1984).

Lasithi: Aghios Nikolaos, Dikteon Antron (Brignoli, 1984); Kritza (Brignoli, 1976b); Milatos, Milatos Spilia cave (Brignoli, 1984); Zakros, Katsimbourdou cave (Brignoli, 1984).

Rethymno: Perama, Melidoni Spilia cave (Brignoli, 1984); Zoniana, Sendoni Tropa cave (Brignoli, 1984).

KYKLADES: Paros: Marothi (Deltshev, 1985). Santorini (=Thira) (C. L. Koch, 1841; Simon, 1880); Kamari (Deltshev, 1985).

PELOPONNISOS: Argolida: Nafplio (C. L. Koch, 1840).

MAKEDONIA: Imathia: Naoussa (Roewer, 1959a). Pella: Edessa (Roewer, 1959a). Serres: Sidirokastro, Mylosavrakhi (Roewer, 1959a).

THESSALIA: Larisa: Oros Ossa, Aghios Dimitrios (Simon, 1885); Oros Ossa, Ambelakia, near Profitis Ilias (Brignoli, 1984).

Distribution: Mediterranean to Central Asia.

***Tegenaria pieperi* Brignoli, 1979 (f)**

Tegenaria pieperi Brignoli, 1979: 194; 1984: 308.

Citations:

KRITI: Lasithi: Sitia, Megalo Katofyngui cave (type locality; Brignoli, 1979); Kavoussi, Thergiospilos cave (Brignoli, 1984).

Distribution: Only known from Kriti.

***Tegenaria regisprrhi* Brignoli, 1976 (m,f)**

Tegenaria regisprrhi Brignoli, 1976b: 569.

Citations:

IPEIROS: Ioannina: Elati-Karies (Brignoli, 1976b); Metsovo (Brignoli, 1976b).

THESSALIA: Trikala: Malakasi (type locality; Brignoli, 1976b).

Distribution: Greece, Bulgaria.

***Tegenaria rhodiensis* Caporiacco, 1948 (m,f)**

Tegenaria rhodiense Caporiacco, 1948: 40.

Citations:

DODEKANISA: Rodos: Scafe (type locality; Caporiacco, 1948).

Distribution: Rodos, Taurus mountains in Turkey.

***Tegenaria schmalfussi* Brignoli, 1976 (f)**

Tegenaria schmalfussi Brignoli, 1976b: 571.

Citations:

KRITI: Lasithi: Milatos cave (type locality; Brignoli, 1976b).

Distribution: Only known from the type locality in Kriti.

***Tegenaria silvestris* L. Koch, 1872 (m,f)**

Tegenaria silvestris; Roewer, 1959a: 19.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Oros Pendeli, Daveli cave (type locality; Roewer, 1959a).

Distribution: Europe, Russia.

{*Tegenaria soriculata* Simon, 1873 (m,f)}

Tegenaria soriculata; Caporiacco, 1929: 235; Caporiacco, 1948: 40; Brignoli, 1976b: 569.

Citations:

DODEKANISA: Rodos: Aghios Isidoros (Caporiacco, 1929).

Distribution: Corsica, Sardinia. Brignoli (1976b) examined Caporiacco's material and concluded that this juvenile material cannot be attributed to any species.

78. Family Cybaeidae

Cybaeus angustiarium L. Koch, 1868 (m, f)

Cybaeus angustiarium; Wolf, 2003: 110.

Citations:

MAKEDONIA: Drama: Oros Falakro (Wolf, 2003).

Distribution: Europe to Azerbaijan.

83. Family Hahniidae

Hahnia candida Simon, 1875 (m,f)

Hahnia candida; Brignoli, 1974a: 170; Brignoli, 1979: 195; Brignoli, 1984: 303.

Citations:

IONIAN ISLANDS: Lefkada (Brignoli, 1979).

IPEIROS: Ioannina: Konitsa, Bogsomatis Potamos (Brignoli, 1979); Megalo Peristeri (Brignoli, 1979). Thesprotia: Filiates (Brignoli, 1979).

KRITI: Lasithi: Sfaka, between Sitia and Irakleio (Brignoli, 1984).

PELOPONNISOS: Achaia: Patra (Brignoli, 1974a).

Distribution: Europe, North Africa.

Hahnia molossidis Brignoli, 1979 (f)

Hahnia molossidis Brignoli, 1979: 195.

Citations:

IPEIROS: Arta: Kato Kalentini (type locality; Brignoli, 1979).

Distribution: Only known from the type locality in Ipeiros.

Hahnia nava (Blackwall, 1841) (m,f)

Hahnia nava; Brignoli, 1979: 196.

Citations:

EASTERN AEGEAN ISLANDS: Samos: Tzitzir Tripa cave (Brignoli, 1979).

IPEIROS: Arta: Kato Kalentini (Brignoli, 1979).

Distribution: Palearctic.

Hahnia ononidum Simon, 1875 (m,f)

Hahnia ononidum; Brignoli, 1984: 301.

Citations:

IPEIROS: Ioannina: Metsovo (Brignoli, 1984).

Distribution: Europe, Russia, Canada, USA.

Hahnia ulyxis Brignoli, 1974 (f)

Hahnia ulyxis Brignoli, 1974a: 170; Brignoli, 1979: 197.

Citations:

IONIAN ISLANDS: Zakynthos: Oros Skopos (Brignoli, 1974a); Vasilikos (type locality; Brignoli, 1974a, 1979); Oros Vrachionas massif, Megali Spilia cave (Brignoli, 1979).

Distribution: Zakynthos.

Cryphoeca silvicola (C. L. Koch, 1834) (m,f)

Cryphoeca silvicola; Wolf, 2003: 110.

Citations:

MAKEDONIA: Drama: Oros Falakro (Wolf, 2003). Kavala: Oros Pangeo (Wolf, 2003).

Distribution: Palearctic.

84. Family Dictynidae

Archaeodictyna consecuta (O. P. - Cambridge, 1872) (m,f)

Dictyna sedilloti; Hadjissarantos, 1940: 50.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Loutsa (Hadjissarantos, 1940).

Distribution: Palearctic.

Argenna patula (Simon, 1874) (m,f)

Argenna patula; Kronestedt, 1997: 77.

Citations:

THRAKI: Xanthi: Porto Lagos (Kronestedt, 1997).

Distribution: Palearctic.

Bromella hellenensis Wunderlich, 1995 (m,f)

Bromella hellenensis Wunderlich, 1995f: 716.

Citations:

KYKLADES: Naxos (type locality; Wunderlich, 1995f). PELOPONNISOS: Argolida: Epidavros (Wunderlich, 1995f).

Distribution: Until now only known from the Peloponnisos and the island Naxos.

Devadе indistincta (O. P.- Cambridge, 1872) (m,f)

Devadе hirsutissima; Simon, 1880: 323; Bristowe, 1935: 743.

Citations:

KYKLADES: Milos (Bristowe, 1935).

Distribution: Mediterranean to Kazakhstan.

Dictyna arundinacea (Linnaeus, 1758) (m,f)

Dictyna arundinacea; Drensky, 1928: 187; Bristowe, 1935: 742; Drensky, 1936: 58; Caporiacco, 1948: 36; Reimoser, 1958: 573.

Citations:

DODEKANISA: Rodos: Campochiaro (Caporiacco, 1948).

IONIAN ISLANDS: Lefkada (Reimoser, 1958).

IPEIROS: Ioannina: Platanousa (Reimoser, 1958).

PELOPONNISOS: Nafplio (Bristowe, 1935).

THRAKI: Evros: Alexandroupoli (as Dede-Agatch; Drensky, 1928). Rodopi: Komotini (as Gumurjina; Drensky, 1928).

Distribution: Holarctic.

Dictyna civica (Lucas, 1850) (m,f)

Dictyna civica; Simon, 1880: 140; Simon, 1884: 338; Caporiacco, 1929: 224; Bristowe, 1935: 743; Hadjissarantos, 1940: 49; Caporiacco, 1948: 36.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Kato Souli (Hadjissarantos, 1940).
DODEKANISA: Rodos: Koschino (Capriacco, 1929).
KYKLADES: Santorini (Simon, 1880).

Distribution: Europe, North Africa, North America.

***Dictyna latens* (Fabricius, 1775) (m,f)**

Dictyna latens; Simon, 1916: 274; Reimoser, 1930: 151; Bristowe, 1935: 742; Hadjissarantos, 1940: 49; Capriacco, 1948: 36.
Dictyna lugubris O. P. – Cambridge, 1873: 535; Pavesi, 1877: 327; Pavesi, 1878: 374.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Ekali (Hadjissarantos, 1940); Oros Imitos, Moni Karea (Hadjissarantos, 1940); Kato Souli (Hadjissarantos, 1940); Kokkinos Milos (Hadjissarantos, 1940); Lavrio (Hadjissarantos, 1940); Malakasa (Hadjissarantos, 1940); Oros Parnitha, Mola (Hadjissarantos, 1940); Oros Parnitha, Phili (Hadjissarantos, 1940); Patissia (Hadjissarantos, 1940); Oros Pendeli (Hadjissarantos, 1940); Podoniftis (Hadjissarantos, 1940); Varkiza (Hadjissarantos, 1940); Vileia (Hadjissarantos, 1940); Vraona (Hadjissarantos, 1940); Vyron (Hadjissarantos, 1940). Saronic Islands: Aigina (Hadjissarantos, 1940); Salamina (Hadjissarantos, 1940).
DODEKANISA: Rodos: Draco (Capriacco, 1948); Rodos town (Bristowe, 1935).
IONIAN ISLANDS: Kerkyra (O. P.- Cambridge, 1870).
MAKEDONIA: Thessaloniki (Simon, 1916).
PELOPONNISOS: Argolida: Epidavros (Bristowe, 1935); Mycenae (Bristowe, 1935); Nafplio (Bristowe, 1935).

Distribution: Europe to Central Asia.

***Dictyna pusilla* Thorell, 1856 (m,f)**

Dictyna pusilla; Hadjissarantos, 1940: 50.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Kato Souli (Hadjissarantos, 1940).

Distribution: Palearctic.

***Dictyna uncinata* Thorell, 1856 (m,f)**

Dictyna uncinata; Drensky, 1928: 187; Drensky, 1936: 59.

Citations:

THRAKI: Evros: Alexandroupoli (as Dede-Agatch; Drensky, 1928); Makri (Drensky, 1928); Potamos (as Badoma; Drensky, 1928).

Distribution: Palearctic.

***Dictyna vicina* Simon, 1873 (m,f)**

Dictyna vicina; Simon, 1880: 140; Simon, 1884: 338; Capriacco, 1929: 224; Bristowe, 1935: 743; Hadjissarantos, 1940: 50; Capriacco, 1948: 36.
Dictyna jacksoni Bristowe, 1935: 743, 778; Hadjissarantos, 1940: 49; Capriacco, 1948: 34.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Athina (Simon, 1884); Oros Imitos, Moni Karea (Hadjissarantos, 1940); Malakasa (Hadjissarantos, 1940); Marathonas (Hadjissarantos, 1940); Phili (Hadjissarantos, 1940); Vouliagmeni (Hadjissarantos, 1940). Saronic Islands: Salamina (Hadjissarantos, 1940).
DODEKANISA: Patmos (Bristowe, 1935). Rodos: Draco (Capriacco, 1948); Lardo (Capriacco, 1948); Rodos town (Capriacco, 1929).
KYKLADES: Dilos (Bristowe, 1935).
STEREA ELADA: Fokida: Delfoi (Bristowe, 1935).

Distribution: Mediterranean to Central Asia.

***Lathys stigmatisata* (Menge, 1869) (m,f)**

Lathys puta; Hadjissarantos, 1940: 51; Capriacco, 1948: 37.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Kato Souli (Hadjissarantos, 1940). Saronic Islands: Aigina (Hadjissarantos, 1940).
DODEKANISA: Rodos: Campochiaro (Capriacco, 1948).

Distribution: Palearctic.

***Marylinia bicolor* (Simon, 1870) (m,f)**

Dictyna bicolor; Hadjissarantos, 1940: 48.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Kato Souli (Hadjissarantos, 1940); Melissia (Hadjissarantos, 1940).

Distribution: Mediterranean region to Central Asia.

***Nigma flavescens* (Walckenaer, 1830) (m,f)**

Dictyna flavescens; Simon, 1884: 337; Bristowe, 1935: 743.

Citations:

EVVOIA-VOROIES SPORADES: Evvoia: Steni (Simon, 1884).

Distribution: Palearctic.

***Nigma puella* (Simon, 1870) (m,f)**

Dictyna puella; Capriacco, 1929: 224; Hadjissarantos, 1940: 50; Capriacco, 1948: 36.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Podoniftis (Hadjissarantos, 1940).

DODEKANISA: Rodos: Aghios Isidoros (Capriacco, 1929).

Distribution: Europe, Azores, Madeira, Canary Islands.

***Nigma walckenaeri* (Roewer, 1951) (m,f)**

Dictyna viridissima; Simon, 1884: 337; Drensky, 1928: 187; Bristowe, 1935: 742; Drensky, 1936: 59; Hadjissarantos, 1940: 51.

Dictyna walckenaeri; Reimoser, 1958: 573.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Athina (Simon, 1884); Hadjissarantos, 1940); Kato Souli (Hadjissarantos, 1940); Liopetra (Hadjissarantos, 1940); Oros Pendeli, Aghia Triada (Hadjissarantos, 1940); Oros Pendeli, Aghios Nikolaos (Hadjissarantos, 1940); Podoniftis (Hadjissarantos, 1940).
IONIAN ISLANDS: Lefkada (Reimoser, 1958).

THRAKI: Evros: Alexandroupoli (as Dede-Agatch; Drensky, 1928).

Distribution: Palearctic.

85. Family Amaurobiidae

***Amaurobius ausobskyi* Thaler & Knoflach, 1998 (f)**

Amaurobius ausobskyi Thaler & Knoflach, 1998b: 108.

Citations:

MAKEDONIA: Chalkidiki: Athos peninsula, between Aghia Anna and Kerasies (type locality; Thaler & Knoflach, 1998b).

Distribution: Only known from the type locality in Makedonia.

***Amaurobius candia* Thaler & Knoflach, 2002**

Amaurobius candia Thaler & Knoflach, 2002: 340.

Citations:

KRITI: IRAKLEIO: Afrati (Thaler & Knoflach, 2002); between Embaros and Kaminaki (Thaler & Knoflach, 2002); Irakleio (Thaler & Knoflach, 2002); Kastelli (Thaler & Knoflach, 2002); Pefkos (Thaler & Knoflach, 2002).
Lasithi: Oros Thriptis, near Kato Chorio (Thaler & Knoflach, 2002). Rethymno: Anogia-Ideon Andron (type locality; Thaler & Knoflach, 2002).

Distribution: Only known from Kriti, but only the central and eastern part.

***Amaurobius cretaensis* Wunderlich, 1995 (m,f)**

Amaurobius cretaensis Wunderlich, 1995: 729; Thaler & Knoflach, 2002: 337.

Citations:

KRITI: IRAKLEIO: Kera (Thaler & Knoflach, 2002); Krasi (Thaler & Knoflach, 2002).
Lasithi: Katharo plain above Kritsa (Thaler & Knoflach, 2002); Males (Thaler & Knoflach, 2002); Mesa Potami (type locality; Wunderlich, 1995h); Oros Dikti, Oros Selena (Thaler & Knoflach, 2002); Tzermiado, Aghios Timios (Thaler & Knoflach, 2002); Tzermiado (Thaler & Knoflach, 2002).

Distribution: Only known from Kriti, but only the eastern part.

***Amaurobius deelemanae* Thaler & Knoflach, 1995 (m,f)**

Amaurobius deelemanae Thaler & Knoflach, 1995: 48; Thaler & Knoflach, 2002: 341.

Citations:

DOKEKANISA: Rodos: Petaloudes valley, Kalopetra (Thaler & Knoflach, 1998b); Profitis Ilias (Thaler & Knoflach, 1995); Salakos, path to Profitis Ilias (Thaler & Knoflach, 1998b).
KRITI: Rethymno: Ebenda (Thaler & Knoflach, 1995); Perama (Thaler & Knoflach, 1995).
KYKLADES: Naxos: Apiratos, Fanariotissa spileon (type locality; Thaler & Knoflach, 1995).

Distribution: Greek Islands.

***Amaurobius erberi* (Keyserling, 1863) (m,f)**

Clubiona atrox; Brullé, 1832: 51.
Amaurobius fenestratus; Pavesi, 1878: 374 (misidentification).
Amaurobius erberi; L. Koch, 1868: 21; Pavesi, 1878: 374; Simon, 1884: 338; Kulczyn'ski, 1903: 33; Strand, 1917: 161; Roewer, 1928: 99; Caporiacco, 1929: 224; Reimoser, 1930: 147; Bristowe, 1935: 742; Hadjissarantos, 1940: 29; Caporiacco, 1948: 36; Reimoser, 1958: 573; Brignoli, 1972: 868; Thaler & Knoflach, 1995: 57; Thaler & Knoflach, 1998b: 111.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Athina (Simon, 1884); Dionisos (Hadjissarantos, 1940); Ekali (Hadjissarantos, 1940); Kokkinaras (Hadjissarantos, 1940); Liopeti (Hadjissarantos, 1940); Oros Parnitha, Aghia Triada (Hadjissarantos, 1940); Oros Pendeli (Hadjissarantos, 1940); Rafina (Hadjissarantos, 1940); Sounio (Hadjissarantos, 1940); Vileia (Hadjissarantos, 1940).
DOKEKANISA: Rodos: Aghios Isidoros (Caporiacco, 1929).
EVVOIA-VOROIES SPORADES: Evvoia: Steni (Simon, 1894).
IONIAN ISLANDS: Kefalonia: Oros Aeneos (Reimoser, 1930).
Kerkyra: Aghios Matheos (Reimoser, 1930); Oros Pantokratoras (Brignoli, 1972). Lefkada (Reimoser, 1958).
IPEROS: Arta: Katafigio (Reimoser, 1930); Koronis, Salaora (Thaler & Knoflach, 1998b). Ioannina: Katarakti (Reimoser, 1930); Platanousa (Reimoser, 1930).
KRITI: Chania: Omalos plain (Roewer, 1928). Lasithi: Dafne (Kulczyn'ski, 1903).
KYKLADES: Syros (L. Koch, 1868; Simon, 1884).

MAKEDONIA: Chalkidiki: Athos, Dafni (Thaler & Knoflach, 1995).

PELOPONNISOS: Messinia (Brullé, 1832, sub *Clubiona atrox*).
STEREA ELADA: Fokida: Vardousa and Giona Oros (as Korax mountains; Strand, 1917).

Distribution: Mediterranean region, Canary Islands. For a long time, it was the only *Amaurobius* species known species from Greece, but many of the old citations probably refer to one of the later described endemic species of Greece.

{*Amaurobius fenestratus* (Ström, 1768) (m,f)}

Clubiona atrox; Brullé, 1832: 51.
Amuarobius fenestratus; Pavese, 1878: 374.

Citations:

Amaurobius fenestratus is a Europe to Central Asia, but probably absent from the Mediterranean region. The old record of Brullé (1832), repeated by Pavese (1878) is taken here for the common *A. erberi*. The species is deleted from the Greek list.

***Amaurobius geminus* Thaler & Knoflach, 2002 (m,f)**

Amaurobius geminus Thaler & Knoflach 2002: 341.

Citations:

KRITI: Lasithi: Oros Thriptis, Oros Afendis Stavromenos (type locality; Thaler & Knoflach, 2002).

Distribution: Only known from the type locality in Kriti.

***Amaurobius longipes* Thaler & Knoflach, 1995 (m,f)**

Amaurobius longipes Thaler & Knoflach, 1995: 42; Thaler & Knoflach, 1998: 111.

Citations:

PELOPONNISOS: Argolida: Oros Artemisio near Argos, above Karia (Thaler & Knoflach, 1998). Lakonia: Oros Parnonas, W Kosmas (type locality; Thaler & Knoflach, 1995); Polidroso (Thaler & Knoflach, 1995).

Distribution: Only known from the Peloponnisos.

***Amaurobius ossa* Thaler & Knoflach, 1993 (m,f)**

Amaurobius ossa Thaler & Knoflach, 1993: 133; Thaler & Knoflach, 1998b: 111.

Citations:

THESSALIA: Larisa: Oros Ossa, between Stomio and Moli (type locality; Thaler & Knoflach, 1993); idem, between Melivia and Karitsa (Thaler & Knoflach, 1998b); idem, above Spilio (Thaler & Knoflach, 1998b). Pieria: Oros Olympos, road Pronia-Agapitos (Thaler & Knoflach, 1998b); idem, road Litochoro-Pronia (Thaler & Knoflach, 1998b).

Distribution: Only known from Thessalia.

***Amaurobius pallidus* L. Koch, 1868 (m,f)**

Ciniflo pallidus; Kulczyn'ski, 1903: 33.
Amaurobius pallidus; Drensky, 1928: 187; Roewer, 1928: 98; Bristowe, 1935: 742; Drensky, 1936: 20; Hadjissarantos, 1940: 29; Thaler & Knoflach, 1995: 46.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Malakasa (Hadjissarantos, 1940); Oros Parnitha, Mola (Hadjissarantos, 1940); Oros Parnitha, Paleochori (Hadjissarantos, 1940); Rafina (Hadjissarantos, 1940).
KRITI: Chania: Fournes (Roewer, 1928). Rethymno: Askifou (Kulczyn'ski, 1903).
THRAKI: Rodopi: Komotini (as Gumurjina; Drensky, 1928).

Distribution: Southeastern Europe to Georgia. Verified records are from Romania, Hungary, Serbia-Montenegro and Bulgaria.

Citations from Greece have to be confirmed. If the species occurs in Greece, it is probably present only in the North.

Amaurobius paon Thaler & Knoflach, 1993 (m,f)
Amaurobius paon Thaler & Knoflach, 1993: 132; Thaler & Knoflach, 1995: 46.

Citations:

PELOPONNISOS: Lakonia: Oros Taigetos, Moni Panighia Giatrissa (type locality; Thaler & Knoflach, 1993); idem, near Lopovouni (Thaler & Knoflach, 1995).

Distribution: Only known from the type locality in the Peloponnisos.

Amaurobius pelops Thaler & Knoflach, 1991 (m,f)
Amaurobius pelops Thaler & Knoflach, 1991: 266; Thaler & Knoflach, 1995: 46; Thaler & Knoflach, 1998b: 111; Thaler & Knoflach, 2002: 339.
Amaurobius atticus Thaler & Knoflach, 1995: 48.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Attiki: Peania, Koutouki cave (type locality of *A. atticus*; Thaler & Knoflach, 1995).
PELOPONNISOS: Korinthia: Pheneos-Kastania (type locality of *A. pelops*; Thaler & Knoflach, 1991); Pheneos-Likouria (Thaler & Knoflach, 1995, 2002); Kastania-Steno (Thaler & Knoflach, 1998b).

Distribution: Only known from continental Greece.

Amaurobius phaeacus Thaler & Knoflach, 1998 (m,f)
Amaurobius phaeacus Thaler & Knoflach, 1998b: 107.

Citations:

IONIAN ISLANDS: Kerkyra: Kato Koirakiana near Dasia (type locality; Thaler & Knoflach, 1998b).

Distribution: Only known from the type locality in Kerkyra.

{*Amaurobius scopoli* Thorell, 1871 (m,f)}
Amaurobius scopoli; Strand, 1917: 161; Bristowe, 1935: 742.

Citations:

EASTERN AEGEAN ISLANDS: Chios (Strand, 1917). Icaria (Strand, 1917). Samos: Marathocampos (Strand, 1917). KRITI: Lasithi (Strand, 1917).

Distribution: Central Mediterranean region (France, Italy, Slovenia); Strand's (1917) citations from Greece probably consider endemic species, not known at that time. The records of Chios and Icaria even refer to juvenile specimens which are in fact impossible to identify. The species is deleted from the Greek list.

Amaurobius strandi Charitonov, 1937 (m,f)
Amaurobius timidus Thaler & Knoflach, 1995: 44; Thaler & Knoflach, 1998b: 113; Thaler & Knoflach, 2002: 342.
Amaurobius strandi; Kovblyuk 2001: 213.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Peania, Koutouki cave (type locality; Thaler & Knoflach, 1995).
IONIAN ISLANDS: Kerkyra: Oros Pantokratoras, Taxiarchis (Thaler & Knoflach, 1998b). Kefalonia: Oros Aeneos (Thaler & Knoflach, 2002).
IPEIROS: Arta: Athamanio, near Drosopigi-Vourgaleri (Thaler & Knoflach, 1998b; Kovblyuk, 2001). Ioannina: Konitsa, Aoos gorge (Thaler & Knoflach, 1998b); Oros Timfi, Mikro Papingo (Thaler & Knoflach, 1998b).
MAKEDONIA: Chalkidiki: Olympiada-Stavros (Thaler & Knoflach, 1998b); Varvara (Thaler & Knoflach, 1998b). Kozani: Grammos mountains, Pendalofos (Thaler & Knoflach, 1998b).

PELOPONNISOS: Achaia: Erimanthos, Kaledzi (Thaler & Knoflach, 1998b).

STEREA ELADA: Aitolo-Akarnania: Oros Panetoliko, near Aghios Vlasios (Thaler & Knoflach, 1998b). Fthiotida: Oros Iti, near Ipati-Lamia (Thaler & Knoflach, 1998b).

THESSALIA: Trikala: Kalambaka, road to Kastania (Thaler & Knoflach, 1998b); Katara pass, road Ioannina-Kalambaka (Thaler & Knoflach, 1998b); Meteora monasteries (Thaler & Knoflach, 1998b).

Distribution: Greece, Bulgaria, Ukraine.

Callobius claustrarius (Hahn, 1833) (m,f)
Amaurobius claustrarius; Roewer, 1959a: 34.

Citations:

KRITI: Lasithi: Dikteon Antron (Roewer, 1959a). MAKEDONIA: Kastoria: Aghios Nikolaos (Roewer, 1959a).

Distribution: Palearctic, but probably absent from the Mediterranean region. Roewer's citation (1959a) from Makedonia, the more continental part of Greece, could be correct, but needs confirmation. The citation from Kriti obviously is erroneous and refers to one of the recently described endemic species.

{*Coelotes terrestris* (Wider, 1834) (m,f)}

Coelotes terrestris is a Western and Central European species. Citations of this species are referred here as *Eurocoelotes jurinitschi*. Also Deltshev (1990) could not confirm citations of *C. terrestris* in Bulgaria.

Coelotes titanicus Brignoli, 1977 (f)
Coelotes titanicus Brignoli, 1977: 950.

Citations:

THESSALIA: Larisa: Oros Ossa, Karitsa (type locality; Brignoli, 1977).

Distribution: Only known from the type locality in Northern Greece.

Eurocoelotes falciger (Kulczyn'ski, 1897) (m,f)
Coelotes falciger; Brignoli, 1977: 948.

Citations:

IPEIROS: Ioannina: Metsovo (Brignoli, 1977). THESSALIA: Trikala: Katara (Brignoli, 1977); Malakasi (Brignoli, 1977).

Distribution: Balkan, in Greece only known from the north.

Eurocoelotes jurinitschi (Drensky, 1915) (m,f)
Amaurobius jurinitschi; Drensky, 1928: 187.
Coelotes segestiformis; Reimoser, 1958: 571
(misidentification).
Coelotes terrestris; Roewer, 1959a: 18 (misidentification).
Coelotes cf. jurinitschi; Wolf, 2003: 108.

Citations:

MAKEDONIA: Drama: Oros Falakro (Wolf, 2003). Grevena: Paraskevi (sub *C. segestiformis*; Reimoser, 1958). Kavala: Oros Pangeo (Wolf, 2003). Kastoria (sub *C. terrestris*; Roewer, 1959a). Serres: Aghios Prodromos cave (sub *C. terrestris*; Roewer, 1959a).

THRAKI: Evros: Potamos (as Badoma; Drensky, 1928). Rodopi: Komotini (as Gumurjina; Drensky, 1928).

Distribution: Bulgaria, and cited from Greece by Drensky (1928).

{*Paracoelotes segestiformis* (Dufour, 1820)}

Citations:

A species cited from various parts in Europe, but probably limited to the Pyrénées. Cited by Reimoser (1958) from Makedonia, but these records must be attributed to the local species *Eurocoelotes jurinitschi*.

87. Family Titanoecidae

Nurscia albomaculata (Lucas, 1846) (m,f)

Titanoea albomaculata; Simon, 1884: 338; Strand, 1917: 161; Giltay, 1932: 10; Bristowe, 1935: 742; Werner, 1935: 296; Hadjissarantos, 1940: 30; Caporiacco, 1948: 36; Reimoser, 1958: 573.

Citations:

Greece: Without precise locality (Werner, 1935).
ATTIKI-SARONIC ISLANDS: Attiki: Athina (Simon, 1884); Kato Souli (Hadjissarantos, 1940).
DODEKANISA: Rodos: Rodos town (Strand, 1917; Caporiacco, 1948).
EVVOIA-VOROIES SPORADES: Evvoia (Simon, 1884).
IONIAN ISLANDS: Lefkada: Meganisi (Reimoser, 1958).
KRITI: Lasithi: Aghios Nikolaos (Giltay, 1932).

Distribution: Mediterranean region to Central Asia.

Nurscia albosignata Simon, 1874 (m,f)

Nurscia albosignata; Hadjissarantos, 1940: 29.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Oros Parnitha, Paleochori (Hadjissarantos, 1940).

Distribution: Bulgaria, Greece, Cyprus, Russia to Central Asia.

Titanoea quadriguttata (Hahn, 1833) (m,f)

Titanoea obscura; Drensky, 1928: 187; Drensky, 1936: 20; Hadjissarantos, 1940: 30.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Ekali (Hadjissarantos, 1940).
THRAKI: Rodopi: Komotini (as Gumurjina; Drensky, 1928).

Distribution: Palearctic, but probably limited to the temperate part. Hadjissarantos' (1940) citation of juvenile specimens are doubtful, and Drensky's citation from Thraki should be confirmed.

Titanoea schineri L. Koch, 1872 (m,f)

Titanoea schineri; Hadjissarantos, 1940: 30.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Oros Parnitha, Aghia Triada (Hadjissarantos, 1940); Oros Parnitha, Mola (Hadjissarantos, 1940).

Distribution: Palearctic, but probably limited to the temperate part. Hadjissarantos (1940) cites females and their identification should be checked.

Titanoea tristis L. Koch, 1872 (m,f)

Titanoea tristis L. Koch, 1872: 167; Simon, 1884: 338; Giltay, 1932: 10; Bristowe, 1935: 742; Hadjissarantos, 1940: 32.

Citations:

Greece: Without precise locality (L. Koch, 1872).
ATTIKI-SARONIC ISLANDS: Attiki: Podoniftis (Hadjissarantos, 1940).
KYKLADES: Syros (Simon, 1884).
PELOPONNISOS: Ileia: Olympia (Giltay, 1932).

Distribution: Europe to Central Asia.

Titanoea veterana Herman, 1879 (m,f)

Titanoea veterana; Werner, 1934: 164.

Citations:

EVVOIA-VOROIES SPORADES: Skyros (Werner, 1934).

Distribution: the Balkans to Central Asia.

90. Family Miturgidae

Cheiracanthium cretense Roewer, 1928 (f)

Cheiracanthium cretense Roewer, 1928: 116.

Citations:

KRITI: Chania: Akrotiri, Governetou Monastery (Roewer, 1928); Chania (type locality; Roewer, 1928).

Distribution: Kriti. Insufficiently known species.

Cheiracanthium erraticum (Walckenaer, 1802) (m,f)

Cheiracanthium erroneum; Drensky, 1928: 187.

Cheiracanthium erraticum; Drensky, 1936: 172; Lüdicke & Madel, 1937: 299; Hadjissarantos, 1940: 94; Caporiacco, 1948: 63.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Ekali (Hadjissarantos, 1940); Phili (Hadjissarantos, 1940). Saronic Islands: Salamina (Hadjissarantos, 1940).

DODEKANISA: Rodos: Draco (Caporiacco, 1948).

PELOPONNISOS: Messinia: Leonidio (Lüdicke & Madel, 1937). THRAKI: Evros: Makri (Drensky, 1928); Potamos (as Badoma; Drensky, 1928).

Distribution: Palearctic.

{*Cheiracanthium fulvotestaceum* Simon, 1878 (m,f)}

Cheiracanthium fulvotestaceum; Drensky, 1928: 187; Drensky, 1936: 172.

Citations:

THRAKI: Evros: Alexandroupoli (as Dede-Agatch; Drensky, 1928); Potamos (as Badoma; Drensky, 1928).

Distribution: Poorly known species from France, cited out of France only by Drensky (1928). The species is in need of redescription and is probably a synonym of another Mediterranean species. It is deleted from the list of Greece.

Cheiracanthium mildei L. Koch, 1864 (m,f)

Cheiracanthium mildei; Pavesi, 1878: 376; Simon, 1884: 343; Strand, 1917: 161; Fage, 1921: 101; Caporiacco, 1929: 235; Bristowe, 1935: 747; Drensky, 1936: 173; Hadjissarantos, 1940: 95; Caporiacco, 1948: 63.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Athina (Simon, 1884); Moni Kaisariani (Hadjissarantos, 1940); Kato Souli (Hadjissarantos, 1940); Kokkinos Milos (Hadjissarantos, 1940); Pikermi (Hadjissarantos, 1940); Podoniftis (Hadjissarantos, 1940); Tourklimonio (Hadjissarantos, 1940). Saronic Islands: Aigina (Hadjissarantos, 1940); Salamina (Hadjissarantos, 1940). DODEKANISA: Rodos: Aghios Isidoros (Caporiacco, 1928); Katavia (Caporiacco, 1928); Rodos town (Caporiacco, 1928). MAKEDONIA: Without precise locality (Fage, 1921).

Distribution: Holarctic, in Europe limited to the Mediterranean region.

Cheiracanthium pelasicum (C. L. Koch, 1837) (m,f)

Bolyphantes pelasicus C. L. Koch, 1837: 9.

Cheiracanthium pelasicum; C. L. Koch, 1839: 12; L. Koch, 1864: 158; L. Koch, 1866: 233, 243; Pavesi, 1878: 376; Simon, 1880: 140; Simon, 1884: 343; Simon, 1916: 276; Strand, 1917: 161; Reimoser, 1930: 144; Bristowe, 1935: 747; Drensky, 1936: 173; Lüdicke & Madel, 1937: 299; Hadjissarantos, 1940: 95; Caporiacco, 1948: 63; Reimoser, 1958: 572.

Citations:

Greece: Without precise locality (C. L. Koch, 1839; L. Koch, 1864).
ATTIKI-SARONIC ISLANDS: Attiki: Athina (Simon, 1880); Oros Imitos, Moni Karea (Hadjissarantos, 1940); Moni Kaisariani (Hadjissarantos, 1940); Kato Souli (Hadjissarantos, 1940); Liopesi (Hadjissarantos, 1940); Oros Parnitha, Phili (Hadjissarantos, 1940); Oros Pendeli (Hadjissarantos, 1940); Tourkolimano (Hadjissarantos, 1940).
DODEKANISA: Rodos: Kastelo (Strand, 1917).
EVVOIA-VOROIES SPORADES: Evvoia (Simon, 1884).
IONIAN ISLANDS: Lefkada (Reimoser, 1958): Kalligoni (Reimoser, 1930).
MAKEDONIA: Thessaloniki (Simon, 1916).
PELOPONNISOS: 'Morée' (C. L. Koch, 1837). Messinia: Leonidio (Lüdicke & Madel, 1937).

Distribution: Palearctic, in Europe limited to the Mediterranean region.

Cheiracanthium punctorium (Villers, 1789) (m,f)
Cheiracanthium punctorium; Caporiacco, 1948: 63.

Citations:

DODEKANISA: Rodos: Aghios Demetrios (Caporiacco, 1948).

Distribution: Central and southern Europe to Central Asia.

Cheiracanthium seidlitzii L. Koch, 1864 (m,f)
Cheiracanthium seidlitzii; Caporiacco 1929: 235; Caporiacco, 1948: 63.

Citations:

DODEKANISA: Rodos: Katavia (Caporiacco, 1929); Koschino (Caporiacco, 1929); Rodos town (Caporiacco, 1929).

Distribution: Mediterranean to Central Asia.

Cheiracanthium virescens (Sundevall, 1833) (m,f)
Cheiracanthium lapidicola; Roewer, 1928: 116; Giltay, 1932: 35; Drensky, 1936: 173.
Cheiracanthium virescens; Hadjissarantos, 1940: 95; Caporiacco, 1948: 63

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Oros Pendeli (Roewer, 1928).
DODEKANISA: Rodos: Aghios Theodoros (Caporiacco, 1948).
PELOPONNISOS: Argolida: Mili (Giltay, 1932). Arkadia: Tripoli (Roewer, 1928).

Distribution: Palearctic.

91. Family Anyphaenidae

Anyphaena accentuata (Walckenaer, 1802) (m,f)
Anyphaena accentuata; Drensky, 1928: 187; Drensky, 1936: 177.

Citations:

THRAKI: Evros: near Alexandroupoli (as Burugeul; Drensky, 1928); Makri (Drensky, 1928).

Distribution: Europe to Central Asia.

Anyphaena sabina L. Koch, 1866 (m,f)
Anyphaena sabina; Reimoser, 1930: 147, 149; Bristowe, 1935: 747.

Citations:

IONIAN ISLANDS: Kerkyra: Aghios Matheos (Reimoser, 1930).

Distribution: Southern Europe, Russia, Georgia, Azerbaijan.

92. Family Liocranidae

Agroeca cuprea Menge, 1873 (m,f)
Agroeca pullata; Fage, 1921: 101.

Citations:

MAKEDONIA: Without precise locality (Fage, 1921).

Distribution: Europe to Central Asia

Apostenus ochraceus Hadjissarantos, 1940 (f)
Apostenus ochraceus Hadjissarantos, 1940: 96.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Ekali (Hadjissarantos, 1940); Moni Kaisariani (Hadjissarantos, 1940); Kato Souli (Hadjissarantos, 1940).

Distribution: Only known from Attiki. The description of the unknown male could give more information on the status of the species.

Liocranum ochraceum L. Koch, 1867 (f)
Liocranum ochraceum L. Koch, 1867: 864; Pavesi, 1878: 376; Simon, 1884: 343.
Mesiotelus ochraceus; Bristowe, 1935: 748.

Citations:

IONIAN ISLANDS: Kerkyra (type locality; L. Koch, 1867).

Distribution: Only known from the type locality.

Liocranum rutilans (Thorell, 1875) (m,f)
Liocranum rutilans; Reimoser, 1930: 146; Simon, 1932: 970.
Meisotelus rutilans; Bristowe, 1935: 748.

Citations:

IONIAN ISLANDS: Kefalonia: Oros Aeneos (Reimoser, 1930).
PELOPONNISOS: Lakonia: Oros Taigetos (Simon, 1932).

Distribution: Central and S Europe to Georgia.

Mesiotelus cyprius scopensis Drensky, 1935 (m,f)
Mesiotelus cyprius scopensis; Hadjissarantos, 1940: 96.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Oros Imitos, Kalivia (Hadjissarantos, 1940); Moni Kaisariani (Hadjissarantos, 1940); Kopanas (Hadjissarantos, 1940); Liopesi (Hadjissarantos, 1940); Malakasa (Hadjissarantos, 1940); Oros Parnitha, Phili (Hadjissarantos, 1940);

Distribution: Greece, Bulgaria.

Mesiotelus tenuissimus (L. Koch, 1866) (m,f)
Cheiracanthium tenuissimum L. Koch, 1866: 233, 237.
Liocranum tenuissimum; Simon, 1880: 140.
Mesiotelus tenuissimus; Simon, 1884: 343; Kulczyn'ski, 1903: 34; Bristowe, 1935: 748.
Mesiotelus virgulatus; Drensky, 1936: 179; Hadjissarantos, 1940: 97.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Athina (Simon, 1884); Dafni (Hadjissarantos, 1940); Moni Kaisariani (Hadjissarantos, 1940); Kato Souli (Hadjissarantos, 1940); Keratovouni (Hadjissarantos, 1940); Kokkinos Milos (Hadjissarantos, 1940); Liopesi (Hadjissarantos, 1940); Phili (Hadjissarantos, 1940); Podoniftis (Hadjissarantos, 1940); Vouliagmeni (Hadjissarantos, 1940). Saronis Islands: Aigina (Hadjissarantos, 1940); Salamina (Hadjissarantos, 1940). KRITI: Chania (Kulczyn'ski, 1903). KYKLADES: Naxos (L. Koch, 1866). PELOPONNISOS: Achaia: Patra (Simon, 1880).

Distribution: Mediterranean to Turkmenistan.

***Mesiotelus viridis* (L. Koch, 1867) (m,f)**

Liocranum viride L. Koch, 1867: 865; Pavesi, 1878: 376; Simon, 1884: 343; Caporiacco, 1929: 235; Drensky, 1936: 179; Caporiacco, 1948: 63. *Mesiotelus viridis*; Bristowe, 1935: 748; Hadjissarantos, 1940: 98.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Dafni (Hadjissarantos, 1940); Moni Kaisariani (Hadjissarantos, 1940); Phili (Hadjissarantos, 1940); Vileia (Hadjissarantos, 1940). DODEKANISA: Rodos: Koschino (Caporiacco, 1929). KYKLADES: Tinos (type locality; L. Koch, 1867).

Distribution: Greece.

93. Family Clubionidae

***Clubiona corticalis* (Walckenaer, 1802) (m,f)**

Clubiona corticalis; Reimoser, 1958: 572.

Citations:

IPEIROS: Ioannina: Platanousa (Reimoser, 1958).

Distribution: South and Central Europe to Central Asia.

***Clubiona diversa* O. P.-Cambridge, 1862 (m,f)**

Clubiona diversa; Caporiacco, 1925: 109; Caporiacco, 1929: 235; Bristowe, 1935: 747.

Citations:

DODEKANISA: Tilos (as Piskopi; Caporiacco, 1925).

Distribution: Palearctic.

***Clubiona frutetorum* L. Koch, 1867 (m,f)**

Clubiona frutetorum; Roewer, 1928: 114; Drensky, 1936: 175.

Citations:

PELOPONNISOS: Arkadia: Vitina (Roewer, 1928).

Distribution: Europe, Russia.

***Clubiona governetonis* Roewer, 1928 (f)**

Clubiona governetonis Roewer, 1928: 114.

Citations:

KRITI: Chania: Akrotiri, Governetou Monastery (type locality; Roewer, 1928).

Distribution: Only known from the type locality in Kriti. The species is in need of redescription.

***Clubiona pallidula* (Clerck, 1757) (m,f)**

Clubiona pallidula; Drensky, 1928: 187; Drensky, 1936: 176.

Citations:

THRAKI: Rodopi: Komotini (as Gumurjina; Drensky, 1928).

Distribution: Holarctic.

***Clubiona phragmitis* C. L. Koch, 1843 (m,f)**
Clubiona phragmitis; Hadjissarantos, 1940: 95.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Kato Souli (Hadjissarantos, 1940).

Distribution: Palearctic.

***Clubiona rethymnonis* Roewer, 1928 (f)**
Clubiona rethymnonis Roewer, 1928: 116.

Citations:

KRITI: Rethymno (type locality; Roewer, 1928).

Distribution: Only known from the type locality in Kriti.

***Clubiona similis* L. Koch, 1867 (m,f)**
Clubiona similis; Roewer, 1928: 114.

Citations:

KRITI: Chania: Akrotiri (Roewer, 1928).

Distribution: Palearctic.

***Clubiona vegeta* Simon, 1918 (m,f)**
Clubiona parvula; Simon, 1884: 343; Drensky, 1936: 176; Hadjissarantos, 1940: 95
Clubiona vegeta; Bristowe, 1935: 747.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Liopesi (Hadjissarantos, 1940); Podoniftis (Hadjissarantos, 1940). Saronic Islands: Aigina (Hadjissarantos, 1940).

EVVOIA-VOROIES SPORADES: Evvoia: Steni (Simon, 1884).

Distribution: Europe, Central Asia, North Africa, Canary Islands.

94. Family Corinnidae

***Phrurolithus festivus* (C. L. Koch, 1835) (m,f)**

Phrurolithus festivus; Caporiacco, 1948: 63; Grimm, 1986: 48.

Citations:

DODEKANISA: Rodos: Aghios Demetrios (Caporiacco, 1948). IONIAN ISLANDS: Kerkyra (Grimm, 1986).

Distribution: Palearctic.

***Phrurolithus szilyi* Herman, 1879 (m,f)**
Phrurolithus szilyi; Grimm, 1986: 58

Citations:

PELOPONNISOS: Messinia: Eparchie Pylias, Navarino (Grimm, 1986).

Distribution: Mediterranean.

***Trachelas minor* O. P.-Cambridge, 1872 (m,f)**
Trachelas minor; Simon, 1884: 343; Bristowe, 1935: 747; Drensky, 1936: 181.

Citations:

EVVOIA-VOROIES SPORADES: Evvoia: Steni (Simon, 1884).

Distribution: Mediterranean to Azerbaijan, West Africa.

95. Family Zodariidae

Lachesana blackwalli (O. P.- Cambridge, 1872) (m,f)
Laches blackwalli; Hadjissarantos, 1940: 33.
Lachesana blackwalli; Thaler & Knoflach, 2004: 41.

Citations:
KRITI: Chania: Gavdos (Thaler & Knoflach, 2004).

Distribution: Crete, Turkey, Israel, Lebanon, Central Asia.

Lachesana graeca Thaler & Knoflach, 2004 (m)
Laches blackwalli; Hadjissarantos, 1940: 33 (misidentification).
Lachesana blackwalli; Thaler & Knoflach, 2004: 41.

Citations:
ATTIKI-SARONIC ISLANDS: Attiki: Oros Parnitha, Paleochori (Hadjissarantos, 1940).
PELOPONNISOS: Korinthia: Pheneos pass (type locality; Thaler & Knoflach, 2004). Lakonia: Oros Parnonas, Kaloregovouni near Metamorfosi (Thaler & Knoflach, 2004).
STEREA ELADA: Fokida: Delfoi (Thaler & Knoflach, 2004).

Distribution: Only known from Greece.

Palaestina expolita O. P.- Cambridge, 1872 (m,f)
Palaestina expolita; Roewer, 1928: 119; Jocqué, 1991: 138.

Citations:
IONIAN ISLANDS: Kefalonia, castle hill (Jocqué, 1991).
KRITI: Chania (Roewer, 1928).

Distribution: Kriti, Turkey, Israel, Lebanon.

Zodarion aegaeum Denis, 1935 (f)
Zodarion aegaeum Denis, 1935: 81; Denis, 1937: 14.

Citations:
KYKLADES: Syros (type locality; Denis, 1935). Tinos (Denis, 1935).

Distribution: Only known from the Kyklades.

Zodarion attikaense Wunderlich, 1980 (m)
Zodarion fuscum; Hadjissarantos, 1940: 34 (misidentification).
Zodarion attikaense Wunderlich, 1980b: 231.

Citations:
ATTIKI-SARONIC ISLANDS: Attiki: Ekali (Hadjissarantos, 1940, sub *Z. fuscum*); Oros Pendeli (type locality; Wunderlich, 1980b).

Distribution: Only known from Continental Greece. Hadjissarantos' (1940) citation of the Western European *Z. fuscum* from Attiki is considered here as *Z. attikaense*.

Zodarion cyprium Kulczyn'ski, 1908 (m,f)
Zodarion cyprium; Wunderlich, 1980b: 232; Brignoli, 1984: 308.

Citations:
KRITI: Lasithi: Ierapetra (Wunderlich, 1984); Sitia (Brignoli, 1984).

Distribution: Cyprus, Crete, Lebanon.

Zodarion elegans (Simon, 1873) (m,f)
Zodarion elegans; Reimoser, 1930: 147; Bristowe, 1935: 754.

Citations:
IONIAN ISLANDS: Kerkyra (Reimoser, 1930).

Distribution: N Spain, S France, Italy, Croatia, Tunisia. The occurrence on the Ionian Islands has to be confirmed.

Zodarion emarginatum (Simon, 1873) (m,f)

Zodarion mahnerti Brignoli, 1984: 315.
Zodarion emarginatum; Bosmans, 1997: 276.

Citations:

IONIAN ISLANDS: Ithaca: Panagias monastery (Brignoli, 1984). Lefkada: Lazarata-Hortata (Brignoli, 1984). PELOPONNISOS: Achaia: Patra (Brignoli, 1984).

Distribution: The south of France, Ionian Islands, Peloponnisos.

Zodarion epirense Brignoli, 1984 (m,f)
Zodarion epirense Brignoli, 1984: 309.

Citations:

IPEIROS: Ioannina: Metsovo pass (type locality; Brignoli, 1984); Eleousa (Brignoli, 1984); near Ioannina (Brignoli, 1984).

Distribution: Continental Greece.

Zodarion frenatum Simon, 1884 (m,f)
Zodarion frenatum Simon, 1884: 336; Fage, 1921: 99; Bristowe, 1935: 754; Denis, 1937: 39; Hadjissarantos, 1940: 33; Bosmans, 1997: 271.

Zodarion creticum Roewer, 1928: 119; Denis, 1937: 42; Hadjissarantos, 1940: 33.
Zodarion italicum; Capriacco, 1929: 230; Reimoser, 1958: 569 (misidentifications).
Zodarion gallicum; Bristowe, 1935: 754 (misidentification).
Zodarion ionicum Brignoli, 1984: 314.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Lavrio (Hadjissarantos, 1940); Marathonas (Hadjissarantos, 1940); Melissia (Hadjissarantos, 1940); Pikermi (Hadjissarantos, 1940); Podonifitis (Hadjissarantos, 1940); Psichiko (Hadjissarantos, 1940); Tourkolimano (Hadjissarantos, 1940); Vari (Hadjissarantos, 1940).

DODEKANISA: Kos (Bristowe, 1935, sub *Z. gallicum*). Rodos: Koschino (Capriacco, 1929, sub *Z. italicum*); Rodos town (Capriacco, 1948, sub *Z. rhodiense*).

EASTERN AEGEAN ISLANDS: Lesvos: Mytilini (Bosmans, 1997); Vatera (Bosmans, 1997).

EVVOIA-VORIOES SPORADES: Karpathos (Bosmans, 1997). IONIAN ISLANDS: Kefalonia: Agona-Livadio (Brignoli, 1984, sub *Z. ionicum*); Sami (Brignoli, 1984, sub *Z. ionicum*). Kerkyra: Kassiopi (Brignoli, 1984, sub *Z. ionicum*).

IPEIROS: Arta: Anemorachi (Brignoli, 1984, sub *Z. ionicum*). Preveza: Oros Xerovouni (Reimoser, 1930, sub *Z. italicum*). KRITI: Chania: Melidoni (Bosmans, 1997); Omalos plain (Roewer, 1928, sub *Z. creticum*). Irakleo: Matala (Bosmans, 1997).

KYKLADES: Naxos (type locality; Simon, 1884). Paros (Bosmans, 1997). Santorini (Bosmans, 1997).

MAKEDONIA: Without precise locality (Fage, 1921).

PELOPONNISOS: Achaia: Kalavrta (Brignoli, 1984, sub *Z. ionicum*). Argolida: Nafplio (Bristowe, 1935); Thermissa (Bosmans, 1997). Korinthia: Loutraki (Bosmans, 1997). Lakonia: Taigetos (Bosmans, 1997).

STEREA ELADA: Fokida: W Itea (Bosmans, 1997).

THESSALIA: Magnisia: Volos (Fage, 1921).

Distribution: Southern Italy, Greece, West Turkey.

{Zodarion fuscum} (Simon, 1870)
A species from W Europe, misidentified; Hadjissarantos citation (1940) refers to *Zodarion attikaense*.

{Zodarion gallicum} (Simon, 1873)
A species from the south of France and Italy, misidentified; Bristowes citation (1935) concerns *Zodarion frenatum*.

***Zodarion germanicum* (C. L. Koch, 1837) (m,f)**

Zodarion germanicum; Drensky, 1928: 187; Roewer, 1928: 119; Drensky, 1937: 41; Hadjissarantos, 1940: 34; Bosmans, 1997: 273.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Athina, Akropolis (Roewer, 1928); Oros Parnitha (Hadjissarantos, 1940).
THRAKI: Evros: Alexandroupoli (as Dede-Agatch; Drensky, 1928).

Distribution: Central Europe. The most southern confirmed records of the species are in Hungaria and Romania; records from Greece have to be confirmed.

***Zodarion graecum* (C. L. Koch, 1843) (m,f)**

Enyo graeca C. L. Koch, 1843: 83; O. P.- Cambridge, 1872: 270; Pavese, 1878: 373.
Zodarium graecum; Simon, 1884: 336.
Zodarion graecum; Strand, 1917: 162; Roewer, 1928: 119; Bristowe, 1935: 754; Caporiacco, 1935: 287; Denis, 1935: 77; Denis, 1937: 34; Hadjissarantos, 1940: 34; Reimoser, 1958: 569; Brignoli, 1984: 311.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Athina (Simon, 1884); Ekali (Hadjissarantos, 1940); Kato Souli (Hadjissarantos, 1940); Paleo Faliro (Hadjissarantos, 1940); Oros Parnitha, Mola (Hadjissarantos, 1940); Oros Parnitha, Paleochori (Hadjissarantos, 1940); Oros Pendeli (Roewer, 1928; Hadjissarantos, 1940); Podonitisi (Hadjissarantos, 1940).
DODEKANISA: Kos (Strand, 1917).
EVVOIA-VOROIES SPORADES: Evvoia: Karytos (Strand, 1917); Steni (Simon, 1884).
IPEIROS: Arta: Katafigio (Reimoser, 1958).
PELOPONNISOS: Without precise locality (type locality; C. L. Koch, 1843). Lakonia: Oros Taigetos (Brignoli, 1984).
STEREA ELADA: Fokida: Delfoi (Bristowe, 1935).

Distribution: the Balkans, Lebanon, Israel.

***Zodarion hauseri* Brignoli, 1984 (f)**

Zodarion hauseri Brignoli, 1984: 312.

Citations:

STEREA ELADA: Voiotia: Oros Elikonas, road Kiriaki-Koukoura (type locality; Brignoli, 1984).

Distribution: Only known from the type locality in Voiotia.

***Zodarion italicum* (Canestrini, 1868)**

A species from Western and Central Europe, misidentified; Caporiacco's and Reimers (1929, 1958) citations refer to *Zodarion frenatum*.

***Zodarion morosum* Denis, 1935 (m,f)**

Zodarion morosum Denis, 1935: 78; Denis, 1937: 35.

Citations:

KYKLADES: Tinos (Denis, 1935). Syros (Denis, 1935).

Distribution: Bulgaria, Kyklades, Turkey.

***Zodarion musarum* Brignoli, 1984 (m)**

Zodarion musarum Brignoli, 1984: 315.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Oros Parnitha, N slope (type locality; Brignoli, 1984).

Distribution: Only known from Greece.

***Zodarion pythium* Denis, 1935 (m,f)**

Zodarion pythium Denis, 1935: 81.

Citations:

STEREA ELADA: Fokida: Delfoi (Denis, 1935).

Distribution: Only known from Sterea Elada.

***Zodarion rhodiense* Caporiacco, 1948 (m)**

Zodarion rhodiense rhodiense Caporiacco, 1948: 47 (male only).
Zodarion rhodiense; Brignoli, 1984: 317.

Citations:

DODEKANISA: Karpathos: Oros Lastos, road Aperi-Spoa (Brignoli, 1984, sub *Z. rhodiense*). Rodos: Aghios Demetrios (Caporiacco, 1948); Apollona (Caporiacco, 1948); Scafe (Caporiacco, 1948). PELOPONNISOS: Arkadia: Between Vitina-Levidi and Daras (Brignoli, 1984, sub *Z. rhodiense*).

Distribution: Only known from Rodos.

***Zodarion rhodiense nigrifemur* Caporiacco, 1948**

Zodarion rhodiense nigrifemur Caporiacco, 1948: 49.

Citations:

DODEKANISA: Rodos: Draco (Caporiacco, 1948).

Distribution: Only known from Rodos. The validity of the subspecies is doubted, as it is only based on differences in colour.

***Zodarion spinibarbis* Wunderlich, 1973 (m,f)**

Zodarion spinibarbis Wunderlich, 1973a: 173; Brignoli, 1984: 319.

Citations:

KRITI: Chania: Lake Kournas (Wunderlich, 1973b). Lasithi: Ierapetra (Wunderlich, 1973a); between Kroustas and Prina (Brignoli, 1984). PELOPONNISOS: Lakonia: Oros Taigetos near Sparti (Brignoli, 1984).

Distribution: Kriti, Peloponnisos.

104. Family Prodidomidae

***Anagraphis pallens* Simon, 1893 (m,f)**

Anagraphis pallens; Chatzaki et al., 2002a: 566.

Citations:

KRITI: Chania: Agia lake ; Elafonisi; Gavdopoula island; Gavdos island; Gramvousa peninsula; Lake Kournas. Irakleio: Achendriks Dia island Keratokambos Omalos Vianou ;Panagia Almyri ; Moni Vrontisiou. Lasithi: Aghios Konstantinos ; Aghios Nikolaos ; Bramiana lake ; Chamaitoulo-Xirokambos ; Ha gorge ; Istro ; Milatos ; Mochlos, Sitia ; Prina-Messeleroi ; Selakano ; Moni Toplou-Vai. Rethymno: Exantis, Aghios Kyrianius ; Moni Preveli ; Oros Psiloritis, Aghios Mamas; idem, Kouroutes ; idem, Lochria; Rizikas; Saktouria; Vistagi-Platania (Chatzaki et al. (2002a).

Distribution: South Africa, Libya, Malta, Syria, Israel, Crete.

***Anagraphis pallida* (Hadjissarantos, 1940) (m,f)**

Talanites pallidus Hadjissarantos, 1940: 79.

Anagraphis pallida; Chatzaki et al., 2002b: 605.

Citations:

IONIAN ISLANDS: Antikithira: Potamos (Chatzaki et al., 2002b). ATTIKI-SARONIC ISLANDS: Attiki: Oros Parnitha, Phili (Hadjissarantos, 1940); Oros Pendeli, Dionisos (type locality; Hadjissarantos, 1940).

Distribution: Only known from Attiki and Antikithyra.

***Prodidomus amaranthinus* (Lucas, 1846) (m,f)**

Prodidomus amaranthinus; Hadjissarantos, 1940: 83.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Ekali (Hadjissarantos, 1940); Moni Kaisariani (Hadjissarantos, 1940); Kato Souli (Hadjissarantos, 1940); Liopesi (Hadjissarantos, 1940); Vari (Hadjissarantos, 1940).

Distribution: Mediterranean.

***Prodidomus hispanicus* Dalmas, 1919 (m,f)**

Prodidomus hispanicus; Hadjissarantos, 1940: 84.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Athina (Hadjissarantos, 1940). Saronic Islands: Aigina (Hadjissarantos, 1940).

Distribution: A poorly known species, described from Spain, and further only cited from Greece by Hadjissarantos (1940). The material should be verified.

105. Family Gnaphosidae

***Aphantaulax cincta* (L. Koch, 1866) (m,f)**

Aphantaulax cincta; Grimm, 1985: 102.

Citations:

IONIAN ISLANDS: Kerkyra (Grimm, 1985).

Distribution: S and SE Europe, N Africa.

***Aphantaulax trifasciata* (O. P.- Cambridge, 1872) (m,f)**

Melanophora bimaculata C. L. Koch, 1837: 17; C. L. Koch, 1839: 81. **N. Syn.**

Zelotes bimaculatus; Drensky, 1936: 143.

Aphantaulax albini; Simon, 1884: 339.

Aphantaulax seminigra; Bristowe, 1935: 747; Grimm 1985: 105.

Remark:

Zelotes bimaculatus is considered a synonym of *Aphantaulax trifasciata*, as explained further in this paper.

Citations:

Greece: Without precise locality (type locality of *Melanophora bimaculata*; C. L. Koch, 1837).

ATTIKI-SARONIC ISLANDS: Attiki: Athina (Simon, 1884; Grimm, 1985).

DODEKANISA: Rodos (Bristowe, 1935).

Distribution: W, S and SE Europe, North Africa.

***Aphantaulax trifasciata trimaculata* (Simon, 1878) (m,f)**

Aphantaulax seminigra trimaculata; Hadjissarantos, 1940: 76.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Imitos, Moni Karea (Hadjissarantos, 1940); Kato Souli (Hadjissarantos, 1940); Oros Parnitha, Phili (Hadjissarantos, 1940).

Distribution: France, Greece. The validity of this subspecies is doubtful.

***Arboricaria koeni* Bosmans, 2000 (m,f)**

Arboricaria koeni Bosmans in Bosmans & Blick, 2000: 465.

Citations:

KRITI: Chania (type locality; Bosmans & Blick, 2000).

PELOPONNISOS: Lakonia: S Githio, Mavrovouni (Bosmans & Blick, 2000).

Distribution: Known from Kriti and the Peloponnisos.

***Berinda aegilia* Chatzaki, 2002 (m,f)**

Berinda aegilia Chatzaki, in Chatzaki et al., 2002b: 606.

Citations:

IONIAN ISLANDS: Antikithyra: Potamos (type locality; Chatzaki et al., 2002b).

Distribution: Only known the type locality in Antikithyra.

***Berinda amabilis* Roewer, 1928 (m,f)**

Berinda amabilis Roewer, 1928: 106; Chatzaki et al., 2002a: 570.

Citations:

KRITI: Chania: Akrotiri peninsula, Governetou Monastery (type locality; Roewer, 1928); Elafonisi (Chatzaki et al., 2002a); Gavdos island (Chatzaki et al., 2002a); Gramvousa peninsula (Chatzaki et al., 2002a); Lake Kournas (Chatzaki et al., 2002a); Lefk Ori (Chatzaki et al., 2002a). Irakleio: Keratokambos (Chatzaki et al., 2002a). Lasithi: Chamaitoulo-Xirokampos (Chatzaki et al., 2002a); Istro (Chatzaki et al., 2002a); Kavousi (Chatzaki et al., 2002a); Mochlos-Sitia (Chatzaki et al., 2002a). Rethymno: Korakas bay (Chatzaki et al., 2002a); Moni Preveli (Chatzaki et al., 2002a); Rizikas (Chatzaki et al., 2002a).

Distribution: Kriti, Uzbekistan.

***Berinda ensigera* (O. P.- Cambridge, 1874) (m,f)**

Drassus ensiger O. P.- Cambridge, 1874: 389.

Drassodes reimoseri Bristowe, 1935: 744, 779; Hadjissarantos, 1940: 77; Caporiacco, 1948: 58.

Haplodrassus grazianoi Caporiacco, 1948: 59. **N. Syn.**

Berinda ensigera; Chatzaki et al., 2002a: 573.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Oros Imitos, Moni Karea (Hadjissarantos, 1940); Nea Filadelfoia (Hadjissarantos, 1940); Oros Parnitha, Aghia Triada (Hadjissarantos, 1940); Oros Pendeli (Hadjissarantos, 1940); Pikermi (Hadjissarantos, 1940); Podoniftis (Hadjissarantos, 1940); Psichiko (Hadjissarantos, 1940); Rafina (Hadjissarantos, 1940); Tourkolimano (Hadjissarantos, 1940). Saronic Islands: Poros, Galatas (Chatzaki et al., 2002a); Salamina (Hadjissarantos, 1940). DODEKANISA: Rodos: Draco (type locality of *H. grazianoi*; Caporiacco, 1948); Rodos (type locality of *D. reimoseri*; Bristowe, 1935).

EASTERN AEGEAN ISLANDS: Samos: Koumaradaios (Chatzaki et al., 2002a).

KRITI: Chania: lake Agia (Chatzaki et al., 2002a); lake Kournas (Chatzaki et al., 2002a). Lasithi: Bramiana lake (Chatzaki et al., 2002a); Ha gorge (Chatzaki et al., 2002a); Ierapetra (Chatzaki et al., 2002a).

PELOPONNISOS: Korinthi: Isthmia (Chatzaki et al., 2002a).

Distribution: Greece, Turkey. According to the figures of the very characteristic epigyne of *Haplodrassus grazianoi* Caporiacco, 1948, described from Rodos, this species is obviously a junior synonym of *Berinda ensigera*.

***Berlandina corycraea* (O. P.- Cambridge, 1874) (m,f)**

Gnaphosa corycraea O. P.- Cambridge, 1874: 376; Pavese, 1878: 378.

Pterotricha corycraea; Kulczyn'ski, 1915: 917; Drensky, 1936: 135.

Berlandina corycraea; Dalmas, 1921: 274; Bristowe, 1935: 746; Hadjissarantos, 1940: 73.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Kato Souli (Hadjissarantos, 1940); Moni Kaisariani (Hadjissarantos, 1940); Kopanas

(Hadjissarantos, 1940); Oros Parnitha, Phili (Hadjissarantos, 1940); Oros Pendeli (Hadjissarantos, 1940); Vari (Hadjissarantos, 1940). Saronic Islands: Aigina (Hadjissarantos, 1940).
IONIAN ISLANDS: Kefalonia (Bristowe, 1935). Kerkyra (type locality; O. P.- Cambridge, 1874; Kulczyn'ski, 1915).

Distribution: Only known from Greece.

Berlandina plumalis (O. P.- Cambridge, 1872) (m,f)
Pterotricha plumalis; Caporiacco, 1925: 108; Caporiacco, 1929: 229; Bristowe, 1935: 745.
Berlandina plumalis; Dalmas, 1921: 268; Chatzaki et al., 2002b: 609.

Citations:

DODEKANISA: Megisti (as Castelorizo; Caporiacco, 1925). Tilos (as Piskopi; Caporiacco, 1925). KRITI: Chania: Gavdos island (Chatzaki et al., 2002). Irakleio: Aposelemis river (Chatzaki et al., 2002b).

Distribution: Mediterranean region to China.

Callilepis concolor Simon, 1914 (m,f)
Callilepis concolor; Grimm, 1985: 91.

Citations:

KRITI: Without precise locality (Grimm, 1985).

Distribution: S Europe.

Callilepis cretica (Roewer, 1928) (m,f)
Minosia cretica Roewer, 1928: 113; Hadjissarantos, 1940: 74.
Callilepis wiehlei Bristowe, 1935: 746, 780; Caporiacco, 1948: 61; Wunderlich, 1977b: 292; Chatzaki et al., 2002a: 575.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Ekali (Hadjissarantos, 1940); Vouliagmeni (Hadjissarantos, 1940). DODEKANISA: Rodos (Bristowe, 1935). KRITI: Chania: Akrotiri, Arkalo cave (type locality; Roewer, 1929); Elafonisi (Chatzaki et al., 2002a); Omalos (Roewer, 1928); Lefka Ori (Chatzaki et al., 2002a); Topolia (Roewer, 1928). Irakleio: Achendrias (Chatzaki et al., 2002a); Knossos (Roewer, 1928); Omalos Vianou (Chatzaki et al., 2002a); Rouvas (Chatzaki et al., 2002a); Moni Vrontisiou (Chatzaki et al., 2002a). Lasithi: Aghios Konstantinos (Chatzaki et al., 2002a); Bramiana lake (Chatzaki et al., 2002a); Oros Dikti, Limnako plateau (Chatzaki et al., 2002a); Ierapetra (Wunderlich, 1977b; Chatzaki et al., 2002a); Istro (Chatzaki et al., 2002a); Kavousi-Thrypti (Chatzaki et al., 2002a); Selakano (Chatzaki et al., 2002a). Rethymno: Exantis, Aghios Kyrianos (Chatzaki et al., 2002a); Moni Preveli (Chatzaki et al., 2002a); Oros Psiloritis, Aghios Mamas (Chatzaki et al., 2002a); idem, Kouroutes (Chatzaki et al., 2002a); idem, Lochria (Chatzaki et al., 2002a); Rizikas (Chatzaki et al., 2002a); Saktouria (Chatzaki et al., 2002a); Vistagi-Platania (Chatzaki et al., 2002a).

Distribution: Greece, Azerbaijan.

Callilepis nocturna Linnaeus, 1758 (m,f)
Callilepis nocturna; Wolf, 2003: 111.

Citations:

MAKEDONIA: Drama: Oros Falakro (Wolf, 2003).

Distribution: Palearctic.

Callilepis schuszteri (Herman, 1879) (m,f)
Callilepis schuszteri; Wolf, 2003: 111.

Citations:

MAKEDONIA: Kavala: Oros Pangeo (Wolf, 2003).

Distribution: Palearctic.

Camillina metellus (Roewer, 1928) (m,f)
Zelotes metellus Roewer, 1928: 110.
Camillina metellus; Chatzaki et al., 2003: 48.

Citations:

DODEKANISA: Karpathos: Pyles-Volada (Chatzaki et al., 2003). KRITI: Chania: Agia lake (Chatzaki et al., 2003); Aptera, Metellus Creticus ruins (type locality; Roewer, 1928); Gavdopoula island (Chatzaki et al., 2003); Georgioupoli (Chatzaki et al., 2003); Gramvousa peninsula (Chatzaki et al., 2003). Irakleio : Pigaidakia (Chatzaki et al., 2003); Dia island (Chatzaki et al., 2003). Lasithi: Chamaitoulo-Xirokambos (Chatzaki et al., 2003); Milatos (Chatzaki et al., 2003); Istro (Chatzaki et al., 2003); Kavousi (Chatzaki et al., 2003). Rethymno: Exantis, Agios Kyrianos (Chatzaki et al., 2003); Oros Psiloritis, Kouroutes (Chatzaki et al., 2003); Rizikas (Chatzaki et al., 2003); Vistagi-Platania (Chatzaki et al., 2003).

Distribution: Kriti, Karpathos.

Cesonia aspida Chatzaki, 2002 (m,f)
Cesonia aspida Chatzaki, in Chatzaki et al., 2002b: 624.

Citations:

KRITI: Chania: Elafonisi (type locality; Chatzaki & al., 2002b); Gavdos island (Chatzaki et al., 2003); Gramvousa peninsula (Chatzaki et al., 2002b); Lefka Ori (Chatzaki et al., 2003). Irakleio: Dia island (Chatzaki et al., 2003). Lasithi: Aghios Konstantinos (Chatzaki et al., 2003); Chamaitolou-Xirokampos (Chatzaki et al., 2003); Ha gorge (Chatzaki et al., 2003); Istro (Chatzaki et al., 2003); Kavousi (Chatzaki et al., 2003); Milatos (Chatzaki et al., 2003). Rethymno: Moni Preveli (Chatzaki et al., 2003); Oros Psiloritis, Ideon Antro (Chatzaki et al., 2003).

Distribution: Kriti.

Cryptodrassus creticus Chatzaki, 2002 (m,f)
Cryptodrassus creticus Chatzaki, in Chatzaki et al., 2002b: 624.

Citations:

KRITI: Lasithi: Bramiana lake (type locality; Chatzaki et al., 2002b); Milatos (Chatzaki et al., 2002b). Rethymno: Vistagi-Platania (Chatzaki et al., 2002b).

Distribution: Kriti.

Drassodes albicans (Simon, 1878) (f)
Drassus albicans; Strand, 1917: 161.
Drassodes albicans; Bristowe, 1935: 744.

Citations:

DODEKANISA: Kos (Strand, 1917). KRITI: Lasithi (Strand, 1917). STEREA ELADA: Fokida: Vardousa and Giona Oros (as Korax mountains; Strand, 1917).

Distribution: Insufficiently known species (only the female is known), described from SW Europe (Spain, S France, Corsica) and cited by Strand (1917) from Greece.

Drassodes alexandrinus (O. P.- Cambridge, 1874) (m,f)
Drassodes alexandrinus; Levy, 2004: 16.

Citations:

According to Levy (2004), the species described as *Drassodes lutescens* by Chatzaki et al. (2002b) is in fact *D. alexandrinus*. If this is correct, all the material from Greece should be reexamined, but for the moment, they are all here mentioned as *D. lutescens*.

Distribution: Egypt, Libya, Israel, Greece and Crete.

Drassodes hypocrita (Simon, 1878) (m,f)
Drassodes hypocrita Caporiacco, 1948: 58.

Citations:

DODEKANISA: Rodos (Caporiacco, 1948).

Distribution: France, Spain, Italy, the former republic of Yougoslavia, Russia and a doubtful citation from Rodos that needs confirmation.

Drassodes lapidus (Walckenaer, 1802) (m,f)
Drassodes lapidicola; Kulczyn'ski, 1903: 33.

Drassus lapidicola; Drensky, 1928: 188.

Drassodes lapidus; Simon, 1916: 274; Caporiacco, 1925: 108; Roewer, 1928: 99; Caporiacco, 1929: 227; Reimoser, 1930: 144, 146; Giltay, 1932: 27; Werner, 1934: 164; Bristowe, 1935: 744; Drensky, 1936: 137; Hadjissarantos, 1940: 76; Reimoser, 1958: 571; Roewer, 1959a: 24; Grimm, 1985: 118; Chatzaki et al., 2002b: 613; Wolf, 2003: 112.

Drassodes lapidus lapidus; Caporiacco, 1948: 58.

Drassodes lapidus macer; Caporiacco, 1948: 58.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Bogiati (Hadjissarantos, 1940); Kato Souli (Hadjissarantos, 1940); Oros Drakonera (Roewer, 1959a); Oros Parnitha (Hadjissarantos, 1940); Peania, Koutouki cave (Roewer, 1959a); Oros Pendeli (Roewer, 1928); Faliro (Werner, 1934); Podonititis (Hadjissarantos, 1940); Voula (Werner, 1934).

DODEKANISA: Kos (Werner, 1934). Rodos (Caporiacco, 1948); Aghios Isidoros (Caporiacco, 1929); Koschino (Caporiacco, 1929). Simi (Caporiacco, 1929).

EASTERN AEGEAN ISLANDS: Limnos (Werner, 1934).

EVVOIA-VOROIES SPORADES: Skyros (Werner, 1934).

IONIAN ISLANDS: Kefalonia: Argostoli (Reimoser, 1930); Oros Aeneos (Reimoser, 1930). Kerkyra (Bristowe, 1935; Grimm, 1985). Lefkada: Megan Oros (Reimoser, 1930); Stavrotas (Reimoser, 1930).

IPEIROS: Arta (Reimoser, 1958).

KRITI: Chania: Agia lake (Chatzaki et al., 2002b); Akrotiri, Governetes monastery, Katholico cave (Roewer, 1928); idem, Koutrouli cave (Roewer, 1959a); Askifou (Kulczyn'ski, 1903); Chania (Kulczyn'ski, 1903); Lake Kournas (Chatzaki et al., 2002b); Lakki (Roewer, 1928); Lefka Ori (Chatzaki et al., 2002b); Meskla (Roewer, 1928). Irakleio: Achendrias (Chatzaki et al., 2002b); Karteros (Roewer, 1959a); Omalos-Vianou (Chatzaki et al., 2002b); Rouvas (Chatzaki et al., 2002b); Youchtas (Chatzaki et al., 2002b). Lasithi: Aghios Konstantinos (Chatzaki et al., 2002b); Aghios Nikolaos (Chatzaki et al., 2002b); Dikteon Antron (Roewer, 1959a); Oros Dikti, Limnako plateau (Chatzaki et al., 2002b); Kato Chorio (Chatzaki et al., 2002b); Psychro (Roewer, 1959a); Selakano (Chatzaki et al., 2002b). Rethymno: Gallos (Kulczyn'ski, 1903); Oros Psiloritis, Kouroutes (Chatzaki et al., 2002b); idem, Aghios Mamas (Chatzaki et al., 2002b); Vistagi-Platania (Chatzaki et al., 2002b).

KYKLADES: Dilos (Bristowe, 1934). Ios (Werner, 1934).

MAKEDONIA: Drama: Oros Falakro (Wolf, 2003). Kastoria: lake Kastoria (Roewer, 1959a). Kavala: Iraklitsa (Roewer, 1959a); Oros Pangeo (Wolf, 2003). Pella: Edessa, Vrita (Roewer, 1959a). Serres: Chrisopighi (Roewer, 1959a); Orini (Roewer, 1959a). Thessaloniki (Simon, 1916).

PELOPONNISOS: Achaia: Oros Panachaiko (as Voidea; Reimoser, 1930). Ileia: Olympia (Giltay, 1932).

THESSALIA: Larisa (Werner, 1934).

THRAKI: Evros: Alexandroupoli (as Dede-Agatch; Drensky, 1928); Makri (Drensky, 1928); Potamos (as Badoma; Drensky, 1928). Rodopi: Komotini (as Gumurjina; Drensky, 1928). Xanthi: Toxotes (Roewer, 1959a); Xanthi (as Sketscha; Drensky, 1928).

Distribution: Palearctic.

Drassodes luteomicans (Simon, 1878) (m,f)
Drassodes luteomicans; Caporiacco, 1929: 228; Caporiacco, 1948: 58.

Citations:

DODEKANISA: Rodos: Aghios Isidoros (Caporiacco, 1929); Petrolaco (Caporiacco, 1948); Pissipi (Caporiacco, 1948).

Distribution: Insufficiently known species, cited from Portugal, S France, Italy, Algeria and Rodos.

Drassodes lutescens (C. L. Koch, 1839) (m,f)

Drassus lutescens C. L. Koch, 1839: 21; Pavese, 1878: 377; Simon, 1884: 339; Strand, 1917: 161.
Drassodes lutescens; Kulczyn'ski, 1903: 33; Caporiacco, 1925: 108; Caporiacco, 1929: 228; Bristowe, 1935: 744; Drensky, 1936: 138; Caporiacco, 1948: 58; Hadjissarantos, 1940: 77; Reimoser, 1958: 572; Roewer, 1959a: 25; Chatzaki et al., 2002b: 613.

Drassodes validis Roewer, 1928 : 99.

Citations:

Remark: According to Levy (2004) all citations in Chatzaki et al. (2002b) from Crete are in fact *D. alexandrinus*.

ATTIKI-SARONIC ISLANDS: Attiki: Athina (Simon, 1884; Roewer, 1928); Oros Imitos (Werner, 1934); Lavrio (Strand, 1917); Oros Imitos, Leondariou Cave (Roewer, 1959a).

DODEKANISA: Karpathos (Strand, 1917). Patmos (Caporiacco, 1929). Rodos: Aghios Demetrios (Caporiacco, 1948); Aghios Isidoros (Caporiacco, 1929); Katavia (Caporiacco, 1929); Koschino (Caporiacco, 1929); Rodos town (Caporiacco, 1929). Leros (Caporiacco, 1925). Lipsos (Caporiacco, 1929). Patmos (Caporiacco, 1925).

EASTERN AEGEAN ISLANDS: Chios (Strand, 1917). Samos: Marathocampos (Strand, 1917).

EVVOIA-VOROIES SPORADES: Evvoia: Karystos (Strand, 1917); Steni (Simon, 1884); Stira (Strand, 1917).

IONIAN ISLANDS: Lefkada (Reimoser, 1958).

IPEIROS: Artia: Ammotopos (as Kumsades; Reimoser, 1958); Katafigio (Reimoser, 1958); Katarakti (Reimoser, 1958).

Preveza: Oros Xerovouni (Reimoser, 1958).

KRITI: Chania: Elafonissi (Chatzaki et al. 2003); Gavdos island (Chatzaki et al. 2003); Gramvousa peninsula (Chatzaki et al. 2003); Lake Kournas (Chatzaki et al. 2003); Lefka Ori (Chatzaki et al. 2003). Irakleio: Aposelemis river (Chatzaki et al. 2003); Dia island (Chatzaki et al. 2003); Keratokampos (Chatzaki et al. 2003); Martsalos (Chatzaki et al. 2003); Omalos Vianou (Chatzaki et al. 2003); Panagia Almyri (Chatzaki et al. 2003); Pigaidakia (Chatzaki et al. 2003); Moni Vrontisiou (Chatzaki et al. 2003); Youchtas (Chatzaki et al. 2003). Lasithi: Bramiana lake (Chatzaki et al. 2003); Chamaitolou-Xirokambos (Chatzaki et al. 2003); Oros Dikti, Limnako plateau (Chatzaki et al. 2003); Ierapetra (Chatzaki et al. 2003); Istro (Chatzaki et al. 2003); Itanos-Vai (Chatzaki et al. 2003); Kato Chorio (Chatzaki et al. 2003); Lasithi (Strand, 1917); Mochlos (Chatzaki et al. 2003); Prina-Messeleroi (Chatzaki et al. 2003); Selakano (Chatzaki et al. 2003); Moni Toplou-Vai (Chatzaki et al. 2003).

Rethymno: Eksantis, Aghios Kyprianos (Chatzaki et al. 2003); Moni Preveli (Chatzaki et al. 2003); Oros Psiloritis, Aghios Mamas (Chatzaki et al. 2003); idem, Kouroutes (Chatzaki et al. 2003); idem, Zominthos (Chatzaki et al. 2003); Rizikas (Chatzaki et al. 2003); Saktouria (Chatzaki et al. 2003); Vizari (Kulczyn'ski, 1903). Elasa Island near Kriti (Strand, 1917).

KYKLADES: Naxos (Simon, 1884).

MAKEDONIA: Grevena: Paraskevi (Reimoser, 1958). Serres: Sidirokastro, Fea Petra (Roewer, 1959a).

PELOPONNISOS: Argolida: Nafplio (type locality; L. Koch, 1839).

STEREA ELADA: Fokida: Lidoriki (Strand, 1917); Vardousa and Giona Oros (as Korax mountains; Strand, 1917).

Distribution: Mediterranean to Central Asia.

***Drassodes oreinos* Chatzaki, 2002 (m,f)**

Drassodes oreinos Chatzaki, in Chatzaki et al., 2002b: 615.

Citations:

KRITI: Chania: Lefka Ori (Chatzaki et al., 2002b). Irakleio: Omalos Vianou (Chatzaki et al., 2002b). Lasithi: Oros Dikti, Limnakaro plateau (Chatzaki et al., 2002b). Rethymno: Oros Psiloritis, Lochria (type locality; Chatzaki et al., 2002b); idem, Kouroutes (Chatzaki et al., 2002b).

Distribution: Cretan mountains.

***Drassodes pubescens* (Thorell, 1856) (m,f)**

Drassodes pubescens; Caporiacco, 1929: 228; Caporiacco, 1948: 58; Roewer, 1959a: 25; Wolf, 2003: 12.

Citations:

DODEKANISA: Rodos (Caporiacco, 1948): Aghios Isidores (Caporiacco, 1929); Katavia (Caporiacco, 1929); Koschino (Caporiacco, 1929); Rodos town (Caporiacco, 1929).

KRITI: Irakleio: Koubeddes, Camilari cave (Roewer, 1959a). MAKEDONIA: Drama: Oros Falakro (Wolf, 2003). Kavala: Oros Pangeo (Wolf, 2003).

Distribution: Palearctic.

***Drassodes serratichelis* (Roewer, 1928) (m,f)**

Meskia serratichelis Roewer, 1928: 112.

Drassodes serratichelis; Chatzaki et al., 2002b: 618.

Citations:

DODEKANISA: Karpathos: Pyles-Volada (Chatzaki et al., 2002b). Kos: Kefalos-Aghios Ioannis (Chatzaki et al., 2002b). KRITI: Chania: Gavdopoulo island (Chatzaki et al., 2002b); Gavdos island (Chatzaki et al., 2002b); Gramvousa peninsula (Chatzaki et al., 2002b); Lefka Ori (Chatzaki et al., 2002b); Meskla (type locality; Roewer, 1928). Irakleio: Dia island (Chatzaki et al., 2002b). Lasithi: Istro (Chatzaki et al., 2002b); Kavousi (Chatzaki et al., 2002b); Mochlos-Sitia (Chatzaki et al., 2002b). Rethymno: Moni Preveli (Chatzaki et al., 2002b); Oros Psiloritis, Kouroutes (Chatzaki et al., 2002b); idem, Aghios Mamas (Chatzaki et al., 2002b); Rizikas (Chatzaki et al., 2002b).

Distribution: Kriti, Kos, Karpathos, Israel.

***Drassodes unicolor* (O. P.- Cambridge, 1872) (m,f)**

Drassodes omalosis Roewer, 1928: 100; Chatzaki et al., 2002b: 615; Levy, 2004: 8 (synonymy of *D. omalosis* and *D. unicolor*).

Citations:

KRITI: Chania: Omalos plain (type locality; Roewer, 1928).

Distribution: Israel, Lebanon, Crete.

***Drassyllus praeficus* (L. Koch, 1866) (m,f)**

Zelotes praeficus; Hadjissarantos, 1940: 83.

Drassyllus praeficus; Chatzaki et al., 2003: 50; Wolf, 2003: 226.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Kato Souli (Hadjissarantos, 1940); Oros Parnitha, Phili (Hadjissarantos, 1940).

IPEIRO: Ioannina: Oros Timfi (Wolf, 2003).

KRITI: Chania: Agia lake (Chatzaki et al., 2003); Kallikratis (Chatzaki et al., 2003); Lake Kournas (Chatzaki et al., 2003).

Irakleio: Achendrias (Chatzaki et al., 2003); Aposelemis river (Chatzaki et al., 2003); Omalos Vianou (Chatzaki et al., 2003);

Panagia Almyri (Chatzaki et al., 2003); Pigaidakia (Chatzaki et al., 2003); Rouvas (Chatzaki et al., 2003); Youchtas (Chatzaki et al., 2003). Lasithi: Agios Konstantinos (Chatzaki et al., 2003); Milatos (Chatzaki et al., 2003); Mochlos (Chatzaki et al., 2003); Oros Dikti, Limnakaro plateau (Chatzaki et al., 2003); Selakano (Chatzaki et al., 2003). Rethymno: Oros Psiloritis, Aghios Mamas (Chatzaki et al., 2003); Korakas bay near Rodakino (Chatzaki et al., 2003); Oros Psiloritis, Kouroutes (Chatzaki et al., 2003); Rizikas (Chatzaki et al., 2003); Saktouria (Chatzaki et al., 2003); Vistagi-Platania (Chatzaki et al., 2003); Oros Psilorithos, Zominthos (Chatzaki et al., 2003).

Distribution: Europe to Central Asia.

***Drassyllus pumilio* Chatzaki, 2003 (m,f)**

Drassyllus pumilio Chatzaki, in Chatzaki et al., 2003: 51.

Citations:

KRITI: Chania: Gramvousa peninsula (Chatzaki et al., 2003); Lefka Ori (Chatzaki et al., 2003). Irakleio : Achendrias (Chatzaki et al., 2003); Keratokambos (Chatzaki et al., 2003); Martsalo (Chatzaki et al., 2003); Panagia Almyri (Chatzaki et al., 2003); Rouvas (Chatzaki et al., 2003). Lasithi : Istro (Chatzaki et al., 2003); Milatos (Chatzaki et al., 2003); Selakano (Chatzaki et al., 2003). Rethymno : Oros Psiloritis, Kouroutes (Chatzaki et al., 2003); Vistagi-Platania (Chatzaki et al., 2003); Saktouria (Chatzaki et al., 2003).

Distribution: Only known from Kriti.

***Drassyllus pumilus* (C. L. Koch, 1839) (m,f)**

Zelotes pumilus; Caporiacco, 1948: 60.

Citations:

DODEKANISA: Rodos: Draco (Caporiacco, 1948).

Distribution: Central and Eastern Europe to Central Asia. Caporiacco's record from Rodos must be confirmed.

***Drassyllus pusillus* (C. L. Koch, 1833) (m,f)**

Prosthesima nigrita; Drensky, 1928: 188.

Zelotes pusillus; Drensky, 1936: 148; Hadjissarantos, 1940: 83. *Drassyllus pusillus*; Wolf, 2003: 113.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Pikermi (Hadjissarantos, 1940).

MAKEDONIA: Drama: Oros Falakro (Wolf, 2003).

THRAKI: Evros: near Alexandroupoli (as Burugeul; Drensky, 1928). Rodopi: Komotini (as Gumurjina; Drensky, 1928).

Distribution: Palearctic.

***Gnaphosa bicolor* (Hahn, 1833) (m,f)**

Gnaphosa bicolor; Reimoser, 1958: 571; Wolf, 2003: 113.

Citations:

MAKEDONIA: Drama: Oros Falakro (Wolf, 2003). Grevena: Paraskevi (Reimoser, 1958). Imathia: Oros Vermio (Wolf, 2003).

Distribution: Europe to Georgia.

***Gnaphosa bithynica* Kulczyn'ski, 1903 (m,f)**

Gnaphosa bithynica; Chatzaki et al., 2002a: 582.

Citations:

KRITI: Chania: Lefka Ori (Chatzaki et al., 2002a). Lasithi: Oros Dikti, Limnakaro plateau (Chatzaki et al., 2002a). Rethymno: Oros Psiloritis, Lochria (Chatzaki et al., 2002a).

Distribution: The Olympus Bithynicus mountain in Turkey and the mountains of Crete.

***Gnaphosa dolosa* Herman, 1879 (m,f)**

Gnaphosa dolosa; Chatzaki et al., 2002b: 611.

Citations:

KRITI: Chania: Gavdos island, Alyki at Trypti (Chatzaki et al., 2002b).

Distribution: Europe to Georgia.

***Gnaphosa lucifuga* (Walckenaer, 1802) (m,f)**

Gnaphosa lucifuga; Drensky, 1928: 188; Roewer, 1928: 114; Reimoser, 1930: 144; Bristowe, 1935: 78; Drensky, 1936: 133; Hadjissarantos, 1940: 74; Reimoser, 1958: 571; Grimm, 1985: 61; Wolf, 2003: 113.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Oros Pendeli (Roewer, 1928). IONIAN ISLANDS: Kefalonia: Krane (Reimoser, 1930). Kerkyra (Grimm, 1985).

IPEIROS: Arta: Katafigio (Reimoser, 1958).

MAKEDONIA: Drama: Oros Falakro (Wolf, 2003). Grevena: Paraskevi (Reimoser, 1958). Kavala: Oros Pangeo (Wolf, 2003). PELOPONNISOS: Achaia: Oros Panachaiko (as Voidea; Reimoser, 1930).

THRAKI: Evros: Makri (Drensky, 1928); Potamos (as Badoma; Drensky, 1928). Rodopi: Komotini (as Gumurjina; Drensky, 1928).

Distribution: Palearctic.

***Gnaphosa lugubris* (C. L. Koch, 1839) (m,f)**

Pythonissa lugubris C. L. Koch, 1839: 60.

Gnaphosa lugubris; Simon, 1884: 342; Drensky, 1936: 133; Reimoser, 1958: 571; Wolf, 2003: 114.

Citations:

IPEIROS: Arta: Katafigio (Reimoser, 1958).

MAKEDONIA: Drama: Oros Falakro (Wolf, 2003). Grevena: Paraskevi (Reimoser, 1958). Serres: Oros Menikio (Wolf, 2003). PELOPONNISOS: Argolida: Nafplio (type locality; C. L. Koch, 1839).

Distribution: Europe to Central Asia.

***Gnaphosa oceanica* Simon, 1878 (f)**

Gnaphosa oceanica; Drensky, 1928: 188; Drensky, 1936: 134.

Citations:

THRAKI: Evros: Potamos (as Badoma; Drensky, 1928).

Distribution: France, Greece. Insufficiently known species.

***Gnaphosa orchymonti* Giltay, 1932 (m,f)**

Gnaphosa orchymonti Giltay, 1932: 31; Giltay, 1933: 7; Drensky, 1936: 134.

Citations:

PELOPONNISOS: Messinia: Kalamata (type locality; Giltay, 1932).

Distribution: Insufficiently described species, only known from the type locality. Related to *G. lucifuga* and *G. spadicea*.

***Gnaphosa stussineri* Simon, 1885 (m,f)**

Gnaphosa stussineri Simon, 1885: 213; Bristowe, 1935: 746; Drensky, 1936: 134.

Citations:

THESSALIA: Larisa: Oros Ossa (type locality; Simon, 1884).

Distribution: Insufficiently described species, only known from the type locality, Oros Ossa. Related to *G. lucifuga*.

***Haplodrassus acrotirius* (Roewer, 1928) (f) N. Comb.**

Drassodes acrotirius Roewer, 1928: 102; Chatzaki et al., 2002a: 587.

Citations:

KRITI: Chania: Akrotiri peninsula (type locality; Roewer, 1928).

Distribution: Only known from one female from the type locality. According to the figure of the epigyne, the species obviously belongs in the genus *Haplodrassus* and is related to *H. dalmatensis*. Chatzaki et al. (2002a) figured the female epigyne and also came to this conclusion, but did not propose the transfer.

***Haplodrassus creticus* (Roewer, 1928) (m,f)**

Drassodes creticus Roewer, 1928: 104.

Scopophaeus walteri Roewer, 1928: 107; Drensky, 1936: 142; Hadjissarantos, 1940: 78.

Haplodrassus creticus; Chatzaki et al., 2002a: 585.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Oros Pendeli (type locality of *Scopophaeus walteri*; Roewer, 1928).

KRITI: Chania: Elafonisi (Chatzaki et al., 2002a); Gramvousa peninsula (Chatzaki et al., 2002a); Kallikratis (Chatzaki et al., 2002a); Lefka Ori (Chatzaki et al., 2002a). Irakleio: Achendrias (Chatzaki et al., 2002a); Knossos (type locality; Roewer, 1928); Martsalo (Chatzaki et al., 2002a); Omalos Vianou (Chatzaki et al., 2002a); Rouvas (Chatzaki et al., 2002a). Lasithi: Bramiana lake (Chatzaki et al., 2002a); Chamaitolou-Xirokambos (Chatzaki et al., 2002a); Oros Dikti, Limnakaro plateau (Chatzaki et al., 2002a); Ierapetra (Chatzaki et al., 2002a); Milatos (Chatzaki et al., 2002a); Mochlos, Sitia (Chatzaki et al., 2002a); Moni Toplou-Vai (Chatzaki et al., 2002a). Rethymno: Moni Preveli (Chatzaki et al., 2002a); Oros Psiloritis, Zominthos (Chatzaki et al., 2002a); idem, Ideon Antron (Chatzaki et al., 2002a); idem, Kouroutes (Chatzaki et al., 2002a); Saktouria (Chatzaki et al., 2002a)

Distribution: Kriti, Attiki.

***Haplodrassus dalmatensis* (L. Koch, 1866) (m,f)**

Drassodes dalmatensis; Roewer, 1928: 103; Hadjissarantos, 1940: 76.

Drassodes lithobius Roewer, 1928: 101.

Haplodrassus dalmatensis; Chatzaki et al., 2002a: 587.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Loutsa (Chatzaki et al., 2002a); Psichiko (Hadjissarantos, 1940).

IPEIROS: Ioannina: Konitsa (Chatzaki et al., 2002a).

KRITI: Chania: Agia lake (Chatzaki et al., 2002a); Akrotiri Peninsula (type locality of *D. lithobius*; Roewer, 1928); Elafonisi (Chatzaki et al., 2002a); Gavdos island (Chatzaki et al., 2002a). Irakleio: Omalos Vianou (Chatzaki et al., 2002a). Lasithi: Bramiana lake (Chatzaki et al., 2002a); Oros Dikti, Limnakaro plateau (Chatzaki et al., 2002a); Selakano (Chatzaki et al., 2002a). Rethymno: Rethymno (Roewer, 1928).

PELOPONNISOS: Korinthi: Pergos (Chatzaki et al., 2002a).

Distribution: Palearctic.

{*Haplodrassus grazianoi* Caporiacco, 1948}

The species is a junior synonym of *Berinda ensigera* (see there).

***Haplodrassus kuleczynskii* Lohmander, 1942 (m,f)**

Drassodes microps; Roewer, 1928: 103; Werner, 1934: 164.

Citations:

KRITI: Chania: Lefka Ori, Chiloskala gorge (Roewer, 1928).

KYKLADES: Naxos (Werner, 1934).

Distribution: Palearctic.

Haplodrassus macellinus (Thorell, 1871) (m,f)
Haplodrassus macellinus; Caporiacco, 1948: 58.

Citations:

DODEKANISA: Rodos: Anginovato (Caporiacco, 1948).

Distribution: Mediterranean.

Haplodrassus minor (O. P.- Cambridge, 1879) (m,f)
Haplodrassus minor; Chatzaki, 2002a: 589.

Citations:

KRITI: Irakleio: Achendrias (Chatzaki et al., 2002a).

Distribution: Europe to Russia.

Haplodrassus severus (C. L. Koch, 1839) (m,f)
Drassus severus C. L. Koch, 1839: 22; Pavesi, 1878: 377;
Simon, 1884: 340.
Drassodes severus; Caporiacco, 1929: 228; Bristowe, 1935:
744; Drensky, 1936: 139; Hadjissarantos, 1940: 78.
Haplodrassus severus; Caporiacco, 1948: 58.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Athina (Simon, 1884).
DODEKANISA: Rodos: Aghios Isidoros (Caporiacco, 1929);
Katavia (Caporiacco, 1929); Koschino (Caporiacco, 1929).
PELOPONNISOS: Argolida: Nafplio (type locality; C. L. Koch,
1839).

Distribution: Mediterranean.

Haplodrassus signifer (C. L. Koch, 1839) (m,f)
Drassus signifer; Simon, 1884: 339; Strand, 1917: 161.
Drassus troglodytes; Strand, 1917: 161; Drensky, 1928: 188.
Drassodes signifer; Fage, 1921: 99; Roewer, 1928: 103;
Werner, 1934: 164; Bristowe, 1935: 744; Werner, 1935: 297;
Drensky, 1936: 139; Reimoser, 1958: 572.
Haplodrassus signifer; Caporiacco, 1948: 58; Chatzaki et al.,
2002a: 587; Wolf, 2003: 115.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Athina (Simon, 1884); Ekali
(Hadjissarantos, 1940); Faliro (Strand, 1917, Werner, 1934);
Moni Kaisariani (Hadjissarantos, 1940); Kato Souli
(Hadjissarantos, 1940); Kopanas (Hadjissarantos, 1940); Lavrio
(Strand, 1917); Liopesi (Hadjissarantos, 1940); Melissia
(Hadjissarantos, 1940); Oros Parnitha, Aghia Triada
(Hadjissarantos, 1940); Oros Parnitha, Phili (Hadjissarantos,
1940); Voula (Hadjissarantos, 1940); Vouliagmeni
(Hadjissarantos, 1940).
DODEKANISA: Rodos: Scafe (Caporiacco, 1948).
EVVOIA-VOROIES SPORADES: Evvoia: Kimi (Chatzaki et al.,
2002a).
IONIAN ISLANDS: Lefkada (Reimoser, 1958).
IPEIROS: Arta: Arta (Reimoser, 1958); Katarakti (Reimoser,
1958). Ioannina: Platanousa (Reimoser, 1958); Oros Timfi
(Wolf, 2003).
KRITI: Chania: Lakki (Roewer, 1928); Topolia (Roewer, 1928).
Lasithi: Oros Dikti (Chatzaki et al., 2002a). Rethymno: Oros
Psiloritis, Aghios Mamas (Chatzaki et al., 2002a).
KYKLADES: Naxos (Simon, 1884). Syros (Simon, 1884).
Santorini (Simon, 1884).
MAKEDONIA: Without precise locality (Fage, 1921). Drama:
Oros Lekani (Wolf, 2003). Kavala: Oros Pangeo (Wolf, 2003);
Petropigi (Wolf, 2003). Serres: Oros Menikio (Wolf, 2003);
Oros Vrondous (Wolf, 2003).
PELOPONNISOS: Argolida: Argos (Chatzaki et al., 2002a).
Korinthi: Isthmia (Chatzaki et al., 2002a); Perigiali (Chatzaki et
al., 2002a); Pirgos (Chatzaki et al., 2002a).
STEREA ELADA: Aitolo-Akarnania: Akarnania (Simon, 1884).

THRAKI: Evros: Alexandroupoli (as Dede-Agatch; Drensky,
1928); Makri (Drensky, 1928). Xanthi: Xanthi (as Sketscha;
Drensky, 1928).

Distribution: Holarctic.

Haplodrassus silvestris (Blackwall, 1833) (m,f)
Drassodes silvestris; Reimoser, 1930: 144; Bristowe, 1935: 744.

Citations:

IONIAN ISLANDS: Lefkada: Sivros (Reimoser, 1930).

Distribution: Palearctic.

Haplodrassus umbratilis (L. Koch, 1866) (m,f)
Drassodes umbratilis; Simon, 1916: 274.

Citations:

MAKEDONIA: Thessaloniki (Simon, 1916).

Distribution: Europe to Kazakhstan.

Leptodrassus albidus Simon, 1914 (m,f)
Leptodrassus albidus; Chatzaki et al., 2002a: 589.

Citations:

KRITI: Chania: Gavdos island (Chatzaki et al., 2002a). Irakleio:
Achendrias (Chatzaki et al., 2002a). Lasithi: Bramiana lake
(Chatzaki et al., 2002a). Rethymno: Vistagi-Platania (Chatzaki
et al., 2002a).

Distribution: European part of Mediterranean region.

Leptodrassus femineus (Simon, 1873) (m,f)
Leptodrassus femineus; Chatzaki et al., 2002a: 590.

Citations:

KRITI: Chania: Elafonisi (Chatzaki et al., 2002a); Gramvousa
peninsula (Chatzaki et al., 2002a). Irakleio: Achendrias
(Chatzaki et al., 2002a); Moni Vrontisiou (Chatzaki et al.,
2002a); Youchtas (Chatzaki et al., 2002a). Lasithi:
Chamaitolou-Xirokampos (Chatzaki et al., 2002a); Ha gorge
(Chatzaki et al., 2002a); Selakano (Chatzaki et al., 2002a).
Rethymno: Oros Psiloritis, Kouroutes (Chatzaki et al., 2002a);
Vistagi-Platania (Chatzaki et al., 2002a).

Distribution: Mediterranean.

Leptodrassus hadjissaranti Chatzaki, 2002 (m,f)
Leptodrassus hadjissaranti Chatzaki, in Chatzaki et al., 2002a:
590.

Citations:

KRITI: Chania: Irakleio: Panagia Almyri (Chatzaki et al., 2002a).
Lasithi: Bramiana lake (type locality; Chatzaki et al., 2002a).
Rethymno: Rizikas (Chatzaki et al., 2002a).

Distribution: European part of Mediterranean.

Leptodrassus manolisi Chatzaki, 2002 (m)
Leptodrassus manolisi Chatzaki, in Chatzaki et al., 2002a: 592.

Citations:

KRITI: Irakleio: Panagia Almyri (Chatzaki et al., 2002a).
Rethymno: Saktouria (type locality; Chatzaki et al., 2002a).

Distribution: Only known from Kriti.

Leptodrassus pupa Dalmas, 1919 (m,f)
Leptodrassus pupa; Chatzaki et al., 2002a: 592; Chatzaki et al.,
2002b: 618.

Citations:

KRITI: Irakleio: Keratokampos (Chatzaki et al., 2002a); Martsalo (Chatzaki et al., 2002a); Panagia Almyri (Chatzaki et al., 2002b). Lasithi: Itanos-Vai (Chatzaki et al., 2002a). Rethymno: Vistagi-Platania (Chatzaki et al., 2002a).

Distribution: Egypt, Kriti.

***Micaria albovittata* (Lucas, 1846) (m,f)**

Micaria scintillans; Fage, 1921: 101; Roewer, 1928: 117; Bristowe, 1935: 747.
Micaria smaragdula; Caporiacco, 1948: 63.
Micaria albovittata; Bosmans & Blick, 2000: 451; Chatzaki et al. 2002a : 580.

Citations:

KRITI: Chania: Akrotiri, Gouvernetou Monastery (Roewer, 1928). Irakleio: Panagia Almyri (Chatzaki et al., 2002a). Lasithi: Aghios Konstantinos (Chatzaki et al., 2002a). Rethymno: Moni Preveli (Chatzaki et al., 2002a); Oros Psiloritis, Lochria (Chatzaki et al., 2002a); Saktouria (Chatzaki et al., 2002a); Vistagi-Platania (Chatzaki et al., 2002a). MAKEDONIA: Thessaloniki (Fage, 1921). DOKEKANIS: Patmos (Bristowe, 1935). Rodos: Aghios Demetrios (Caporiacco, 1948). PELOPONNISOS: Arkadia: Megalopoli, Thersileion (Bosmans & Blick, 2000). Argolida: Oros Didymo (Bosmans & Blick, 2000).

Distribution: North Africa, temperate and Mediterranean Europe.

***Micaria coarctata* (Lucas, 1846) (m,f)**

Micaria praesignis L. Koch, 1867: 862; Pavesi, 1878: 377; Simon, 1878: 29; Simon, 1884: 338; Bristowe, 1935: 747; Drensky, 1936: 182; Hadjissarantos, 1940: 99.
Micaria formicaria; Hadjissarantos, 1940: 99 (misidentification).
Micaria albimana; Wunderlich, 1979: 265.
Micaria coarctata; Bosmans & Blick, 2000: 452; Chatzaki et al., 2002a: 577.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Kato Souli (Hadjissarantos, 1940); Oros Parnitha, Mola (Hadjissarantos, 1940); Oros Parnitha, Paleochori (Hadjissarantos, 1940); Podoniftis (Hadjissarantos, 1940). KRITI: Chania: Chiloskala (Wunderlich, 1979); Elafonisi (Chatzaki et al., 2002a); Gramvousa peninsula (Chatzaki et al., 2002a); lake Kournas (Chatzaki et al., 2002a); Lefka Ori (Chatzaki et al., 2002a). Irakleio: Achendrias (Chatzaki et al., 2002a); Dia island (Chatzaki et al., 2002a); Keratokambos (Chatzaki et al., 2002a); Lentas (Bosmans & Blick, 2000); Martsias (Chatzaki et al., 2002a); Omalos Vianou (Chatzaki et al., 2002a); Panagia Almyri (Chatzaki et al., 2002a); Pigaidakia (Chatzaki et al., 2002a); Rouvas (Chatzaki et al., 2002a); Moni Vrontisiou (Chatzaki et al., 2002a); Youchtas (Chatzaki et al., 2002a). Lasithi : Aghios Konstantinos (Chatzaki et al., 2002a); Bramiana lake (Chatzaki et al., 2002a); Oros Dikti, Limnakaro plateau (Chatzaki et al., 2002a); Ha gorge (Chatzaki et al., 2002a); Ierapetra (Chatzaki et al., 2002a); Istro (Chatzaki et al., 2002a); Itanos-Vai (Chatzaki et al., 2002a); Kato Chorio (Chatzaki et al., 2002a); Milatos (Chatzaki et al., 2002a); Mochlos-Sitia (Chatzaki et al., 2002a); Selakano (Chatzaki et al., 2002a); Moni Toplou-Vai (Chatzaki et al., 2002a). Rethymno : Exantis, Aghios Kyprianos (Chatzaki et al., 2002a); Moni Preveli (Chatzaki et al., 2002a); Oros Psiloritis, Ideon Antron (Chatzaki et al., 2002a); idem, Kouroutes (Chatzaki et al., 2002a); Saktouria (Chatzaki et al., 2002a). KYKLADES: Syros (type locality of *M. praesignis*; L. Koch, 1867).

Distribution: Mediterranean to Central Asia. Hadjissarantos' citation of *M. formicaria* from Central and Northern Europe is taken here for *M. coarctata*.

***Micaria dives* (Lucas, 1846) (m,f)**

Micariolepis dives; Simon, 1884: 338; Bristowe, 1935: 747; Drensky, 1936: 183; Hadjissarantos, 1940: 99.
Micaria dives; Wunderlich, 1979: 287; Bosmans & Blick, 2000: 446; Chatzaki et al., 2002a: 577.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Athina (Simon, 1884); Oros Parnitha (Hadjissarantos, 1940); Sounio (Bristowe, 1935). KRITI: Without precise locality (Wunderlich, 1979). Irakleio: Achendrias (Chatzaki et al., 2002a); Rouvas (Chatzaki et al., 2002a); Moni Vrontisiou (Chatzaki et al., 2002a). Lasithi: Oros Dikti, Limnakaro plateau (Chatzaki et al., 2002a). Rethymno: Vistagi-Platania (Chatzaki et al., 2002a).

PELOPONNISOS: Arkadia: Leonidio, Paleochori (Bosmans & Blick, 2000).

Distribution: Palearctic.

{*Micaria formicaria* (Sundevall, 1831)}

Cited by Hadjissarantos (1940) from Attiki, but this citation is attributed to *M. coarctata* (see there).

***Micaria fulgens* (Walckenaer, 1802) (m,f)**

Micaria fulgens; Wolf, 2003: 115.

Citations:

MAKEDONIA: Drama: Oros Falakro (Wolf, 2003). Kavala: Oros Pangeo (Wolf, 2003).

Distribution: Europe to Central Asia, North Africa.

***Micaria ignea* (O. P.- Cambridge, 1872) (m,f)**

Micaria pygmaea; Bosmans & Blick, 2000: 447; Chatzaki et al., 2002a: 575.

Citations:

KRITI: Chania: Gavdos island (Chatzaki et al., 2002a). Lasithi: Bramiana lake (Chatzaki et al., 2002a); Mirtos (Bosmans & Blick, 2000).

Distribution: Europe, North Africa to Central Asia.

***Micaria pallipes* (Lucas, 1846) (m,f)**

Micaria pallipes; Bosmans & Blick, 2000: 449.

Citations:

KRITI: Rethymno: Aghia Galini (Bosmans & Blick, 2000).

Distribution: Mediterranean to Central Asia.

***Micaria pulicaria* (Sundevall, 1831) (m,f)**

Micaria pulicaria; Roewer, 1928: 117; Wolf, 2003: 116.

Citations:

KRITI: Chania: Akrotiri, Gouverneto Monastery (Roewer, 1928); Chania (Roewer, 1928). MAKEDONIA: Drama: Oros Falakro (Wolf, 2003). Kavala: Oros Pangeo (Wolf, 2003).

Distribution: Palearctic, but mainly the temperate part.

***Micaria silesiaca* L. Koch, 1875 (m,f)**

Micaria silesiaca; Drensky, 1928: 188; Drensky, 1936: 182.

Citations:

THRAKI: Evros: near Alexandroupoli (as Burugeul; Drensky, 1928). Rodopi: Komotini (as Gumurjina; Drensky, 1928).

Distribution: Europe to Siberia, in Greece only in the northern part.

***Nomisia aussereri* (L. Koch, 1872) (m,f)**

Nomisia aussereri; Dalmas, 1921: 297; Caporiacco, 1929: 229; Werner, 1934: 164; Bristowe, 1935: 746; Werner, 1935: 297; Caporiacco, 1948: 61; Hadjissarantos, 1940: 74; Caporiacco, 1948: 61; Reimoser, 1958: 571.
Gnaphosa thressa; Pavesi, 1878: 378.
Pythonissa thressa; Simon, 1884: 342.
Pterotricha thressa; Caporiacco, 1925: 108; Bristowe, 1935: 745.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Athina (Simon, 1884); Cholargos (Hadjissarantos, 1940); Dafni (Hadjissarantos, 1940); Dionisos (Hadjissarantos, 1940); Ekali (Hadjissarantos, 1940); Oros Imitos (Werner, 1935); Moni Kaisariani (Hadjissarantos, 1940); Kato Souli (Hadjissarantos, 1940); Keratovouni (Hadjissarantos, 1940); Liopesi (Hadjissarantos, 1940); Oros Parnitha, Paleochori (Hadjissarantos, 1940); Oros Pendeli (Hadjissarantos, 1940); Pikermi (Pavesi, 1878); Podoniftis (Hadjissarantos, 1940); Rafina (Hadjissarantos, 1940); Skaramagkas (Hadjissarantos, 1940); Vouliagmeni (Hadjissarantos, 1940).
DODEKANISA: Lipos (Caporiacco, 1925). Rodos: Aghios Demetrios (Caporiacco, 1948); Aghios Isidoros (Caporiacco, 1928); Campochiaro (Caporiacco, 1948); Draco (Caporiacco, 1948); Katavia (Caporiacco, 1928). Samos (Werner, 1934). Tilos (as Piscopi; Caporiacco, 1925).
EASTERN AEGEAN ISLANDS: Icaria (Werner, 1934). Samos (Werner, 1934).
IPEIROS: Arta: Katarakti (Reimoser, 1958).
KYKLADES: Amorgos (Werner, 1934).
THESSALIA: Magnisia: Volos (Dalmas, 1921).

Distribution: Mediterranean region to the steppe zone of Mongolia.

***Nomisia excerpta* (O. P.- Cambridge, 1872) (m,f)**

Nomisia excerpta; Chatzaki et al., 2002a: 583.

Citations:

KRITI: Chania: Elafonissi (Chatzaki et al. 2003); Gavdopoula island (Chatzaki et al. 2003); Gavdos island (Chatzaki et al. 2003); Gramvousa peninsula (Chatzaki et al. 2003); Kallikratis (Chatzaki et al. 2003); Lake Kournas (Chatzaki et al. 2003); Lefka Ori (Chatzaki et al. 2003). Irakleio: Achendrias (Chatzaki et al. 2003); Aposelemis river (Chatzaki et al. 2003); Dia island (Chatzaki et al. 2003); Keratokampos (Chatzaki et al. 2003); Martsalos (Chatzaki et al. 2003); Omalos Vianou (Chatzaki et al. 2003); Panagia Almyri (Chatzaki et al. 2003); Pigaidakia (Chatzaki et al. 2003); Rouvas (Chatzaki et al. 2003); Moni Vrontisiou (Chatzaki et al. 2003); Youchtas (Chatzaki et al. 2003). Lasithi: Aghios Konstantinos (Chatzaki et al. 2003); Aghios Nikolaos (Chatzaki et al. 2003); Chamaitolou-Xirokambos (Chatzaki et al. 2003); Oros Dikti, Limnakaro plateau (Chatzaki et al. 2003); Ha gorge (Chatzaki et al. 2003); Ierapetra (Chatzaki et al. 2003); Istro (Chatzaki et al. 2003); Itanos-Vai (Chatzaki et al. 2003); Kato Chorio (Chatzaki et al. 2003); Kavousi (Chatzaki et al. 2003); Milatos (Chatzaki et al. 2003); Mochlos (Chatzaki et al. 2003); Prina-Messeleroi (Chatzaki et al. 2003); Selakano (Chatzaki et al. 2003); Moni Toplou-Vai (Chatzaki et al. 2003). Rethymno: Eksantis, Aghios Kyprianos (Chatzaki et al. 2003); Moni Preveli (Chatzaki et al. 2003); Oros Psiloritis, Aghios Mamas (Chatzaki et al. 2003); idem, Ideon Antron (Chatzaki et al. 2003); idem, Kouroutes (Chatzaki et al. 2003); idem, Zominthos (Chatzaki et al. 2003); Rizikas (Chatzaki et al. 2003); Saktouria (Chatzaki et al. 2003); Vistagi-Platania (Chatzaki et al. 2003).

Distribution: Canary islands, Tunisia, Israel, Kriti.

***Nomisia exornata* (C. L. Koch, 1839) (m,f)**

Pythonissa exornata C. L. Koch, 1839: 63; Simon, 1880: 140; Simon, 1884: 342; Strand, 1917: 161.
Pterotricha exornata; Drensky, 1928: 188; Caporiacco, 1929: 229; Reimoser, 1930: 144; Drensky, 1936: 135.
Nomisia exornata; Dalmas, 1921: 297; Roewer, 1928: 114; Giltay, 1932: 24; Bristowe, 1935: 746; Hadjissarantos, 1940: 74; Caporiacco, 1948: 61; Reimoser, 1958: 571; Roewer, 1959a: 25; Grimm, 1985: 87.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Athina (Simon, 1884); Athina, Akropolis (Roewer, 1928); Faliro (Grimm, 1985); Oros Imitos (Hadjissarantos, 1940); Moni Karea (Hadjissarantos, 1940); Liopesi (Hadjissarantos, 1940); Melissia (Hadjissarantos, 1940); Oros Parnitha, Mola (Hadjissarantos, 1940); Oros Pendeli (Hadjissarantos, 1940; Grimm, 1985); Pikermi (Hadjissarantos, 1940); Podoniftis (Hadjissarantos, 1940); Psichiko (Hadjissarantos, 1940); Vasiliko (Hadjissarantos, 1940); Vouliagmeni (Hadjissarantos, 1940). Saronic Islands: Salamina (Hadjissarantos, 1940). DODEKANISA: Rodos: Aghios Isidoros (Caporiacco, 1929); Apollonia (Caporiacco, 1948). Simi (Strand, 1917). EVVOIA-VOROI SPORADES: Evvoia (Simon, 1884): Dystos (Strand, 1917). IONIAN ISLANDS: Kefalonia: Oros Aeneos (Reimoser, 1930). Kerkyra: Cape Aghios Ilias (Giltay, 1932). IPEIROS: Arta: Rodavgi (as Nisista; Reimoser, 1958). KRITI: Lasithi: Sitia (Roewer, 1959a). KYKLADES: Naxos (Simon, 1884). Syros (Simon, 1884). Santorini (Simon, 1880): Palea Kaimeni (Grimm, 1985); Parissa (Grimm, 1985). PELOPONNISOS: Argolida: Nafplio (type locality; C. L. Koch, 1839). THESSALIA: Magnisia: Volos (Bristowe, 1935). THRAKI: Evros: Alexandroupoli (as Dede-Agatch; Drensky, 1928).

Distribution: Europe to Central Asia.

***Nomisia orientalis* Dalmas, 1921 (m,f)**

Nomisia orientalis; Hadjissarantos, 1940: 75.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Dekelia (Hadjissarantos, 1940); Oros Parnitha, Mola (Hadjissarantos, 1940).

Distribution: Turkey, Greece.

***Nomisia palaestina* (O. P.- Cambridge, 1872) (m,f)**

Nomisia palaestina; Chatzaki et al., 2002b: 611.

Citations:

DODEKANISA: Kos: Kefalos-Aghios Ioannis (Chatzaki et al., 2002b). PELOPONNISOS: Argolida: Oros Menalo (Chatzaki et al., 2002b).

Distribution: Turkey, Greece.

***Nomisia ripariensis* (O. P.- Cambridge, 1872) (m,f)**

Pterotricha ripariensis; Simon, 1916: 274; Caporiacco, 1929: 230; Bristowe, 1935: 746; Drensky, 1936: 136.

Nomisia ripariensis; Roewer, 1928: 114; Werner, 1934: 164; Hadjissarantos, 1940: 75; Caporiacco, 1948: 61; Chatzaki et al., 2002a: 585.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Oros Imitos, Moni Karea (Hadjissarantos, 1940); Kato Souli (Hadjissarantos, 1940); Oros Parnitha (Hadjissarantos, 1940); Oros Parnitha, Mola (Hadjissarantos, 1940); Oros Parnitha, Paleochori (Hadjissarantos, 1940); Oros Pendeli (Roewer, 1928); Podoniftis (Hadjissarantos, 1940).

DODEKANISA: Rodos: Aghios Dimitrios (Caporiacco, 1948); Aghios Isidores (Caporiacco, 1929); Anginovato (Caporiacco, 1948); Apollonia (Caporiacco, 1948); Campochiaro (Caporiacco, 1948); Psito (Caporiacco, 1948); Rodos town (Bristowe, 1935). Simi (Strand, 1917).

STEREA ELADA: Aitolo-Akarnania: Agrinio, Aghios Vlasios (Chatzaki et al., 2002a); Amfilochia, Chani Katsouli (Chatzaki et al., 2002a).

KRITI: Chania: Akrotiri Peninsula, near Arkalo cave (Roewer, 1928); idem, Governetou monastery (Roewer, 1928); idem, Katholico cave (Roewer, 1928). Irakleio: Kappariana (Chatzaki et al., 2002a). Lasithi: Bramiana lake (Chatzaki et al., 2002a); Ierapetra (Chatzaki et al., 2002a). Rethymno: Moni Preveli (Chatzaki et al., 2002a); Rizakis (Chatzaki et al., 2002a); Vistagi-Platania (Chatzaki et al., 2002a).

MAKEDONIA: Thessaloniki (Simon, 1916).

PELOPONNISOS: Korinthia: Isthmia (Chatzaki et al., 2002a).

THESSALIA: Larisa (Werner, 1934).

Distribution: Greece to Azerbaijan.

Poecilochroa senilis (O. P.- Cambridge, 1872) (m,f)
Poecilochroa senilis; Chatzaki et al., 2002a: 569.

Citations:

KRITI: Chania: Gavdopoulo island (Chatzaki et al. (2002a); Gavdos island (Chatzaki et al. (2002a)). Irakleio: Dia island (Chatzaki et al. (2002a)). Lasithi: Itanos-Vai (Chatzaki et al. (2002a)); Mochlos-Sitia (Chatzaki et al. (2002a)). Rethymno: Oros Psiloritis, Kouroutes (Chatzaki et al. (2002a)).

Distribution: East Mediterranean, from Corsica to Turkmenistan.

Poecilochroa variana (C. L Koch, 1839) (m,f)
Poecilochroa variana; Wolf, 2003: 116.

Citations:

MAKEDONIA: Drama: Oros Falakro (Wolf, 2003). Kavala: Oros Pangeo (Wolf, 2003).

Distribution: Europe to Central Asia.

Pterotricha lentiginosa (C. L. Koch, 1837) (m,f)
Drassus lentiginosus C. L. Koch, 1837: 14.
Gnaphosa lentiginosa; Pavesi, 1878: 378.
Pythonissa lentiginosa; Simon, 1880: 140; 1884: 342; Strand, 1917: 161.
Pterotricha lentiginosa; Kulczyn'ski, 1903: 34, 44; Dalmas, 1921: 249; Roewer, 1928: 113; Giltay, 1932: 29; Werner, 1934: 164; Bristowe, 1935: 746; Drensky, 1936: 125; Hadjissarantos, 1940: 75; Roewer, 1959a: 25; Chatzaki et al., 2002a: 580.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Athina (Simon, 1884); Elefsina (Simon, 1884); Oros Imitos (Werner, 1934); Oros Imitos, Leondario cave (Roewer, 1959a).

DODEKANISA: Karpathos (Strand, 1917).

EASTERN AEGEAN ISLANDS: Icaria (Strand, 1917). Samos: Marathocampos (Strand, 1917).

EVVOIA-VOROIES SPORADES: Evvoia: Karystos (Strand, 1917); Stira (Strand, 1917).

IONIAN ISLANDS: Kerkyra (Simon, 1880).

KRITI: Chania: Akrotiri, Governetou monastery (Roewer, 1928); Akrotiri, Arkoudas cave (Roewer, 1959); Askifou (Kulczyn'ski, 1903); Chania (Kulczyn'ski, 1903; Strand, 1917); Elafonissi (Chatzaki et al. 2002a); between Garipas and Panaghia (Giltay, 1932); Gramvousa peninsula (Chatzaki et al. 2002a); Kallikratis (Chatzaki et al. 2002a); Lake Kournas (Chatzaki et al. 2002a); Lefka Ori (Chatzaki et al. 2002a); Omalos plateau (Giltay, 1932). Irakleio: Dia island (Chatzaki et al. 2002a); Keratokampos (Chatzaki et al. 2002a); Knossos (Roewer, 1928); Martsalos (Chatzaki et al. 2002a); Omalos Vianou (Chatzaki et

al. 2002b); Panagia Almyri (Chatzaki et al. 2002a); Pigaidakia (Chatzaki et al. 2002a); Pyrgos, Peristera cave (Roewer, 1959); Rouvas (Chatzaki et al. 2002a); Moni Vrontisiou (Chatzaki et al. 2002a); Youchtas (Chatzaki et al. 2002a). Lasithi: Aghios Konstantinos (Chatzaki et al. 2002a); Aghios Nikolaos (Chatzaki et al. 2002a); Chamaitolou-Xirokambos (Chatzaki et al. 2002a); Oros Dikti, Limnakaro plateau (Chatzaki et al. 2002a); Ha gorge (Chatzaki et al. 2002a); Istro (Chatzaki et al. 2002a); Kasteli (Giltay, 1932); Kavousi (Chatzaki et al. 2002a); Lasithi (Strand, 1917); Milatos (Chatzaki et al. 2002a); Mochlos (Chatzaki et al. 2002a); Prina- Messeleroi (Chatzaki et al. 2002a); Selakano (Chatzaki et al. 2002a); Sitia (Roewer, 1959); Moni Toplou-Vai (Chatzaki et al. 2002a). Rethymno: Eksantis, Aghios Kyprianos (Chatzaki et al. 2002a); Korakas Bay (Chatzaki et al. 2002a); Moni Preveli (Chatzaki et al. 2002a); Marathospilo cave (Roewer, 1959); Oros Psiloritis, Aghios Mamas (Chatzaki et al. 2002a); idem, Ideon Antron (Chatzaki et al. 2002a); idem, Kouroutes (Chatzaki et al. 2002a); idem, Lochria (Chatzaki et al. 2002a); idem, Zominthos (Chatzaki et al. 2002a); Rizikas (Chatzaki et al. 2002a); Saktouria (Chatzaki et al. 2002a); Vistagi-Platania (Chatzaki et al. 2002a).

KYKLADES: Naxos (Simon, 1884). Syros (Simon, 1884). Santorini (Simon, 1880).

PELOPONNISOS: Without precise locality (type locality; C. L. Koch, 1837).

THESSALIA: Magnisia: Volos (Dalmas, 1921).

Distribution: Greece, Cyprus, Turkey, Ukraine.

Scotophaeus blackwalli (Thorell, 1871) (m,f)
Scotophaeus blackwalli; Caporiacco, 1929: 228; Caporiacco, 1948: 60.

Citations:

DODEKANISA: Rodos: Rodos town (Caporiacco, 1929).

Distribution: Cosmopolitan.

Scotophaeus peninsularis Roewer, 1928 (f)
Scotophaeus peninsularis Roewer, 1928: 108; Drensky, 1936: 142; Chatzaki et al., 2002b: 620.

Citations:

KRITI: Chania: Elafonisi (Chatzaki et al., 2002b). PELOPONNISOS: Arkadia: Vitina (type locality; Roewer, 1928).

Distribution: Continental Greece, Crete and Israel; only the female is known.

Scotophaeus scutulatus (L. Koch, 1866) (m,f)
Drassus scutulatus; Drensky, 1928: 188.
Scotophaeus scutulatus; Fage, 1921: 99; Roewer, 1928: 107; Werner, 1934: 164; Bristowe, 1935: 746; Drensky, 1936: 142; Hadjissarantos, 1940: 78; Roewer, 1959a: 26; Chatzaki et al., 2002b: 618.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Kato Souli (Hadjissarantos, 1940; Chatzaki et al., 2002b); Oros Parnitha, Palaeochori (Hadjissarantos, 1940); Pikermi (Hadjissarantos, 1940); Vouliagmeni (Hadjissarantos, 1940).

IPEIROS: Ioannina : near Ioannina lake (Chatzaki et al., 2002b). KRITI: Chania: Gavdos island (Chatzaki et al., 2002b); Omalos plateau (Roewer, 1928). Lasithi: Selakano (Chatzaki et al., 2002b). Rethymno: Marathospilio (Roewer, 1959a).

KYKLADES: Ios (Werner, 1934).

MAKEDONIA: Thessaloniki (Fage, 1921).

THRAKI: Evros: Alexandroupoli (as Dede-Agatch; Drensky, 1928); Potamos (as Badoma; Drensky, 1928). Rodopi: Komotini (as Gumurjina; Drensky, 1928). Xanthi: Xanthi (as Sketscha; Drensky, 1928).

Distribution: Europe to Central Asia, North Africa.

***Scotophaeus validus* (Lucas, 1846) (m,f)**

Scotophaeus validus; Caporiacco, 1925: 108; Bristowe, 1935: 746.

Citations:

DODEKANISA: Tilos (as Piscopi; Caporiacco, 1925).

Distribution: Southern Europe, North Africa.

***Setaphis carmeli* (O. P. -Cambridge, 1872) (m,f)**

Prosthesima carmeli; Simon, 1884: 342.

Zelotes carmeli; Bristowe, 1935: 745; Drensky, 1936: 143; Hadjissarantos, 1940: 81; Caporiacco, 1948: 60.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Athina (Simon, 1884).

DODEKANISA: Rodos: Aghios Dimitrios (Caporiacco, 1948); Anginovato (Caporiacco, 1948).

EVOIA-VOROIES SPORADES: Evvoia: Steni (Simon, 1884).

KRITI: Chania: Lefka Ori (Chatzaki et al., 2003). Irakleio : Moni Vrontisiou (Chatzaki et al., 2003). Lasithi: Istro (Chatzaki et al., 2003). Rethymno : Moni Preveli (Chatzaki et al., 2003); Panagia Almyri (Chatzaki et al., 2003).

Distribution: Circummediterranean.

***Setaphis parvula* (Lucas, 1846) (m,f)**

Setaphis suavis; Hadjissarantos, 1940: 79.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Oros Imitos, Moni Karea (Hadjissarantos, 1940); Kato Souli (Hadjissarantos, 1940).

Distribution: Circummediterranean; according to Platnick & Murphy (1996), only in the western part, which does not takes Hadjissarantos' citation (1940) into account. This citation should be confirmed.

***Sosticus loricatus* (L. Koch, 1866) (m,f)**

Drassus coryceus Simon, 1884: 340; Carlini, 1901: 79.

Scotophaeus loricatus; Caporiacco, 1948: 60.

Citations:

IONIAN ISLANDS: Kefalonia (Carlini, 1901). Kerkyra (Simon, 1884).

DODEKANISA: Rodos: Aghios Dimitrios (Caporiacco, 1948); Draco (Caporiacco, 1948).

Distribution: Holarctic.

***Synaphosus palearcticus* Ovtsharenko, Levy & Platnick, 1994 (m,f)**

Synaphosus palearcticus; Chatzaki et al., 2002b: 621.

Citations:

IONIAN ISLANDS: Antikithira: Potamos (Chatzaki et al., 2002b). KRITI: Rethymno: Oros Psiloritis, Aghios Mamas (Chatzaki et al., 2002b).

Distribution: Central palearctic.

***Synaphosus trichopus* (Roewer, 1928) (m,f)**

Zelotes trichopus Roewer, 1928: 110.

Synaphosus trichopus; Chatzaki et al., 2002b: 623.

Citations:

DODEKANISA: Karpathos: Pyles-Volada (Chatzaki et al., 2002b). KRITI: Chania: Akrotiri, Governetou Monastery (type locality; Roewer, 1928). Irakleio: Martsalo (Chatzaki et al., 2002b); Pigaidakia (Chatzaki et al., 2002b); Panagia Almyri (Chatzaki et al., 2002b); Moni Vrontisiou (Chatzaki et al., 2002b). Rethymno: Saktouria (Chatzaki et al., 2002b).

PELOPONNISOS: Argolida: Oros Menalo (Chatzaki et al., 2003).

Distribution: For a long time only known from Kriti (Roewer, 1928) but recently redescribed by Chatzaki et al. (200b) with additional records on the Peloponnisos and the island Karpathos.

***Trachyzelotes adriaticus* (Caporiacco, 1951) (m,f)**

Trachyzelotes adriaticus; Chatzaki et al., 2003: 54.

Citations:

IONIAN ISLANDS: Antikithira : Potamos (Chatzaki et al., 2003). KRITI: Chania: Gavdopoulo Island (Chatzaki et al., 2003); Gavdos island (Chatzaki et al., 2003); Gramvousa Peninsula (Chatzaki et al., 2003); Lake Kournas (Chatzaki et al., 2003). Rethymno : Aghios Mamas, Oros Psiloritis (Chatzaki et al., 2003); Kouroutes, Oros Psiloritis (Chatzaki et al., 2003); Moni Preveli (Chatzaki et al., 2003).

Distribution: Italy, Balkans, Kriti, China.

***Trachyzelotes barbatus* (L. Koch, 1866) (m,f)**

Prosthesima barbata; Simon, 1884: 342.

Zelotes barbatus; Roewer, 1928: 109; Bristowe, 1935: 745; Drensky, 1936: 143; Hadjissarantos, 1940: 81.

Trachyzelotes barbatus; Chatzaki et al., 2003: 53.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Elefsina (Simon, 1884); Oros Parnitha, Mola (Hadjissarantos, 1940).

IONIAN ISLANDS: Antikithira: Potamos (Chatzaki et al., 2003). KRITI: Chania: Agia lake (Chatzaki et al., 2003); Gramvousa peninsula (Chatzaki et al., 2003); Lefka Ori (Chatzaki et al., 2003); Meskla (Roewer, 1928). Rethymno : Moni Preveli (Chatzaki et al., 2003).

Distribution: Mediterranean to Central Asia, USA.

***Trachyzelotes fuscipes* (L. Koch, 1866) (m,f)**

Zelotes rubicundulus; Caporiacco, 1948: 60.

Trachyzelotes fuscipes; Platnick & Murphy, 1984: 15.

Citations:

DODEKANISA: Kos: Kefalos (Platnick & Murphy, 1984). Rodos: Pissipi (Caporiacco, 1948).

Distribution: Mediterranean, China.

***Trachyzelotes holosericeus* (Simon, 1878) (m,f)**

Zelotes holosericeus; Hadjissarantos, 1940: 81.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Oros Parnitha (Hadjissarantos, 1940).

Distribution: According to Platnick & Murphy (1984) a western Mediterranean species, which does not takes into account Hadjissarantos' citation (1940) from Attiki.

***Trachyzelotes lyonetti* (Audouin, 1826) (m,f)**

Trachyzelotes lyonetti; Platnick & Murphy, 1984: 6; Chatzaki et al., 2003: 54.

Citations:

KRITI: Irakleio: Agia lake (Chatzaki et al., 2003); Gortyna (Platnick & Murphy, 1984); Gramvousa peninsula (Chatzaki et al., 2003). Irakleio: Aposelemis river (Chatzaki et al., 2003); Gortyna (Platnick & Murphy, 1984); Keratokambos (Chatzaki et al., 2003); Panagia Almyri (Chatzaki et al., 2003). Lasithi: Agios Nikolaos (Chatzaki et al., 2003); Amigdalia, W Neapoli (Chatzaki et al., 2003); Bramiana lake (Chatzaki et al., 2003); Ierapetra (Chatzaki et al., 2003); Milatos (Chatzaki et al., 2003). Rethymno: Exantis, Agios Kyprianos (Chatzaki et al., 2003); Rizikas (Chatzaki et al., 2003).

Distribution: Natively Mediterranean region to Central Asia, introduced elsewhere.

***Trachyzelotes malkini* Platnick & Murphy, 1984 (m,f)**
Trachyzelotes malkini Platnick & Murphy, 1984: 22; Chatzaki et al., 2003: 53.

Citations:

DODENISA: Karpathos: Pyles-Volada (Chatzaki et al., 2003). KRITI: Chania: Gavdos island (Chatzaki et al., 2003); Gramvousa peninsula (Chatzaki et al., 2003); Kalathas, Akrotiri (Platnick & Murphy, 1984); Lefka Ori (Chatzaki et al., 2003). Irakleio: Achendrias (Chatzaki et al., 2003); Keratokambos (Chatzaki et al., 2003); Malia (Platnick & Murphy, 1984); Martsalos (Chatzaki et al., 2003); Omalos Vianou (Chatzaki et al., 2003); Panagia Almyri (Chatzaki et al., 2003); Pigaidakia (Chatzaki et al., 2003); Rouvas (Chatzaki et al., 2003); Moni Vrontisiou (Chatzaki et al., 2003); Youchtas (Chatzaki et al., 2003). Lasithi: Aghios Konstantinos (Chatzaki et al., 2003); Aghios Nikolaos (Platnick & Murphy, 1984); Bramiana lake (Chatzaki et al., 2003); Chamaitolou-Xirokambos (Chatzaki et al., 2003); Oros Dikti, Limnako plateau (Chatzaki et al., 2003); Ha gorge (Chatzaki et al., 2003); Istro (Chatzaki et al., 2003); Milatos (Chatzaki et al., 2003); Selakano (Chatzaki et al., 2003); Moni Toplou-Vai (Chatzaki et al., 2003). Rethymno: Exantis, Aghios Kyprianos (Chatzaki et al., 2003); Korkas bay (Chatzaki et al., 2003); Moni Preveli (Chatzaki et al., 2003); Oros Psiloritis, Kouroutes (Chatzaki et al., 2003); Saktouria (Chatzaki et al., 2003); Vistagi-Platania (Chatzaki et al., 2003).

Distribution: Bulgaria, Turkey and the Caucasus; In Greece found on Kriti and Karpathos.

***Trachyzelotes pedestris* (C. L. Koch, 1837) (m,f)**
Zelotes pedestris; Roewer, 1928: 109; Hadjissarantos, 1940: 83; Reimoser, 1958: 572; Wolf, 2003: 116.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Kato Souli (Hadjissarantos, 1940); Oros Pendeli, Aghia Triada (Hadjissarantos, 1940); Podoniftis (Hadjissarantos, 1940). DODEKANISA: Kos: Kefalos (Platnick & Murphy, 1984). Rodos (Caporiacco, 1948). IPEROS: Arta: Katafigio (Reimoser, 1958). MAKEDONIA: Kavala: Oros Pangeo (Wolf, 2003). PELOPONNISOS: Arkadia: Vitina (Roewer, 1928).

Distribution: Europe to Azerbaijan.

***Zelotes aerosus* Charitonov, 1946 (m,f)**
Zelotes aerosus; Chatzaki et al. 2003: 58.

Citations:

KRITI: Chania: Gramvousa peninsula (Chatzaki et al., 2003).

Distribution: Uzbekistan, Kriti.

***Zelotes apricorum* (L. Koch, 1876) (m,f)**
Zelotes apricorum; Wolf, 2003: 116.

Citations:

MAKEDONIA: Drama: Oros Falakro (Wolf, 2003).

Distribution: Europe to Kazakhstan.

***Zelotes argoliensis* (C. L. Koch, 1839) (f)**
Melanophora argoliensis C. L. Koch, 1839: 72.
Prosthesima argolinensis (sic); Simon, 1884: 340.
Zelotes argolinensis (sic); Bristowe, 1935: 744; Drensky, 1936: 143.

Citations:

PELOPONNISOS: Argolida: Without precise locality (type locality); C. L. Koch, 1839.

Distribution: Greece. Insufficiently known species, only known from the type locality.

{*Zelotes bimaculatus* (C. L. Koch, 1837)}

This species is a species inquirendae and the type material is not available. Koch (1873) describes it as an entirely blackish species with two medio-dorsal whitish spots on the abdomen, and with the tibiae, metatarsi and tarsi yellowish brown. This description fits completely to *Aphantaulax trifasciata* described later by O. P.- Cambridge in 1872. The two are here considered to be synonyms. As the name *Aphantaulax trifasciata* is currently used and the name *Zelotes bimaculatus* has not been in use since 1936, we propose to continue the use of *A. trifasciata*.

***Zelotes caucasicus* (L. Koch, 1866) (m,f)**

Zelotes caucasicus; Caporiacco, 1925: 108; Roewer, 1928: 109; Caporiacco, 1929: 228; Bristowe, 1935: 745; Drensky, 1936: 144; Hadjissarantos, 1940: 81; Caporiacco, 1948: 60; Chatzaki et al., 2003: 58.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Dekelia (Hadjissarantos, 1940); Ekali (Hadjissarantos, 1940); Oros Parnitha (Hadjissarantos, 1940); Oros Parnitha, Mola (Hadjissarantos, 1940).

DODEKANISA: Rodos: Katavia (Caporiacco, 1929). Tilos (as Piskopi; Caporiacco, 1929).

IONIAN ISLANDS: Antikithira: Potamos (Chatzaki et al., 2003). KRITI: Chania: Agia lake (Chatzaki et al. 2003); Akrotiri (Roewer, 1928); Elafonissi (Chatzaki et al. 2003); Gavdopoula island (Chatzaki et al. 2003); Gavdos island (Chatzaki et al. 2003); Gramvousa peninsula (Chatzaki et al. 2003); Governetou Monastery (Roewer, 1928); Lake Kournas (Chatzaki et al. 2003); Lefka Ori (Chatzaki et al. 2003). Irakleio: Achendrias (Chatzaki et al. 2003); Aposelemi river (Chatzaki et al. 2003); Dia island (Chatzaki et al. 2003); Eksantis, Aghios Kyprianos (Chatzaki et al. 2003); Martsalos (Chatzaki et al. 2003); Omalos Vianou (Chatzaki et al. 2003); Panagia Almyri (Chatzaki et al. 2003); Pigaidakia (Chatzaki et al. 2003); Rouvas (Chatzaki et al. 2003); Moni Vrontisiou (Chatzaki et al. 2003). Lasithi: Aghios Nikolaos (Chatzaki et al. 2003); Bramiana lake (Chatzaki et al. 2003); Chamaitolou-Xirokambos (Chatzaki et al. 2003); Oros Dikti, Limnako plateau (Chatzaki et al. 2003); Ha gorge (Chatzaki et al. 2003); Istro (Chatzaki et al. 2003); Itanos-Vai (Chatzaki et al. 2003); Kavousi (Chatzaki et al. 2003); Milatos (Chatzaki et al. 2003); Mochlos (Chatzaki et al. 2003); Prina- Messeleroi (Chatzaki et al. 2003); Selakano (Chatzaki et al. 2003); Moni Toplou-Vai (Chatzaki et al. 2003). Rethymno: Eksantis, Aghios Kyprianos (Chatzaki et al. 2003); Milatos (Chatzaki et al. 2003); Moni Preveli (Chatzaki et al. 2003); Oros Psiloritis, Aghios Mamas (Chatzaki et al. 2003); idem, Kouroutes (Chatzaki et al. 2003); idem, Lochria (Chatzaki et al. 2003); Rizikas (Chatzaki et al. 2003); Saktouria (Chatzaki et al. 2003); Vistagi-Platania (Chatzaki et al. 2003). PELOPONNISOS: Arkadia: Vitina (Roewer, 1928).

Distribution: South and Central Europe to Central Asia.

***Zelotes cingarus* (O. P.- Cambridge, 1874) (m,f)**

Prosthesima cingara O. P.- Cambridge, 1874: 382.
Zelotes cingarus; Drensky, 1936: 144; Reimoser, 1958: 572.

Citations:

IONIAN ISLANDS: Kerkyra (type locality; O.P-Cambridge, 1874). Lefkada (Reimoser, 1958).

Distribution: Greece, Turkey, Turkestan. The species is in need of redescription.

***Zelotes clivicola* (L. Koch, 1870) (m,f)**

Zelotes clivicola; Drensky, 1928: 188; Roewer, 1928: 109;
Drensky, 1936: 144; Roewer, 1959a: 26.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Oros Imitos, Kakavoula cave (Roewer, 1959a).
KRITI: Irakleio: Knossos (Roewer, 1928).
MAKEDONIA: Kastoria: lake Kastoria (Roewer, 1959a). Serres: Chrisopighi, Aghios Prodromos (Roewer, 1959a); Orini (Roewer, 1959a); Serres castle (Roewer, 1959a).
THRAKI: Evros: Makri (Drensky, 1928). Xanthi: Toxotes (Roewer, 1959a); Xanthi (as Sketscha; Drensky, 1928).

Distribution: Palearctic.

***Zelotes creticus* (Kulczyn'ski, 1903) (m,f)**

Prosthesima cretica Kulczyn'ski, 1903: 34, 42.
Zelotes creticus; Bristowe, 1935: 745; Chatzaki et al. 2003: 64.

Citations:

KRITI: Chania: Asi Gonia (Chatzaki et al., 2003); Kallikratis (Chatzaki et al., 2003); Lake Kournas (Chatzaki et al., 2003); Lefka Ori (Chatzaki et al., 2003); Omalos plateau (Kulczyn'ski, 1903). Rethymno: Askifou (Kulczyn'ski, 1903); Moni Preveli (Chatzaki et al., 2003); Oros Psiloritis, Aghios Mamas (Chatzaki et al., 2003); Saktouria (Chatzaki et al., 2003).

Distribution: Kriti.

***Zelotes daidalus* Chatzaki, 2003 (m,f)**

Zelotes daidalus Chatzaki, in Chatzaki et al. 2003: 77.

Citations:

KRITI: Chania : Elafonisi (Chatzaki et al., 2003); Gavdos island (Chatzaki et al., 2003); Gramvousa peninsula (Chatzaki et al., 2003); Lefka Ori (Chatzaki et al., 2003). Irakleio : Panagia Almyri (Chatzaki et al., 2003). Lasithi : Istro (Chatzaki et al., 2003); Milatos (Chatzaki et al., 2003); Moni Toplou-Vai (Chatzaki et al., 2003). Rethymno: Exantis, Aghios Kyrianos (type locality; Chatzaki et al., 2003); Rizikas (Chatzaki et al., 2003); Saktouria (Chatzaki et al., 2003); Vistagi-Platania (Chatzaki et al., 2003).

Distribution: Only known from the islands Kriti and Gavdos.

***Zelotes distinctissimus* Caporiacco, 1929 (m)**

Zelotes distinctissimus Caporiacco, 1929: 228; Caporiacco, 1948: 61.

Citations:

DODEKANISA: Rodos: Aghios Demetrios (Caporiacco, 1948); Aghios Isidores (type locality; Caporiacco, 1929).

Distribution: Only known from Rodos. The type material has to be redescribed, as Caporiacco's figure does not allow an identification.

{*Zelotes electus* (C. L. Koch, 1839) (m,f)}

Zelotes electus; Caporiacco, 1948: 60.

Citations:

DODEKANISA: Rodos: Aghios Demetrios (Caporiacco, 1948).

Distribution: Temperate Europe to Central Asia. Caporiacco's specimens are juvenile, and identification of such material cannot be trusted. The species is deleted from the Greek list.

***Zelotes erebeus* (Thorell, 1871) (m,f)**

Zelotes erebeus; Wolf, 2003: 116.

Citations:

MAKEDONIA: Drama: Oros Falakro (Wolf, 2003).

Distribution: Europe to Georgia.

***Zelotes femellus* (L. Koch, 1866) (m,f)**

Zelotes femellus; Roewer, 1959a: 26.

Citations:

MAKEDONIA: Kavala: Iraklitsa, Cyclope cave (Roewer, 1959a). Pella: Edessa, Vrita (Roewer, 1959a).

Distribution: Corse, Italy, the Balkans.

***Zelotes flavimanus* (C. L. Koch, 1839) (m)**

Melanophora flavimana C. L. Koch, 1839: 73.
Zelotes flavimanus; Drensky, 1936: 145.

Citations:

PELOPONNISOS: Without precise locality (type locality; C. L. Koch, 1839).

Distribution: Greece. Insufficiently known species.

***Zelotes graecus* (L. Koch, 1867) (f)**

Melanophora graeca L. Koch, 1867: 863.
Prosthesima graeca; Simon, 1884: 341.
Zelotes graecus; Caporiacco, 1929: 228; Bristowe, 1935: 745; Drensky, 1936: 145; Caporiacco, 1948: 61.

Citations:

DODEKANISA: Rodos: Aghios Isidores (Caporiacco, 1929). KYKLADES: Tinos (type locality; L. Koch, 1867).

Distribution: Greek Islands. Insufficiently known species.

***Zelotes ilotarum* (Simon, 1884) (m,f)**

Prosthesima ilotarum Simon, 1884: 341.
Zelotes ilotarum; Bristowe, 1935: 745; Drensky, 1936: 145; Hadjissarantos, 1940: 82.
Zelotes cf. ilotarum; Chatzaki et al. 2003: 66.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Athina (type locality; Simon, 1884); Ekali (Hadjissarantos, 1940); Moni Kaisariani (Hadjissarantos, 1940); Kato Souli (Hadjissarantos, 1940); Kopanas (Hadjissarantos, 1940); Lavrio (Hadjissarantos, 1940); Liopesi (Hadjissarantos, 1940); Loutsa (Hadjissarantos, 1940); Oros Parnitha, Mola (Hadjissarantos, 1940); Oros Parnitha, Palaeochori (Hadjissarantos, 1940); Oros Pendeli, Aghia Triada (Hadjissarantos, 1940); Phili (Hadjissarantos, 1940); Psichiko (Hadjissarantos, 1940); Vouliagmeni (Hadjissarantos, 1940). KRITI: Chania: Achentrias (Chatzaki et al., 2003); Agia lake (Chatzaki et al., 2003); Omalos Vianou (Chatzaki et al., 2003). Irakleio: Panagia Almyri (Chatzaki et al., 2003); Moni Vrontisiou (Chatzaki et al., 2003). Lasithi: Agios Konstantinos (Chatzaki et al., 2003). KYKLADES: Naxos (type locality; Simon, 1884). PELOPONNISOS: Achaia: Egio (Chatzaki et al., 2003).

Distribution: Greece. Chatzaki et al. (2003) mention small differences between the populations from Kriti and those from continental Greece.

***Zelotes insulanus* (L. Koch, 1867) (f)**

Melanophora insulana L. Koch, 1867: 863.
Prosthesima insulana; Simon, 1884: 341.
Zelotes insularis (sic); Caporiacco, 1929: 228; Bristowe, 1935: 745; Caporiacco, 1948: 61.

Citations:

DODEKANISA: Rodos: Aghios Isidores (Caporiacco, 1929); Koschno (Caporiacco, 1929, 1948). KYKLADES: Tinos (type locality; L. Koch, 1867).

Distribution: Originally described from Tinos, and later also cited from Rodos. Only the female is known and the species is in need of redescription.

***Zelotes longipes* (L. Koch, 1866) (m,f)**

Zelotes serotinus; Reimoser, 1958: 572.

Citations:

IONIAN ISLANDS: Lefkada (Reimoser, 1958).
IPEIROS: Arta: Katarakti (Reimoser, 1958).

Distribution: Palearctic.

***Zelotes minous* Chatzaki, 2003 (m,f)**

Zelotes minous Chatzaki, in Chatzaki et al. 2003: 70.

Citations:

DODEKANISA: Karpathos: Pyles-Volada (Chatzaki et al., 2003).
KRITI: Chania: Gavdos island (Chatzaki et al., 2003); Gramvousa peninsula (Chatzaki et al., 2003); Lefka Ori (Chatzaki et al., 2003). Irakleio: Dia island (Chatzaki et al., 2003). Rethymno : Exantis, Aghios Kyrianos (type locality; Chatzaki et al., 2003).

Distribution: Kriti, Gavdos island, Karpathos.

***Zelotes nilicola* (O. P.- Cambridge, 1874) (m,f)**

Zelotes nilicola; Platnick & Shadab, 1983: 182; Chatzaki et al., 2003: 73.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Athina (Platnick & Shadab, 1983).
KRITI: Chania: Gavdos island (Chatzaki et al., 2003). Irakleio : Aposelemi river (Chatzaki et al., 2003). Lasithi : Bramiana lake (Chatzaki et al., 2003).

Distribution: Mediterranean, Canary Islands, USA.

***Zelotes oblongus* (C. L. Koch, 1833) (m,f)**

Melanophora oblonga; Cecconi, 1895: 191.
Prosthesima oblonga; Drensky, 1928: 188.
Zelotes oblongus; Drensky, 1936: 147; Roewer, 1959a: 26.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Oros Imitos, Rakhi mountain (Roewer, 1959a).
KRITI: Chania: Akrotiri, Arkoudas cave (Roewer, 1959a).
Rethymno: Oros Ida (Cecconi, 1895).
THRAKI: Evros: Alexandroupoli (as Dede-Agatch; Drensky, 1928). Rodopi: Komotini (as Gumurjina; Drensky, 1928). Xanthi: Xanthi (as Sketscha; Drensky, 1928).

Distribution: SE Europe, S Alps, Italy.

***Zelotes olympi* (Kulczyn'ski, 1903) (f)**

Prosthesima olympi Kulczyn'ski, 1903: 627, 639.
Zelotes olympi; Drensky, 1936: 147.

Citations:

THESSALIA: Larisa: Oros Olympos (as Olympus Bithynicus; type locality; Kulczyn'ski, 1903).

Distribution: Only known from the type locality in Thessalia and only the female is known. The species is in need of redescription.

***Zelotes scrutatus* (O. P.- Cambridge, 1872) (m,f)**

Drassodes cofinotes Roewer, 1928: 105; Hadjissarantos, 1940: 76.
Zelotes scrutatus; Chatzaki et al., 2003: 69.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Kokkinos Milos (Hadjissarantos, 1940).
KRITI: Chania: Agia lake (Chatzaki et al., 2003); Elafonissi (Chatzaki et al. 2003); Gavdos island (Chatzaki et al. 2003); Gramvousa peninsula (Chatzaki et al. 2003); Lake Kournas (Chatzaki et al. 2003); Lefka Ori (Chatzaki et al. 2003); Topolia (Roewer, 1928). Irakleio: Achendrias (Chatzaki et al., 2003); Keratokampos (Chatzaki et al. 2003); Pigaidakia (Chatzaki et al., 2003); Omalos Vianou (Chatzaki et al. 2003); Panagia Almyri (Chatzaki et al. 2003); Moni Vrontisiou (Chatzaki et al. 2003); Youchtas (Chatzaki et al. 2003). Lasithi: Bramiana lake (Chatzaki et al. 2003); Chamaitolou-Xirokambos (Chatzaki et al. 2003); Ierapetra (Chatzaki et al. 2003); Istro (Chatzaki et al. 2003); Milatos (Chatzaki et al. 2003); Mochlos (Chatzaki et al. 2003); Prina-Messeleroi (Chatzaki et al. 2003); Selakano (Chatzaki et al. 2003); Moni Toplou-Vai (Chatzaki et al. 2003). Rethymno: Eksantis, Aghios Kyrianos (Chatzaki et al. 2003); Moni Preveli (Chatzaki et al. 2003); Oros Psiloritis, Aghios Mamas (Chatzaki et al. 2003); idem, Kouroutes (Chatzaki et al. 2003); Rizikas (Chatzaki et al. 2003); Saktouria (Chatzaki et al. 2003); Vistagi-Platania (Chatzaki et al. 2003). PELOPONNISOS: Argolida: Oros Menalo (Chatzaki et al., 2003).

Distribution: Circummediterranean.

***Zelotes segreg* (Simon, 1878) (m,f)**

Zelotes labilis; Hadjissarantos, 1940: 82; Chatzaki et al. 2003: 73.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Ekali (Hadjissarantos, 1940; Chatzaki et al., 2003).
DODEKANISA : Karpathos : Pyles-Volada (Chatzaki et al., 2003). Kos: Kefalos-Aghios Ioannis (Chatzaki et al., 2003). EASTERN AEGEAN ISLANDS: Samos: Koumaradais (Hadjissarantos, 1940; Chatzaki et al., 2003). IONIAN ISLANDS: Antikithira: Potamos (Chatzaki et al., 2003). KRITI: Chania: Agia lake (Chatzaki et al. 2003); Elafonissi (Chatzaki et al. 2003); Gavdos island (Chatzaki et al. 2003); Lefka Ori (Chatzaki et al. 2003). Irakleio: Achendrias (Chatzaki et al. 2003); Dia island (Chatzaki et al. 2003); Keratokampos (Chatzaki et al. 2003); Martsalos (Chatzaki et al. 2003); Omalos Vianou (Chatzaki et al. 2003); Panagia Almyri (Chatzaki et al. 2003); Pigaidakia (Chatzaki et al. 2003); Rouvas (Chatzaki et al. 2003); Moni Vrontisiou (Chatzaki et al. 2003); Youchtas (Chatzaki et al. 2003). Lasithi: Aghios Konstantinos (Chatzaki et al. 2003); Bramiana lake (Chatzaki et al. 2003); Chamaitolou-Xirokambos (Chatzaki et al. 2003); Oros Dikti, Limnakaro plateau (Chatzaki et al. 2003); Ha gorge (Chatzaki et al. 2003); Istro (Chatzaki et al. 2003); Kavousi (Chatzaki et al. 2003); Milatos (Chatzaki et al. 2003); Prina-Meseleri (Chatzaki et al. 2003); Selakano (Chatzaki et al. 2003); Moni Toplou-Vai (Chatzaki et al. 2003). Rethymno: Exantis, Aghios Kyrianos (Chatzaki et al. 2003); Korakas Bay (Chatzaki et al. 2003); Moni Preveli (Chatzaki et al. 2003); Oros Psiloritis, Aghios Mamas (Chatzaki et al. 2003); idem, Ideon Antron (Chatzaki et al. 2003); idem, Kouroutes (Chatzaki et al. 2003); idem, Lochria (Chatzaki et al. 2003); idem, Zominthos (Chatzaki et al. 2003); Rizikas (Chatzaki et al. 2003); Saktouria (Chatzaki et al. 2003); Vistagi-Platania (Chatzaki et al. 2003). PELOPONNISOS: Argolida: Oros Menalo (Chatzaki et al., 2003).

Distribution: Central and southern Europe, Urals.

***Zelotes similis* (Kulczyn'ski, 1887) (m,f)**

Zelotes similis; Wolf, 2003: 116.

Citations:

MAKEDONIA: Drama: Oros Falakro (Wolf, 2003). Kavala: Oros Pangeo (Wolf, 2003).

Distribution: Europe.

***Zelotes solstitialis* Levy, 1998 (m,f)**

Zelotes solstitialis; Chatzaki et al., 2003: 60.

Citations:

DODEKANISA: Karpathos: Kefalos-Aghios Ioannis (Chatzaki et al., 2003).
KRITI: Irakleio: Achentrias (Chatzaki et al., 2003); Aposelemis river (Chatzaki et al., 2003); Omalos Vianou (Chatzaki et al., 2003); Panagia Almyri (Chatzaki et al., 2003). Lasithi : Aghios Nikolaos (Chatzaki et al., 2003); Chamaitoulo-Xirokampos (Chatzaki et al., 2003); Oros Dikti, Limnakro plateau (Chatzaki et al., 2003); Ha gorge (Chatzaki et al., 2003); Istro (Chatzaki et al., 2003); Itanos-Vai (Chatzaki et al., 2003); Kavousi (Chatzaki et al., 2003); Milatos (Chatzaki et al., 2003); Prina-Messeleri (Chatzaki et al., 2003); Selakano (Chatzaki et al., 2003); Moni Toplou-Vai (Chatzaki et al., 2003). Rethymno: Dia island (Chatzaki et al., 2003); Exantis, Agios Kyrianos (Chatzaki et al., 2003); Pigaidakia (Chatzaki et al., 2003); Rizikas (Chatzaki et al., 2003); Saktouria (Chatzaki et al., 2003); Vistagi-Platania (Chatzaki et al., 2003).
PELOPONNISOS: Argolida: Oros Menalo (Chatzaki et al., 2003).

Distribution: Israel, Greece.

***Zelotes subterraneus* (C. L. Koch, 1833) (m,f)**

?*Drassus ater*; Lucas, 1853: 523.
Zelotes subterraneus; Chatzaki et al., 2003: 63.

Citations:

DODEKANISA: Karpathos: Pyles-Volada (Chatzaki et al., 2003).
KRITI: Chania: Elafonissi (Chatzaki et al. 2003); Gavdos island (Chatzaki et al. 2003); Gramvousa peninsula (Chatzaki et al. 2003); Lake Kournas (Chatzaki et al. 2003); Lefka Ori (Chatzaki et al. 2003). Irakleio: Aposelemis riv er (Chatzaki et al. 2003); Dia island (Chatzaki et al. 2003); Keratokampos (Chatzaki et al. 2003); Martsalos (Chatzaki et al. 2003); Omalos Vianou (Chatzaki et al. 2003); Panagia Almyri (Chatzaki et al. 2003); Pigaidakia (Chatzaki et al. 2003); Rouvas (Chatzaki et al. 2003); Moni Vrontisiou (Chatzaki et al. 2003); Youchtas (Chatzaki et al. 2003). Lasithi: Aghios Konstantinos (Chatzaki et al. 2003); Aghios Nikolaos (Chatzaki et al. 2003); Amigdali (Chatzaki et al. 2003); Bramiana lake (Chatzaki et al. 2003); Chamaitoulo-Xirokampos (Chatzaki et al. 2003); Oros Dikti, Limnakro plateau (Chatzaki et al. 2003); Ha gorge (Chatzaki et al. 2003); Ierapetra (Chatzaki et al. 2003); Istro (Chatzaki et al. 2003); Itanos-Vai (Chatzaki et al. 2003); Kato Chorio (Chatzaki et al. 2003); Kavousi (Chatzaki et al. 2003); Kavousi-Thrypti (Chatzaki et al. 2003); Milatos (Chatzaki et al. 2003); Mochlos (Chatzaki et al. 2003); Prina-Messeleri (Chatzaki et al. 2003); Selakano (Chatzaki et al. 2003); Moni Toplou-Vai (Chatzaki et al. 2003). Rethymno: Eksantis, Aghios Kyrianos (Chatzaki et al. 2003); Korakas Bay (Chatzaki et al. 2003); Moni Preveli (Chatzaki et al. 2003); Oros Psiloritis, Aghios Mamas (Chatzaki et al. 2003); idem, Ideon Antron (Chatzaki et al. 2003); idem, Kouroutes (Chatzaki et al. 2003); idem, Lochria (Chatzaki et al. 2003); idem, Zominthos (Chatzaki et al. 2003); Rethymno (sub *Z. ater*; Lucas, 1853); Rizikas (Chatzaki et al. 2003); Saktouria (Chatzaki et al. 2003); Vistagi-Platania (Chatzaki et al. 2003).
PELOPONNISOS: Argolida: Oros Menalo (Chatzaki et al., 2003).

Distribution: Trans-palearctic.

***Zelotes talpinus* (L. Koch, 1872) (m,f)**

Zelotes talpinus; Wolf, 2003: 117, 227.

Citations:

IPEIRO: Ioannina: Oros Timfi (Wolf, 2003).
MAKEDONIA: Drama: Oros Falakro (Wolf, 2003). Kavala: Oros Pangeo (Wolf, 2003).

Distribution: Europe.

***Zelotes tenuis* (L. Koch, 1866) (m,f)**

Zelotes circumspectus; Hadjissarantos, 1940: 81.
Zelotes pallidus; Platnick & Shadab, 1983: 185.
Zelotes tenuis; Chatzaki et al., 2003: 80.

Citations:

DODEKANISA : Karpathos : Pyles-Volada (Chatzaki et al., 2003). Kos: Kefalos-Aghios Ioannis (Chatzaki et al., 2003). Kriti: Chania: Agia lake (Chatzaki et al. 2003); Akrotiri, Kalathas pond (Platnick & Shadab, 1983); Elafonissi (Chatzaki et al. 2003); Gavdos island (Chatzaki et al. 2003); Gramvousa peninsula (Chatzaki et al. 2003); Kallikratis (Chatzaki et al. 2003); Lake Kournas (Chatzaki et al. 2003); Lefka Ori (Chatzaki et al. 2003). Irakleio: Achendrias (Chatzaki et al. 2003); Dia island (Chatzaki et al. 2003); Keratokampos (Chatzaki et al. 2003); Martsalos (Chatzaki et al. 2003); Panagia Almyri (Chatzaki et al. 2003); Pigaidakia (Chatzaki et al. 2003); Rouvas (Chatzaki et al. 2003); Moni Vrontisiou (Chatzaki et al. 2003); Youchtas (Chatzaki et al. 2003). Lasithi: Aghios Nikolaos (Chatzaki et al. 2003); Bramiana lake (Chatzaki et al. 2003); Chamaitoulo-Xirokambos (Chatzaki et al. 2003); Oros Dikti, Limnakro plateau (Chatzaki et al. 2003); Ha gorge (Chatzaki et al. 2003); Ierapetra (Chatzaki et al. 2003); Istro (Chatzaki et al. 2003); Itanos-Vai (Chatzaki et al. 2003); Kato Chorio (Chatzaki et al. 2003); Kavousi (Chatzaki et al. 2003); Kavousi-Thrypti (Chatzaki et al. 2003); Milatos (Chatzaki et al. 2003); Mochlos (Chatzaki et al. 2003); Prina-Messeleri (Chatzaki et al. 2003); Selakano (Chatzaki et al. 2003); Moni Toplou-Vai (Chatzaki et al. 2003). Rethymno: Eksantis, Aghios Kyrianos (Chatzaki et al. 2003); Moni Preveli (Chatzaki et al. 2003); Oros Psiloritis, Kouroutes (Chatzaki et al. 2003); Rizikas (Chatzaki et al. 2003); Saktouria (Chatzaki et al. 2003); Vistagi-Platania (Chatzaki et al. 2003).

Distribution: Circummediterranean, USA.

{*Zelotes thorelli* Simon, 1914 (m,f)}

Zelotes thorelli; Caporiacco, 1948: 60.

Citations:

DODEKANISA: Rodos: Campochiaro (Caporiacco, 1948); Draco (Caporiacco, 1948).

Distribution: S France, Portugal and Spain. Caporiacco's citations (1948) from Rodos concerns without doubt another species and *Z. thorelli* has to be deleted from the Greek list.

***Zelotes villicoides* Giltay, 1932 (m)**

Zelotes villicoides Giltay, 1932: 28; Giltay, 1933: 6; Drensky, 1936: 144.

Citations:

PELOPONNISOS: Ileia: Krestena (type locality; Giltay, 1932).

Distribution: Peloponnisos. Insufficiently known species.

106. Family Selenopidae

***Selenops radiatus* Latreille, 1819 (m,f)**

Selenops omalosoma; Brullé, 1832: 53.

Selenops radiata; Pavese, 1878: 381; Drensky, 1936: 151.

Citations:

PELOPONNISOS: Lakonia: foot of Oros Taigetos (Brullé, 1832).

Distribution: Mediterranean, Africa, India, Myanmar. The only citation in Greece is in 1832 by Brullé, which was repeated various times afterwards. The presence in Greece has to be confirmed.

107. Family Sparassidae

Eusparassus walckenaeri (Audouin, 1826) (m,f)

Micrommata argelas; Brullé, 1832: 53 (misidentification).
Ocypete tersa C. L. Koch, 1837: 83; C. L. Koch, 1845: 39.
Sparassus argelasius; Pavesi, 1878: 381 (misidentification).
Sparassus tersa; Simon, 1884: 319; Strand, 1917: 166.
Eusparassus versus; Strand, 1915: 36; Roewer, 1928: 118; Bristowe, 1935: 748; Drensky, 1936: 150; Hadjissarantos, 1940: 85; Capriacco, 1948: 62.
Eusparassus argelasius; Roewer, 1928: 119; Capriacco, 1929: 234; Reimoser, 1930: 145, 147; Bristowe, 1935: 748; Hadjissarantos, 1940: 84 (misidentifications).
Olios argelasius; Werner, 1934: 164; Capriacco, 1948: 62; Reimoser, 1958: 572 (misidentifications).

Citations:

Greece: Without precise locality (C. L. Koch, 1837).
ATTIKI-SARONIC ISLANDS: Attiki: Athina (Simon, 1884; Werner, 1934; Hadjissarantos, 1940); Charvati (Hadjissarantos, 1940); Ekali (Hadjissarantos, 1940); Oros Imitos-Kopanas (Hadjissarantos, 1940); Moni Kaisariani (Hadjissarantos, 1940); Kato Souli (Hadjissarantos, 1940); Lavrio (Strand, 1917; Hadjissarantos, 1940); Liopetri (Hadjissarantos, 1940); Oros Parnitha, Phili (Hadjissarantos, 1940); Oros Pendeli (Roewer, 1928); Skaragmagkas (Hadjissarantos, 1940); Sounio (Bristowe, 1935; Hadjissarantos, 1940); Vileia (Hadjissarantos, 1940); Vouliagmeni (Hadjissarantos, 1940); Vyron (Hadjissarantos, 1940). Saronic Islands: Aigina (Hadjissarantos, 1940); Salamina (Hadjissarantos, 1940).
DOKEKANISA: Kalymnos (Strand, 1917). Karpathos (Strand, 1917). Kassos (Strand, 1917). Kos (Strand, 1917). Nisiros (Strand, 1917). Patmos (Bristowe, 1935). Rodos: Aghios Demetrios (Capriacco, 1948); Aghios Isidoros (Capriacco, 1929); Anginovato (Capriacco, 1948); Brussali (Capriacco, 1929); Katavia (Capriacco, 1929); Kastelo (Strand, 1917); Pissipi (Capriacco, 1948); Profitis Ilias (Capriacco, 1929); Rodos town (Strand, 1917; Capriacco, 1929; Bristowe, 1935). Simi (Strand, 1917).
EASTERN AEGEAN ISLANDS: Chios (Strand, 1915). Icaria (Strand, 1917). Samos: Marathocampus (Strand, 1917).
EVVOIA-VOROI SPORADES: Evvoia: Karystos (Strand, 1917).
IONIAN ISLANDS: Ithaca (Bristowe, 1935). Kefalonia: Argostoli (Reimoser, 1930).
IPEIROS: Ioannina: Platanousa (Reimoser, 1958).
KRITI: Lasithi: Lasithi plain (Strand, 1917); Sitia (Strand, 1917). Rethymno: Melidoni cave (Roewer, 1928).
KYKLADES: Amorgos (Werner, 1934). Kea (Strand, 1917). Milos (Bristowe, 1935). Syros (Strand, 1917).
PELOPONNISOS: Argolida (Brullé, 1832); Epidavros (Bristowe, 1935).

Distribution: Eastern Mediterranean to Afghanistan. All citations of the western Mediterranean *Eusparassus argelasius* are considered here as the eastern Mediterranean *E. walckenaeri*.

{*Heteropoda venatoria* (Linnaeus, 1767)}

Capriacco's citation of *H. variegata* (as *H. regia*) is attributed to the local *H. variegata* (see there).

Heteropoda variegata (Simon, 1874) (m,f)

Heteropoda variegata; Strand, 1917: 166; Bristowe, 1935: 749.
Heteropoda regia; Capriacco, 1948: 62 (misidentification).

Citations:

DOKEKANISA: Karpathos (Strand, 1917). Kassos (Strand, 1917). Rodos: Aghios Demetrios (Capriacco, 1948); Anginovato (Capriacco, 1948); Campochiaro (Capriacco, 1948).

Distribution: Greece to Israel. Capriacco's citations (1948) of the pantropical *H. venatoria* (as *H. regia*) are considered

erroneous and are attributed to *H. variegata*. The presence of this species in Greece should be confirmed.

Micrommata ligurina (C. L. Koch, 1845) (m,f)

Sparassus ligurinus C. L. Koch, 1845: 89; C. L. Koch, 1850: 40.
Micrommata ligurina; Pavesi, 1878: 381; Simon, 1884: 319; Strand, 1917: 166; Fage, 1921: 101; Roewer, 1928: 118; Giltay, 1932: 32; Bristowe, 1935: 749; Drensky, 1936: 150; Hadjissarantos, 1940: 85; Capriacco, 1948: 62.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Athina (Simon, 1884); Moni Kaisariani (Hadjissarantos, 1940); Lavrio (Hadjissarantos, 1940); Liopetri (Hadjissarantos, 1940); Oros Parnitha, Phili (Hadjissarantos, 1940); Oros Pendeli, Dionisos (Hadjissarantos, 1940); Oros Pendeli (Roewer, 1928); Podoniftis (Hadjissarantos, 1940); Psichiko (Hadjissarantos, 1940); Sounio (Hadjissarantos, 1940).
DOKEKANISA: Rodos: Campochiaro (Capriacco, 1948).
EVVOIA-VOROI SPORADES: Evvoia (Simon, 1884).
KRITI: Lasithi: Lasithi plain (Strand, 1917).
KYKLADES: Andros (Strand, 1917). Kea (Strand, 1917).
PELOPONNISOS: Argolida: Nauplio (type locality; C. L. Koch, 1845). Ileia: Bartsi river near Dafnoula (Giltay, 1932).
STEREA ELADA: Aitolo-Akarnania: Akarnania (Simon, 1884).
THRAKI: Xanthi: Stavroupoli (as Zeitenlik; Fage, 1921).

Distribution: Mediterranean to Central Asia.

Micrommata virescens (Clerck, 1757) (m,f)

Micrommata virescens; Drensky, 1928: 191; Capriacco, 1929: 234; Drensky, 1936: 150.
Micrommata roseum; Bristowe, 1935: 749; Capriacco, 1948: 62.
Micrommata viridissima; Reimoser, 1930: 147; Werner, 1934: 164.
Micrommata roseum ornatum; Capriacco, 1948: 62.

Citations:

DOKEKANISA: Rodos: Anginovato (Capriacco, 1948); Koschino (Capriacco, 1929).
IONIAN ISLANDS: Kerkyra (Reimoser, 1930).
THRAKI: Evros: near Alexandroupoli (as Burugeul; Drensky, 1928). Rodopi: Komotini (as Gumurjina; Drensky, 1928).

Distribution: Palearctic.

Olios argelasius (Walckenaer, 1805) (m,f)

Olios spongitaris; Simon, 1884: 319; Roewer, 1928: 118; Giltay, 1932: 32; Werner, 1934: 164; Bristowe, 1935: 748; Hadjissarantos, 1940: 85; Reimoser, 1958: 572.
Eusparassus spongitaris; Capriacco, 1929: 234.
Eusparassus argelasius; Drensky, 1936: 149.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Ekali (Hadjissarantos, 1940); Kiourka (Hadjissarantos, 1940).
DOKEKANISA: Rodos (Capriacco, 1929).
EASTERN AEGEAN ISLANDS: Lesvos: Mytilini (Werner, 1934).
EVVOIA-VOROI SPORADES: Evvoia: Steni (Simon, 1884).
Skopelos (Werner, 1934). Skyros (Werner, 1935).
IPEIROS: Ioannina: Platanousa (Reimoser, 1958).
KRITI: Chania: Kefali-Papadiana (Giltay, 1932); Lakki (Roewer, 1928). Lasithi: Aghios Nikolaos, E. Neapoli (Giltay, 1932).
PELOPONNISOS: Argolida: Mycenae (Roewer, 1928).

Distribution: Mediterranean.

108. Family Philodromidae

Paratibellus oblongiusculus (Lucas, 1846) (m,f)
Tibellus oblongiusculus; Capriacco, 1929: 234.

Paratibellus oblongiusculus; Fage, 1921: 101; Bristowe, 1935: 753; Capriacco, 1948: 67; Reimoser, 1958: 572.

Citations:

DODEKANISA: Rodos: Profitis Ilias (Capriacco, 1929).
IPEROS: Arta (Reimoser, 1958).
MAKEDONIA: Florina (Fage, 1921).

Distribution: Europe to Central Asia.

***Philodromus aureolus* (Clerck, 1757) (m,f)**

Philodromus aureolus; Simon, 1884: 324; Capriacco, 1929: 234; Reimoser, 1930: 144, 147; Bristowe, 1935: 752; Drensky, 1936: 151; Capriacco, 1948: 66; Reimoser, 1958: 572.

Philodromus politus; Capriacco, 1929: 233.

Philodromus aureolus politus; Capriacco, 1948: 66.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Athina (Simon, 1884); Kato Souli (Hadjissarantos, 1940); Liospesi (Hadjissarantos, 1940); Oros Parnitha, Aghia Triada (Hadjissarantos, 1940); Sounio (Bristowe, 1935).
DODEKANISA: Rodos: Aghios Demetrios (Capriacco, 1948); Katavia (Capriacco, 1929); Koschino (Capriacco, 1929); Petrolaco (Capriacco, 1948); Pissipi (Capriacco, 1948); Rodos town (Capriacco, 1929).
IONIAN ISLANDS: Kefalonia: Argostoli (Reimoser, 1930); Krane (Reimoser, 1930). Kerkyra: Aghios Matheos (Reimoser, 1930).
IPEROS: Ioannina: Platanousa (Reimoser, 1958).

Distribution: Palearctic.

***Philodromus cespitum* (Walckenaer, 1802) (m,f)**

Philodromus caespiticollis; Drensky, 1928: 189.

Philodromus reussi; Drensky, 1928: 189; Drensky, 1936: 155.

Philodromus aureolus caespiticola; Drensky, 1936: 152.

Philodromus aureolus similis; Hadjissarantos, 1936: 439; Hadjissarantos, 1940: 86.

Philodromus cespitum cespitum; Braun, 1965: 384.

Philodromus cespitum; Muster & Thaler, 2004: 313.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Oros Parnitha (Hadjissarantos, 1936).
KRITI: Chania: Aptera (Braun, 1965; Muster & Thaler, 2004).
MAKEDONIA: Florina: N lake Mikri Prespa (Muster & Thaler, 2004). Thessaloniki: Epanoumi (Muster & Thaler, 2004).
PELOPONNISOS: Lakonia: Mavrovouni (Muster & Thaler, 2004).
THRAKI: Evros: Alexandroupoli (as Dede-Agatch; Drensky, 1928); Didimoticho (as Dimotika; Drensky, 1928); Makri (Drensky, 1928). Rodopi: Komotini (as Gumurjina; Drensky, 1928). Xanthi: Xanthi (as Sketscha; Drensky, 1928).

Distribution: Holarctic.

***Philodromus collinus* C. L. Koch, 1835 (m,f)**

Philodromus collinus; Capriacco, 1929: 233; Hadjissarantos, 1936: 439; Hadjissarantos, 1940: 86; Capriacco, 1948: 66; Roewer, 1959a: 288; Muster & Thaler, 2004: 315.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Oros Imitos, Leondariou cave (Roewer, 1959a); idem, Kakavoulo cave (Roewer, 1959a); Oros Parnitha (Hadjissarantos, 1936).
DODEKANISA: Rodos (Capriacco, 1929).
IONIAN ISLANDS: Kefalonia: Aeneos (Muster & Thaler, 2004).
KRITI: Chania: Kolimbari (Roewer, 1959a).

Distribution: Europe, Russia.

***Philodromus dispar* Walckenaer, 1826 (m,f)**

Philodromus dispar; Roewer, 1959a: 27.

Citations:

STEREA ELADA: Voiotia: Parnassos, Oros Liakouri (Roewer, 1959a).

Distribution: Europe to Central Asia.

***Philodromus emarginatus* (Schrank, 1803) (m,f)**

Artanes pallidus; Drensky, 1928: 189.

Philodromus emarginatus; Drensky, 1936: 154; Capriacco, 1948: 66.

Citations:

DODEKANISA: Rodos: Campochiaro (Capriacco, 1948).
THRAKI: Evros: Makri (Drensky, 1928). Xanthi: Xanthi (as Sketscha; Drensky, 1928).

Distribution: Palearctic.

***Philodromus fuscolimbatus* Lucas, 1846 (m,f)**

Philodromus aureolus fuscolimbatus; Fage, 1921: 101; Bristowe, 1935: 452.

Philodromus aureolus marmoratus; Fage, 1921: 101; Bristowe, 1935: 752.

Philodromus aureolus rufolimbatus; Hadjissarantos, 1936: 439; Hadjissarantos, 1940: 86.

Philodromus fuscolimbatus; Muster & Thaler, 2004: 315.

Citations:

MAKEDONIA: Florina (Fage, 1921). Thessaloniki: Vasilika (Fage, 1921).

ATTIKI-SARONIC ISLANDS: Attiki: Kavouri (Hadjissarantos, 1936).

KRITI: Rethymno: Kapsaliana (Hadjissarantos, 1936).

PELOPONNISOS: Korinthia: N Evrostino (Muster & Thaler, 2004).

Distribution: Spain, Morocco to Greece, Azerbaijan.

***Philodromus glaucinus* Simon, 1870 (m,f)**

Philodromus glaucinus; Simon, 1880: 140; Simon, 1884: 324; Fage, 1921: 101; Capriacco, 1929: 233; Bristowe, 1935: 752; Hadjissarantos, 1940: 87; Capriacco, 1948: 66.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Athina (Simon, 1880); Kato Souli (Hadjissarantos, 1940); Oros Parnitha (Hadjissarantos, 1940).

DODEKANISA: Rodos: Aghios Isidoros (Capriacco, 1929); Katavia (Capriacco, 1929); Rodos town (Capriacco, 1929).

MAKEDONIA: Thessaloniki: Chalastra (as Koulakja; Fage, 1921); Vasilika (Fage, 1921).

Distribution: Mediterranean to Azerbaijan.

***Philodromus lividus* Simon, 1875 (m,f)**

Philodromus lividus; Simon, 1880: 140; Simon, 1884: 324; Bristowe, 1935: 752.

Citations:

IONIAN ISLANDS: Kerkyra (Simon, 1880).

Distribution: Portugal, France, Morocco, Algeria, Greece.

***Philodromus longipalpis* Simon, 1870 (m,f)**

Philodromus aureolus pallens; Hadjissarantos, 1936: 439; Hadjissarantos, 1940: 86.

Philodromus longipalpis; Muster & Thaler, 2004: 318.

Citations:

ATTIKI-SARONIC ISLANDS: Atiki : Alepohori (Muster & Thaler, 2004); Oros Imitos, Moni Kareas (Hadjissarantos, 1940); Patissia (Hadjissarantos, 1936); Podoniftis (Hadjissarantos, 1936).

KRITI: Chania: Daratos (Muster & Thaler, 2004).
PELOPONNISOS : Arkadia: Oros Likeo, N Ano Karies (Muster & Thaler, 2004).
THESSALIA: Magnisia: Volos (Hadjissarantos, 1940).

Distribution: Europe.

***Philodromus lunatus* Muster & Thaler, 2004 (m,f)**
Philodromus lunatus Muster & Thaler, 2004: 319.

Citations:

ATTIKI-SARONIC ISLANDS: Atiki: Alepohori (Muster & Thaler, 2004).
DODEKANISA: Rodos: W Apollonia (Muster & Thaler, 2004).
EVVOIA-VOROIES SPORADES: Evvoia: S Velos, Prasino (Muster & Thaler, 2004).
IONIAN ISLANDS: Kefalonia: S Argostolion (Muster & Thaler, 2004); Karavados (Muster & Thaler, 2004).
Kerkyra: Sgombou (Muster & Thaler, 2004); Spartilas (Muster & Thaler, 2004).
KRITI: Chania: Imbros gorge (Muster & Thaler, 2004). Irakleio: Potamies, Moni Gouverniotissas (Muster & Thaler, 2004).
Lasithi: Koutsouras (Muster & Thaler, 2004). Rethymno: Plakias (Muster & Thaler, 2004); Preveli Palm beach (Muster & Thaler, 2004).
MAKEDONIA: Chalkidiki: Sithonia Peninsula, Nikiti (Muster & Thaler, 2004).

Distribution: Eastern Mediterranean.

***Philodromus margaritatus* (Clerck, 1757) (m,f)**
Philodromus margaritatus; Hadjissarantos, 1940: 87; Reimoser, 1958: 572.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Moni Kaisariani (Hadjissarantos, 1940).
IPEIROS: Arta: Katarakti (Reimoser, 1958).

Distribution: Palearctic.

***Philodromus poecilus* (Thorell, 1872) (m,f)**
Philodromus poecilus; Hadjissarantos, 1936: 440;
Hadjissarantos, 1940: 87.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Ekali (Hadjissarantos, 1936); Dionisos (Hadjissarantos, 1936); Kato Souli (Hadjissarantos, 1940); Liospi (Hadjissarantos, 1940); Oros Parnitha (Hadjissarantos, 1940); Pikermi (Hadjissarantos, 1936); Podoniftis (Hadjissarantos, 1940).

Distribution: Palearctic.

***Philodromus pulchellus* Lucas, 1846 (m,f)**
Philodromus bistigma; Hadjissarantos, 1936: 439.
Philodromus pulchellus; Hadjissarantos, 1940: 87.
Philodromus pulchellus bistigma; Hadjissarantos, 1940: 87.
Philodromus pulchellus debilis; Hadjissarantos, 1940: 88.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Kato Souli (Hadjissarantos, 1940); Oros Pendeli (Hadjissarantos, 1940); Podoniftis (Hadjissarantos, 1936).
EVVOIA-VOROIES SPORADES: Skiros (Hadjissarantos, 1936).

Distribution: Mediterranean.

***Philodromus rufus* Walckenaer, 1826 (m,f)**
Philodromus rufus; Hadjissarantos, 1936: 440; Hadjissarantos, 1940: 88; Caporiacco, 1948: 66; Reimoser, 1958: 572.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Podoniftis (Hadjissarantos, 1936).
DODEKANISA: Rodos: Aghios Theodoros (Caporiacco, 1948); Petrolaco (Caporiacco, 1948).
IONIAN ISLANDS: Lefkada (Reimoser, 1958).
IPEIROS: Ioannina: Platanousa (Reimoser, 1958).

Distribution: Holarctic.

***Philodromus torquatus* O. P.- Cambridge, 1873 (m)**
Philodromus torquatus O. P.- Cambridge, 1873: 545; Pavesi, 1878: 382; Simon, 1884: 325; Bristowe, 1935: 752

Citations:

IONIAN ISLANDS: Kerkyra (O. P.- Cambridge, 1873).

Distribution: Greece. Insufficiently known species.

***Thanatus arenarius* L. Koch, 1872 (m,f)**
Thanatus arenarius; Strand, 1917: 165; Drensky, 1928: 190; Caporiacco, 1929: 234; Werner, 1935: 297; Drensky, 1936: 156.
Thanatus mundus; Bristowe, 1935: 753; Caporiacco, 1948: 67.

Citations:

DODEKANISA: Rodos: Aghios Isidoros (Caporiacco, 1929); Draco (Caporiacco, 1948); Katavia (Caporiacco, 1929).
EASTERN AEGEAN ISLANDS: Samothraki (Werner, 1935).
KRITI: Lasithi: Sitia (Strand, 1917).
THRAKI: Evros: Didimoticho (as Dimotika; Drensky, 1928).
Rodopi: Komotini (as Gumurjina; Drensky, 1928). Xanthi: Xanthi (as Sketscha; Drensky, 1928).

Distribution: Europe to Central Asia, Siberia to Transbaikalia

***Thanatus flavidus* Simon, 1875 (m,f)**
Thanatus flavidus; Simon, 1884: 324; Caporiacco, 1925: 109; Caporiacco, 1929: 234; Bristowe, 1935: 753; Hadjissarantos, 1940: 88; Caporiacco, 1948: 66.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Athina (Simon, 1884); Ekali (Hadjissarantos, 1940); Oros Imitos, Moni Karea (Hadjissarantos, 1940); Moni Kaisariani (Hadjissarantos, 1940); Loutsa (Hadjissarantos, 1940); Marathonas (Hadjissarantos, 1940); Oros Parnitha, Phili (Hadjissarantos, 1940); Oros Pendeli, Aghia Triada (Hadjissarantos, 1940); Vyron (Hadjissarantos, 1940). Saronic Islands: Salamina (Hadjissarantos, 1940).
DODEKANISA: Kastelrosso (Caporiacco, 1925). Rodos: Aghios Isidoros (Caporiacco, 1929).
EVVOIA-VOROIES SPORADES: Evvoia (Simon, 1884).

Distribution: Greece, Russia, Ukraine.

***Thanatus formicinus* (Clerck, 1757) (m,f)**
Thanatus formicinus; Reimoser, 1930: 145; Bristowe, 1935: 753.

Citations:

IONIAN ISLANDS: Kefalonia: Oros Aeneos (Reimoser, 1930).

Distribution: Holarctic.

***Thanatus gigas* (C. L. Koch, 1837) (juv.)**
Artamus gigas C. L. Koch, 1837: 27.
Thanatus gigas; Drensky, 1936: 157.

Citations:

PELOPONNISOS: Without precise locality (C. L. Koch, 1837).

Distribution: Greece. Insufficiently known species.

***Thanatus lineatipes* Simon, 1870 (m,f)**

Thanatus lineatipes; Pavesi, 1878: 350; Simon, 1884: 325; Bristowe, 1935: 753; Hadjissarantos, 1940: 88.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Athina (Simon, 1884). IONIAN ISLANDS: Kithyra: Cervi Island, north of Kithyra (as Cerigo; Pavesi, 1878).

Distribution: Mediterranean, Georgia.

***Thanatus vulgaris* Simon, 1870 (m,f)**

Thanatus vulgaris; Simon, 1884: 324; Giltay, 1932: 37; Bristowe, 1935: 753; Hadjissarantos, 1940: 88; Caporiacco, 1948: 67.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Athina (Simon, 1884); Sounio (Bristowe, 1935). DODEKANISA: Rodos (Bristowe, 1935): Apollona (Caporiacco, 1948); Draco (Caporiacco, 1948). PELOPONNISOS: Ileia: Olympia (Giltay, 1932). STEREIA ELADA: Fokida: Delfoi (Bristowe, 1935).

Distribution: Holarctic.

***Thanatus vulgaris creticus* Kulczyn'ski, 1903 (m)**

Thanatus vulgaris creticus; Kulczyn'ski, 1903: 34, 48; Giltay, 1932: 33; Bristowe, 1935: 753.

Citations:

KRITI: Chania: Kasteli (Giltay, 1932). Lasithi: Aghios Nikolaos (Giltay, 1932). Rethymno: Vizari (type locality; Kulczyn'ski, 1903).

Distribution: Kriti. The species is in need of redescription.

***Tibellus macellus* Simon, 1875 (m,f)**

Tibellus macellus; Drensky, 1928: 190; Reimoser, 1958: 572. *Tibellus vittatus*; Drensky, 1936: 159; Hadjissarantos, 1940: 89.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Bogiati (Hadjissarantos, 1940); Oros Imitos, Moni Karea (Hadjissarantos, 1940); Kokkinos Milos (Hadjissarantos, 1940). IONIAN ISLANDS: Lefkada (Reimoser, 1958). PELOPONNISOS: Argolida: Nafplio (Simon, 1884). THRAKI: Evros: Alexandroupoli (as Dede-Agatch; Drensky, 1928); Makri (Drensky, 1928). Xanthi: Xanthi (as Sketscha; Drensky, 1928).

Distribution: Europe to Central Asia.

***Tibellus oblongus* (Walckenaer, 1802) (m,f)**

Tibellus oblongus; Caporiacco, 1929: 234; Reimoser, 1930: 145, 147; Werner, 1934: 164; Bristowe, 1935: 753.

Citations:

DODEKANISA: Rodos: Katavia (Caporiacco, 1929); Koschino (Caporiacco, 1929). IONIAN ISLANDS: Kerkyra (Reimoser, 1930). Lefkada: Kalligoni (Reimoser, 1930). Kefalonia: Argostoli (Reimoser, 1930); Krane (Reimoser, 1930). KYKLADES: Mikonos (Werner, 1934).

Distribution: Holarctic.

***Tibellus parallelus* (C. L. Koch, 1837) (m,f)**

Thanatus parallelus C. L. Koch, 1837: 87. *Tibellus parallelus*; Simon, 1884: 325; Simon, 1916: 276; Strand, 1917: 165; Fage, 1921: 101; Bristowe, 1935: 753; Hadjissarantos, 1940: 89; Caporiacco, 1948: 67. *Tibellus oblongus parallelus*; Pavesi, 1878: 382.

Tibellus propinquus; Caporiacco, 1929: 234.

Citations:

ATTIKI-SARONIC ISLANDS: Kato Souli (Hadjissarantos, 1940). DODEKANISA: Rodos: Katavia (Caporiacco, 1929); Koschino (Caporiacco, 1929). EVVOIA-VOROIES SPORADES: Evvoia: Karystos (Strand, 1917). MAKEDONIA: Without precise locality (Fage, 1921): Thessaloniki (Simon, 1916). PELOPONNISOS: Argolida: Nafplio (type locality; C. L. Koch, 1837).

Distribution: Europe.

***Tibellus vossioni* Simon, 1884 (m,f)**

Tibellus vossioni; Bristowe, 1935: 753.

Citations:

KYKLADES: Dilos (Bristowe, 1935).

Distribution: Africa, Greece. Poorly known species and records from Greece are doubtful.

109. Family Thomisidae

***Heriaeus melottei* Simon, 1886 (m,f)**

Heriaeus savignyi; Simon, 1884: 323; Caporiacco, 1929: 232; Reimoser, 1930: 144; Giltay, 1932: 33; Bristowe, 1935: 751. *Heriaeus hirsutus*; Drensky, 1928: 190; Drensky, 1936: 160; Lüdicke & Madel, 1937: 299; Hadjissarantos, 1940: 89.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Athina (Simon, 1884, sub *H. savignyi*); Kifissia (Hadjissarantos, 1940, sub *H. hirsutus*); Kato Souli (Hadjissarantos, 1940, sub *H. hirsutus*). IONIAN ISLANDS: Lefkada: Megan Oros (Reimoser, 1930, sub *H. savignyi*). DODEKANISA: Rodos (Caporiacco, 1929, sub *H. savignyi*). KRITI: Lasithi: Kasteli, NE Neapolis (Giltay, 1932, sub *H. savignyi*). PELOPONNISOS: Messinia: Leonidio (Lüdicke & Madel, 1937, sub *H. hirsutus*). THRAKI: Evros: Potamos, N Alexandroupoli (as Badoma; Drensky, 1928, sub *H. hirsutus*).

Distribution: Europe to Central Asia.

***Heriaeus orientalis* Simon, 1918 (m,f)**

Thomisus hirtus C. L. Koch, 1838: 42. *Heriaeus hirtus*; Simon, 1884: 323; Strand, 1917: 165; Werner, 1934: 164; Hadjissarantos, 1940: 89; Caporiacco, 1948: 64; Reimoser, 1958: 572 (misidentifications). *Heriaeus orientalis*; Werner, 1934: 164; Werner, 1935: 297; Bristowe, 1935: 751; Reimoser, 1958: 572; Loerbros, 1983: 120.

Citations:

Greece: Without precise locality (type locality of *H. hirtus*; C. L. Koch, 1838). ATTIKI-SARONIC ISLANDS: Attiki: Athina (Simon, 1884, sub *H. hirtus*; Werner, 1934, sub *H. hirtus*); Oros Imitos, Moni Karea (Hadjissarantos, 1940); Kato Souli (Hadjissarantos, 1940); Liopetra (Hadjissarantos, 1940); Melissia (Hadjissarantos, 1940); Oros Parnitha, Phili (Hadjissarantos, 1940); Podoniftis (Hadjissarantos, 1940). DODEKANISA: Nisiros (Strand, 1917, sub *H. hirtus*). Rodos: Kastelo (Strand, 1917, sub *H. hirtus*). EASTERN AEGEAN ISLANDS: Icaria (Werner, 1934, 1935, sub *H. orientalis*). Lesvos: Mytilini (Werner, 1935, sub *H. orientalis*). Samos (Werner, 1934, sub *H. hirtus* and *H. orientalis*). Marathocampus (Strand, 1917, sub *H. hirtus*). Samothraki (Werner, 1935).

EVVOIA-VOROIES SPORADES: Evvoia (Simon, 1884).

IPEIROS: Arta: Arta (Reimoser, 1958, sub *H. hirtus*); Katarakti (Reimoser, 1958, sub *H. hirtus*).
KYKLADES: Naxos (Loerbroks, 1983). Paros (Loerbroks, 1983).
Serifos (Werner, 1934, sub *H. hirtus* and *H. orientalis*).
STEREA ELADA: Fokida: Delfoi (Bristowe, 1935).

Distribution: Greece, Turkey, Ukraine.

***Heriaeus setiger* (O. P. Cambridge, 1872) (m,f)**

Heriaeus setiger; Simon, 1884: 323; Bristowe, 1935: 751;
Giltay, 1932: 33; Hadjissarantos, 1940: 90.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Heliopolis (Hadjissarantos, 1940); Moni Kaisariani (Hadjissarantos, 1940); Kato Souli (Hadjissarantos, 1940).
KRITI: Lasithi: Kasteli, NE Neapolis (Giltay, 1932).
KYKLADES: Naxos (Simon, 1884).

Distribution: Palearctic.

***Heriaeus simoni Kulczyn'ski*, 1903 (m,f)**

Heriaeus simoni; Bristowe, 1935: 751; Hadjissarantos, 1936: 440; Hadjissarantos, 1940: 90; Loerbroks, 1983: 107.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Podoniftis (Hadjissarantos, 1936); Vouliagmeni (Hadjissarantos, 1936).
DODEKANISA: Rodos: Kastelo (Loerbroks, 1983). Kos (Loerbroks, 1983). Nisiros (Loerbroks, 1983).
EASTERN AEGEAN ISLANDS: Samos: Marathocampos (Loerbroks, 1983).
EVVOIA-VOROIES SPORADES: Alonissos: Patitiri (Loerbroks, 1983). Skiathos: Troulos (Loerbroks, 1983). Gioura (Loerbroks, 1983).
KRITI: Chania: Fournes (Loerbroks, 1983).
KYKLADES: Naxos (Loerbroks, 1983).
PELOPONNISOS: Achaia: Koumani (Loerbroks, 1983). Arkadia: Vitina (Loerbroks, 1983).
THESSALIA: Larisa: Karia near Oros Olympos (Loerbroks, 1983).

Distribution: Palearctic.

***Misumena vatia* (Clerck, 1757) (m,f)**

Thomisus spinipes Brullé, 1832: 53.
Thomisus citreus; Lucas, 1853: 523.
Misumena vatia; Pavesi, 1878: 383; Simon, 1884: 323, Fage, 1921: 101; Drensky, 1928: 190; Bristowe, 1935: 751; Drensky, 1936: 161; Hadjissarantos, 1940: 90; Caporiacco, 1948: 64.
Misumena calycina; Werner, 1934: 164.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Athina (Simon, 1884); Bogiati (Hadjissarantos, 1940); Ekali (Hadjissarantos, 1940); Oros Imitos (Werner, 1934).
DODEKANISA: Rodos: Draco (Caporiacco, 1948); Rodos town (Caporiacco, 1948).
KRITI: Chania (Lucas, 1853).
MAKEDONIA: Pella: Edessa (as Vodena; Fage, 1921).
PELOPONNISOS: Argolida (Brullé, 1832). Arkadia (Brullé, 1832).
THRAKI: "Everywhere" (Drensky, 1928).

Distribution: Holarctic.

***Misumenops tricuspidatus* (Fabricius, 1775) (m,f)**

Misumena tricuspidata; Simon, 1880: 140; Simon, 1884: 323; Fage, 1921: 101.
Misumenops tricuspidatus; Bristowe, 1935: 751.

Citations:

MAKEDONIA: Pella: Edessa (as Vodena; Fage, 1921).
STEREA ELADA: Aitolo-Akarnania: Mesologi (Simon, 1880).

Distribution: Palearctic.

***Monaeses paradoxus* (Lucas, 1846) (m,f)**

Monaeses caudicula Simon, 1884: 324; Caporiacco, 1929: 233; Bristowe, 1935: 752; Caporiacco, 1948: 64.
Monaeses paradoxus; Hadjissarantos, 1940: 90; Reimoser, 1958: 572.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Athina (Simon, 1884).
DODEKANISA: Kos (Caporiacco, 1929).
IPEIROS: Arta (Reimoser, 1958).

Distribution: Europe to Azerbaijan, Africa.

***Ozyptila atomaria* (Panzer, 1801) (m,f)**

Ozyptila horticola; Simon, 1880: 140; Strand, 1917: 164.
Ozyptila atomaria; Simon, 1884: 321; Strand, 1917; Bristowe, 1935: 750; Reimoser, 1958: 572.

Citations:

EVVOIA-VOROIES SPORADES: Evvoia: Karytos (Strand, 1917); Stira (Strand, 1917).
IPEIROS: Arta: Rodavgi (as Nisista; Reimoser, 1958).
PELOPONNISOS: Achaia: Patra (Simon, 1880).

Distribution: Palearctic.

***Ozyptila blackwalli* Simon, 1875 (m,f)**

Ozyptila blackwalli; Reimoser, 1930: 144, 147; Bristowe, 1935: 751.

Citations:

IONIAN ISLANDS: Kerkyra: Aghios Matheos (Reimoser, 1930).

Distribution: Palearctic.

***Ozyptila brevipes* (Hahn, 1826) (m,f)**

Ozyptila brevipes; Reimoser, 1930: 144; Bristowe, 1935: 750; Reimoser, 1958: 572.

Citations:

IONIAN ISLANDS: Kerkyra (Reimoser, 1958): Lagume (Reimoser, 1930).

Distribution: Europe, Siberia.

***Ozyptila claveata* (Walckenaer, 1837) (m,f)**

Ozyptila nigrita; Fage, 1921: 101; Simon, 1932: 872; Bristowe, 1935: 750.

Citations:

MAKEDONIA: Thessaloniki (Fage, 1921).

Distribution: Europe.

***Ozyptila confluens* (C. L. Koch, 1845) (m,f)**

Xysticus confluens C. L. Koch, 1845: 67.
Ozyptila confluens; Pavesi, 1878: 384; Simon, 1884: 321; Simon, 1916: 276; Strand, 1917: 164; Fage, 1921: 101, 227; Caporiacco, 1929: 233; Bristowe, 1935: 750; Hadjissarantos, 1940: 91; Caporiacco, 1948: 65; Reimoser, 1958: 572.

Citations:

Greece: Without precise locality (type locality; C. L. Koch, 1845).

ATTIKI-SARONIC ISLANDS: Attiki: Athina (Simon, 1884); Liopetra (Hadjissarantos, 1940); Oros Parnitha, Aghia Triada (Hadjissarantos, 1940); Oros Parnitha, Phili (Hadjissarantos, 1940); Oros Pendeli Monastery (Hadjissarantos, 1940); Podoniftis (Hadjissarantos, 1940); Psichiko (Hadjissarantos, 1940).

DODEKANISA: Rodos: Aghios Isidoros (Caporiacco, 1929).
 EVVIA-VOROES SPORADES: Evvia: Stira (Strand, 1917).
 IONIAN ISLANDS: Kerkyra (Simon, 1884). Lefkada (Reimoser, 1958).
 KYKLADES: Naxos (Simon, 1884).
 MAKEDONIA: Pella: Arnissa (as Ostrovo; Fage, 1921).
 Thessaloniki: Thessaloniki (Simon, 1916).
 PELOPONNISOS: Achaia: Patra (Simon, 1884).

Distribution: Southern Europe, Syria.

Ozyptila praticola (C. L. Koch, 1837) (m,f)
Ozyptila praticola; Fage, 1921: 101; Simon, 1932: 872; Bristowe, 1935: 750.

Citations:

MAKEDONIA: Thessaloniki: Mikra (Fage, 1921).

Distribution: Holarctic.

Ozyptila simplex (O. P.- Cambridge, 1862) (m,f)
Ozyptila simplex; Caporiacco, 1948: 64.

Citations:

DODEKANISA: Rodos: Apollona (Caporiacco, 1948).

Distribution: Europe to Central Siberia.

Pistius truncatus (Pallas, 1772) (m,f)
Thomisus truncatus; Lucas, 1853: 523.
Pistius truncatus; Cecconi, 1895: 191; Werner, 1935: 297; Roewer, 1959a: 28.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Oros Imitos, cave Leondariou and cave Koutouki (Roewer, 1959a).
 KRITI: Chania: Chania (Lucas, 1853); Lake Kournas (Roewer, 1959a); Melidoni (Cecconi, 1895). Lasithi: Sitia (Roewer, 1959a). Rethymno: Angueliana, cave Gria Spilia (Roewer, 1959a).
 MAKEDONIA: Imathia: Naoussa, cave Izborgia (Roewer, 1959a). Pella: Edessa (Roewer, 1959a). Serres: Aghios Prodromos (Roewer, 1959a); Orini (Roewer, 1959a).
 PELOPONNISOS: Korinthia: Korinthos (Werner, 1935).

Distribution: Europe.

Runcinia grammica (C. L. Koch, 1837) (m,f)
Xysticus grammicus C. L. Koch, 1837: 57.
Thomisus lateralis C. L. Koch, 1838: 43.
Misumena lateralis; Pavesi, 1878: 383.
Runcinia lateralis; Simon, 1884: 323; Simon, 1916: 275; Strand, 1917: 165; Caporiacco, 1925: 109; Drensky, 1928: 190; Caporiacco, 1929: 233; Reimoser, 1930: 144, 147; Giltay, 1932: 34; Werner, 1934: 165; Bristowe, 1935: 752; Drensky, 1936: 164; Hadjissarantos, 1940: 91; Caporiacco, 1948: 64.
Runcinia cerina; Reimoser, 1958: 572.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Athina (Simon, 1884); Bogiati (Hadjissarantos, 1940); Ekali (Hadjissarantos, 1940); Oros Imitos, Moni Karea (Hadjissarantos, 1940); Marathonas (Hadjissarantos, 1940); Podoniftis (Hadjissarantos, 1940); Vouliagmeni (Hadjissarantos, 1940).
 DODEKANISA: Kalymnos (Strand, 1917). Karpathos (Strand, 1917). Kos (Caporiacco, 1929). Rodos: Aghios Dimitrios (Caporiacco, 1948); Draco (Caporiacco, 1949); Kastelo (Strand, 1917); Koschino (Caporiacco, 1929); Rodos town (Caporiacco, 1929).
 EASTERN AEGEAN ISLANDS: Samos: Marathocampus (Strand, 1917).
 EVVIA-VOROES SPORADES: Evvia: Evvia (Simon, 1884); Karystos (Strand, 1917).

IONIAN ISLANDS: Kefalonia: Argostoli (Reimoser, 1930); Krane (Reimoser, 1930). Kerkyra: Kalikiopoulos (Giltay, 1932). Lefkada (Reimoser, 1958): Kalligoni (Reimoser, 1930). KYKLADES: Serifos (Werner, 1934).

MAKEDONIA: Thessaloniki (Simon, 1916).
 PELOPONNISOS: Argolida: Nafplio (type locality; C. L. Koch, 1837; Simon, 1884). Ilia: Olympia (Giltay, 1932). THRAKI: Evros: Makri (Drensky, 1928); Soufli (as Soflu; Drensky, 1928). Xanthi: Xanthi (as Sketscha; Drensky, 1928).

Distribution: Palearctic, St Helena, South Africa.

Synaema globosum (Fabricius, 1775) (m,f)
Thomisus globosus; Lucas, 1853: 522.
Synaema globosum; Cecconi, 1895: 191; Simon, 1884: 322; Strand, 1915: 34; Simon, 1916: 275; Strand, 1917: 164; Drensky, 1928: 190; Caporiacco, 1929: 233; Reimoser, 1930: 144, 147; Bristowe, 1935: 751; Giltay, 1932: 34; Werner, 1934: 164; Werner, 1935: 297; Drensky, 1936: 165; Hadjissarantos, 1940: 91; Caporiacco, 1948: 65; Reimoser, 1958: 572; Roewer, 1959a: 28.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Ekali (Hadjissarantos, 1940); Oros Imitos, Moni Karea (Hadjissarantos, 1940); Oros Imitos, cave Leondariou (Roewer, 1959a); Kato Souli (Hadjissarantos, 1940); Oros Parnitha, Phili (Hadjissarantos, 1940); Tatoi (Hadjissarantos, 1940); Vouliagmeni (Hadjissarantos, 1940); DODEKANISA: Karpathos (Strand, 1917). Kos (Caporiacco, 1929). Nisiros (Strand, 1917). Rodos: Aghios Isidoros (Caporiacco, 1929); Aghios Theodoros (Caporiacco, 1948); Draco (Caporiacco, 1948); Katavia (Caporiacco, 1929); Kastelo (Strand, 1917); Veli (Caporiacco, 1948). Simi (Strand, 1917). EASTERN AEGEAN ISLANDS: Chios (Strand, 1915). Limnos (Werner, 1934). Samos: Marathocampus (Strand, 1917). EVVIA-VOROES SPORADES: Evvia: Steni (Simon, 1884). Skopelos (Werner, 1934). Skyros (Werner, 1934). IONIAN ISLANDS: Kerkyra: Aghios Matheos (Reimoser, 1930). Kefalonia: Oros Aeneos (Reimoser, 1930); Argostoli (Reimoser, 1930); Krane (Reimoser, 1930). Lefkada (Reimoser, 1958): Kalligoni (Reimoser, 1930). IPEIROS: Arta: Arta (Reimoser, 1958). Ioannina: Platanousa (Reimoser, 1958). KRITI: Chania (Lucas, 1853; Giltay, 1932). KYKLADES: Amorgos (Werner, 1934). Antiparos (Werner, 1935). Kythnos (Werner, 1935). Milos (Werner, 1934). MAKEDONIA: Pella: Edessa (Roewer, 1959a). Serres: Aghios Prodromos (Roewer, 1959a); Orini (Roewer, 1959a); Sidirokastro, Fea Petra (Roewer, 1959a). Thessaloniki (Simon, 1916). PELOPONNISOS: Ilia: Bartsi river near Dafnoula (Giltay, 1932); Olympia (Giltay, 1932). Korinthia: Korinthos (Werner, 1935). THRAKI: Evros: Alexandroupoli (as Dede-Agatch; Drensky, 1928); Makri (Drensky, 1928); Potamos (as Badoma; Drensky, 1928). Xanthi: Toxotes (Roewer, 1959a); Xanthi (as Sketscha; Drensky, 1928).

Distribution: Palearctic.

Synaema plorator (O.P-Cambridge, 1872) (m,f)
Synaema plorator; Simon, 1884: 322; Simon, 1885: 214; Simon, 1916: 275; Strand, 1917: 164; Fage, 1921: 101; Caporiacco, 1925: 109; Giltay, 1932: 34; Bristowe, 1935: 751; Hadjissarantos, 1940: 91.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Athina (Simon, 1884); Oros Imitos, Moni Karea (Hadjissarantos, 1940); Oros Parnitha, Phili (Hadjissarantos, 1940); Oros Pendeli (Hadjissarantos, 1940). KRITI: Lasithi: Kasteli (Giltay, 1932); Lasithi (Strand, 1917). DODEKANISA: Karpathos (Strand, 1917). Leros (Caporiacco, 1925). KYKLADES: Andros (Strand, 1917).

MAKEDONIA: Florina (Fage, 1921); Thessaloniki (Simon, 1916).
THESSALIA: Larisa: Oros Ossa, near Spilia (Simon, 1885).

Distribution: Greece, Bulgaria, Israel, Lebanon, Russia, Central Asia.

***Thomisus onustus* Walckenaer, 1805 (m,f)**

Thomisus nobilis C. L. Koch, 1837: 24.
Thomisus diadema; C. L. Koch, 1838: 51; Cecconi, 1895: 175.
Thomisus albus; Pavesi, 1878: 382; Simon, 1884: 322; Simon, 1885: 211; Carlini, 1901: 79; Simon, 1916: 275; Strand, 1917: 164; Drensky, 1928: 189; Caporiacco, 1929: 233; Reimoser, 1930: 147; Giltay, 1932: 342; Werner, 1934: 164; Drensky, 1936: 165; Bristowe, 1935: 751; Lüdicke & Madel, 1937: 299; Hadjissarantos, 1940: 92; Caporiacco, 1948: 64.
Thomisus onustus; Lucas, 1853: 523; Simon, 1880: 139; Fage, 1921: 101; Werner, 1935: 297; Reimoser, 1958: 572; Roewer, 1959a: 29.

Citations:

Greece: Without precise locality (type locality of *T. nobilis*; C. L. Koch, 1837, 1838).
ATTIKI-SARONIC ISLANDS: Attiki: Athina (Simon, 1880); Dafni (Hadjissarantos, 1940); Dionisos (Hadjissarantos, 1940); Ekali (Hadjissarantos, 1940); Oros Imitos, Moni Karea (Hadjissarantos, 1940); Oros Imitos, Leondariou cave (Roewer, 1959a); Liopesi (Hadjissarantos, 1940); Loutsa (Hadjissarantos, 1940); Likavitos (Hadjissarantos, 1940); Oros Parnitha (Hadjissarantos, 1940); Patisia (Hadjissarantos, 1940); Phili (Hadjissarantos, 1940); Podonititis (Hadjissarantos, 1940).
Saronic Islands: Salamina (Hadjissarantos, 1940).
DODEKANISA: Karpathos (Strand, 1917). Kassos (Strand, 1917). Kos (Strand, 1917). Rodos: Aghios Dimitrios (Caporiacco, 1948); Aghios Isidoros (Caporiacco, 1929); Draco (Caporiacco, 1948); Katavia (Caporiacco, 1929); Kastelo (Strand, 1917); Lardo (Caporiacco, 1948); Profitis Ilias (Caporiacco, 1929); Rodos town (Caporiacco, 1929). Simi (Strand, 1917).
EASTERN AEGEAN ISLANDS: Chios (Strand, 1917). Lesvos: Mytilini (Werner, 1934). Limnos (Werner, 1934). Samos: Marathocampos (Strand, 1917).
EVVOIA-VOROIES SPORADES: Evvoia (Simon, 1884). Skopelos (Werner, 1934).
IONIAN ISLANDS: Kefalonia (Carlini, 1901): Argostoli (Reimoser, 1930); Krane (Reimoser, 1930). Kerkyra (Reimoser, 1930): Cape Aghios Ilias (Giltay, 1932). Lefkada (Reimoser, 1958).
KRITI: Chania: Akrotiri (Cecconi, 1895); Chania (Lucas, 1853; Giltay, 1932); Mournies, towards Theriso (Giltay, 1932). Irakleo: Irakleio (Lucas, 1853); Katsaba valley (Giltay, 1932); Knossos (Roewer, 1959a). Lasithi: Aghios Nikolaos (Giltay, 1932).
KYKLADES: Dilos (Bristowe, 1935). Milos (Werner, 1934). Naxos (Bristowe, 1935). Serifos (Werner, 1934).
MAKEDONIA: Florina (Fage, 1921). Pella: Edessa (as Ostrovo; Fage, 1921). Thessaloniki (Simon, 1916).
PELOPONNISOS: Argolida: Mili (Giltay, 1932). Korinthia: Korinthos (Werner, 1935). Messinia: Leonidio (Lüdicke & Madel, 1937).
STEREA ELADA: Aitolo-Akarnania: Mesologgi (Simon, 1880).
THESSALIA: Larisa: Larisa (Werner, 1934); Oros Ossa, near Spilia (Simon, 1885).
THRAKI: Evros: Alexandroupoli (as Dede-Agatch; Drensky, 1928); Makri (Drensky, 1928); Potamos (as Badoma; Drensky, 1928); Soufli (as Soflu; Drensky, 1928). Rodopi: Komotini (as Gumurjina; Drensky, 1928). Xanthi: Toxotes (Roewer, 1959a); Xanthi (as Sketscha; Drensky, 1928).

Distribution: Palearctic.

***Tmarus piger* (Walckenaer, 1802) (m,f)**

Tmarus piger; Drensky, 1928: 190; Reimoser, 1930: 147; Bristowe, 1935: 752; Drensky, 1936: 166; Reimoser, 1958: 572

Citations:

IONIAN ISLANDS: Kefalonia: Argostoli (Reimoser, 1930).
IPEIROS: Ioannina: Platanousa (Reimoser, 1958).
THRAKI: Xanthi: Xanthi (as Sketscha; Drensky, 1928).

Distribution: Palearctic.

***Tmarus piuchardi* (Simon, 1866) (m,f)**

Tmarus piuchardi; Simon, 1884: 324; Strand, 1917: 165; Caporiacco, 1929: 233; Bristowe, 1935: 752; Hadjissarantos, 1940: 92; Caporiacco, 1948: 64; Reimoser, 1958: 572.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Athina (Simon, 1884). Saronic Islands: Salamina (Hadjissarantos, 1940). DODEKANISA: Rodos: Aghios Isidoros (Caporiacco, 1929); Campochiaro (Caporiacco, 1948); Kastelo (Strand, 1917). IPEIROS: Arta: Katarakti (Reimoser, 1958). Ioannina: Platanousa (Reimoser, 1958). KRITI: Irakleio: Vianos (Strand, 1917).

Distribution: Mediterranean.

***Xysticus acerbus* Thorell, 1872 (m,f)**

Xysticus acerbus; Simon, 1884: 320; Simon, 1916: 276; Fage, 1921: 101; Drensky, 1928: 189; Caporiacco, 1929: 232; Giltay, 1932: 35; Bristowe, 1935: 749; Drensky, 1936: 166; Hadjissarantos, 1940: 92; Caporiacco, 1948: 65; Reimoser, 1958: 572.

ATTIKI-SARONIC ISLANDS: Attiki: Athina (Simon, 1884); Kato Souli (Hadjissarantos, 1940); Liopesi (Hadjissarantos, 1940). DODEKANISA: Rodos: Katavia (Caporiacco, 1929).

IONIAN ISLANDS: Kerkyra: between Perithia and Oros Pantokratoras (Giltay, 1932). IPEIROS: Arta (Reimoser, 1958). MAKEDONIA: Thessaloniki (Simon, 1916; Fage, 1921).

THRAKI: Evros: Didimoticho (as Dimotika; Drensky, 1928). Rodopi: Komotini (as Gumurjina; Drensky, 1928). Xanthi: Xanthi (Drensky, 1928).

Distribution: Europe to Central Asia.

***Xysticus audax* (Schrank, 1803) (m,f)**

Xysticus audax; Caporiacco, 1948: 65; Roewer, 1959a: 30.

Citations:

DODEKANISA: Rodos: Draco (Caporiacco, 1948). KRITI: Lasithi: Sitia (Roewer, 1958).

Distribution: Palearctic.

***Xysticus bicolor* L. Koch, 1867 (m)**

Xysticus bicolor L. Koch, 1867: 867; Pavesi, 1878: 383; Simon, 1884: 321; Bristowe, 1935: 750.
Psammittis bicolor; Wunderlich, 1995i: 760.

Citations:

KYKLADES: Syros (type locality; L. Koch, 1867; Wunderlich, 1995).

Distribution: Only known from Syros.

***Xysticus bufo* (Dufour, 1820) (m,f)**

Xysticus bufo; Pavesi, 1878: 384.
Oxyptila albimana; Simon, 1880: 140; Simon, 1884: 321; Strand, 1917.
Oxyptila bufo; Drensky, 1928: 189; Drensky, 1936: 163.
Xysticus albimanus; Bristowe, 1935: 749; Hadjissarantos, 1940: 92.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Athina (Simon, 1880); Podoniftis (Hadjissarantos, 1940).
 EVVOIA-VOROIES SPORADES: Evvoia (Simon, 1884).
 KYKLADES: Naxos (Simon, 1884).
 PELOPONNISOS: Achaia: Patra (Simon, 1884). Arkadia: Nafplio (C. L. Koch, 1838).
 THRAKI: Xanthi: Xanthi (as Sketscha; Drensky, 1928).

Distribution: Mediterranean.

Xysticus cibratus Simon, 1885 (m,f)
Xysticus cibratus; Hadjissarantos, 1936: 440; Caporiacco, 1948: 65.

Citations:

DODEKANISA: Rodos: Campochiaro (Caporiacco, 1948).
 EASTERN AEGEAN ISLANDS: Samothraki (Hadjissarantos, 1936).

Distribution: Mediterranean to China, Sudan. Reimoser's citation (1958) from Xerovouni refers to *X. tristrami* (Wunderlich, 1995i).

Xysticus cristatus (Clerck, 1757) (m,f)
Xysticus cristatus; Simon, 1884: 321; Simon, 1916: 164; Strand, 1917: 164; Drensky, 1928: 189; Bristowe, 1935: 750; Drensky, 1936: 168; Hadjissarantos, 1940: 93; Caporiacco, 1948: 65.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Ekali (Hadjissarantos, 1940); Oros Imitos, Moni Karea (Hadjissarantos, 1940); Moni Kaisariani (Hadjissarantos, 1940); Kato Souli (Hadjissarantos, 1940); Oros Parnitha, Phili (Hadjissarantos, 1940).
 DODEKANISA: Rodos: Rodos town (Strand, 1917).
 EVVOIA-VOROIES SPORADES: Evvoia: Steni (Simon, 1884); Karystos (Strand, 1917).
 KYKLADES: Naxos (Simon, 1884).
 THRAKI: Evros: Alexandroupoli (as Dede-Agatch; Drensky, 1928); Didimoticho (as Dimotika; Drensky, 1928); Makri (Drensky, 1928). Rodopi: Komotini (as Gumurjina; Drensky, 1928).

Distribution: Europe to Central Siberia.

Xysticus ferrugineus Menge, 1876 (m,f)
Xysticus ferrugineus; Caporiacco, 1948: 65.

Citations:

DODEKANISA: Rodos: Draco (Caporiacco, 1948; citation of a juvenile specimen).

Distribution: South European. Caporiacco's citation (1948) of a juvenile specimen leaves doubt about the occurrence of the species in Greece. Confirmation is necessary.

Xysticus graecus C. L. Koch, 1837 (m,f)
Xysticus graecus C. L. Koch, 1837: 65 (female; male described by C. L. Koch, in 1845 is *X. thessalicus*).
Xysticus graecus; Pavesi, 1878: 383; Simon, 1884: 319; Caporiacco, 1929: 232; Lüdicke & Madel, 1937: 299; Hadjissarantos, 1940: 93; Caporiacco, 1948: 66.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Athina (Simon, 1884); Kato Souli (Hadjissarantos, 1940); Liopeti (Hadjissarantos, 1940); Moni Kaisariani (Hadjissarantos, 1940).
 DODEKANISA: Rodos: Aghios Isidoros (Caporiacco, 1928); Draco (Caporiacco, 1948).
 PELOPONNISOS: Achaia: Patra (Simon, 1884). Argolida: Nafplio (type locality; C. L. Koch, 1837). Messinia: Leonidio (Lüdicke & Madel, 1937).

Distribution: Eastern Mediterranean, European part of Russia.

Xysticus kempelini Thorell, 1872 (m,f)
Xysticus kempelini; Hadjissarantos, 1936: 440.

Citations:

PELOPONNISOS: Argolida: Nafplio (Hadjissarantos, 1936).

Distribution: Europe to Central Asia.

Xysticus kochi Thorell, 1872 (m,f)
Xysticus kochi; Simon, 1916: 276; Fage, 1921: 101; Drensky, 1928: 189; Giltay, 1932: 35; Bristowe, 1935: 750; Drensky, 1936: 169; Roewer, 1959a: 31.
Xysticus viaticus; Giltay, 1932: 35.

Citations:

KRITI: Chania: Akrotiri (Giltay, 1932); Governetou, Koutrouki cave (Roewer, 1959a); between Garipas and Panagia (Giltay, 1932); Omalos plateau (Giltay, 1932).

MAKEDONIA: Florina (Fage, 1921). Serres: Orini (Roewer, 1959a). Thessaloniki (Simon, 1916).
 THRAKI: Evros: Alexandroupoli (as Dede-Agatch; Drensky, 1928); Makri (Drensky, 1928); Potamos (as Badoma; Drensky, 1928); Evros: Soufli (as Soflu; Drensky, 1928). Rodopi: Komotini (as Gumurjina; Drensky, 1928). Xanthi: Xanthi (as Sketscha; Drensky, 1928).

Distribution: Europe, Mediterranean to Central Asia.

Xysticus lalandei (Audouin, 1826) (m,f)
Xysticus lalandei; Simon, 1884: 320; Caporiacco, 1925: 109; Bristowe, 1935: 749; Hadjissarantos, 1940: 93

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Athina (Simon, 1884).
 DODEKANISA: Leros (Caporiacco, 1929).

Distribution: Egypt, Israel, Greece.

Xysticus lanio C. L. Koch, 1835 (m,f)
Xysticus lanio; Simon, 1880: 140; Simon, 1884: 320; Bristowe, 1935: 750; Hadjissarantos, 1940: 93

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Athina (Simon, 1880).

Distribution: Palearctic.

Xysticus luctuosus (Blackwall, 1836) (m,f)
Xysticus luctuosus; Drensky, 1928: 189; Drensky, 1936: 170.

Citations:

THRAKI: Rodopi: Komotini (as Gumurjina; Drensky, 1928).

Distribution: Holarctic.

Xysticus ninnii Thorell, 1872 (m,f)
Xysticus defectus; Fage, 1921: 101.
Xysticus ninnii; Bristowe, 1935: 750.

Citations:

MAKEDONIA: Florina (Fage, 1921).

Distribution: Europe to Central Asia.

Xysticus robustus (Hahn, 1832) (m,f)
Xysticus robustus; Bristowe, 1935: 750; Hadjissarantos, 1940: 94; Caporiacco, 1948: 65.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Kato Souli (Hadjissarantos, 1940).
 DODEKANISA: Rodos: Campochiaro (Caporiacco, 1948).

Distribution: Europe to Central Asia.

Xysticus sabulosus (Hahn, 1832) (m,f)

Xysticus sabulosus; Simon, 1884: 320; Bristowe, 1935: 749; Hadjissarantos, 1940: 94; Caporiacco, 1948: 65.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Athina (Simon, 1884).
DODEKANISA: Rodos: Aghios Theodoros (Caporiacco, 1948); Anginovato (Caporiacco, 1948); Draco (Caporiacco, 1948).

Distribution: European.

Xysticus striatipes L. Koch, 1870 (m,f)

Xysticus striatipes; Caporiacco, 1948: 65.

Citations:

DODEKANISA: Rodos: Anginovato (Caporiacco, 1948).

Distribution: Palearctic.

Xysticus tenebrosus Silhavy, 1944 (m,f)

Psammitis tenebrosus; Wunderlich, 1995i: 762.

Citations:

EVVIOA-VOROIES SPORADES: Evvoia (Wunderlich, 1995i).
Skathos: Troulos (Wunderlich, 1995i).
KRITI: Without precise locality (Wunderlich, 1995i).
PELOPONNISOS: Lakonia: Oros Taigetos near Paleopanagia (Wunderlich, 1995i).

Distribution: East Mediterranean.

Xysticus thessalicoides Wunderlich, 1995 (m,f)

Xysticus thessalicoides Wunderlich, 1995i: 753.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Oros Pendeli (Wunderlich, 1995i).
KRITI: Irakleio: Irakleio (type locality; Wunderlich, 1995i).
Lasithi: Sitia (Wunderlich, 1995i).
KYKLADES: Santorini: Exomiti Cape (Wunderlich, 1995i); Ilias Oros (Wunderlich, 1995i); Komari (Wunderlich, 1995i); Merovigli (Wunderlich, 1995i); Palia Kaimeni (Wunderlich, 1995i); Perissa (Wunderlich, 1995i).

Distribution: Greece.

Xysticus thessalicus Simon, 1916 (m,f)

Xysticus graecus C. L. Koch, 1845: 68 (male only, female = *X. graecus*).
Xysticus thessalicus Simon, 1916: 275; Hadjissarantos, 1940: 94; Caporiacco, 1948: 66; Wunderlich, 1995i: 752.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Moni Kaisariani (Hadjissarantos, 1940); Oros Parnitha, Phili (Hadjissarantos, 1940); Oros Pendeli (Hadjissarantos, 1940); Podoniftis (Hadjissarantos, 1940); Rafina (Hadjissarantos, 1940).
IONIAN ISLANDS: Kerkyra (Wunderlich, 1995i).
PELOPONNISOS: Without precise locality (C. L. Koch, 1838); Arkadia: Leonidio (Wunderlich, 1995i).
MAKEDONIA: Thessaloniki (type locality; Simon, 1916).

Distribution: Eastern Mediterranean.

Xysticus tristrami (O. P.- Cambridge, 1872) (m,f)

Xysticus cibratus; Reimoser, 1958: 572 (misidentification).
Psammitis tristrami; Wunderlich, 1995i: 761.

Citations:

EASTERN AEGEAN ISLANDS: Samos: Psili (Wunderlich, 1995i).

IPEIROS: Preveza: Oros Xerovouni (sub *X. cibratus*; Reimoser, 1958).

KRITI: Without precise locality (Wunderlich, 1995i).

KYKLADES: Naxos (Wunderlich, 1995i).

Distribution: Greece to Central Asia.

110. Family Salticidae

Aerulillus affinis (Lucas, 1846) (m,f)

Aerulillus affinis; Caporiacco, 1948: 71; Metzner, 1999: 73; Logunov & Chatzaki, 2003: 95..

Citations:

DODEKANISA: Rodos: Aghios Dimitrios (Caporiacco, 1948); Campochiaro (Caporiacco, 1948); Dendruglia (Caporiacco, 1948); Draco (Caporiacco, 1948); Veli (Caporiacco, 1948).
KRITI: Rethymno (Metzner, 1999).

PELOPONNISOS: Illea: Simopoulo (Metzner, 1999).
STEREA ELADA: Fokida: Itea (Metzner, 1999).

Distribution: Mediterranean to Turkmenistan.

Aelurillus blandus (Simon, 1871) (m,f)

Attus blandus Simon, 1871: 155.
Aelurillus blandus; Simon, 1884: 314; Bristowe, 1935: 775; Caporiacco, 1948: 71; Metzner, 1999: 73; Azarkina, 2002: 250).

Citations:

DODEKANISA: Kos (Metzner, 1999). Rodos (type locality; Simon, 1871; Azarkina, 2002).
EASTERN AEGEAN ISLANDS: Lesvos: Skala Kalloni (Metzner, 1999)
KYKLADES: Santorini (Simon, 1884).

Distribution: Kos, Lesvos, Rodos, Santorini.

Aelurillus cretensis Azarkina, 2002 (m,f)

Aelurillus cretensis Azarkina, 2002: 251.
Aelurillus blandus; Dobroruka, 2002: 6 (misidentification); Logunov & Chatzaki, 2003: 95.
Aelurillus steliosi; Dobroruka, 2002: 8.

Citations:

KRITI: Irakleio: Skalani (type locality of *Ae. steliosi*; Dobroruka, 2002); Oros Psiloritis, Kouroutes (sub *Ae. blandus* and *Ae. steliosi*; Dobroruka, 2002).
CHANIA: Georgioupoli (Logunov & Chatzaki, 2003); Lefka Ori mountains (type locality of *Ae. cretensis*; Azarkina, 2002).

Distribution: Kriti.

Aelurillus guecki Metzner, 1999 (m,f)

Aelurillus guecki Metzner, 1999: 74.

Citations:

KYKLADES: Paros (type locality; Metzner, 1999).

Distribution: Paros.

Aelurillus kochi Roewer, 1951 (m,f)

Attus capreolus L. Koch, 1867: 872; Simon, 1868: 69.

Yllenus capreolus; Pavesi, 1878: 396.

Aelurillus capreolus; Simon, 1884: 314; Bristowe, 1935: 775; Hadjissarantos, 1940: 103.

Aelurillus kochi; Metzner, 1999: 75.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Koropi-Stavros (Hadjissarantos, 1940); Liopesi (Hadjissarantos, 1940); Oros Parnitha, Phili (Hadjissarantos, 1940); Skaramagkas

(Hadjissarantos, 1940); Sounio (Bristowe, 1935); Vouliagmeni (Hadjissarantos, 1940).
EVVOIA-VOROIES SPORADES: Evvoia: Karystos (Metzner, 1999).
KYKLADES: Syros (type locality of *Ae kochi*; L. Koch, 1867).
Tinos (Simon, 1884).

Distribution: Greece, Syria, Israel.

***Aelurillus leipoldae* (Metzner, 1999) (m,f)**

Asianellus leipoldae Metzner, 1999: 72.
Aelurillus leipoldae; Azarkina, 2002: 253; Logunov & Chatzaki, 2003: 96.
Aelurillus m-nigrum; Dobroruka, 2002: 8 (misidentification).

Citations:

KRITI: Chania: Aghia Marina (Logunov & Chatzaki, 2003); Imbros-Askitou (Logunov & Chatzaki, 2003); Kandanos-Floria (Azarkina, 2002); Lefka Ori (Azarkina, 2002); Paleochora (type locality; Metzner, 1999; Azarkina, 2002); Sfakia (Metzner, 1999). Irakleio: Irakleio SE, Yachtas Mt. (Azarkina, 2002); Oros Asterousia, Kofinas (sub *Aelurillus m-nigrum*; Dobroruka, 2002). Lasithi: Elounda, Spinalonga (Azarkina, 2002). Rethymno: W Rethymno (Azarkina, 2002). Gavdos Island: Agios Georgios (Azarkina, 2002); Fanari (Azarkina, 2002); Korfos (Azarkina, 2002); Lavrakas dunes (Azarkina, 2002); Metochi (Azarkina, 2002). Gavdopoula Island (Azarkina, 2002).

Distribution: Only known from Kriti.

***Aelurillus politiventris* (O. P.- Cambridge, 1872) (m,f)**
Aelurillus politiventris; Deltshev & Paraschi, 1990: 4.

Citations:

KYKLADES: Naxos (Deltshev & Paraschi, 1990).
PELOPONNISOS: Argolida: Epidavros (Deltshev & Paraschi, 1990).

Distribution: *Ae. politiventris* is known from Israel and Syria. It is unclear to which species the specimens cited by Deltshev & Paraschi (1990) belong. For unclear reasons, in his excellent revision of the Salticidae of Greece Metzner (1999) does not mention the species.

***Aelurillus steinmetzi* Metzner, 1999 (m,f)**
Aelurillus steinmetzi Metzner, 1999: 76.

Citations:

KYKLADES: Paros (type locality; Metzner, 1999).

Distribution: Paros.

***Aelurillus v- insignitus* (Clerck, 1757) (m,f)**

Aelurillus insignitus; Simon, 1884: 314.
Aelurillus v-insignitus; Drensky, 1928: 192; Bristowe, 1935: 775; Drensky, 1936: 190; Hadjissarantos, 1940: 103; Metzner, 1999: 77; Wolf, 2003: 225.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Dionisos (Hadjissarantos, 1940); Ekali (Hadjissarantos, 1940); Oros Imitos, Moni Karea (Hadjissarantos, 1940); Kato Souli (Hadjissarantos, 1940); Loutra (Hadjissarantos, 1940); Oros Pendeli (Hadjissarantos, 1940); Pikermi (Hadjissarantos, 1940); Vyron (Hadjissarantos, 1940). Saronic Islands: Salamina (Hadjissarantos, 1940). MAKEDONIA: Drama: Oros Falakro (Metzner, 1999; Wolf, 2003). Kavala: Oros Pangeo (Metzner, 1999; Wolf, 2003). PELOPONNISOS: Achaia: Kounoupeli (Metzner, 1999). Lakonia: Mani, Oitilo (Metzner, 1999). STEREIA ELADA: Aitolo-Akarnania: Mesologgi (Simon, 1884). THESSALIA: Larisa: Oros Ossa, Omolion (Metzner, 1999). THRAKI: Evros: Didimoticho (as Dimitika; Drensky, 1928). Rodopi: Kelempet mountains (Metzner, 1999).

Distribution: Palearctic.

***Afraflacilla epiblemoides* (Chyzer, 1891) (m,f)**
Afraflacilla epiblemoides; Metzner, 1999: 89.

Citations:

PELOPONNISOS: Achaia: Kounoupeli (Metzner, 1999).

Distribution: the Balkans.

***Asianellus festivus* (C. L. Koch, 1834) (m,f)**
Aelurillus festivus; Hansen, 1985: 243.
Asianellus festivus; Metzner, 1999: 71.

Citations:

KYKLADES: Without precise locality (Hansen, 1985).
STEREIA ELADA: Evrytania: Karpenisi (Metzner, 1999).
THRAKI: Rodopi: Kelempet mountains, above Neda (Metzner, 1999).

Distribution: Palearctic.

***Ballus chalybeius* (Walckenaer, 1802) (m,f)**
Ballus depressus; Simon, 1884: 316; Hadjissarantos, 1940: 99; Reimoser, 1958: 372.
Euophrus depressus; Bristowe, 1935: 778.
Ballus chalybeius; Reimoser, 1958: 572; Metzner, 1999: 40; Logunov & Chatzaki, 2003: 96.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Athina (Simon, 1884).
EASTERN AEGEAN ISLANDS: Lesvos: Agiassos (Metzner, 1999).
IPEIROS: Artia: Katarakti (Reimoser, 1958).
KRITI: Chania: Lefka Ori (Logunov & Chatzaki, 2003). Irakleio: Rodia (Metzner, 1999).
MAKEDONIA: Thessaloniki: Aghios Vasilios (Metzner, 1999); Langadas (Metzner, 1999).
PELOPONNISOS: Achaia: Kounoupeli (Metzner, 1999). Messinia: Vasses, above Petra (Metzner, 1999).

Distribution: Europe and N Africa to Central Asia.

***Ballus rufipes* (Simon, 1868) (m,f)**
Ballus rufipes; Simon, 1884: 316; Bristowe, 1935: 778;
Hadjissarantos, 1940: 99; Caporiacco, 1948: 67; Reimoser, 1958: 572; Metzner, 1999: 40.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Athina (Simon, 1884; Hadjissarantos, 1940).
DODEKANISA: Rodos: Apollona (Caporiacco, 1948).
IPEIROS: Rodavgi (as Nisia; Reimoser, 1958).
PELOPONNISOS: Messinia: Vasses, above Petra (Metzner, 1999).
THESSALIA: Larisa: Oros Ossa, Omolion (Metzner, 1999).

Distribution: Europe, N Africa.

***Bianor albobimaculatus* (Lucas, 1846) (m,f)**
Eris albobimaculatus; Simon, 1878: 212; Simon, 1880: 140;
Simon, 1884: 316.
Bianor albobimaculatus; Reimoser, 1930: 151; Bristowe, 1935: 777; Hadjissarantos, 1940: 108; Metzner, 1999: 119; Logunov, 2001a: 225; Dobroruka, 2002: 13; Logunov & Chatzaki, 2003: 96.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Kato Souli (Hadjissarantos, 1940).
IONIAN ISLANDS: Kerkyra (Simon, 1878).
IPEIROS: Artia: Kato Kalentini (Metzner, 1999).
KRITI: Chania: Lefka Ori (Logunov & Chatzaki, 2003); Platanias-Agia (Metzner, 1999). Irakleio: Stoli (Metzner, 1999).

MAKEDONIA: Chalkidiki: Kalamitis (Dobroruka, 2002).
 PELOPONNISOS: Achaia: Kalogria (Metzner, 1999); Kounoupeli (Metzner, 1999; Logunov, 2001a).
 STEREA ELADA: Aitolo-Akarnania: Mesologgi (Simon, 1880).
 Fthiotida: Theologos (Metzner, 1999); Vitoli (Metzner, 1999).
 THESSALIA: Magnisia: Pilion, Agiokampos (Metzner, 1999).
 Thessaloniki: Aghios Vasilios (Metzner, 1999).
 THRAKI: Xanthi: Agiasma, Nestos delta (Metzner, 1999).

Distribution: Mediterranean to Central Asia, Cap Verde Islands.

***Carrhotus xanthogramma* (Latreille, 1819) (m,f)**
Philaeus bicolor; Simon, 1884: 310; Bristowe, 1935: 774;
 Hadjissarantos, 1940: 105.
Carrhotus bicolor; Werner, 1934: 165; Bristowe, 1935: 773;
 Hadjissarantos, 1940: 101.
Carrhotus xanthogramma; Reimoser, 1958: 573; Roewer,
 1959a: 31; Metzner, 1999: 142; Dobroruka, 2002: 13; Logunov
 & Chatzaki, 2003: 96.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Athina (Simon, 1884).
 IONIAN ISLANDS: Lefkada (Reimoser, 1958).
 KRITI: Chania: Aghia Irini (Dobroruka, 2002). Irakleio: Vorizia
 (Dobroruka, 2002).
 KYKLADES: Milos (Werner, 1934).
 MAKEDONIA: Chalkidiki: Ormos Panagias (Dobroruka, 2002).
 Serres: Orini (Roewer, 1959a).
 STEREA ELADA: Aitolo-Akarnania: Nafpaktos, Mornos valley
 (Metzner, 1999).
 THESSALIA: Trikala: Kalambaka, Meteora (Dobroruka, 2002).

Distribution: Amfi-Palearctic.

***Chalcoscirtus difficilis* (Simon, 1868) (m,f)**
Attus difficilis Simon, 1868: 590.
Euophrys difficilis; Pavesi, 1878: 392; Simon, 1884: 315;
 Bristowe, 1935: 777; Hadjissarantos, 1940: 105.
Pseudeuophrys difficilis; Metzner, 1999: 53.

Citations:

Greece: Without precise locality (Simon, 1868).
 ATTIKI-SARONIC ISLANDS: Attiki: Athina (Simon, 1884).
 IONIAN ISLANDS: Kerkyra (Simon, 1884).

Distribution: S Europe. Described but not recorded by Metzner
 (1999) redescribed the species but gave no records for Greece.

***Chalcoscirtus helverseni* Metzner, 1999 (f)**
Chalcoscirtus helverseni Metzner, 1999: 46.

Citations:

PELOPONNISOS: Ileia: Vidiaki, Erimanthos valley (type locality;
 Metzner, 1999).

Distribution: Greece.

***Chalcoscirtus infimus* (Simon, 1868) (m,f)**
Calliethera infima Simon, 1868: 661.
Epiblemmum infimum; Pavesi, 1878: 390.
Chalcoscirtus infimus; Simon, 1884: 311; Caporiacco, 1929:
 238; Reimoser, 1930: 151; Giltay, 1932: 37; Bristowe, 1935:
 774; Hadjissarantos, 1940: 110; Caporiacco, 1948: 69; Deltshev
 & Paraschi, 1990: 4; Metzner, 1999: 45; Logunov & Chatzaki,
 2003: 96.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Alepochori (Metzner, 1999);
 Bogiati (Hadjissarantos, 1940); Kopanas (Hadjissarantos, 1940);
 Podoniftis (Hadjissarantos, 1940); Rafina (Hadjissarantos,
 1940).

DODEKANISA: Rodos: Aghios Dimitrios (Caporiacco, 1948);
 Aghios Isidoros (Caporiacco, 1929); Eptapiges (Metzner, 1999);

Archipolis-Platania (Metzner, 1999); Faliraki (Metzner, 1999);
 Laerma SE (Metzner, 1999); Profitis Ilias (Metzner, 1999);
 Rodos town (Logunov & Chatzaki, 2003).
 EASTERN AEGEAN ISLANDS: Lesvos: Agiassos (Metzner, 1999);
 Parakila (Metzner, 1999); Vatera (Metzner, 1999).
 IONIAN ISLANDS: Kerkyra (Simon, 1868).
 KRITI: Chania: Aghii Pantes (Logunov & Chatzaki, 2003);
 Fournes (Logunov & Chatzaki, 2003); Georgioupoli (Logunov
 & Chatzaki, 2003); Lakki (Giltay, 1932); Lefka Ori (Logunov &
 Chatzaki, 2003); Platanias (Logunov & Chatzaki, 2003).
 Lasithi: Sitia (Metzner, 1999).
 KYKLADES: Naxos (Deltshev & Paraschi, 1990). Paros: Naoussa
 (Metzner, 1999).
 MAKEDONIA: Pella: Palaia Pella (Metzner, 1999). Thessaloniki:
 Aghios Vasilios (Metzner, 1999).
 PELOPONNISOS: Achaia: Kato Alissos (Metzner, 1999).
 Kallitheia-Patra (Metzner, 1999); Kounoupeli (Metzner, 1999).
 Argolida: Epidavros (Deltshev & Paraschi, 1990). Arkadia: Oros
 Likeo, N Ano Karies (Metzner, 1999); Oros Menalo (Metzner,
 1999); Oros Oligortos (Metzner, 1999). Ileia: Andritsena
 (Metzner, 1999); Kakotari near Chani Panopoulos, Pinios valley
 (Metzner, 1999); Krivorsi, Pinios valley (Metzner, 1999);
 Lambia (Metzner, 1999); Petralona-Vasses (Metzner, 1999).
 Lakonia: Agoriani (Metzner, 1999); Evrotas valley,
 Lefkochoma-Vrontamas (Metzner, 1999); Finikouda (Metzner,
 1999); Githio (Metzner, 1999); Kastaria, Oros Taigetos
 (Metzner, 1999); Mavrovouni (Metzner, 1999); Mistras
 (Metzner, 1999). Messinia: Kiparissa (Metzner, 1999); Methoni
 (Metzner, 1999); Petra near Vasses (Metzner, 1999).
 STEREA ELADA: Fokida: Delfoi (Metzner, 1999); Itea (Metzner,
 1999). Fthiotida: Ipati (Metzner, 1999); E Karpenissi, Vitoli
 (Metzner, 1999); Theologos (Metzner, 1999); Tragana (Metzner,
 1999).
 THESSALIA: Larisa: Gonnos (Metzner, 1999).

Distribution: Southern Europe to Central Asia.

***Chalcoscirtus nigritus* (Thorell, 1875) (m,f)**
Chalcoscirtus nigritus; Metzner, 1999: 47.

Citations:

PELOPONNISOS: Korinthia: Stymfalia lake (Metzner, 1999).
 STEREA ELADA: Fthiotida: Malesina (Metzner, 1999).

Distribution: Southern Europe to Western Siberia.

***Cyba algerina* (Lucas, 1846) (m,f)**
Attus algerinus; Simon, 1868: 547.
Attus leporina L. Koch, 1867: 874.
Attus armiger L. Koch, 1867: 876.
Salticus cephalotes; O. P.- Cambridge, 1872: 321.
Euophrys algerina; Pavesi, 1878: 392.
Cyba algerina; Simon, 1884: 315; Kulczyn'ski, 1903: 35;
 Strand, 1917: 166; Caporiacco, 1925: 110; Caporiacco, 1929:
 238; Giltay, 1932: 36; Bristowe, 1935: 777; Hadjissarantos,
 1940: 100; Caporiacco, 1948: 67; Reimoser, 1958: 573;
 Deltshev & Paraschi, 1990: 4; Metzner, 1999: 35; Logunov &
 Chatzaki, 2003: 98.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Oros Parnitha, Keramidi
 (Hadjissarantos, 1940).
 DODEKANISA: Kastelrosso (Caporiacco, 1925). Kos: Asfendiou,
 Zia (Metzner, 1999). Rodos: Anginovato (Caporiacco, 1948);
 Draco (Caporiacco, 1948); Katavia (Caporiacco, 1929). Simi
 (Caporiacco, 1925).
 EASTERN AEGEAN ISLANDS: Chios (Strand, 1917). Lesvos:
 Kalloni (Metzner, 1999); Vatera (Metzner, 1999). Zea (Strand,
 1917).
 EVVOIA-VOROIES SPORADES: Evvoia: Karystos (Strand, 1917);
 Stira (Strand, 1917).
 IONIAN ISLANDS: Kerkyra (Simon, 1868; O. P.- Cambridge,
 1872).

IPEIROS: Thesprotia: Igoumenitsa (Metzner, 1999).
 KRITI: Chania: Aghii Pantes (Logunov & Chatzaki, 2003); Chania (Kulczyn'ski, 1903; Strand, 1917); Georgioupoli (Logunov & Chatzaki, 2003); Lefka Ori (Logunov & Chatzaki, 2003); Rogdia (Metzner, 1999). Irakleo: Knossos (Metzner, 1999). Rethymno: Asomatos (Kulczyn'ski, 1903); Preveli palm beach (Logunov & Chatzaki, 2003).
 KYKLADES: Without precise locality (Strand, 1917). Tinos (type locality of *Attus armiger* and *A. leporinus*; L. Koch, 1867).
 PELOPONNISOS: Achaia: Kallitheia (Metzner, 1999); Kounoupeli (Metzner, 1999). Argolida: Achladokambos (Giltay, 1932); Arachneo (Metzner, 1999); Epidavros (Deltshev & Paraschi, 1990); Nafplio (Bristowe, 1935). Arkadia: Paradisio (Metzner, 1999). Ileia: Andritsena (Metzner, 1999); Katotari, Pinios valley (Metzner, 1999); S Lambia (Metzner, 1999). Lakonia: Flomohori (Metzner, 1999); N Vathia (Metzner, 1999). Messinia: Finikouda (Metzner, 1999).
 STEREA ELADA: Aitolo Akarnania: Aghios Nikolaos (Metzner, 1999). Fokida: Delfoi (Metzner, 1999). Fthiotida: Malesina (Metzner, 1999); Theologos (Metzner, 1999); Vitoli (Metzner, 1999).
 THESSALIA: Magnisia: Kalamos (Reimoser, 1958).

Distribution: Canary Islands to Central Asia.

Dendryphantes rufidus (Sundevall, 1833) (m,f)

Dendryphantes rufidus; Pavesi, 1878: 391; Reimoser, 1919: 110; Metzner, 1999: 41.

Citations:

KYKLADES: Syros (Pavesi, 1878).

Distribution: Palearctic. No additional localities in Metzner (1999) and its presence in Greece has to be confirmed.

Euophrys frontalis (Walckenaer, 1802) (m,f)

Euophrys frontalis; Metzner, 1999: 48; Dobroruka, 2002: 13.

Citations:

EVVOIA-VOROIES SPORADES: Evvoia: Steni (Metzner, 1999). IPEIROS: Ioannina: Monodendri (Dobroruka, 2002). Thesprotia: Igoumenitsa (Metzner, 1999). MAKEDONIA: Chalkidiki: Ormos Panagias (Dobroruka, 2002). Serres: Serres (Metzner, 1999). Thessaloniki: Aghios Vasilios (Metzner, 1999); Thessaloniki (Dobroruka, 2002). PELOPONNISOS: Achaia: Arla (Metzner, 1999); Kalogria (Metzner, 1999); Kato Alissos (Metzner, 1999); Kounoupeli (Metzner, 1999). Arkadia: Oros Mainalos, Piriaki (Metzner, 1999). Ileia: Kato Samiko (Metzner, 1999). Messinia: W Sparti, Oros Taigetos (Metzner, 1999). STEREA ELADA: Fthiotida: Theologos (Metzner, 1999). THESSALIA: Larisa: Tembi valley (Metzner, 1999).

Distribution: Palearctic.

Euophrys gambosa (Simon, 1868) (m,f)

Attus gambosus Simon, 1868: 593.
Euophrys gambosa; Pavesi, 1878: 392; Simon, 1884: 316; Capriacco, 1925: 111; Bristowe, 1935: 777; Hadjissarantos, 1940: 106; Metzner, 1999: 49.
Euophrys gambosa mediocris; Capriacco, 1948: 68.

Citations:

Greece: Without precise locality (Simon, 1868).
 ATTICKI-SARONIC ISLANDS: Attiki: Ekali (Hadjissarantos, 1940); Oros Imitos, Moni Karea (Hadjissarantos, 1940); Moni Kaisariani (Hadjissarantos, 1940); Kato Souli (Hadjissarantos, 1940); Liopesi (Hadjissarantos, 1940); Oros Parnitha, Phili (Hadjissarantos, 1940). Saronic Islands: Aigina (Hadjissarantos, 1940); Salamina (Hadjissarantos, 1940). DODEKANISA: Rodos: Aghios Dimitrios (Capriacco, 1948). Tilos (as Piskopi; Capriacco, 1925).

Distribution: Mediterranean. It is surprising this species was not recorded by Metzner (1999).

Euophrys herbigrada (Simon, 1871) (m,f)

Euophrys herbigrada; Metzner, 1999: 50; Logunov & Chatzaki, 2003: 96.

Citations:

PELOPONNISOS: Achaia: Arla (Metzner, 1999); Kounoupeli (Metzner, 1999). KRITI: Chania: Vamvakados (Metzner, 1999). Iraklio: Iraklio (Metzner, 1999). KYKLADES: Naxos: Polichni (Metzner, 1999). THESSALIA: Larisa: Gonnos (Metzner, 1999).

Distribution: Europe.

Euophrys rufibarbis (Simon, 1868) (m,f)

Euophrys rufibarbis; Hadjissarantos, 1940: 106; Metzner, 1999: 51; Dobroruka, 2002: 13; Logunov & Chatzaki, 2003: 96.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Vyron (Hadjissarantos, 1940). EVVOIA-VOROIES SPORADES: Evvoia: Artemision-Istiea (Metzner, 1999); Dystos lake (Metzner, 1999); Kato Steni, Aghia Kyriaki (Metzner, 1999); Lichada-Istiea (Metzner, 1999). IONIAN ISLANDS: Kerkyra: Aghios Matheos (Metzner, 1999). IPEIROS: Ioannina: Monodendri (Dobroruka, 2002). Thesprotia: Neraida (Metzner, 1999). KRITI: Chania: Aghia Marina (Metzner, 1999); Kavallos (Dobroruka, 2002). Iraklio: Aghia Pelagia (Dobroruka, 2002); near Iraklio (Metzner, 1999); Skalani (Dobroruka, 2002). Lasithi: Vai (Dobroruka, 2002). KYKLADES: Paros (Metzner, 1999). MAKEDONIA: Chalkidiki: Ormos Panagias (Dobroruka, 2002). STEREA ELADA: Fthiotida: Theologos (Metzner, 1999); Tragana (Metzner, 1999). THESSALIA: Pieria: Litochoro (Dobroruka, 2002). Trikala: Kalambaka, Meteora (Dobroruka, 2002).

Distribution: Mediterranean.

Euophrys skalianicus (Dobroruka, 2002) (f)

Yllenus skalianicus Dobroruka, 2002: 22.
Euophrys skalianicus; Logunov & Chatzaki, 2003: 97.

Citations:

KRITI: IRAKLEIO: Skalani (type locality; Dobroruka, 2002).

Comments: Logunov & Chatzaki (2003) transferred *Yllenus skalianicus* to *Euophrys* and considered it a nomen dubium. They claim Dobroruka (2002) has described an immature female, but as the description is accompanied by figures of epigyne and vulva, there must have been some error. The species is mentioned here as an *Euophrys* species.

Distribution: Only known from Kriti.

Euophrys sulphurea (L. Koch, 1867) (m,f)

Attus sulphureus L. Koch, 1867: 873.
Euophrys sulphurea; Pavesi, 1878: 392; Simon, 1884: 316; Capriacco, 1929: 238; Bristowe, 1935: 777; Hadjissarantos, 1940: 106; Capriacco, 1948: 68; Metzner, 1999: 31; Logunov & Chatzaki, 2003: 97.
Euophrys graeca Bristowe, 1935: 778, 783; Deltshev & Paraschi, 1990: 4.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Athina (Hadjissarantos, 1940); Dafni (Hadjissarantos, 1940); Ekali (Hadjissarantos, 1940); Loutsa (Hadjissarantos, 1940); Oros Pendeli (Hadjissarantos, 1940); Psichiko (Hadjissarantos, 1940); Rafina

(Hadjissarantos, 1940); Vari (Hadjissarantos, 1940); Vouliagmeni (Hadjissarantos, 1940).
DODEKANISA: Rodos: Koschino (Caporiacco, 1929).
EASTERN AEGEAN ISLANDS: Lesvos: Stavros-Ambeliko (Metzner, 1999).
KRITI: Chania: Afrata (Metzner, 1999); Georgioupoli (Logunov & Chatzaki, 2003); Lefka Ori (Logunov & Chatzaki, 2003); Omalos (Logunov & Chatzaki, 2003); Zimbragos (Metzner, 1999). Irakleio: Ano Vianos (Metzner, 1999); Apesokari-Miamou (Metzner, 1999); Panagia (Metzner, 1999); Youchtas Mountains (Logunov & Chatzaki, 2003). Lasithi: Exo Mouliana (Metzner, 1999).
Rethymno: Kissou Kambos (Metzner, 1999). Gavdos Island: Korfos (Logunov & Chatzaki, 2003); Sarakiniko (Logunov & Chatzaki, 2003).
KYKLADES: Naxos (Deltshev & Paraschi, 1990); Apollona (Metzner, 1999). Syros (Simon, 1884). Tinos (type locality of *Attus sulphureus*; L. Koch, 1867).
PELOPONNISOS: Argolida: Epidavros (Deltshev & Paraschi, 1990); Kosta (Metzner, 1999). Lakonia: Drialos (Metzner, 1999); N Vathia (Metzner, 1999).
STEREA ELADA: Fokida: Delfoi (type locality of *E. graeca*; Bristowe, 1935; Metzner, 1999). Fthiotida: Malesina (Metzner, 1999); Theologos (Metzner, 1999).

Distribution: Mediterranean, Syria.

Euophrys terrestris (Simon, 1871)

Euophrys terrestris; Logunov & Chatzaki, 2003: 97.

Citations:

KRITI: Gavdos Island: Metochi (Logunov & Chatzaki, 2003).

Distribution: Europe.

Evarcha arcuata (Clerck, 1757) (m,f)

Ergane arcuata; Drensky, 1928: 192.
Evarcha arcuata; Drensky, 1936: 186; Caporiacco, 1948: 72; Reimoser, 1958: 573; Roewer, 1959a: 31; Metzner, 1999: 146; Logunov & Chatzaki, 2003: 97.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Oros Drakonera (Roewer, 1959a).
DODEKANISA: Rodos : Aghios Theodoros (Caporiacco, 1948).
IPEIROS: Arta: Katarakti (Reimoser, 1958).
KRITI: Rethymno: Angueliana, Spilia Mylokatziradi (Roewer, 1959a)
MAKEDONIA: Drama: Paranesti (Metzner, 1999). Florina: Oros Verno, Bigla (Metzner, 1999). Pella: Edessa, Vrita (Roewer, 1959a). Serres: Serres castle (Roewer, 1959a). Thessaloniki: Aghios Vasilius (Metzner, 1999).
PELOPONNISOS: Achaia: Kounoupeli (Metzner, 1999). Lakonia: Mistras (Metzner, 1999).
THRAKI: Evros: Alexandroupoli (as Dede-Agatch; Drensky, 1928). Xanthi: Stavroupoli (Metzner, 1999).

Distribution: Palearctic.

Evarcha falcata (Clerck, 1757) (m,f)

Ergane falcata; Drensky, 1928: 192.
Evarcha flammata; Caporiacco, 1948: 71; Roewer, 1959a: 31.
Evarcha falcata; Drensky, 1936: 186; Metzner, 1999: 147; Logunov & Chatzaki, 2003: 97; Wolf, 2003: 225.

Citations:

DODEKANISA: Rodos : Draco (Caporiacco, 1948).
IPEIROS: Ioannina: Ioannina (Roewer, 1959a).
KRITI: Irakleio: Pyrgos, Cave Peristera (Roewer, 1959a).
MAKEDONIA: Drama: Oros Falakro (Metzner, 1999; Wolf, 2003). Florina: Oros Verno, Bigla (Metzner, 1999). Kavala: Oros Pangeo (Metzner, 1999). Serres: Aghios Prodromos (Roewer, 1959a).

PELOPONNISOS: Achaia: Kounoupeli (Metzner, 1999).
THRAKI: Evros: Makri (Drensky, 1928). Rodopi: Komotini (as Gumurjina; Drensky, 1928). Xanthi: Toxotes, Thalassinos cave (Roewer, 1959a).

Distribution: Europe to Western Siberia.

Evarcha jucunda (Lucas, 1846) (m,f)

Attus mitratus L. Koch, 1867: 877; Simon, 1868: 60.
Attus jucundus; Pavesi, 1878: 394.
Hasarius jucundus; Simon, 1880: 140.
Ergane jucunda; Simon, 1884: 310.
Evarcha jucunda; Kulczyn'ski, 1903: 35; Caporiacco, 1925: 110; Reimoser, 1930: 147; Bristowe, 1935: 773; Hadjissarantos, 1940: 101; Reimoser, 1958: 573; Deltshev & Paraschi, 1990: 4; Metzner, 1999: 148; Logunov & Chatzaki, 2003: 97; Dobroruka, 2002: 13.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Athina (Simon, 1884); Bristowe, 1935); Dionisos (Hadjissarantos, 1940); Ekali (Hadjissarantos, 1940); Kiourka (Hadjissarantos, 1940); Loutsa (Hadjissarantos, 1940). Saronic Islands: Aigina (Hadjissarantos, 1940).
DODEKANISA: Kos: Asomati-Chaichutes (Metzner, 1999). Patmos (Bristowe, 1935). Simi (Caporiacco, 1925). Rodos: Eptapiges (Metzner, 1999); Filerimos (Metzner, 1999).
EASTERN AEGEAN ISLANDS: Lesvos: Vatera (Metzner, 1999).
EVVOIA-VOROIES SPORADES: Evvoia: Artemision-Istria (Metzner, 1999); Lake Dystos (Metzner, 1999).
IONIAN ISLANDS: Kerkyra (Simon, 1880; Reimoser, 1930).
IPEIROS: Arta: Katarakti (Reimoser, 1958). Ioannina: Monodendri (Dobroruka, 2002). Platanousa (Reimoser, 1958). Thesprotia: Igoumenitsa (Metzner, 1999).
KRITI: Chania: Epanochori-Kandanos (Metzner, 1999); Lakki (Kulczyn'ski, 1903). Irakleio: Youchtas mountains (Logunov & Chatzaki, 2003). Lasithi: Exo Mouliana (Metzner, 1999); Maronia (Metzner, 1999). Rethymno: Choumeri-Perama (Metzner, 1999). Perama (Metzner, 1999).
KYKLADES: Naxos: Chalkis (Metzner, 1999). Paros: Naoussa (Metzner, 1999). Tinos (type locality of *Attus mitratus*; L. Koch, 1867).
MAKEDONIA: Chalkidiki: Kalamitsi (Dobroruka, 2002). Drama: Paranesti (Metzner, 1999). Chalkidiki: Marathousa (Metzner, 1999); Nea Kalikratia (Metzner, 1999). Kilkis: Gorgopi, Oros Paiko (Metzner, 1999). Thessaloniki: Aghios Vasilios (Metzner, 1999); Olympiada-Stavros (Metzner, 1999).
PELOPONNISOS: Achaia: Arla (Metzner, 1999); Kato Alissos (Metzner, 1999). Argolida: Achladokambos (Metzner, 1999); Epidavros (Deltshev & Paraschi, 1990); Palea Epidavros (Metzner, 1999). Itea: Kato Samiko (Metzner, 1999); Matesi, Alphios valley (Metzner, 1999); Vidiaki, Erimanthos valley (Metzner, 1999). Lakonia: Lefkochoma-Vrontamas, Evros valley (Metzner, 1999); Mavrovouni (Metzner, 1999). Messinia: Finikouda (Metzner, 1999).
STEREA ELADA: Evrytania: W Karpenisi, Tauropos valley (Metzner, 1999). Fokida: Delfoi (Metzner, 1999); Itea (Metzner, 1999). Fthiotida: E Karpenissi, Vitoli (Metzner, 1999); Lamia-Thermopiles (Metzner, 1999); Theologos (Metzner, 1999).
THESSALIA: Larisa: Omolion-Tembi (Metzner, 1999); Tembi valley (Metzner, 1999).

Distribution: Mediterranean.

Evarcha laetabunda (C. L. Koch, 1846) (m,f)

Evarcha laetabunda; Metzner, 1999: 149; Wolf, 2003: 225.

Citations:

MAKEDONIA: Drama: Oros Falakro (Metzner, 1999; Wolf, 2003).

Distribution: Palearctic.

***Habrocestum egaeum* Metzner, 1999 (m,f)**

Habrocestum sp. n. cfr. *graecum*; Prószyński, 1987: 30.
Habrocestum egaeum Metzner, 1999: 63; Dobroruka, 2002: 13;
Logunov & Chatzaki, 2003: 97.

Citations:

DODEKANISA: Kos: Asfendiou-Zia (type locality; Metzner, 1999); Asklepion (Metzner, 1999); Kos castle (Metzner, 1999); Zia (Metzner, 1999). Rodos: Monolithos (Metzner, 1999); Profitis Ilias (Metzner, 1999). KRITI: Chania: Aghia Irini (Dobroruka, 2002); Ano Sfinari (Logunov & Chatzaki, 2003); Fournes (Logunov & Chatzaki, 2003); Georgioupoli (Dobroruka, 2002; Logunov & Chatzaki, 2003); lake Kourna (Logunov & Chatzaki, 2003); Lefka Ori (Logunov & Chatzaki, 2003); Rodopos peninsula, Oigiditrias monastery (Metzner, 1999); Rogidia (Metzner, 1999); Sfinari (Metzner, 1999). Irakleio: Karteros (Dobroruka, 2002); Skalani (Dobroruka, 2002); Youchtas Mountains (Logunov & Chatzaki, 2003). Lasithi: Exo Mouliana (Metzner, 1999); Milatos (Metzner, 1999). Rethymno: Aghia Galini (Metzner, 1999); Keramoti-Choumerion (Metzner, 1999); Perama-Choumerion (Metzner, 1999).

Distribution: Dodekanisa, Kriti.

***Habrocestum graecum* Dalmas, 1920 (m,f)**

Habrocestum graecum Dalmas, 1920: 64, 67; Bristowe, 1935: 775; Hadjissarantos, 1940: 103; Prószyński, 1987: 30; Deltshev & Paraschi, 1990: 4; Metzner, 1999: 60.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Oros Imittos, Aghios Ioannis Kunigos (Hadjissarantos, 1940); Kato Souli (Hadjissarantos, 1940); Oros Parnitha, Mola (Hadjissarantos, 1940). PELOPONNISOS: Achaia: Kounoupeli (Metzner, 1999). Argolida: Achladokambos (Metzner, 1999); Arachneo (Metzner, 1999); Epidavros (Deltshev & Paraschi, 1990). Arkadia: Levidi, Oros Oligirtos (Metzner, 1999); Paradisio (Metzner, 1999). Ileia: Andritsena, Elide (Metzner, 1999); Kato Samiko (Metzner, 1999); Matesi, Alphios valley (Metzner, 1999); Vidiaki, Erimanthos valley (Metzner, 1999). Lakonia: Drialos (Metzner, 1999); Flomohori (Metzner, 1999); Lefkochoma-Vrontamas, Evrotas valley (Metzner, 1999); Mani, Charouda (Metzner, 1999); Mavrovouni (Metzner, 1999); Mistras (Metzner, 1999); Monemvasia (Metzner, 1999); N Vathia (Metzner, 1999). Messinia: Finikouda (Metzner, 1999); Petra-Vasses (Metzner, 1999). STEREIA ELADA: Aitolo-Akarnania: Krioneri (Metzner, 1999). Evrytania: Fourna (Metzner, 1999); Karpenisi, Tauropos valley (Metzner, 1999). Fokida: Delfoi (Metzner, 1999); Itea (Metzner, 1999). Fthiotida: Malesina (Metzner, 1999); Tragana (Metzner, 1999); Theologos (Metzner, 1999); Vitoli (Metzner, 1999). THESSALIA: Larisa: Gonnos (Metzner, 1999); Omolion (Metzner, 1999); Tembi valley (Metzner, 1999). Magnisia: Volos (type locality; Dalmas, 1920; Prószyński, 1987). Pieria: Monastery Aghiou Dionisiou, Oros Olymbos (Metzner, 1999).

Distribution: Continental Greece.

***Habrocestum latifasciatum* (Simon, 1868) (m,f)**

Attus latifasciatum Simon, 1868: 536; Pavesi, 1878: 395.
Habrocestum latifasciatum; Simon, 1884: 314; Kulczyn'ski, 1903: 35, 54; Caporiacco, 1929: 239; Bristowe, 1935: 775; Caporiacco, 1948: 71; Metzner, 1999: 61; Logunov & Chatzaki, 2003: 97.

Citations:

DODEKANISA: Rodos: Aghios Isidoros (Caporiacco, 1929); Apollona (Caporiacco, 1948); Draco (Caporiacco, 1948); Lardo (Caporiacco, 1948). IONIAN ISLANDS: Kerkyra (type locality; Simon, 1868). KRITI: Rethymno: Askifou (Kulczyn'ski, 1903).

PELOPONNISOS: Ileia: Matesi, Alphios valley (Metzner, 1999).

Distribution: Eastern Mediterranean. The localities of Kulczyn'ski (1903) from Kriti and of Caporiacco (1929, 1948) from the Dodekanisa should be checked and probably refer to *H. egaeum*, as also stated by Logunov & Chatzaki (2003).

***Habrocestum papilionaceum* (L. Koch, 1867) (m,f)**

Attus papilionaceus L. Koch, 1867: 878; Simon, 1868: 535; Pavesi, 1878: 395.

Habrocestum papilionaceum; Simon, 1884: 314; Strand, 1917: 166; Bristowe, 1935: 775; Deltshev & Paraschi, 1990: 4; Metzner, 1999: 62.

Citations:

EASTERN AEGEAN ISLANDS: Icaria (Strand, 1917). Lesvos: Kalloni (Metzner, 1999); Vatera (Metzner, 1999). Samos (Strand, 1917).

KYKLADES: Dilos (Bristowe, 1935). Naxos (Deltshev & Paraschi, 1990); Apiranths (Metzner, 1999); Apollonia (Metzner, 1999); Chalkis (Metzner, 1999). Paros: Parikia (Metzner, 1999). Santorini (Metzner, 1999). Syros (L. Koch, 1867). Tinos (L. Koch, 1867).

Distribution: Kyklades, Asia Minor.

***Hasarius adansonii* (Audouin, 1826) (m,f)**

Salcticus striatus Lucas, 1853: 521.

Hasarius adansonii; Pavesi, 1878: 394; Simon, 1884: 310; Carlini, 1901: 79; Caporiacco, 1925: 110; Caporiacco, 1929: 237; Bristowe, 1935: 772; Hadjissarantos, 1940: 100; Metzner, 1999: 153; Logunov & Chatzaki, 2003: 97.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Athina (Simon, 1884).

DODEKANISA: Megisti (as Castelorizo; Caporiacco, 1925).

IONIAN ISLANDS: Kefalonia (Carlini, 1901).

KRITI: Chania (Lucas, 1853).

Distribution: Cosmopolitan. Not recorded in Greece by Metzner (1999).

***Heliophanillus fulgens* (O. P.- Cambridge, 1872) (m,f)**

Icius lucipeta; Wesołowska, 1988: 395 (misidentification). *Heliophanillus fulgens*; Metzner, 1999: 97; Dobroruka, 2002: 14; Logunov & Chatzaki, 2003: 97.

Citations:

KRITI: Without precise locality (sub *I. lucipeta*; Wesołowska, 1988). Chania: Chania (Metzner, 1999); Tavronitos (Logunov & Chatzaki, 2003); Kavalos (Metzner, 1999); lake Kourna (Dobroruka, 2002). Irakleio: Avgeniki (Metzner, 1999); Irakleio (Metzner, 1999); Karteros (Dobroruka, 2002).

Distribution: Middle East, Greece, North Africa.

***Heliophanus aeneus* (Hahn, 1832) (m,f)**

Heliophanus aeneus; Drensky, 1928: 192; Drensky, 1936: 195.

Citations:

THRAKI: Rodopi: Komotini (as Gumurjina; Drensky, 1928). Xanthi: Xanthi (Drensky, 1928).

Distribution: Europe.

***Heliophanus auratus* C. L. Koch, 1835 (m,f)**

Heliophanus exultans L. Koch, in Simon, 1868: 685. *Heliophanus exultans*; Pavesi, 1878: 390; Simon, 1884: 315; Simon, 1916: 276; Bristowe, 1935: 776. *Heliophanus auratus*; Wesołowska, 1986: 212; Metzner, 1999: 101; Dobroruka, 2004: 14.

Citations:

Greece (C. L. Koch, 1835).

EASTERN AEGEAN ISLANDS: Lesvos: Agiassos (Metzner, 1999).
EVVOIA-VOROI SPORADES: Evvoia (Wesołowska, 1986); Kato Steni, Aghia Kiriaiki (Metzner, 1999); Steni (Metzner, 1999).
IPEIROS: Art: Theodoriana, Oros Tzoumerka (Metzner, 1999).
Ioannina: Potamos Aoos canyon (Doboruka, 2003); Vikos (Metzner, 1999). Thesprotia: Neraida (Metzner, 1999).
MAKEDONIA: Florina: Aghios Pandeleimonas (Doboruka, 2002). Thessaloniki: Aghios Vasilios (Metzner, 1999); Langadas (Metzner, 1999); Thessaloniki (Simon, 1916; Metzner, 1999).
PELOPONNISOS: Arkadia: Piraki, Oros Menalo (Metzner, 1999).
STEREA ELADA: Fthiotida: Ipati (Metzner, 1999).
THESSALIA: Larisa: Tembi valley (Metzner, 1999).
THRAKI: Xanthi: Stavroupoli, Nestos valley (Metzner, 1999).

Distribution: Palearctic.

***Heliophanus creticus* Giltay, 1932 (m,f)**

Heliophanus creticus Giltay, 1932: 36; Wesołowska, 1986: 40; Metzner, 1999: 99; Logunov & Chatzaki, 2003: 98.

Citations:

CHANIA: Aghia Irini (Metzner, 1999); Chania (Metzner, 1999); Georgioupoli (Logunov & Chatzaki, 2003); Omalos plateau (Giltay, 1932; Logunov & Chatzaki, 2003).
IRAKLEIO: Marathos (Metzner, 1999); Youchtas mountains (Logunov & Chatzaki, 2003).

Distribution: Kriti.

***Heliophanus cupreus* (Walckenaer, 1802) (m,f)**

Heliophanus cupreus; Simon, 1884: 32; Drensky, 1928: 191; Caporiacco, 1929: 237; Caporiacco, 1948: 67; Roewer, 1959a: 32; Wesołowska, 1987: 215; Metzner, 1999: 105; Wolf, 2003: 225.
Heliophanus metallicus; Drensky, 1928: 192.

Citations:

DODEKANISA: Rodos: Katavia (Caporiacco, 1929).
EVVOIA-VOROI SPORADES: Evvoia (Wesołowska, 1986); Steni (Metzner, 1999).
MAKEDONIA: Drama: Oros Falakro (Metzner, 1999); Wolf, 2003); Paranesti, Nestos valley (Metzner, 1999) Imathia: Naoussa (Roewer, 1959a). Kavala: Oros Pangeo (Metzner, 1999; Wolf, 2003). Serres: Serres (Metzner, 1999)
IONIAN ISLANDS: Kerkyra (Wesołowska, 1986).
PELOPONNISOS: Ileia: Matesi, Alphios valley. Lakonia: Mavrovouni, S Githio (Metzner, 1999); Mistras (Metzner, 1999). Messinia: Vasses, Petra (Metzner, 1999).
STEREA ELADA: Fthiotida: Vitoli (Metzner, 1999).
THRAKI: Evros: Alexandroupoli (as Dede-Agatch; Drensky, 1928). Rodopi: Komotini (as Gumurjina; Drensky, 1928).

Distribution: Palearctic.

{*Heliophanus dampfi* Schenkel, 1923 (m,f)}

Heliophanus dampfi; Hadjissarantos, 1940: 107.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Kato Souli (Hadjissarantos, 1940).

Distribution: Central and North Europe, Russia, in peat bogs. As the distribution area does not conform and peat bogs do not occur in Attiki, the species is deleted from the list.

***Heliophanus dubius* C. L. Koch, 1835 (m,f)**

Heliophanus dubius; Roewer, 1959a: 32; Metzner, 1999: 102.

Citations:

MAKEDONIA: Kavala: Iraklitsa (Roewer, 1959a).

Distribution: Palearctic. Not recorded in Greece by Metzner (1999).

***Heliophanus edentulus* Simon, 1871 (m,f)**
Heliophanus edentulus; Metzner, 1999: 98.

Citations:

MAKEDONIA: Kavala: Iraklitsa (Roewer, 1959a).
THRAKI: Rodopi: Kelempek mountains, above Neda (Metzner, 1999).

Distribution: Corsica, Greece, Asia Minor.

***Heliophanus equester* L. Koch, 1867 (m,f)**
Heliophanus equester L. Koch, 1867: 869; Simon, 1868: 689; Pavesi, 1878: 390; Simon, 1884: 315; Bristowe, 1935: 776; Wesołowska, 1986: 213; Deltshev & Paraschi, 1990: 6; Metzner, 1999: 102; Logunov & Chatzaki, 2003: 98.
Heliophanus lacteus; Simon, 1868: 706; Simon, 1878: 210; Pavesi, 1878: 391; Simon, 1884: 315; Bristowe, 1935: 776.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Alepochori (Metzner, 1999). EASTERN AEGEAN ISLANDS: Lesvos: Kalloni (Metzner, 1999). EVVOIA-VOROI SPORADES: Evvoia: Kimi (Metzner, 1999); Loutra Aidipsou (Metzner, 1999). KRITI: Chania:: Aghii Apostoli (Logunov & Chatzaki, 2003); Aghia Marina (Metzner, 1999; Logunov & Chatzaki, 2003); Epanochori (Metzner, 1999); Georgioupoli (Logunov & Chatzaki, 2003); Kandanos (Metzner, 1999); Kaloudiana-Kastelli (Metzner, 1999); Praeses (Metzner, 1999); Karthiana (Metzner, 1999); Meskla (Wesołowska, 1986). Lasithi: Milatos (Metzner, 1999); KYKLADES: Andros (Wesołowska, 1986). Naxos (type locality of *H. lacteus*; Simon, 1868): Apollona (Metzner, 1999). Paros (Metzner, 1999). Tinos (type locality of *H. equester*; L. Koch, 1867). MAKEDONIA: Thessaloniki: Aghios Vasilios (Metzner, 1999); Langana (Metzner, 1999). PELOPONNISOS: Achaia: Arla (Metzner, 1999); Kato Alissos (Metzner, 1999); Kounoupeli (Metzner, 1999). Argolida: Arachnaio (Metzner, 1999); Epidavros (Deltshev & Paraschi, 1990). Arkadia: Ano Karies N., Oros Likeo (Metzner, 1999); Paralia Astros (Metzner, 1999). Ileia: Kato Samiko (Metzner, 1999); Katotari, Chani Panopoulos, Pinios valley (Metzner, 1999); Matesi, Alphios valley (Metzner, 1999); Platano, Olympia (Metzner, 1999). Lakonia: Mistras (Metzner, 1999). Messinia: Finikouda (Metzner, 1999). STEREELADA: Aitolo-Akarnania: Aghios Nikolaos (Metzner, 1999). Fthiotida: Malesina (Metzner, 1999); Theologos (Metzner, 1999); Vitoli (Metzner, 1999). THESSALIA: Larisa: Gonnos (Metzner, 1999); Tembi valley (Metzner, 1999). Magnisia: Volos (Wesołowska, 1986). Kastron-Levadia (Metzner, 1999). THRAKI: Xanthi: Nestos delta (Metzner, 1999).

Distribution: Italy, the Balkans, the Caucasus, Asia Minor.

***Heliophanus flavipes* (Hahn, 1832) (m,f)**
Heliophanus flavipes; Drensky, 1928: 192; Bristowe, 1935: 776; Drensky, 1936: 197; Lüdicke & Madel, 1937: 298; Hadjissarantos, 1940: 107; Caporiacco, 1948: 68; Reimoser, 1958: 573; Wesołowska, 1986: 213; Metzner, 1999: 104; Dobroruka, 2002: 14.
Heliophanus ritteri; Reimoser, 1958: 573.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Podoniftis (Hadjissarantos, 1940). DODEKANISA: Rodos: Aghios Dimitrios (Caporiacco, 1948); Aghios Theodoros (Caporiacco, 1948); Anginovato (Caporiacco, 1948); Draco (Caporiacco, 1948). IONIAN ISLANDS: Kerkyra (Bristowe, 1935).

IPEIROS: Arta: Arta (Reimoser, 1958); Katarakti (Reimoser, 1958).
MAKEDONIA: Chalkidiki: Kalamitsi (Dobroruka, 2003). Imathia: Oros Vermio, Soumela (Dobroruka, 2002). Thessaloniki (Wesołowska, 1986).
PELOPONNISOS: Messinia: Leonidio (Lüdicke & Madel, 1937). THRAKI: "Everywhere" (Drensky, 1928).

Distribution: Palearctic. Not recorded by Metzner (1999).

***Heliophanus furcillatus* Simon, 1868 (m,f)**

Heliophanus furcillatus Simon, 1868: 696; Pavesi, 1878: 390; Simon, 1884: 315; Caporiacco, 1929: 238; Bristowe, 1935: 777; Caporiacco, 1948: 67; Wesołowska 1986: 232.

Citations:

DODEKANISA: Rodos: Aghios Isidoros (Caporiacco, 1929); Katavia (Caporiacco, 1929); Rodos town (Caporiacco, 1929). IONIAN ISLANDS: Kerkyra (type locality; Simon, 1868).

Distribution: Italy, Sicily, Kerkyra, Rodos. According to Wesołowska (1986) a nomen dubium.

***Heliophanus kochii* Simon, 1868 (m,f)**

Heliophanus albosignatus L. Koch, 1867: 879; Simon, 1868: 702; Pavesi, 1878: 391; Simon, 1884: 315; Bristowe, 1935: 776. *Heliophanus calcarifer* Simon, 1868: 701; Pavesi, 1878: 391; Simon, 1884: 315; Bristowe, 1935: 776. *Heliophanus kochii*; Bristowe, 1935: 777; Hadjissarantos, 1940: 107; Reimoser, 1930: 146; Bristowe, 1935: 777; Caporiacco, 1948: 68; Wesołowska, 1986: 217; Deltshev & Paraschi, 1990: 4; Metzner, 1999: 106; Logunov & Chatzaki, 2003: 98.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Kato Souli (Hadjissarantos, 1940); Kopanas (Hadjissarantos, 1940); Liopesi (Hadjissarantos, 1940); Loutsa (Hadjissarantos, 1940); Oros Parnitha (Hadjissarantos, 1940); Phili (Hadjissarantos, 1940); Vyon (Hadjissarantos, 1940). Saronic Islands: Aigina (Hadjissarantos, 1940); Salamina (Hadjissarantos, 1940). DODEKANISA: Karpathos (Wesołowska, 1986). Kos: Asomati-Chauchutes (Metzner, 1999); Kos castle (Metzner, 1999); Zia (Metzner, 1999). Rodos: Anginovato (Caporiacco, 1948); Apollonia (Caporiacco, 1948; Metzner, 1999); Archipolis-Platania (Metzner, 1999); Draco (Caporiacco, 1948); Ladiko (Metzner, 1999); Laerma (Metzner, 1999); Petrolaco (Caporiacco, 1948); Pissipi (Caporiacco, 1948). EASTERN AEGEAN ISLANDS: Lesvos (Wesołowska, 1986); Agiassos (Metzner, 1999); Kalloni (Metzner, 1999); Parakila (Metzner, 1999). Samos: Marathocampus (Wesołowska, 1986). IONIAN ISLANDS: Kefalonia: Krane (Reimoser, 1930); Purnarokastron (Reimoser, 1930). Kerkyra (type locality of *H. calcarifer*; Simon, 1868). Zakynthos (as Zante; Bristowe, 1935). KRITI: Without precise locality (Wesołowska, 1986). KYKLADES: Naxos (Wesołowska, 1986; Deltshev & Paraschi, 1990). Paros (Metzner, 1999). Santorini (as Thira): Paleokaimani (Wesołowska, 1986). Syros (type locality of *H. albosignatus*; L. Koch, 1867). Tinos (Bristowe, 1935). MAKEDONIA: Pella: Palaia Pella (Metzner, 1999). PELOPONNISOS: Achaia: Kounoupeli (Metzner, 1999); Rakita, Oros Panachaiko (Metzner, 1999). Argolida: Achladokambos (Metzner, 1999); Arachnaio (Metzner, 1999). Arkadia: Ano Karies, Oros Likeo (Metzner, 1999). Ileia: Andritsena (Metzner, 1999); Kriovrisi, Oros Erimanthos (Metzner, 1999); Vidiaki, Erimanthos valley (Metzner, 1999). Lakonia: Flomohori (Metzner, 1999); Mani, Otilo (Metzner, 1999); Mistras (Metzner, 1999); Monemvasia (Metzner, 1999). Messinia: Petra, near Vasses (Metzner, 1999). STEREELADA: Fokida: Delfoi (Metzner, 1999). Fthiotida: Ipati (Metzner, 1999); Malesina (Metzner, 1999); Theologos (Metzner, 1999). THRAKI: Rodopi: Kelempek mountains (Metzner, 1999).

Distribution: Mediterranean.

***Heliophanus lineiventris* Simon, 1868 (m,f)**

Heliophanus lineiventris; Fage, 1921: 102; Bristowe, 1935: 776; Caporiacco, 1948: 67; Wesołowska, 1986: 216; Metzner, 1999: 107; Dobroruka, 2002: 14; Wolf, 2003: 226.

Citations:

DODEKANISA: Rodos: Anginovato (Caporiacco, 1948). IONIAN ISLANDS: Kerkyra (Wesołowska, 1986). KYKLADES: Tinos (Wesołowska, 1986). MAKEDONIA: Drama: Oros Falakro, Tinotripa peak (Metzner, 1999); Oros Menikio (Metzner, 1999). Florina: Aghios Pandeleimonas, above lake Vegoritida (Dobroruka, 2002). Immathia: Loudias delta (Metzner, 1999). Kavala: Oros Pangeo (Metzner, 1999; Wolf, 2003). Kozani: Molocha, Sarandaporo (Metzner, 1999). PELOPONNISOS: Achaia: Kounoupeli (Metzner, 1999). STEREELADA: Evrytania: Oros Timfristos (Metzner, 1999). THESSALIA: Larisa: Omilion, Oros Ossa (Metzner, 1999). THRAKI: Xanthi: Stavroupoli (as Zeitenlik; Fage, 1921).

Distribution: Palearctic.

***Heliophanus melinus* L. Koch, 1867 (m,f)**

Heliophanus melinus L. Koch, 1867: 870; Simon, 1868: 696; Pavesi, 1878: 391; Simon, 1880: 139; Simon, 1884: 315; Carlini, 1901: 79; Kulczyn'ski, 1903: 35; Giltay, 1932: 37; Bristowe, 1935: 776; Hadjissarantos, 1940: 107; Wesołowska, 1986: 220; Metzner, 1999: 108; Dobroruka, 2002: 14; Logunov & Chatzaki, 2003: 98.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Athina (Simon, 1880, 1884); Oros Imitos, Moni Karea (Hadjissarantos, 1940); Kato Souli (Hadjissarantos, 1940); Kopanas (Hadjissarantos, 1940); Loutsa (Hadjissarantos, 1940); Melissia (Hadjissarantos, 1940); Oros Parnitha (Hadjissarantos, 1940); Oros Parnitha, Mola (Hadjissarantos, 1940); Oros Parnitha, Phili (Hadjissarantos, 1940); Patisia (Hadjissarantos, 1940); Oros Pendeli (Hadjissarantos, 1940); Rafina (Hadjissarantos, 1940); Vari (Hadjissarantos, 1940). Saronic Islands: Aigina (Hadjissarantos, 1940). DODEKANISA: Patmos (Bristowe, 1935). EASTERN AEGEAN ISLANDS: Lesvos: Agiassos (Metzner, 1999); Kalloni (Metzner, 1999); Mytilini (Metzner, 1999); Parakila (Metzner, 1999). EVVOIA-VOROIES SPORADES: Evvoia: Steni (Metzner, 1999). IONIAN ISLANDS: Kefalonia (Carlini, 1901). KRITI: Without precise locality (Wesołowska, 1986). Chania: Omalos plateau (Logunov & Chatzaki, 2003). Lasithi: Lasithi plateau, Pinakiano (Dobroruka, 2002). Rethymno: Asomatos (Kulczyn'ski, 1903). KYKLADES: Naxos (Wesołowska, 1986; Chalkis (Metzner, 1999). Syros (type locality: L. Koch, 1867). Paros: Naoussa (Metzner, 1999). Tinos (Simon, 1884). MAKEDONIA: Drama: Paranesti, Nestos valley (Metzner, 1999). Florina: Aghios Pandeleimonas, above lake Vegoritida (Dobroruka, 2002). Kastoria: Oros Grammos, Epano Arena (Metzner, 1999). PELOPONNISOS: Achaia: Kallitheia-Patra (Metzner, 1999); Kounoupeli (Metzner, 1999); Mirali (Metzner, 1999); Rakita (Metzner, 1999). Argolida: Arachnaio (Metzner, 1999); Didymos N., Oros Didymos (Metzner, 1999); Nafplio (Bristowe, 1935). Arkadia: Ano Karies, Oros Likeo (Metzner, 1999); Oros Oligirtos (Metzner, 1999); Paradiso (Metzner, 1999); Davia (as Thavia; Metzner, 1999). Ileia: Andritsena (Metzner, 1999); Chani Panopoulos, Pinios valley (Metzner, 1999); Kriovrisi, Erimanthos valley (Metzner, 1999); Lalas SW (Metzner, 1999); S Lambia (Metzner, 1999); Simopoulo (Metzner, 1999); Tripotamia, Erimanthos valley (Metzner, 1999); Vidiaki, Erimanthos valley (Metzner, 1999). Vasses (Metzner, 1999). Korinthia: Sofiko (Metzner, 1999); Stympalia (Metzner, 1999).

Lakonia: Agoriani (Metzner, 1999); Flomohori (Metzner, 1999); Karitsa (Metzner, 1999); Lefkochama-Vrontamas, Evros valley (Metzner, 1999); Mani, Oitilo (Metzner, 1999); Mistras (Metzner, 1999); Monemvasia (Metzner, 1999); N Vathia (Metzner, 1999). Messinia: Kalamata (Metzner, 1999); Vasses, above Petra (Metzner, 1999).
 STEREA ELADA: Aitolo-Akarnania: Mesolongi (Metzner, 1999). Evrytania: Fouma (Metzner, 1999). Fokida: W Delfoi (Metzner, 1999); Itea (Metzner, 1999). Fthiotida: Ipati (Metzner, 1999); Malesina (Metzner, 1999); Theologos (Metzner, 1999); Vitoli (Metzner, 1999). Fokida: S Gravea, Oros Parnassos (Metzner, 1999).
 THESSALIA: Larisa: Gonnos (Metzner, 1999); Omilion, Oros Ossa (Metzner, 1999); Tembi valley (Metzner, 1999). Karditsa: Dafni Spilia (Metzner, 1999). Magnisia: Volos (Bristowe, 1935).
 THRAKI: Evros: N Alexandropoli, Kriovrissivas (Metzner, 1999); Rodopi: Kelempet mountains, above Aisimi (Metzner, 1999).

Distribution: South Europe to Mediterranean.

***Heliophanus mordax* (O. P.- Cambridge, 1872) (m,f)**
Heliophantes mordax; Metzner, 1999: 110.

Citations:

DODEKANISA: Apollakia-Vatio (Metzner, 1999); Apollonia (Metzner, 1999); Archipolis-Platania (Metzner, 1999); Laerma (Metzner, 1999); Petaloudes (Metzner, 1999); Profitis Ilias (Metzner, 1999); E Psinthsos (Metzner, 1999).

Distribution: Greece to Central Asia.

***Heliophanus patagiatus* Thorell, 1875 (m,f)**
Heliophanus patagiatus; Lüdicke & Madel, 1937: 298; Metzner, 1999: 110.

Citations:

PELOPONNISOS: Messinia: Leonidio (Lüdicke & Madel, 1937). THESSALIA: Drama: Paranesti, Nestos valley (Metzner, 1999).

Distribution: Palearctic.

***Heliophanus simplex* Simon, 1868 (m,f)**
Heliophanus simplex Simon, 1868: 673; Pavesi, 1878: 390; Simon, 1878: 207; Simon, 1884: 315; Bristowe, 1935: 776; Hadjissarantos, 1940: 107; Wesołowska, 1986: 213; Metzner, 1999.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Kokkinos Milos (Hadjissarantos, 1940). IONIAN ISLANDS: Kerkyra (type locality of *H. simplex*; Simon, 1868; Wesołowska, 1986). PELOPONNISOS: Lakonia: Mani, Otilio (Metzner, 1999). THRAKI: Rodopi: Kelempet mountains, above Neda (Metzner, 1999).

Distribution: the Balkans, Asia Minor.

***Heliophanus tribulosus* Simon, 1868 (m,f)**
Heliophanus tribulosus Simon, 1868: 694; Caporiacco, 1948: 68; Reimoser, 1958: 573; Wesołowska, 1986: 42; Metzner, 1999: 100; Dobroruka, 2002: 16; Logunov & Chatzaki, 2003: 98.
Heliophanus cambridgei Simon, 1868: 695; Pavesi, 1878: 390; Simon, 1884: 315; Carlini, 1901: 79; Fage, 1921: 102; Caporiacco, 1929: 238; Reimoser, 1930: 147; Bristowe, 1935: 776; Hadjissarantos, 1940: 106.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Alepochori (Metzner, 1999); Ekali (Hadjissarantos, 1940). DODEKANISA: Rodos: Aghios Isidoros (Caporiacco, 1929); Faliraki (Metzner, 1999).

EASTERN AEGEAN ISLANDS: Lesvos: Agiassos (Metzner, 1999). EVVOIA-VOROI SPORADES: Evvoia: Steni (Metzner, 1999). IONIAN ISLANDS: Kefalonia (Carlini, 1901; Reimoser, 1930). Kerkyra (type locality; Simon, 1868). Lefkada (Reimoser, 1958).

STEREA ELADA: Arta: Katarakti (Reimoser, 1958). Ioannina: Platanousa (Reimoser, 1958).

KRITI: Without precise locality (Wesołowska, 1986). Lasithi: Lasithi plateau, Pinakiano (Dobroruka, 2002).

MAKEDONIA: Florina: lake Prespa (Metzner, 1999). Chalkidiki: Kalamitsi (Dobroruka, 2002); Vasiliki (Fage, 1921).

PELOPONNISOS: Achaia: Kounoupeli (Metzner, 1999). Arkadia: Ano Karies, Oros Likeo (Metzner, 1999); Parnonas Oros, Kosmas (Metzner, 1999). Ilia: Barakitika, Erimanthos valley; Kakotari (Metzner, 1999); Kato Samiko (Metzner, 1999); Kriovrisi, Pinios valley (Metzner, 1999); Matesi, Alphios valley (Metzner, 1999); Petralona-Vasses (Metzner, 1999); Platanos, Olympia (Metzner, 1999); Vidiaki, Erimanthos valley (Metzner, 1999). Korinthia: E Pisia (Metzner, 1999); Sofiko (Metzner, 1999). Lakonia: Lefkochoma-Vrontamas, Evrotas valley (Metzner, 1999); Kastaria, Oros Taigetos (Metzner, 1999); Mani, Otilio (Metzner, 1999); Mistras (Metzner, 1999). Messinia: Finikouda (Metzner, 1999); Vasses, Petra (Metzner, 1999).

STEREA ELADA: Fokida: Delfoi (Metzner, 1999). Fthiotida: Malesina (Metzner, 1999); Theologos (Metzner, 1999); Tragana (Metzner, 1999); Vitoli (Metzner, 1999).

THESSALIA: Larisa: Gonnos (Metzner, 1999). Magnisia: Volos (Wesołowska, 1986).

Distribution: Mediterranean Europe to Kazakhstan.

***Heliophanus uncinatus* Simon, 1868 (m,f)**
Heliophanus uncinatus Simon, 1868: 691; Pavesi, 1878: 390; Simon, 1884: 315; Bristowe, 1935: 777; Wesołowska 1986: 233.

Citations:

Greece: Without precise locality (type locality of *H. uncinatus*; Simon, 1868).

Distribution: Greece, Swiss Alps. According to Wesołowska (1986) a nomen dubium.

***Hyllus insularis* Metzner, 1999 (f)**
Hyllus insularis; Metzner, 1999: 150

Citations:

EASTERN AEGEAN ISLANDS: Lesvos: Agiassos (type locality; Metzner, 1999).

Distribution: Greece (Lesvos) to Iran (Logunov, 2001b).

***Icius hamatus* (C. L. Koch, 1846) (m,f)**

Icius striatus var. *hamatus* Simon, 1884: 310.
Icius striatus hamatus; Bristowe, 1935: 773; Hadjissarantos, 1940: 108.

Icius striatus; Caporiacco, 1925: 110; Caporiacco, 1929: 237.
Icius hamatus; Metzner, 1999: 96; Dobroruka, 2002: 16; Logunov & Chatzaki, 2003: 98.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Athina (Simon, 1884); Tourkolimano (Hadjissarantos, 1940).

DODEKANISA: Megisti (as Castelorizo; Caporiacco, 1925). Nisiros (Bristowe, 1935).

EASTERN AEGEAN ISLANDS: Icaria (Bristowe, 1935).

EVVOIA-VOROI SPORADES: Alonissos: Aghios Eustratos (Dobroruka, 2002).

KRITI: Chania (Metzner, 1999). Irakleio: Aghia Pelaga (Dobroruka, 2002). Rethymno: Anogia (Dobroruka, 2002).

THESSALIA: Trikala: Kalambaka, Meteora (Dobroruka, 2002).

Distribution: Mediterranean.

***Leptorcheses berolinensis* (C. L. Koch, 1846) (m,f)**

Leptorcheses berolinensis; Hadjissarantos, 1940: 100; Reimoser, 1958: 573; Metzner, 1999: 36; Wesołowska & Szeremeta, 2001: 230.

Leptorcheses cinctus; Reimoser, 1958: 573.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Liopesi (Hadjissarantos, 1940); Oros Parnitha, Aghia Triada (Hadjissarantos, 1940).

IONIAN ISLANDS: Kerkyra (Wesołowska & Szeremeta, 2000).

IPEROS: Ioannina: Platanousa (Reimoser, 1958).

PELOPONNISOS: Achaia: Arla (Metzner, 1999); Rakita, Oros Panachaiko (Metzner, 1999). Messina: Vasses, above Petra (Metzner, 1999); Finikouda (Metzner, 1999).

Distribution: Central and southern Europe.

***Leptorcheses mutilloides* (Lucas, 1846) (m,f)**

Leptorcheses mutilloides; Strand, 1917: 166; Bristowe, 1935: 771; Hadjissarantos, 1940: 101; Reimoser, 1958: 573; Wesołowska & Szeremeta, 2000: 233.

Leptorcheses halogena Metzner, 1999: 38.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Podoniftis (Hadjissarantos, 1940).

DODEKANISA: Kos (Strand, 1917).

IPEROS: Ioannina: Sirako (Wesołowska & Szeremeta, 2000).

PELOPONNISOS: Achaia: Kounoupeli, S Cape Araxos (type locality of *L. halogena*; Metzner, 1999).

Distribution: Southern Europe, Algeria.

***Leptorcheses peresi* (Simon, 1868) (m,f)**

Leptorcheses mutilloides; Metzner, 1999: 37.

Citations:

PELOPONNISOS: Ileia: Elada, Kallithea (sub *L. mutilloides*; Metzner, 1999).

Distribution: Mediterranean.

***Macaroeris flavicomis* (Simon, 1884) (f)**

Dendryphantes flavicomis Simon, 1884: 308; Fage, 1921: 102, 231; Bristowe, 1935: 772; Hadjissarantos, 1940: 108; Metzner, 1999: 42.

Dendryphantes flavigornis (sic); Caporiacco, 1948: 69.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Athina (type locality; Simon, 1884).

DODEKANISA: Rodos: Apollona (Caporiacco, 1948); Draco (Caporiacco, 1948); Petrolaco (Caporiacco, 1948).

KYKLADES: Syros (Simon, 1884).

MAKEDONIA: Florina (Fage, 1921).

Distribution: Only known from Greece. The only material that could be examined by Metzner (1999) was the type material.

***Macaroeris nidicolens* (Walckenaer, 1802) (m,f)**

Attus castaneus Simon, 1868: 31.

Dendryphantes nidicolens; Simon, 1884: 308; Caporiacco, 1929: 238; Reimoser, 1930: 147; Bristowe, 1935: 772; Caporiacco, 1948: 69; Hadjissarantos, 1940: 108; Reimoser, 1958: 573; Metzner, 1999: 43.

Dendryphantes nitelinus; Pavese, 1878: 391; Simon, 1884: 308; Bristowe, 1935: 772.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Ekali (Hadjissarantos, 1940); Lagonissi (Metzner, 1999); Oros Parnitha (Hadjissarantos, 1940); Vouliagmeni (Hadjissarantos, 1940).

DODEKANISA: Rodos: Aghios Isidoros (Caporiacco, 1929); Koschino (Caporiacco, 1929).

EASTERN AEGEAN ISLANDS: Chios (Metzner, 1999). Lesvos: Agiassos (Metzner, 1999); Kalloni (Metzner, 1999).

IONIAN ISLANDS: Kerkyra (Simon, 1868). Kefalonia: Argostoli (Reimoser, 1930).

IPEIROS: Ioannina: Platanousa (Reimoser, 1958).

KYKLADES: Naxos: Chalkis (Metzner, 1999).

MAKEDONIA: Florina: lake Prespa (Metzner, 1999).

Thessaloniki: Thessaloniki (Metzner, 1999);

PELOPONNISOS: Achaia: Kato Alissos (Metzner, 1999);

Kounoupeli (Metzner, 1999); Kallitheia-Patra (Metzner, 1999);

Livadi-Livartzai, Erimanthos valley (Metzner, 1999). Argolida:

Arachneo (Metzner, 1999); Palea Epidavros (Metzner, 1999).

Arkadia: Oros Menalo, Piraki (Metzner, 1999); Oros Oligirtos (Metzner, 1999); Vlachokerasia, Kalzeron monastery (Metzner, 1999).

Ileia: Kato Samiko (Metzner, 1999); Kakotari, Pinios

valley near Chani Panopoulos (Metzner, 1999). Lakonia:

Agoriani (Metzner, 1999); Lefkochoma (Metzner, 1999); Oros

Taigetos above Kastorio (Metzner, 1999).

STEREA ELADA: Aitolo-Akarnania: Mesologi (Simon, 1884).

Fokida: Delfoi (Metzner, 1999); Itea (Metzner, 1999). Fthiotida:

Ipati (Metzner, 1999); Theologos (Metzner, 1999).

THESSALIA: Larisa: Gonnos (Metzner, 1999).

Distribution: Mediterranean to Central Asia.

***Marpissa muscosa* (Clerck, 1757) (m,f)**

Marpissa muscosa; Metzner, 1999: 138.

Citations:

PELOPONNISOS: Arkadia: Pirkaki, Oros Menalo (Metzner, 1999).

STEREA ELADA: Fthiotida: Aghios Georgios (Metzner, 1999).

Distribution: Eruope.

***Marpissa nivoyi* (Lucas, 1846) (m,f)**

Marpissa nivoyi; Harm, 1981: 281; Metzner, 1999: 139; Logunov & Chatzaki, 2003: 98.

Citations:

Greece: Without precise locality (Harm, 1981).

KRITI: Chania: Georgioupoli (Logunov & Chatzaki, 2003).

Irakleio: Charakas (Metzner, 1999).

PELOPONNISOS: Achaia: Kallitheia-Patra (Metzner, 1999). Ileia: Kato Samiko (Metzner, 1999).

STEREA ELADA: Fthiotida: Tragana (Metzner, 1999).

THRAKI: Xanthi: Nestos Delta, near Agiasma (Metzner, 1999).

Distribution: Europe to Central Asia.

***Mendoza canestrinii* (Ninni, 1868) (m,f)**

Attus eurinus Simon, 1871: 135.

Mithion canestrinii; Fage, 1921: 102; Bristowe, 1935: 776; Hadjissarantos, 1940: 111; Roewer, 1959a: 33.

Marpissa canestrinii; Metzner, 1999: 138.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Kato Souli (Hadjissarantos, 1940).

DODEKANISA: Rodos (type locality of *Attus eurinus*; Simon, 1871).

MAKEDONIA: Florina: Xino Nero (as Eksisu; Fage, 1921).

Kastoria: Goloubintsa cave (Roewer, 1959a).

THRAKI: Xanthi: Nestos Delta, near Agiasma (Metzner, 1999).

Distribution: Palearctic, in Europe limited to Mediterranean region, the Balkan and Austria.

***Menemerus animatus* O. P.- Cambridge, 1876 (m,f)**

Menemerus animatus; Simon, 1884: 308; Bristowe, 1935: 771; Hadjissarantos, 1940: 110; Metzner, 1999: 143.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Athina (Simon, 1884); Hadjissarantos, 1940; Patisia (Hadjissarantos, 1940); Vouliagmeni (Hadjissarantos, 1940).

Distribution: Greece, Egypt, Asia Minor, Mesopotamia. Not recorded by Metzner (1999).

***Menemerus falsificus* Simon, 1868 (m,f)**

Menemerus falsificus; Cecconi 1895: 192; Logunov & Chatzaki, 2003: 98.

Citations:

KRITI: Chania: Melidoni (Cecconi, 1895).

Distribution: Southern Europe. No additional records in Metzner (1999). Logunov & Chatzaki (2003) presume this species is a synonym of *M. taeniatus*.

***Menemerus semilimbatus* (Hahn, 1829) (m,f)**

Euophrys vigorata C. L. Koch, 1848: 14.

Menemerus vigoratus; Simon, 1868: 663.

Menemerus semilimbatus; Simon, 1880: 140; Pavesi, 1878: 353, 391; Simon, 1884: 307; Simon, 1885: 209; Simon, 1916: 276; Bristowe, 1935: 771; Hadjissarantos, 1940: 111; Metzner, 1999: 144; Dobroruka, 2002: 16; Logunov & Chatzaki, 2003: 98.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Athina (Simon, 1880); Dafne (Metzner, 1999); Kato Souli (Hadjissarantos, 1940); Kokkinos Milos (Hadjissarantos, 1940); Liopesi (Hadjissarantos, 1940); Pikermi (Pavesi, 1878); Tatoi (Hadjissarantos, 1940); Vouliagmeni (Hadjissarantos, 1940). Saronic Islands: Salamina (Hadjissarantos, 1940).

DODEKANISA: Kos (Metzner, 1999). Naxos: Chalkis (Metzner, 1999); Polichni (Metzner, 1999); Sangri (Metzner, 1999).

Patmos (Bristowe, 1935).

EASTERN AEGEAN ISLANDS: Chios: Kato Panas Olimpi (Metzner, 1999). Lesvos: Kalloni (Metzner, 1999); Parakila (Metzner, 1999); Vatera (Metzner, 1999).

IONIAN ISLANDS: Kerkyra (Simon, 1868): Glifada (Metzner, 1999).

KRITI: Chania: Georgioupoli (Logunov & Chatzaki, 2003); Kavallas, lake Kourna (Dobroruka, 2002); Paleochora (Metzner, 1999). Irakleio: Aghia Pelagia (Dobroruka, 2002); near Irakleio (Metzner, 1999); Karteros (Dobroruka, 2002); Skalani (Dobroruka, 2002); Tombrouk (Dobroruka, 2002).

Lasithi: Milatos (Metzner, 1999); Pinakiano (Dobroruka, 2002).

KYKLADES: Milos (Bristowe, 1935). Paros: Naoussa (Metzner, 1999); Parikia (Metzner, 1999). Santorini (Bristowe, 1935).

Tinos (L. Koch, 1848).

MAKEDONIA: Imathia: Loudias valley (Metzner, 1999).

Thessaloniki: Thessaloniki (Simon, 1916).

PELOPONNISOS: Achaia: Kounoupeli (Metzner, 1999); Patra (Simon, 1880). Ileia: Thisoa (Metzner, 1999). Lakonia: Drialos (Metzner, 1999); Evrotas valley, Lefkochoma-Vrontamas (Metzner, 1999). Messinia: Finikouda (Metzner, 1999).

STEREA ELADA: Fokida: Delfoi (Bristowe, 1935); Itea (Metzner, 1999). Fthiotida: Malesina (Metzner, 1999); Theologos (Metzner, 1999); Tragana (Metzner, 1999).

THESSALIA: Larisa: Tembi valley (Simon, 1885).

Distribution: Canary Islands to Central Asia.

***Menemerus taeniatus* (L. Koch, 1867) (m,f)**

Attus taeniatus L. Koch, 1867: 875; Simon, 1868: 22.

Philaeus taeniatus; Pavesi, 1878: 394.

Menemerus taeniatus; Simon, 1884: 307; Bristowe, 1935: 771; Hadjissarantos, 1940: 111; Metzner, 1999: 145.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Athina (Simon, 1884);

Charvati (Hadjissarantos, 1940); Dafni (Metzner, 1999).

KYKLADES: Tinos (type locality; L. Koch, 1867).

MAKEDONIA: Chalkidiki: Amouliani (Metzner, 1999).

PELOPONNISOS: Achaia: Kounoupeli (Metzner, 1999). Ileia: Kato Samiko (Metzner, 1999); Petralona-Vasses (Metzner, 1999). Lakonia: Lefkochoma (Metzner, 1999).

Distribution: Mediterranean.

***Mogrus canescens* (C. L. Koch, 1846) (m,f)**

Dendryphantes canescens C. L. Koch, 1846: 80.

Attus canescens; Simon, 1868: 586.

Dendryphantes canescens; Pavesi, 1878: 391.

Mogrus canescens; Simon, 1884: 309; Caporiacco, 1929: 239; Bristowe, 1935: 772; Caporiacco, 1948: 71; Metzner, 1999: 151.

Citations:

Greece: Without precise locality (Simon, 1884).

DODEKANISA: Rodos: Aghios Dimitrios (Caporiacco, 1948); Aghios Isidores (Caporiacco, 1929); Anginovato (Caporiacco, 1948); Campochiaro (Caporiacco, 1948); Pissipi (Caporiacco, 1948).

PELOPONNISOS: Argolida: Nafplio (type locality; C. L. Koch, 1846).

Distribution: Mediterranean, Libya, Yemen. Not recorded in Greece by Metzner (1999).

***Mogrus neglectus* (Simon, 1868) (m,f)**

Hasarius neglectus; Simon, 1878: 206.

Mogrus neglectus; Simon, 1884: 310; Fage, 1921: 101, 232; Caporiacco, 1929: 239; Bristowe, 1935: 772; Hadjissarantos, 1940: 103; Caporiacco, 1948: 72; Deltshev & Paraschi, 1990: 6; Metzner, 1999: 151.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Athina (Simon, 1884); Dafni (Hadjissarantos, 1940); Ekali (Hadjissarantos, 1940); Oros Imitos, Moni Karea (Hadjissarantos, 1940); Moni Kaisariani (Hadjissarantos, 1940); Kifissia (Hadjissarantos, 1940); Kokkinos Milos (Hadjissarantos, 1940); Kopanas (Hadjissarantos, 1940); Liopesi (Hadjissarantos, 1940); Oros Pendeli (Hadjissarantos, 1940); Podoniftis (Hadjissarantos, 1940); Rafina (Hadjissarantos, 1940); Tatoi (Hadjissarantos, 1940); Vouliagmeni (Hadjissarantos, 1940). Saronic Islands: Aigina (Hadjissarantos, 1940); Salamina (Hadjissarantos, 1940).

DODEKANISA: Kos (Metzner, 1999). Rodos: Aghios Isidores (Caporiacco, 1929); Apollakia-Vatio (Metzner, 1999); Katavia (Caporiacco, 1929); Koschino (Caporiacco, 1929); Ladiko (Metzner, 1999); Laerma (Metzner, 1999); Rodos town (Caporiacco, 1929).

EVVIOA-VOROIES SPORADES: Evvoia: Loutra Edipsou (Metzner, 1999).

KYKLADES: Naxos (Simon, 1878; Deltshev & Paraschi, 1990); Polichni (Metzner, 1999). Paros: Marmara (Metzner, 1999).

MAKEDONIA: Drama: Paranesti, Nestos vally (Metzner, 1999). Imathia: Loudias delta (Metzner, 1999). Thessaloniki (Fage, 1921).

PELOPONNISOS: Achaia: Kounoupeli (Metzner, 1999). Argolida: S Arachneo (Metzner, 1999). Korinthia: E Pisia (Metzner, 1999). Messinia: Finikouda (Metzner, 1999).

STEREA ELADA: Fthiotida: Theologos (Metzner, 1999).

Distribution: Greece, Turkey, Israel, Azerbaijan.

***Myrmarachne formicaria* (De Geer, 1778) (m,f)**

Myrmarachne formicaria; Metzner, 1999: 79; Logunov & Chatzaki, 2003: 98.

Citations:

EVVOIA-VOROIES SPORADES: Evvoia: Lichada-Istiaia (Metzner, 1999); Loutra, Aidipsou (Metzner, 1999).
 IONIAN ISLANDS: Kerkyra: Loutses (Metzner, 1999).
 IPEROS: Preveza: Louros (Metzner, 1999). Thesprotia: Neraida (Metzner, 1999).
 KRITI: Chania: Azogyes-Paleochora (Metzner, 1999); Georgioupoli (Logunov & Chatzaki, 2003); Plemeniana-Kandanos (Metzner, 1999); Preveli palm beach (Logunov & Chatzaki, 2003). Irakleio: Knossos (Metzner, 1999); Malia (Metzner, 1999); Vori (Metzner, 1999). Lasithi: Maronia (Metzner, 1999); Sitia (Metzner, 1999). Rethymno: Kalonikitis-Episkopi (Metzner, 1999).
 MAKEDONIA: Pella: Nisi-Vrita, near Edessa (Metzner, 1999). Thessaloniki: Aghios Vasilius (Metzner, 1999); Langadas (Metzner, 1999).
 PELOPONNISOS: Ileia: Kallitheia (Metzner, 1999). Lakonia: Mavrovouni, S Githio (Metzner, 1999); Mistras (Metzner, 1999); Skala-Githio (Metzner, 1999). Messinia: Finikouda (Metzner, 1999).
 STEREALADA: Aitolo-Akarnania: Agrinio, lake near Lisimania (Metzner, 1999). Fthiotida: Malesina (Metzner, 1999).
 THESSALIA: Karditsa: Sofades (Metzner, 1999). Larisa: Omolion-Tembi (Metzner, 1999).
 THRAKI: Xanthi: Agiasma, Nestos delta (Metzner, 1999).

Distribution: Amphi-palearctic.

Neaetha membrosa (Simon, 1868) (m,f)

Attus cerussatus Simon, 1868: 615; Pavesi, 1878: 395.
Neaetha cerussata; Simon, 1884: 316; Bristowe, 1935: 777.
Neaetha membrosa; Metzner, 1999: 120; Logunov & Chatzaki, 2003: 98.

Citations:

IONIAN ISLANDS: Kerkyra (Simon, 1868).
 KRITI: Gavdos island (Logunov & Chatzaki, 2003).
 KYKLADES: Paros (Metzner, 1999). Syros (Simon, 1884).
 PELOPONNISOS: Achaia: Kounoupeli (Metzner, 1999). Ileia: Matesi (Metzner, 1999). Messinia: Finikouda (Metzner, 1999).
 STEREALADA: Fokida: Itea (Metzner, 1999). Fthiotida: Vitoli (Metzner, 1999).
 Metzner (1999) cited the "Restonica valley" as a locality in Greece, but we know only a valley of this name in Corsica.

Distribution: Mediterranean. According to Metzner (1999) there are no differences between the type material of *Neaetha cerussata* and *N. membrosa*, but he did not take the logical decision the two species would be synonyms. However, if the two species are synonyms, *N. membrosa* is the valid name by page priority.

Neon levis (Simon, 1871) (m,f)

Neon levis; Metzner, 1999: 65; Dobroruka, 2002: 16; Logunov & Chatzaki, 2003: 98.

Citations:

KRITI: Irakleio: Skalani (Dobroruka, 2002). Lasithi: Lasithi plateau, Pinakiano (Dobroruka, 2002). Rethymno: Anogia (Dobroruka, 2002); Choumerion-Perama (Metzner, 1999). STEREALADA: Fthiotida: Lamia (Metzner, 1999). Thessalia: Larisa: Omolio, Oros Ossa (Metzner, 1999).

Distribution: Europe to Central Asia.

Neon rayi (Simon, 1875) (m,f)

Neon rayi; Simon, 1884: 316; Bristowe, 1935: 778; Deltshew & Paraschi, 1990: 6; Metzner, 1999: 66; Logunov & Chatzaki, 2003: 98.

Citations:

EVVOIA-VOROIES SPORADES: Evvoia: near Steni (Simon, 1884). KRITI: Chania: Kalergi, Lefka Ori (Metzner, 1999).

PELOPONNISOS: Argolida: Epidavros (Deltshew & Paraschi, 1990). Messinia: Finikouda (Metzner, 1999).

Distribution: Europe to southern regions of Central Asia, Algeria.

Pellenes arciger (Walckenaer, 1837) (m,f)

Pellenes arcigerus; Caporiacco, 1948: 72; Metzner, 1999: 124.

Citations:

DODEKANISA: Rodos: Pissipi (Caporiacco, 1948).

Distribution: Southern Europe. Not recorded by Metzner (1999), so the presence in Greece should be confirmed.

Pellenes brevis (Simon, 1868) (m,f)

Pellenes brevis; Caporiacco, 1948: 72; Metzner, 1999: 124.

Citations:

DODEKANISA: Rodos: Aghios Dimitrios (Caporiacco, 1948). PELOPONNISOS: Korinthia: lake Stympalia (Metzner, 1999).

Distribution: France, Spain, Germany, Bulgaria, Greece.

Pellenes diagonalis (Simon, 1868) (m,f)

Attus lippiens L. Koch, 1867: 881 (female only).
Attus diagonalis Simon, 1868: 46; Pavesi, 1878: 394.
Pellenes diagonalis; Simon, 1884: 313; Bristowe, 1935: 774; Hadjissarantos, 1940: 104; Metzner, 1999: 126.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Oros Imitos, Moni Karea (Hadjissarantos, 1940).

DODEKANISA: Rodos: Archipolis-Platania (Metzner, 1999); Laerma (Metzner, 1999).

IONIAN ISLANDS: Kerkyra (Simon, 1868).

KYKLADES: Syros (sub *A. lippiens*; L. Koch, 1867). PELOPONNISOS: Ileia: Matesi, Potamos Alphios (Metzner, 1999). Lakonia: Mani, near Aghios Nikolaos (Metzner, 1999). Messinia: Petra, near Vasses (Metzner, 1999). STEREALADA: Evrytania: Fourni (Metzner, 1999).

Distribution: Greece, Turkey, Israel, Syria.

Pellenes epularis (O. P-Cambridge, 1872) (m,f)

Pellenes epularis; Metzner, 1999: 127; Logunov & Chatzaki, 2003: 98.

Citations:

KRITI: Chania: Lefka Ori (Logunov & Chatzaki, 2003)

Distribution: Europe to Central Asia and the Near East. Metzner (1999) described the species but gave no Greek localities.

Pellenes flavipalpis (Lucas, 1853) (m,f)

Salticus flavipalpis Lucas, 1853: 520.
Attus flavipalpis; Simon, 1868: 542; Pavesi, 1876: 71.
Pellenes flavipalpis; Bristowe, 1935: 774; Hadjissarantos, 1940: 104; Metzner, 1999: 127.
Pellenes geniculatus; Simon, 1884: 311 (misidentification).
Pellenes simoni; Deltshew & Paraschi, 1990: 6.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Athina (Simon, 1884; Metzner, 1999).

EASTERN AEGEAN ISLANDS: Lesvos: Parakila (Metzner, 1999). KRITI: Chania: Paleochora (Metzner, 1999). Rethymnon (type locality; Lucas, 1853; Metzner, 1999); Zimbragos (Metzner, 1999).

KYKLADES: Paros (Metzner, 1999).

PELOPONNISOS: Argolida: Epidavros (Deltshew & Paraschi, 1990).

STEREA ELADA: Fokida: Itea (Metzner, 1999).

Distribution: the Balkans, Kriti, Cyprus, Turkey.

***Pellenes geniculatus* (Simon, 1868) (m,f)**

Attus geniculatus Simon, 1868: 49; Pavesi, 1878: 394.
Pellenes geniculatus; Simon, 1884: 311; Bristowe, 1935: 774;
Hadjissarantos, 1940: 105; Metzner, 1999: 128; Logunov & Chatzaki, 2003: 99.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Oros Imitos, Moni Karias (Hadjissarantos, 1940); Oros Parnitha, Keramidi (Hadjissarantos, 1940).
IONIAN ISLANDS: Kerkyra (type locality; Simon, 1868).
KRITI: Chania: Georgioupolis (Logunov & Chatzaki, 2003).
Irakleio: Youchtas mountains (Logunov & Chatzaki, 2003).
Gavdos island: Aghios Georgios (Logunov & Chatzaki, 2003); Korfos (Logunov & Chatzaki, 2003).
PELOPONNISOS: Achaia: Kounoupeli (Metzner, 1999). Argolida: Arachneo (Metzner, 1999).
STEREA ELADA: Fokida: Delfoi (Metzner, 1999); Itea (Metzner, 1999).

Distribution: Europe to Central Asia, Tanzania.

***Pellenes laevigatus* (Simon, 1868) (m)**

Attus laevigatus Simon, 1868: 51; Pavesi, 1878: 394.
Attus calvus Simon, 1868: 594.
Pellenes laevigatus; Simon, 1884: 311; Bristowe, 1935: 774.

Citations:

IONIAN ISLANDS: Kerkyra (type locality of *Attus calvus*; Simon, 1868).
KYKLADES: Syros (type locality of *Attus laevigatus*; Simon, 1868).

Distribution: Greece, Lebanon.

***Pellenes moreanus* Metzner, 1999 (m,f)**

Pellenes moreana Metzner, 1999: 129.

Citations:

PELOPONNISOS: Achaia: Livada-Livartzi, Potamos Erimanthos (type locality; Metzner, 1999); Rakita, Oros Panachaiko (Metzner, 1999). Argolida: N Arachneo (Metzner, 1999). Arkadia: Oros Oligirtos (Metzner, 1999). Ileia: Andritsena (Metzner, 1999); Kriovrisi (Metzner, 1999); Potamos Pinios (Metzner, 1999). Korinthia: Lake Stymfalia (Metzner, 1999). Lakonia: Karitsa (Metzner, 1999). Messinia: Petra near Vasses (Metzner, 1999). THESSALIA: Larisa: Gonnos (Metzner, 1999).

Distribution: Continental Greece.

***Pellenes nigrociliatus* (Simon, 1875) (m,f)**

Pellenes bedeli; Caporiacco, 1929: 239.
Pellenes nigrociliatus; Hadjissarantos, 1940: 105; Caporiacco, 1948: 71; Metzner, 1999: 130; Dobroruka, 2002: 17.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Kato Souli (Hadjissarantos, 1940).
DODEKANISA: Rodos: Aghios Isidoros (Caporiacco, 1929).
MAKEDONIA: Drama: Paranesti, Potamos Nestos (Metzner, 1999).
PELOPONNISOS: Lakonia: Levkochoma-Vrontamas, Evrotas valley (Metzner, 1999).
STEREA ELADA: Fthiotida: Vitoli (Metzner, 1999).
THESSALIA: Trikala: Kalambaka, Meteora (Dobroruka, 2002).
THRAKI: Evros: Avantas-Esimi (Metzner, 1999).

Distribution: Europe to Central Asia.

***Pellenes ostrinus* (Simon, 1868) (m,f)**

Attus ostrinus Simon, 1868: 52; Pavesi, 1878: 395.
Pellenes ostrinus; Simon, 1884: 311; Bristowe, 1935: 774;
Hadjissarantos, 1940: 105; Metzner, 1999: 121.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Oros Parnitha, Phili (Hadjissarantos, 1940).

DODEKANISA: Kos (Metzner, 1999).

IONIAN ISLANDS: Kerkyra (type locality; Simon, 1868).

PELOPONNISOS: Achaia: Rakita, Oros Panachaiko (Metzner, 1999). Messinia: Petra near Vasses (Metzner, 1999).

STEREA ELADA: Evrytania: Karpenisi (Metzner, 1999).

THESSALIA: Pieria: mouth of Potamos Aliakmonas near Neo Agathoupoli (Metzner, 1999).

Distribution: Greece, Syria.

***Pellenes seriatus* (Thorell, 1875) (m,f)**

Pellenes seriatus; Metzner, 1999: 122.

Citations:

MAKEDONIA: Florina: Oros Verno, Bigla (Metzner, 1999). Pella: Periklia, Oros Paiko (Metzner, 1999).

PELOPONNISOS: Arkadia: Oros Menalo (Metzner, 1999). Ileia: Andritsena (Metzner, 1999); Matesi, Alphios valley (Metzner, 1999); Vidiaki, Erimanthos valley (Metzner, 1999). Messinia: Petra near Vasses (Metzner, 1999).

STEREA ELADA: Aitolo-Akarnania: Nafpaktos (Metzner, 1999). Fthiotida: Ipati (Metzner, 1999); Vitoli (Metzner, 1999).

Distribution: Greece, South Russia, Central Asia.

***Pellenes tripunctatus* (Walckenaer, 1802) (m,f)**

Pellenes tripunctatus; Metzner, 1999: 123; Wolf, 2003: 225.

Citations:

MAKEDONIA: Drama: Oros Falakro (Metzner, 1999; Wolf, 2003).

Distribution: Europe to Western Siberia.

***Philaeus chrysops* (Poda, 1761) (m,f)**

Philaea haemorrhoica C. L. Koch, 1846: 54.

Attus haemorrhicus; Simon, 1868: 27.

Philaeus chrysops; Pavesi, 1878: 393; Strand, 1915: 44; Fage, 1921: 102; Drensky, 1928: 192; Reimoser, 1930: 146, 147; Bristowe, 1935: 773; Werner, 1935: 297; Drensky, 1936: 187; Hadjissarantos, 1940: 101; Caporiacco, 1948: 72; Reimoser, 1958: 573; Roewer, 1959a: 32; Metzner, 1999: 140; Logunov & Chatzaki, 2003: 99; Wolf, 2003: 226.

Philaeus haemorrhicus; Simon, 1880: 240; Simon, 1884: 310; Simon, 1885: 240; Simon, 1916: 276; Caporiacco, 1929: 239; Bristowe, 1935: 773.

Citations:

Greece: without precise locality (type locality of *Phileia haemorrhoica*; C. L. Koch, 1846).

ATTIKI-SARONIC ISLANDS: Attiki: Athina (Simon, 1884); Dafni (Hadjissarantos, 1940); Oros Imitos, Moni Karea (Hadjissarantos, 1940); Moni Kaisariani (Hadjissarantos, 1940); Kato Souli (Hadjissarantos, 1940); Kopanas (Hadjissarantos, 1940); Lavrio (Hadjissarantos, 1940); Liopesi (Hadjissarantos, 1940); Oros Parnitha, Metochi (Hadjissarantos, 1940); Oros Parnitha, Mola (Hadjissarantos, 1940); Phili (Hadjissarantos, 1940); Pagkrati (Hadjissarantos, 1940); Oros Pendeli (Hadjissarantos, 1940); Podoniftis (Hadjissarantos, 1940); Tatoi (Hadjissarantos, 1940). Saronic Islands: Aigina (Hadjissarantos, 1940); Spetses (Metzner, 1999).

DODEKANISA: Rodos: Aghios Isidoros (Caporiacco, 1929; Metzner, 1999); Anginovato (Caporiacco, 1948); Campochiaro (Caporiacco, 1948); Katavia (Caporiacco, 1929); Mani Kamiri,

Massari (Metzner, 1999); Psinthus (Metzner, 1999); Rodos town (Capriacco, 1929).
 EASTERN AEGEAN ISLANDS: Chios: Anavatos (Metzner, 1999). Icaria (Werner, 1935). Lesvos: Agiassos (Metzner, 1999); Kalloni (Metzner, 1999); Vatera (Metzner, 1999). Samothraki (Werner, 1935).
 EVVOIA-VOROI SPORADES: Evvoia (Simon, 1884).
 IONIAN ISLANDS: Kefalonia: Argostoli (Reimoser, 1930); Krane (Reimoser, 1930). Kerkyra (Bristowe, 1935). Lefkada (Reimoser, 1958).
 IPEIROS: Arta: Theodoria, Oros Tzoumerka (Metzner, 1999). Ioannina: Platanousa (Reimoser, 1958).
 KRITI: Chania: Kolinbari (Roewer, 1959a); Lefka Ori (Logunov & Chatzaki, 2003); Paleochora (Metzner, 1999). Lasithi: Lasithi plateau (Metzner, 1999).
 KYKLADES: Kos: Asomati-Chaikutos (Metzner, 1999). Paros (Werner, 1935). Santorini (as Thira; Simon, 1880). MAKEDONIA: Without precise locality (Fage, 1921). Imathia: Naoussa (Roewer, 1959a). Kastoria: Lake Kastoria (Roewer, 1959a). Kavala: Iraklitsa (Roewer, 1959a); Oros Pangeo (Metzner, 1999; Wolf, 2003). Pieria: Monastery Aghiou Dionisiou, Oros Olympos (Metzner, 1999). Serres: Oros Menikio (Metzner, 1999; Wolf, 2003); Serres castle (Roewer, 1959a); M. Prodromou (Roewer, 1959a). Thessaloniki (Simon, 1916). PELOPONNISOS: Achaia: Kallitheia-Patra (Metzner, 1999); Kiparissi (Metzner, 1999); Kounoupeli (Metzner, 1999); Oros Panachaiko (as Voidea; Reimoser, 1930); Rakita, Oros Panachaiko (Metzner, 1999). Argolida: Arachneo (Metzner, 1999); Didymo, Oros Didymo (Metzner, 1999). Arkadia: Oros Menalo, Piriaki (Metzner, 1999); Oros Menalo, top (Metzner, 1999); Vlachokerasia, Kaleron Monastery (Metzner, 1999). Ileia: Andritsena (Metzner, 1999); Kato Samiko (Metzner, 1999); Kriovisi, Pinios valley (Metzner, 1999); SW Lalas (Metzner, 1999); Lambia (Metzner, 1999); Petralona-Vasses (Metzner, 1999); Thisoa (Metzner, 1999). Lakonia: Driilos (Metzner, 1999); Flomohori (Metzner, 1999); Karditsa (Metzner, 1999); Kastania, Oros Taigetos (Metzner, 1999). Messinia: Methoni (Metzner, 1999); Petra, near Vasses (Metzner, 1999). STEREA ELADA: Aitolo-Akarnania: Mesologi (Metzner, 1999); Nafpaktos, Mornos valley. Fokida: Delfoi (Metzner, 1999). Fthiotida: Theologos (Metzner, 1999); Vitoli (Metzner, 1999). Voiotia: Arachova (Bristowe, 1935). THESSALIA: Larisa: Gonnos (Metzner, 1999); Tembi valley (Simon, 1885). THRAKI: Evros: Alexandroupoli (as Dede-Agatch; Drensky, 1928); Makri (Drensky, 1928); Potamos (as Badoma; Drensky, 1928). Rodopi: Komotini (as Gumurjina; Drensky, 1928); Kelempek mountains, above Neda (Metzner, 1999). Xanthi: Avdira (Roewer, 1959a).

Distribution: Southern Palearctic.

***Phintella castrisiana* (Grube, 1861) (m,f)**
Phintella castrisiana; Metzner, 1999: 88.

Citations:

MAKEDONIA: Drama: Angitis (Metzner, 1999).

Distribution: Amfi-Palearctic.

***Phlegra bresnieri* (Lucas, 1846) (mf)**

Attus lippiensis L. Koch, 1867: 881 (male only); Simon, 1868: 558.
Ictidops lippiensis; Pavese, 1878: 395.
Phlegra bresnieri; Simon, 1884: 313; Simon, 1916: 276; Reimoser, 1930: 145, 147; Bristowe, 1935: 774; Hadjissarantos, 1940: 102; Reimoser, 1958: 573; Deltshev & Paraschi, 1990: 6; Metzner, 1999: 67.

Citations:

“Greece and islands, very common” (Simon, 1884).

IONIAN ISLANDS: Kefalonia: Oros Aeneos (Reimoser, 1930). Kerkyra (Reimoser, 1930). Lefkada: Englouvi (Reimoser, 1930). IPEIROS: Arta: Arta (Reimoser, 1930, 1958). Thesprotia: Neraida (Metzner, 1999). KYKLADES: Syros (L. Koch, 1867, sub *A. lippiensis*). Tinos (L. Koch, 1867, sub *A. lippiensis*). MAKEDONIA: Thessaloniki (Simon, 1916). PELOPONNISOS: Argolida: Epidavros (Deltshev & Paraschi, 1990).

Distribution: Southern Europe to Central Asia, Tanzania.

***Phlegra cinereofasciata* Simon, 1868 (m,f)**
Phlegra fuscipes; Metzner, 1999: 69; Wolf, 2003: 227.

Citations:

MAKEDONIA: Drama: Oros Menikio (Metzner, 1999; Wolf, 2003).

Distribution: Central and South Europe to the Caucasus.

***Phlegra fasciata* (Hahn, 1826) (m,f)**
Phlegra fasciata; Simon, 1884: 313; Simon, 1916: 276; Drensky, 1928: 192; Capriacco, 1929: 239; Drensky, 1936: 192; Hadjissarantos, 1940: 105; Capriacco, 1948: 71; Metzner, 1999: 68; Dobroruka, 2002: 17; Wolf, 2003: 225, 227.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Ekali (Hadjissarantos, 1940); Moni Kaisariani (Hadjissarantos, 1940); Oros Parnitha (Hadjissarantos, 1940); Oros Pendeli (Hadjissarantos, 1940); Podoniftis (Hadjissarantos, 1940); Varkidza (Hadjissarantos, 1940).

DODEKANISA: Kos: Zia (Metzner, 1999). Lesvos: Agiassos (Metzner, 1999); Parakila (Metzner, 1999); Vatera (Metzner, 1999). Rodos: Aghios Isidores (Capriacco, 1929). EVVOIA-VOROI SPORADES: Alveron (Metzner, 1999); lake Distos (Metzner, 1999); lake Iliki (Metzner, 1999); Loutra Aidipsou (Metzner, 1999).

IPEIROS: Ioannina: Oros Timfi (Wolf, 2003). Thesprotia: Igoumenitsa (Metzner, 1999).

KRITI: Chania: Aghia Marina (Metzner, 1999); Kolinvari-Rapaniana (Metzner, 1999).

MAKEDONIA: Chalkidiki: Kalamitsi (Dobroruka, 2002). Drama: Oros Falakro (Metzner, 1999; Wolf, 2003); Paranesti (Metzner, 1999). Thessaloniki: Aghia Triada (Metzner, 1999); Aghios Vasilios (Metzner, 1999); Thessaloniki (Metzner, 1999). PELOPONNISOS: Achaia: Kounoupeli (Metzner, 1999); Livadi-Livartzi, Erimanthos valley (Metzner, 1999). Arkadia: Oros Oligirtos (Metzner, 1999); Paradisio (Metzner, 1999); Kosmas, Oros Parnonas (Metzner, 1999); Vlachokerasia, Kaleron monastery (Metzner, 1999). Ileia: Kakotari, Chani Panopoulos, Pinios valley (Metzner, 1999); Matesi, Alphios valley (Metzner, 1999). Messinia: Petra, Vasses (Metzner, 1999).

STEREA ELADA: Evrytania: Karpenisi (Metzner, 1999). Fokida: Itea (Metzner, 1999). Fthiotida: Theologos (Metzner, 1999); Tragana (Metzner, 1999); Vitoli (Metzner, 1999).

THESSALIA: Larisa: Gonnos (Metzner, 1999); Oros Ossa (Metzner, 1999). Pieria: Monastery Aghiou Dionisiou, Oros Olympos (Metzner, 1999); Nea Agathoupoli, Aliakmonas delta (Metzner, 1999).

THRAKI: Evros: Alexandroupoli (as Dede-Agatch; Drensky, 1928); Kelempek mountains, Avantas-Esimi (Metzner, 1999).

Distribution: Palearctic.

***Phlegra lineata* (C. L. Koch, 1846) (m,f)**
Attus lineatus; Simon, 1868: 555.

Phlegra lineata; Simon, 1884: 313; Carlini, 1901: 79; Fage, 1921: 102; Bristowe, 1935: 774; Hadjissarantos, 1940: 105; Metzner, 1999: 70; Dobroruka, 2002: 17; Logunov & Chatzaki, 2003: 99.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Athina (Simon, 1884); Kopanas (Hadjissarantos, 1940); Liopesi (Hadjissarantos, 1940); Loutsa (Hadjissarantos, 1940); Oros Pendeli, Melissia (Hadjissarantos, 1940), Psichiko (Hadjissarantos, 1940); Rafina (Hadjissarantos, 1940).
EASTERN AEGEAN ISLANDS: Lesvos: Mitilini (Metzner, 1999).
IONIAN ISLANDS: Kefalonia (Carlini, 1901). Kerkyra (Simon, 1884).
KRITI: Chania: Aghii Apostoli (Logunov & Chatzaki, 2003); Aghii Pantes (Logunov & Chatzaki, 2003); Georgoupoli (Logunov & Chatzaki, 2003); Lefka Ori (Logunov & Chatzaki, 2003); Tavronitis (Logunov & Chatzaki, 2003). Irakleio: Skalani (Dobroruka, 2002). KYKLADES: Paros (Metzner, 1999). MAKEDONIA: Chalkidiki: Kalamitsi (Dobroruka, 2002). Florina: Aghios Pandeleimonas, lake Vegoritida (Dobroruka, 2002). Imathia: Oros Vermio (Dobroruka, 2002). Thessaloniki: Aghios Vasilios (Metzner, 1999). PELOPONNISOS: Achaia: Arla (Metzner, 1999); Kakotari, Pinios valley (Metzner, 1999); Livadi-Livartzzi, Erimanthos valley (Metzner, 1999). Ilaea: Andritsena (Metzner, 1999); Monemvasia (Metzner, 1999). STEREA ELADA: Fokida: Delfoi (Metzner, 1999); Itea (Metzner, 1999). Aitolo-Akarnania: Aghios Nikolaos (Metzner, 1999). Fthiotida: Theologos (Metzner, 1999). THESSALIA: Trikala: Kalambaka, Meteora (Dobroruka, 2002). THRAKI: Xanthi: Stavroupoli (as Zeitenlik; Fage, 1921).

Distribution: Mediterranean, Syria.

***Phlegra theseusi* Logunov, 2001 (m,f)**

Phlegra theseusi Logunov, 2001b: 61.

Citations:

KRITI: Chania: Lefka Ori (Logunov, 2001b).

Distribution: Crete.

***Plexippoides flavescens* (O. P. -Cambridge, 1872) (m,f)**
Menemerus flavescens; Deltshev & Paraschi, 1990: 6.**Citations:**

PELOPONNISOS: Argolida: Epidavros (Deltshev & Paraschi, 1990).

Distribution: Greece, Egypt, Syria, Iran, Central Asia (Turkmenistan).

***Plexippoides gestroi* (Dalmas, 1920) (m,f)**

Plexippoides gestroi; Deltshev & Paraschi, 1990: 6; Metzner, 1999: 135.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Alepochori (Metzner, 1999). DODEKANISA: Karpathos: Aperi (Metzner, 1999); Kiriaki, Pigadia (Metzner, 1999). Rodos: Psinithos (Metzner, 1999). EASTERN AEGEAN ISLANDS: Lesvos: Parakila (Metzner, 1999). PELOPONNISOS: Argolida: Epidavros (Deltshev & Paraschi, 1990).

Distribution: Greece, Asia Minor, the Caucasus.

***Plexippus coccineus* Simon, 1902 (m,f)**

Plexippus coccineus; Metzner, 1999: 136.

Citations:

STEREA ELADA: Fthiotida: Theologos (Metzner, 1999).

Distribution: Greece, the Caucasus, Central Asia.

***Plexippus paykulli* (Audouin, 1826) (m,f)**

Menemerus paykulli; Simon, 1884: 307.

Plexippus paykulli; Bristowe, 1935: 772; Hadjissarantos, 1940: 102; Metzner, 1999: 136; Dobroruka, 2002: 17; Logunov & Chatzaki, 2003: 99.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Athina (Simon, 1884); Hadjissarantos, 1940); Lavrio (Hadjissarantos, 1940); Neo Faliro (Hadjissarantos, 1940); Tourkolimano (Hadjissarantos, 1940); Tourkovounia (Hadjissarantos, 1940); Vouliagmeni (Hadjissarantos, 1940). DODEKANISA: Rodos: Faliraki (Metzner, 1999). KRITI: Chania: Aghia Marina (Metzner, 1999); Paleochora (Metzner, 1999). Irakleio: Malia (Dobroruka, 2002); Skalani (Dobroruka, 2002). Lasithi: Gournia (Metzner, 1999). Rethymno: Rethymno (Metzner, 1999). STEREA ELADA: Fthiotida: Theologos (Metzner, 1999).

Distribution: Cosmopolitan.

***Pseudeuophrys erratica* (Walckenaer, 1826) (m,f)**

Euophrys erraticus; Drensky, 1928: 192; Drensky, 1936: 193; Lüdicke & Madel, 1937: 298; Capriacca, 1948: 68.
Pseudeuophrys erratica; Metzner, 1999: 53.

Citations:

DODEKANISA: Rodos: Aghios Theodoros (Capriacca, 1948). PELOPONNISOS: Messinia: Leonidio (Lüdicke & Madel, 1937). THRAKI: Evros: Makri (Drensky, 1928).

Distribution: Holarctic. Described by Metzner (1999), without giving Greek records.

***Pseudeuophrys obsoleta* (Simon, 1868) (m,f)**

Attus obsoletus Simon, 1868: 595.
Euophrys obsoleta; Pavesi, 1878: 392; Simon, 1884: 315; Bristowe, 1935: 778; Hadjissarantos, 1940: 106; Wolf, 2003: 226.
Pseudeuophrys obsoleta; Metzner, 1999: 54; Dobroruka, 2002: 17; Logunov & Chatzaki, 2003: 99.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Alepochori (Metzner, 1999); Ekali (Hadjissarantos, 1940); Limni Marathonas (Metzner, 1999); Oros Parnitha (Hadjissarantos, 1940); Podoniftis (Hadjissarantos, 1940). IONIAN ISLANDS: Kerkyra (type locality; Simon, 1868). IPEIROS: Arta: Athamanio, Oros Tzoumerka (Metzner, 1999). Ioannina: Monodendri (Dobroruka, 2002). Thesprotia: Neraida (Metzner, 1999). KRITI: Chania: Lefka Ori (Logunov & Chatzaki, 2003). Rethymno: Oros Psiloritis (Dobroruka, 2002). MAKEDONIA: Drama: Paranesti (Metzner, 1999). Chalkidiki: Marathousa (Metzner, 1999). Florina: Aghios Pandeleimonas, lake Vegoritida (Dobroruka, 2002). Imathia: Oros Vermio (Dobroruka, 2002). Kavala: Oros Pangeo (Metzner, 1999; Wolf, 2003). Kilkis: Gorgopi, Oros Paiko (Metzner, 1999). Thessaloniki: Aghios Vassillios (Metzner, 1999); Langadas (Metzner, 1999).

PELOPONNISOS: Achaia: Kallitheia-Patra (Metzner, 1999); Erimanthos valley, Livadi-Livarzi (Metzner, 1999). Argolida: N Arachneo (Metzner, 1999); Epidavros (Deltshev & Paraschi, 1990). Arkadia: Kosmas, Oros Parnonas (Metzner, 1999); Oros Menalo (Metzner, 1999); Oros Oligirtos (Metzner, 1999); Paradiso (Metzner, 1999). Ilaea: Kato Samiko (Metzner, 1999); Simopoulo (Metzner, 1999). STEREA ELADA: Fokida: Delfoi (Metzner, 1999). Fthiotida: Ipati (Metzner, 1999); Vitoli (Metzner, 1999); Malesina (Metzner, 1999).

THESSALIA: Larisa: Tembi valley (Metzner, 1999). Pieria: Oros Olymbos, Litochoro (Dobroruka, 2002).

THRAKI: Evros: Avantas-Esimi (Metzner, 1999). Rodopi: Kelempet mountains, above Neda (Metzner, 1999). Xanthi: Nestos delta (Metzner, 1999).

Distribution: Europe to southern regions of Central Asia and NW China.

Pseudeuophrys pallidipes Dobroruka, 2002 (f)
Pseudeuophrys pallidipes Dobroruka, 2003: 18.

Citations:

KRITI: Lasithi: Itanos (type locality; Dobroruka, 2002).

Distribution: Only known from Crete. According to Logunov & Chatzaki (2003), the species belongs in the genus *Saitis*, but we follow here Platnick (2004).

Pseudeuophrys vafra (Blackwall, 1867) (m,f)

Euophrus finitima; Simon, 1884: 315; Caporiacco, 1929: 238; Bristowe, 1935: 778; Hadjissarantos, 1940: 106.
Pseudeuophrys vafra; Metzner, 1999: 56; Dobroruka, 2002: 20.

Citations:

EVVOIA-VOROIES SPORADES: Evvoia: near Steni (Simon, 1884).
DODEKANISA: Kos (Caporiacco, 1929).
IPEIROS: Ioannina: Monodendri (Dobroruka, 2002). Thesprotia: Neraida (Metzner, 1999).
THESSALIA: Pieria: Litochoro (Dobroruka, 2002). Trikala: Kalambaka, Meteora (Dobroruka, 2002).

Distribution: Azores, Madeira, Mediterranean, the Crimea.

Pseudicius badius (Simon, 1868) (m,f)

Pseudicius badius; Simon, 1884: 309; Simon, 1916: 276; Bristowe, 1935: 772; Metzner, 1999: 90.
Pseudicius espereyi; Hadjissarantos, 1940: 108
(misidentification).

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Ekali (Hadjissarantos, 1940); Kato Souli (Hadjissarantos, 1940); Podoniftis (Hadjissarantos, 1940).
KYKLADES: Naxos (Simon, 1884). Paros: Parikia (Metzner, 1999).
MAKEDONIA: Chalkidiki: Nea Kalikratia (Metzner, 1999).
Thessaloniki (Simon, 1916).
PELOPONNISOS: Argolida: Nafplio (Bristowe, 1935). Messinia: Methoni (Metzner, 1999).

Distribution: Southern Europe.

Pseudicius courtauldi Bristowe, 1935 (m,f)

Pseudicius courtauldi Bristowe, 1935: 772, 786; Metzner, 1999: 90.

Citations:

DODEKANISA: Patmos (type locality; Bristowe, 1935).

Distribution: Greece to NW China. Not recorded by Metzner (1999).

Pseudicius cultrifer Caporiacco, 1948 (m,f)

Pseudicius cultrifer Caporiacco, 1948: 69; Metzner, 1999: 91.

Citations:

DODEKANISA: Rodos: Aghios Dimitrios (Caporiacco, 1948); Campochiaro (Caporiacco, 1948).

Distribution: South Eastern Europe. No additional records in Metzner (1999).

Pseudicius encarpatus (Walckenaer, 1802) (m,f)

Pseudicius encarpatus; Caporiacco, 1948: 71; Roewer, 1959a: 32; Metzner, 1999: 91; Dobroruka, 2002: 20; Logunov & Chatzaki, 2003: 99.

Citations:

DODEKANISA: Rodos: Campochiaro (Caporiacco, 1948).
IPEIROS: Ioannina: Monodendri (Dobroruka, 2002).
KRITI: Lasithi: Psychro (Roewer, 1959a).
MAKEDONIA: Imathia: Naoussa (Roewer, 1959a).
PELOPONNISOS: Achaia: Kounoupeli (Metzner, 1999).

Distribution: Europe to Kazakhstan.

Pseudicius espereyi Fage, 1921 (m,f)

Pseudicius espereyi Fage, 1921: 102, 229; Bristowe, 1935: 772; Metzner, 1999: 92.

Citations:

MAKEDONIA: Thessaloniki: Vasilika (Fage, 1921).

Distribution: Greece. No additional records in Metzner (1999).

Pseudicius kulczynskii Nosek, 1905 (m,f)

Pseudicius kulczynskii; Metzner, 1999: 94.

Citations:

EASTERN AEGEAN ISLANDS: Lesvos: Agiassos (Metzner, 1999).

Distribution: Lesvos, Turkey.

Pseudicius picaceus (Simon, 1868) (m,f)

Pseudicius picaceus; Hadjissarantos, 1940: 109; Caporiacco, 1948: 71; Deltshev & Paraschi, 1990: 6; Metzner, 1999: 93; Dobroruka, 2002: 20; Logunov & Chatzaki, 2003: 99.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Alepochori (Metzner, 1999); Ekali (Hadjissarantos, 1940); Moni Kaisariani (Hadjissarantos, 1940); Kato Souli (Hadjissarantos, 1940); Kavouri (Hadjissarantos, 1940); Neo Faliro (Hadjissarantos, 1940). Saronic Islands: Spetses (Metzner, 1999). DODEKANISA: Rodos: Apollona (Caporiacco, 1948); Campochiaro (Caporiacco, 1948); Draco (Caporiacco, 1948). KRITI: Chania: Aghia Irini (Dobroruka, 2002); Paleochora (Metzner, 1999). Irakleio: Lentas, near Mires (Metzner, 1999); Skalanas (Dobroruka, 2002). Lasithi: Lasithi plateau (Metzner, 1999). Rethymnon: Kissos Kambas (Metzner, 1999); Spili (Metzner, 1999). KYKLADES: Naxos (Deltshev & Paraschi, 1990). Paros: Parikia (Metzner, 1999). PELOPONNISOS: Achaia: Kallitheia-Patra (Metzner, 1999); Kounoupeli (Metzner, 1999). Ileia: Barakitika (Metzner, 1999). Kato Samiko (Metzner, 1999). Lakonia: Kastorio (Metzner, 1999); Lefkochoma (Metzner, 1999); Mavrovouni (Metzner, 1999). STEREA ELADA: Fokida: Delfoi (Metzner, 1999). Fthiotida: Malesina (Metzner, 1999); Theologos (Metzner, 1999).

Distribution: Mediterranean to Azerbaijan.

Pseudicius vankeeri Metzner, 1999 (m)

Pseudicius vankeeri Metzner, 1999: 95.

Citations:

DODEKANISA: Rodos: Falliraki (type locality; Metzner, 1999).

Distribution: Rodos.

Saitis ariadneae Logunov, 2001 (m,f)

Saitis ariadneae Logunov, 2001b: 62.

Citations:

KRITI: Chania: Lefka Ori (Logunov, 2001b).

Distribution: Crete.

Saitis graecus Kulczyn'ski, 1905 (m,f)

Saitis graeca Kulczyn'ski, 1905: 544; Hadjissarantos, 1940: 102; Caporiacco, 1948: 68; Metzner, 1999: 58.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Oros Parnitha (Hadjissarantos, 1940); Malakasa (Hadjissarantos, 1940); Pikermi (Hadjissarantos, 1940).
IONIAN ISLANDS: Kerkyra (Kulczyn'ski, 1905; Metzner, 1999).
IPEROS: Arta: Theodoria, Oros Tzoumerka (Metzner, 1999).
PELOPONNISOS: Achaia: Patra-Kallithea (Metzner, 1999); Kallithea (Metzner, 1999); Patra (Kulczyn'ski, 1905). Ileia: Lambia (Metzner, 1999). Korinthia: Sofiko (Metzner, 1999). Lakonia: Mistras (Metzner, 1999).
STEREA ELADA: Aitolo-Akarnania: Nafpaktos, Mornos valley (Metzner, 1999).

Distribution: Verified citations are all from the Ionian Islands and continental Greece, hence Bristowe's citations from Rodos and Dilos are attributed here to *S. tauricus* (see there).

***Saitis sengleti* (Metzner, 1999) (m,f)**

Pseudeuophrys sengleti Metzner, 1999: 55.

Saitis sengleti; Logunov, 2001a: 64; Logunov & Chatzaki, 2003: 99.

Citations:

KRITI: Chania: Aghia Irini (Metzner, 1999); Akrotiri (Metzner, 1999); Georgioupoli (Logunov & Chatzaki, 2003); Lefka Ori (Logunov, 2001a); Paleochora (Metzner, 1999). Rethymno: Keramoti-Choumerion (Metzner, 1999); Oros Ida, Selli (Metzner, 1999).
PELOPONNISOS: Argolida: Achladokambos (type locality; Metzner, 1999).

Distribution: Peloponnisos, Crete.

***Saitis tauricus* Kulczyn'ski, 1905 (m,f)**

Saitis barbipes; Caporiacco, 1925: 111; Caporiacco, 1929: 238; Bristowe, 1935: 775; Caporiacco, 1948: 68 (misidentifications).
Saitis graeca; Bristowe, 1935: 775 (misidentification).
Saitis tauricus; Deltshev & Paraschi, 1990: 6; Metzner, 1999: 59.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Alepochori (Metzner, 1999). DODEKANISA: Kos (Metzner, 1999). Rodos: Koschino (sub *S. barbipes*; Caporiacco, 1929); Rodos town (sub *S. barbipes*: Caporiacco, 1929; sub *S. graeca*: Bristowe, 1935). Simi (sub *S. barbipes*; Caporiacco, 1925). EASTERN AEGEAN ISLANDS: Lesvos: Agiassos (Metzner, 1999). KYKLADES: (sub *S. graeca*; Bristowe, 1935). Naxos: Apollona (Metzner, 1999); Chalkis (Metzner, 1999); Naxos (Deltshev & Paraschi, 1990; Metzner, 1999). Paros: Parikia (Metzner, 1999); Petaloudes (Metzner, 1999). PELOPONNISOS: Arkadia: Paradisio (Metzner, 1999). STEREALADA: Evrytania: Fouma (Metzner, 1999). Fokida: Delfoi (Metzner, 1999); Itea (Metzner, 1999). Fthiotida: Ipati (Metzner, 1999); Vitoli (Metzner, 1999); Malesina (Metzner, 1999); Theologos (Metzner, 1999); Tragana (Metzner, 1999). THESSALIA: Larisa: Gonnos (Metzner, 1999); Omolion, Oros Ossa (Metzner, 1999); Tembi valley (Metzner, 1999).

Remark: Citations of the west Mediterranean *Saitis barbipes* by Caporiacco (1925, 1929) from Dodekanisa are considered here as *S. taurica*.

Distribution: Black Sea Coast, Greece.

***Salticus cingulatus* (Panzer, 1797) (m,f)**

Salticus cingulatus; Prószyński, 1976: 316; Metzner, 1999: 111.

Citations:

Greece. Prószyński (1976) shows two localities in Northern Greece on his distribution maps, without giving precise data. Metzner (1999) gives no additional localities.

Distribution: Palearctic.***Salticus iteacus* Metzner, 1999 (m,f)**

Salticus iteacus Metzner, 1999: 112.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Athina (Metzner, 1999). STEREALADA: Fokida: Itea (type locality; Metzner, 1999).

Distribution: Only known from continental Greece.

***Salticus mandibularis* (Simon, 1868) (m)**

Calliethera mandibularis Simon, 1868: 658; Simon, 1884: 310; Hadjissarantos, 1940: 111.

Epiblemmum mandibulare; Pavesi, 1876: 390.
Salticus mandibularis; Bristowe, 1935: 773; Metzner, 1999: 113.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Oros Pendeli, Dionisos (Hadjissarantos, 1940). IONIAN ISLANDS: Kerkyra (type locality; Simon, 1868).

Distribution: Greece, Italy.***Salticus mutabilis* Lucas, 1846 (m,f)**

Calliethera mutabilis; Simon, 1884: 310; Hadjissarantos, 1940: 111.

Salticus mutabilis; Bristowe, 1935: 773; Metzner, 1999: 114.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Athina (Simon, 1884); Vouliagmeni (Hadjissarantos, 1940). Saronic Islands: Aigina (Hadjissarantos, 1940); Salamina (Hadjissarantos, 1940). EASTERN AEGEAN ISLANDS: Lesvos: Kalloni (Metzner, 1999). MAKEDONIA: Imathia: Loudias delta (Metzner, 1999). PELOPONNISOS: Achaia: Kiparissi (Metzner, 1999). THESSALIA: Pieria: Platamonas (Metzner, 1999).

Distribution: Europe, Asia Minor, Azores.

***Salticus noordami* Metzner, 1999 (m)**

Salticus noordami Metzner, 1999: 115.

Citations:

EASTERN AEGEAN ISLANDS: Lesvos: Parakila (type locality; Metzner, 1999).

Distribution: Only known from Lesvos.

***Salticus propinquus* Lucas, 1846 (m,f)**

Calliethera olivacea L. Koch, 1867: 868; Simon, 1868: 649; Simon, 1884: 310.

Epiblemmum olivaceum; Pavesi, 1878: 390.

Salticus olivaceus; Bristowe, 1935: 773.
Salticus propinquus; Caporiacco, 1948: 69; Metzner, 1999: 115.

Citations:

DODEKANISA: Rodos: Apollonia (Caporiacco, 1948); Draco (Caporiacco, 1948).

IONIAN ISLANDS: Kerkyra (L. Koch, 1867).

KYKLADES: Syros (L. Koch, 1867). Tinos (L. Koch, 1867).

PELOPONNISOS: Achaia: Kounoupeli (Metzner, 1999); Mirali, Oros Panachaiko (Metzner, 1999); Rakita, Oros Panachaiko (Metzner, 1999). Ileia: Kakotari, Panopoulos, Pinios valley (Metzner, 1999); Kriovrisi, Pinios valley (Metzner, 1999).

Messinia: Methoni (Metzner, 1999).

STEREA ELADA: Fokida: Itea (Metzner, 1999).

Distribution: Circummediterranean.

***Salticus scenicus* (Clerck, 1757) (m,f)**

Calliethera scenica; Drensky, 1928: 192.
Salticus scenicus; Drensky, 1936: 206.

Citations:

THRAKI: Evros: Alexandroupoli (as Dede-Agatch; Drensky, 1928).

Distribution: Holarctic.

***Salticus unicolor* (Simon, 1868) (m)**

Callietherus unicolor Simon, 1868: 661.
Calliethera unicolor; Simon, 1876a: 76.
Epiblemmum unicolor; Pavesi, 1877: 327.
Salticus unicolor; Bristowe, 1935: 773.

Citations:

IONIAN ISLANDS: Kerkyra (type locality; Simon, 1868).

Distribution:

Only known from the type locality. Not recorded or mentioned by Metzner (1999). The species is in need of redescription.

***Salticus zebraneus* (C. L. Koch, 1837) (m,f)**

Calliethera zebranea; Simon, 1884: 310; Simon, 1916: 276.
Salticus olearii; Bristowe, 1935: 774.
Salticus zebraneus; Bristowe, 1935: 774; Hadjissarantos, 1940: 112; Metzner, 1999: 116; Dobroruka, 2002: 20; Logunov & Chatzaki, 2003: 100.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Ekali (Hadjissarantos, 1940); Kato Souli (Hadjissarantos, 1940); Kavouri (Hadjissarantos, 1940); Liopesi (Hadjissarantos, 1940); Oros Parnitha (Hadjissarantos, 1940); Podonititis (Hadjissarantos, 1940); Vouliagmeni (Hadjissarantos, 1940). Saronic Islands: Salamina (Hadjissarantos, 1940).
DODEKANISA: Rodos: Petaloudes (Metzner, 1999); Tsambika monastery (Metzner, 1999).
IONIAN ISLANDS: Ithaca (Bristowe, 1935). Kerkyra (Simon, 1868).
KRITI: Chania: Aghia Irini (Dobroruka, 2002); Chania (Metzner, 1999); Kavalos, Kournas (Metzner, 1999). Irakleio: Fodele (Metzner, 1999); Kardamiana (Metzner, 1999).
PELOPONNISOS: Achaia: Kallitheia-Patra (Metzner, 1999); Kounoupeli (Metzner, 1999). Argolida: Epidavros (Bristowe, 1935). Arkadia: Pirgaki, Oros Menalo (Metzner, 1999). Ilia: Kato Samiko (Metzner, 1999); Erimanthos, Pinios valley (Metzner, 1999). Korinthia: lake Stymfalia (Metzner, 1999). Lakonia: Githio, Mavrovouni (Metzner, 1999); Mistras (Metzner, 1999). Messinia: Methoni (Metzner, 1999); Petra near Vasses (Metzner, 1999).
MAKEDONIA: Thessaloniki: Aghia Triada (Metzner, 1999); Thessaloniki (Simon, 1916).
STEREA ELADA: Fokida: Delfoi (Metzner, 1999). Fthiotida: Malesina (Metzner, 1999); Theologos (Metzner, 1999); Vitoli, E Lamia (Metzner, 1999).
THESSALIA: Pieria: Oros Olympos, Monastery Aghiou Dionisiou (Metzner, 1999).

Distribution: Palearctic.

***Sibianor tantulus* (Simon, 1868) (m,f)**

Bianor aurocinctus; Metzner, 1999: 119; Wolf, 2003: 225.
Sibianor tantulus; Logunov, 2001a: 274.

Citations:

MAKEDONIA: Kavala: Oros Pangeo (Metzner, 1999; Logunov, 2001a; Wolf, 2003).

Distribution: Palearctic.

***Sitticus atricapillus* (Simon, 1882) (m,f)**

Sitticus apollinis Bristowe, 1935: 778, 784; Metzner, 1999: 84; Dobroruka, 2002: 20; Wolf, 2003: 225.
Sitticus atricapillus; Kronestedt & Logunov, 2003: 858.

Citations:

IPEIROS: Thesprotia: Tomaros (Metzner, 1999; Kronestedt & Logunov, 2003).

MAKEDONIA: Drama: Oros Falakro (Wolf, 2003).
STEREA ELADA: Evrytania: Oros Timfristos (Metzner, 1999; Kronestedt & Logunov, 2003). Fokida: Oros Parnassos (Bristowe, 1935).
THESSALIA: Pieria: Oros Olympos (Dobroruka, 2002).

Distribution: Mountainous regions of central and southern Europe.

***Sitticus distinguendus* (Simon, 1868) (m,f)**

Attus ruficarpus Simon, 1884: 313; Bristowe, 1935: 774.
Attulus ruficarpus; Hadjissarantos, 1940: 110.
Attulus histrio; Capriacco, 1925: 110; Capriacco, 1929: 237; Bristowe, 1935: 775.
Sitticus distinguendus; Metzner, 1999: 85; Wolf, 2003.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Athina (Simon, 1884).
DODEKANISA: Leros (Capriacco, 1925).
EVVOIA-VOROIES SPORADES: Evvoia: near Steni (Simon, 1884).
IPEIROS: Preveza: Louros (Metzner, 1999).
MAKEDONIA: Kavala: Oros Pangeo (Wolf, 2003).
PELOPONNISOS: Achaia: Kiparissi (Metzner, 1999). Arkadia: Paralia Astros (Metzner, 1999).
STEREA ELADA: Fthiotida: Vitoli (Metzner, 1999).

Distribution: Palearctic.

***Sitticus dzieduszyckii* (L. Koch, 1870) (m,f)**

Sitticus dzieduszyckii; Prószyński, 1976: 315; Hansen, 1985: 300; Metzner, 1999: 85.

Citations:

Prószyński (1976) shows some localities in Greece on his distribution map, but without precise data. These data were repeated by Hansen (1985). Metzner (1999) mentions no material from Greece. The presence in Greece thus has to be confirmed.

Distribution: Europe to Western Siberia.

***Sitticus floricola* (C. L. Koch, 1837) (m,f)**

Sitticus floricola; Capriacco, 1948: 69; Metzner, 1999: 81 (male only, female = *S. inexpectus*).
Siticus littoralis; Hadjissarantos, 1940: 110.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Varkiza (Hadjissarantos, 1940). Saronic Islands: Salamina (Hadjissarantos, 1940).
DODEKANISA: Rodos: Petrolaco (Capriacco, 1948).
MAKEDONIA: Florina: lake Mikri Prespa (Metzner, 1999).
PELOPONNISOS: Achaia: Kounoupeli (Metzner, 1999).
THESSALIA: Pieria: laguna near Nea Agathoupoli (Metzner, 1999).

Distribution: Palearctic.

***Sitticus inexpectus* Logunov & Kronestedt, 1997 (m,f)**

Sitticus floricola; Metzner, 1999: 82 (misidentification, female only).
Sitticus rupicola; Metzner, 1999: 83.

Citations:

IPEIROS: Ioannina: Ioannina (Metzner, 1999). Preveza: Louros (Metzner, 1999).
MAKEDONIA: Thessaloniki: Aghios Vasilios (Metzner, 1999); Langadas (Metzner, 1999).
STEREA ELADA: Aitolo-Akarnania: Agrinio (Metzner, 1999).

Distribution: Europe to Central Asia.

Sitticus penicillatus (Simon, 1875) (m,f)
Attulus penicillatus; Lüdicke & Madel, 1937: 299; Metzner, 1999: 86.

Citations:

PELOPONNISOS: Messinia: Leonidio (Lüdicke & Madel, 1937).
STEREA ELADA: Aitolo-Akarnania: Nafpaktos, Mornos valley (Metzner, 1999). Fthiotida: Vitoli (Metzner, 1999).
THESSALIA: Karditsa: Loutropigi (Metzner, 1999).

Distribution: Palearctic.

Sitticus pubescens (Fabricius, 1775) (m,f)
Sitticus pubescens; Caporiacco, 1929: 238; Caporiacco, 1948: 69; Metzner, 1999: 81.

Citations:

DODEKANISA: Rodos: Aghios Isidoros (Caporiacco, 1929).
IPEIROS: Ionanina: Distrato, Oros Smolikas (Metzner, 1999).

Distribution: Europe to the Urals., USA

Sitticus rupicola (C. L. Koch, 1837) (m,f)
Attus rupicola; Drensky, 1928: 192.
Sitticus rupicola; Drensky, 1936: 202; Metzner, 1999: 83; Wolf, 2003: 225.

Citations:

MAKEDONIA: Drama: Oros Falakro (Metzner, 1999; Wolf, 2003).
THRAKI: Rodopi: Komotini (as Gumurjina; Drensky, 1928).

Distribution: Central and South Europe.

Synageles dalmaticus (Keyserling, 1863) (m,f)
Synageles dalmaticus; Simon, 1884: 307; Strand, 1917: 166; Reimoser, 1930: 147; Bristowe, 1935: 771; Hadjissarantos, 1940: 101; Reimoser, 1958: 573; Deltshev & Paraschi, 1990: 6; Metzner, 1999: 38; Logunov & Chatzaki, 2003: 100.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Alepochori (Metzner, 1999); Athina (Simon, 1884); Ekali (Hadjissarantos, 1940); Kavouri (Hadjissarantos, 1940); Liopesi (Hadjissarantos, 1940); Loutsa (Hadjissarantos, 1940); Neo Faliro (Hadjissarantos, 1940); Oros Parnitha, Aghia Triada (Hadjissarantos, 1940); Pikermi (Hadjissarantos, 1940); Podonitis (Hadjissarantos, 1940); Vari (Hadjissarantos, 1940). Saronic Islands: Aigina (Hadjissarantos, 1940).
DODEKANISA: Kalymnos (Strand, 1917). Kos (Metzner, 1999). Rodos: Filerimos (Metzner, 1999).
EASTERN AEGEAN ISLANDS: Lesvos: N Parkila (Metzner, 1999). EVVIOIA-VOROIES SPORADES: Evvoia (Simon, 1884). IONIAN ISLANDS: Kefalonia: Argostoli (Reimoser, 1930). IPEIROS: Arta: Katarakti (Reimoser, 1958). KRITI: Iraklio: Avgeniki (Metzner, 1999); Potamies (Metzner, 1999). Gavdos island: Lavrakas (Logunov & Chatzaki, 2003). KYKLADES: Kea (Strand, 1917). Paros: Parikia (Metzner, 1999); Petaloudes (Metzner, 1999). MAKEDONIA: Thessaloniki: Aghia Triada (Metzner, 1999); Thessaloniki (Metzner, 1999). PELOPONNISOS: Achaia: Kato Alissos (Metzner, 1999); Kounoupeli (Metzner, 1999). Argolida: Epidavros (Deltshev & Paraschi, 1990); Palea Epidavros (Metzner, 1999). Ilea: Kakotari, Chani Panopoulos, Pinios valley (Metzner, 1999);

Kato Samiko (Metzner, 1999). Lakonia: Mavrovouni (Metzner, 1999).
STEREA ELADA: Fokida: Itea (Metzner, 1999). Fthiotida: Vitoli (Metzner, 1999); Theologos (Metzner, 1999). THESSALIA: Larisa: Omolion-Tembi (Metzner, 1999).

Distribution: Mediterranean.

Synageles hilarulus (C. L. Koch, 1846) (m,f)
Synageles hilarulus; Logunov & Chatzaki, 2003: 100.

Citations:

KRITI: Chania: Georgioupoli (Logunov & Chatzaki, 2003).

Distribution: Palearctic.

Talavera aequipes (O. P.- Cambridge, 1871) (m,f)
Euophrys aequipes ludio; Caporiacco, 1948: 122.
Euophrys aequipes; Deltshev & Paraschi, 1990: 4.
Talavera aequipes; Metzner, 1999: 64.

Citations:

PELOPONNISOS: Argolida: Epidavros (Deltshev & Paraschi, 1990)

Distribution: Palearctic. No additional records in Metzner (1999).

Talavera aequipes ludio (Simon, 1871) (m,f)
Euophrys aequipes ludio; Caporiacco, 1948: 122.

Citations:

DODEKANISA: Rodos: Anginovato (Caporiacco, 1948).

Distribution: Corsica, Rodos. The validity if this subspecies is doubtful.

Thyene imperialis (Rossi, 1846) (m,f)
Attus regillus L. Koch, 1867: 879; Simon, 1868: 622.
Attus imperialis; Simon, 1871: 142.

Thyene imperialis; Pavesi, 1878: 394; Simon, 1884: 310; Caporiacco, 1925: 110; Bristowe, 1935: 773; Hadjissarantos, 1940: 102; Metzner, 1999: 132; Dobroruka 2003: 20; Logunov & Chatzaki, 2003: 100.

Citations:

ATTIKI-SARONIC ISLANDS: Attiki: Ekali (Hadjissarantos, 1940); Oros Imitos, Moni Karea (Hadjissarantos, 1940); Moni Kaisariani (Hadjissarantos, 1940); Kopanas (Hadjissarantos, 1940); Tourkovounia (Hadjissarantos, 1940); Vari (Hadjissarantos, 1940); Varkiza (Hadjissarantos, 1940); Vyron (Hadjissarantos, 1940); Vouliagmeni (Hadjissarantos, 1940). DODEKANISA: Megisti (as Castelorizo; Caporiacco, 1925). Rodos: Apollonia (Metzner, 1999); Falleraki (Metzner, 1999); Laerma (Metzner, 1999).

EVVIOIA-VOROIES SPORADES: Evvoia: Loutra Edipsou (Metzner, 1999). KRITI: Chania: Aghia Irini (Dobroruka, 2002). Iraklio: Skalani (Dobroruka, 2002). KYKLADES: Syros (Simon, 1884). Tinos (type locality of *Attus regillus*; L. Koch, 1867).

PELOPONNISOS: Achaia: Kounoupeli (Metzner, 1999). Ilea: Kato Samiko (Metzner, 1999); Kriovrisi, Pinios valley (Metzner, 1999); Matesi, Alphios valley (Metzner, 1999). Lakonia: Githio (Metzner, 1999); Lefkochoma (Metzner, 1999). STEREA ELADA: Fokida: Delfoi (Metzner, 1999); Itea (Metzner, 1999). Fthiotida: Theologos (Metzner, 1999).

Distribution: Old world.

Thyene phragmitigrada Metzner, 1999 (m,f)
Thyene phragmitigrada Metzner, 1999: 133.

Citations:

PELOPONNISOS: Achaia: Kounoupeli (Metzner, 1999). Ilia: Kato Samiko (type locality; Metzner, 1999).

Distribution: Greece: Peloponnisos.

***Yllenus gavdos* Logunov & Marusik, 2003 (m,f)**

Yllenus gavdos Logunov & Marusik, 2003: 43; Logunov & Chatzaki, 2003: 100.

Citations:

GAVDOS ISLAND: Lavrakas (type locality; Logunov & Marusik, 2003)

Distribution: Canary Islands, Spain, Gavdos island near Crete.

Acknowledgments

The following persons are thanked for helping with the search for literature and for critical comments: Gergin Blagoev, Theo Blick, Christa Deeleman, Christo Deltshev, Eric Duffey, Anastasios Lagakis, Dimitri Logunov, Rowley Snazell, Koen Van Keer, Johan Van Keer and Herman Vanuytven.

IX. LITERATURE REFERRING TO THE SPIDERS OF GREECE

- AUSSERER, A. (1871a). Beiträge zur Kenntniss der Arachniden-Familie der Territelariae Thorell (Mygalidae Autor). *Verhandlungen der kaiserlich-königlichen zoologisch-botanischen Gesellschaft in Wien* **21**: 117-224.
- AUSSERER, A. (1871b). Neue Radspinnen. *Verhandlungen der kaiserlich-königlichen zoologisch-botanischen Gesellschaft in Wien* **21**: 815-832.
- AZARKINA, G. N. (2002). New and poorly known species of the genus *Aelurillus* Simon, 1884 from Central Asia, Asia Minor and the eastern Mediterranean (Araneae: Salticidae). *Bulletin of the British arachnological Society* **12**: 249-263.
- BJØRN, P. P. (1997). A taxonomic revision of the African part of the orb-weaving genus *Argiope* (Araneae: Araneidae). *Entomologia scandinavia* **28**: 199-239.
- BLAGOEV, G., C. DELTSHEV & S. LAZAROV (2004). The Spiders (Araneae) of Bulgaria. - Institute of Zoology, Bulgarian Academy of Sciences, online at <http://cl.bas.bg/bulgarianspiders/>
- BLAUWE, R. de (1980a). Revision de la famille des Agelenidae (Araneae) de la region méditerranéenne (2e partie). *Bulletin de l' Institut royal des Sciences naturelles de Belgique* **52** (1): 1-54.
- BLAUWE, R. de (1980b). Revision de la famille des Agelenidae (Araneae) habitant la region méditerranéenne (3e partie). *Bulletin de l' Institut royal des Sciences naturelles de Belgique* **52** (11): 1-28.
- BOSMANS, R. & O. ABROUS (1992). Studies on North African Linyphiidae VI. The genera *Pelecopsis* SIMON, *Trichopterna* Kulczyn'ski and *Ouedia* gen. n. (Araneae: Linyphiidae). *Bulletin of the British arachnological Society* **9**: 65-85.
- BOSMANS, R. (1997). Revision of the genus *Zodarion* Walckenaer, 1833, part II. Western and Central Europe, including Italy (Araneae: Zodariidae). *Bulletin of the British arachnological Society* **10**: 265-294.
- BOSMANS, R. & J. VAN KEER (1999). The genus *Enoplognatha* Pavesi, 1880 in the Mediterranean region (Araneae: Theridiidae). *Bulletin of the British arachnological Society* **11**: 209-241.
- BOSMANS, R. & T. BLICK. (2001). Contribution to the knowledge of the genus *Micaria* in the West-palaearctic region, with description of the new genus *Arboricaria* and three new species (Araneae Gnaphosidae). *Memorie della Società entomologica italiana* **78**: 443-476.
- BOSSELAERS, J. (1998). *Nesticus henderickxi* (Araneae, Nesticidae), a new blind troglobiotic spider from Crete. *Bulletin of the British arachnological Society* **11**: 9-14.
- BOSSELAERS, J. & H. HENDERICKX (2002). A new *Savignia* from Cretan caves (Araneae: Linyphiidae). *Zootaxa* **109**: 1-8.
- BRAUN, R. (1965). Beitrag zu einer Revision der paläarktischen Arten der *Philodromus aureolus*-Gruppe (Arach., Araneae). I. Morphologisch-systematischer Teil. *Senckenbergiana Biologica* **46**: 369-428.
- BRIGNOLI, P. M. (1968). Über griechische Leptonetidae (Arachnida: Araneae). *Senckenbergiana biologica* **49**: 259-264.
- BRIGNOLI, P. M. (1971a). Su alcuni *Leptyphantes* di Creta (Araneae, Linyphiidae). *Fragmenta entomologica* **7**: 231-241.
- BRIGNOLI, P. M. (1971b). Beitrag zur Kenntnis der mediterranen Pholcidae (Arachnida, Araneae). *Mitteilungen aus dem zoologischen Museum im Berlin* **47**: 255-267.
- BRIGNOLI, P. M. (1972a). Su alcuni ragni cavernicoli di Corfù (Arachnida, Araneae). *Revue suisse de Zoologie* **79**: 861-869.
- BRIGNOLI, P. M. (1972b). Eine neue *Orchestina* aus Griechenland (Arachnida: Oonopidae). *Senckenbergiana biologica* **53**: 287-289.
- BRIGNOLI, P. M. (1974a). Ragni di Grecia VI. Specie nuove o interessanti delle isole Ionie e della Morea (Araneae). *Revue suisse de Zoologie* **81**: 155-175.
- BRIGNOLI, P. M. (1974b). Ragni di Grecia VII. Raccolte in grotte dell'Attica del Dr P. Strinati (Araneae). *Revue suisse de Zoologie* **81**: 493-499.
- BRIGNOLI, P. M. (1974c). Araignées de Grèce VIII. Quelques Leptonetidae de la Laconie et de l'île de Crète (Arachnida, Araneae). *Annales de Spéléologie* **29**: 63-70.
- BRIGNOLI, P. M. (1976a). Beiträge zur Kenntnis der Scytodidae (Araneae). *Revue suisse de Zoologie* **83**: 125-191.
- BRIGNOLI, P. M. (1976b). Ragni di Grecia IX. Specie nuove o interessanti delle famiglie Leptonetidae, Dysderidae, Pholcidae ed Agelenidae (Araneae). *Revue suisse de Zoologie* **83**: 539-578.
- BRIGNOLI, P. M. (1977). Ragni di Grecia X. Nuovi dati sulla Grecia continentale ed insulare (Araneae). *Revue suisse de Zoologie* **84**: 937-954.
- BRIGNOLI, P. M. (1979). Ragni di Grecia XI. Specie nuove o interessanti, cavernicole ed epigee. *Revue suisse de Zoologie* **86**: 181-202.
- BRIGNOLI, P. M. (1980). Some new or interesting eastern Mediterranean Dysderidae and Agelenidae (Araneae). *Annales zoologici, Warszawa* **35**: 75-82.
- BRIGNOLI, P. M. (1982). Contribution à la connaissance des Filistatidae paléarctiques (Araneae). *Revue arachnologique* **4**: 65-75.
- BRIGNOLI, P. M. (1984). Ragni di Grecia XII. Nuovi dati su varie famiglie (Araneae). *Revue suisse de Zoologie* **91**: 281-321.
- BRISTOWE, W. S. (1935). The spiders of Greece and the adjacent islands. *Proceedings of the zoological Society of London* **1934**: 733-788.
- BRULLE, A. (1832). *Expédition scientifique de Morée*. Paris, tome III, 1re partie: Zoologie, 2me section: Des Animaux articulés (Araneae, pp. 51-57, pl. 28).

- CAMBRIDGE, O. P.- (1872). Descriptions of twenty-four new species of *Erigone*. *Proceedings of the zoological Society of London* **1872**: 747-769.
- CAMBRIDGE, O. P.- (1873). On some new species of European spiders. *Journal of the Linnean Society of London* **11**: 530-547.
- CAMBRIDGE, O. P.- (1874). On some new species of Drassides. *Proceedings of the zoological Society of London* **1874**: 370-419.
- CAPORIACCO, L. di (1925). Una raccolta di aracnidi del Dodecanesso. *Bulletino della Società entomologica italiana* **57**: 107-111.
- CAPORIACCO, L. di (1929). Aracnidi. In Ricerche faunitiche nelle isole italiane dell'Egeo. *Archivio zoologico italiano* **13**: 221-242.
- CAPORIACCO, L. di (1948). L'arachnofauna di Rodi. *Redia* **33**: 27-75.
- CARLINI, A. (1901). Rincoti ed Aracnidi dell' Isola di Cefalonia. *Bulletino della Società entomologica italiana* **33**: 77-79.
- CECCONI, G. (1895). Ricordi zoologici di un viaggio all'isola di Candia. *Bulletin della Società entomologica italiana* **27**: 169-231.
- CHATZAKI, M., K. THALER & M. MYLONAS (2002a). Ground spiders (Gnaphosidae; Araneidae) of Crete (Greece). Taxonomy and distribution. I. *Revue suisse de Zoologie* **109**: 559-601.
- CHATZAKI, M., K. THALER & M. MYLONAS (2002b). Ground spiders (Gnaphosidae; Araneidae) of Crete and adjacent areas of Greece. Taxonomy and distribution. II. *Revue suisse de Zoologie* **109**: 603-633.
- CHATZAKI, M., K. THALER & M. MYLONAS (2003). Ground spiders (Gnaphosidae; Araneidae) of Crete (Greece). Taxonomy and distribution. III. *Zelotes* and allied genera. *Revue suisse de Zoologie* **110**: 45-89.
- CORDES, D. (1996). A new wolf spider of the genus *Alopecosa* Simon from Greece (Araneae: Lycosidae). *Bulletin of the British arachnological Society* **10**: 211-214.
- DAHL, F. (1901). Werth des Cribellums und Calamistrums für das system der spinnen und eine Übersicht der Zoropsiden. *Sitzungsberichte der Gesellschaft naturforschender Freunde zu Berlin* **9**: 179-199.
- DALMAS, R. de (1920). Liste d'araignées de Boudron en Asie Mineure suivie d'une étude des espèces méditerranéennes du genre *Habrocestum*. *Annali del Museo civico di Storia naturale di Genova* **50**: 57-69.
- DALMAS, R. de (1921). Monographie des araignées de la section des *Pterotricha* (Aran. Gnaphosidae). *Annales de la Société entomologique de France* **89**: 233-328.
- DECAE, A. E. (1995). Two new trapdoor spider species in the genus *Nemesia* Audouin, 1826 and the first report of this genus from Greece (Araneae, Mygalomorphae, Nemesiidae). *Deinsea* **2**: 1-8.
- DECAE, A. E. (1996). Systematics of the trapdoor spider genus *Cyrtocarenum* Ausserer, 1871 (Araneae, Ctenizidae). *Bulletin of the British arachnological Society* **10**: 161-170.
- DEELEMAN-REINHOLD, C. L. (1971). A new species of *Sulcia* Kratochvil (Araneida, Leptonetidae) from Greece, and a discussion of some Japanese cavernicolous Leptonetidae. *Zoologische Mededelingen, Rijksmuseum voor natuurlijke Historie te Leiden* **45**: 289-301.
- DEELEMAN-REINHOLD, C. L. (1983). The genus *Histopona* Thorell (Araneae, Agelenidae) with description of two new cave-dwelling Species. *Mémoires de Biospéologie* **10**: 325-337.
- DEELEMAN-REINHOLD, C. L. (1985). Contribution à la connaissance des *Leptyphantes* du groupe *pallidus* (Araneae, Linyphiidae) de Yougoslavie, Grèce et Chypre. *Mémoires de Biospéologie* **12**: 37-50.
- DEELEMAN-REINHOLD, C. L. & P. R. DEELEMAN (1988). Revision des Dysderinae (Araneae, Dysderidae), les espèces méditerranéennes occidentales exceptées. *Tijdschrift voor Entomologie* **131**: 141-269.
- DEELEMAN-REINHOLD, C. L. (1989). *Rhodera* n. gen., *hypogea* n. sp., araignée microptalme de l'île de Crète, un fossile vivant? (Araneae: Dysderidae: Dysderinae). *Mémoires de Biospéologie* **16**: 47-51.
- DEELEMAN-REINHOLD, C. L. (1993). The genus *Rhode* and the harpacteine genera *Stalagzia*, *Folkia*, *Minotauria*, and *Kaemis* (Araneae, Dysderidae) of Yugoslavia and Crete, with remarks on the genus *Harpactea*. *Revue arachnologique* **10**: 105-135.
- DELTSHEV, C. D. (1979). A contribution to the study of cave spiders (Araneae) in Greece. Four new species (Araneae, Nesticidae, Linyphiidae) from the islands of Crete and Thera. *Acta zoologica bulgarica* **13**: 53-63.
- DELTSHEV, C. D. (1985). New data concerning cave spiders (Araneae) in Greece with description of a new *Leptonetela* (Araneae, Leptonetidae). *Acta zoologica bulgarica* **27**: 41-45.
- DELTSHEV, C. D. & L. PARASCHI (1990). A contribution to the study of spiders (Araneae: Dysderidae, Salticidae, Agelenidae) in Greece, with a description of a new species (*Malthonica spinipalpis* Deltshev, sp. n. Agelenidae). *Biologia Gallo-hellenica* **17**: 3-12.
- DENIS, J. (1935). Les araignées du genre *Zodarion* Walk., appartenant à la faune d'Italie. *Memorie della Società entomologica italiana* **14**: 65-83.
- DENIS, J. (1937). Contribution à l'étude des araignées du genre *Zodarion* Walckenaer. *Festschrift zum 60. Geburstage von Professor Dr. Embrik Strand* **3**: 1-50.
- DOBRORUKA, L. J. (2002). Notes on a collection of jumping spiders from Greece, mainly from Crete (Araneae: Salticidae). *Biologia Gallo-hellenica* **28**: 5-26.
- DOLESCHALL, L. (1852). Systematisches Verzeichniss der im Kaiserthum Österreich vorkommenden Spinnen. *Sitzungsberichte der kaiserlichen Akademie der Wissenschaften (Mathematisch-naturwissenschaftliche Klasse)*. Wien **9**: 622-651.
- DRENSKY, P. (1928). Contribution à l'étude des Arachnides de la Thrace du sud et côtes de la Mer Egée. *Troudowe na beulgarskoto prirodoz-nitatelnno Droujestwo* **13**: 183-191.
- DRENSKY, P. (1936). Katalog der echten Spinnen (Araneae) der Balkanhalbinsel. *Sbornik na beulgarskata Akademia na naoukite (Sofia)* **32**: 1-223.
- DRESKO, E. (1962). Description d'une araignée cavernicole nouvelle de Grèce (Leptonetidae, *Sulcia lindbergi* sp. nov.). *Annales de Spéléologie* **17**: 171-176.
- DUMITRESCU, M. & M. GEORGESCU (1981). Contribution à la connaissance des espèces cavernicoles du genre *Leptyphantes* des grottes de Roumanie, 1re note. *Travaux de l'Institut de Spéléologie "Emile Racovitză"* **20**: 9-28.
- ERBER, J. (1866). Ergebnisse der diessjährigen Reise nach Griechenland. *Verhandlungen der kaiserlich-königlichen zoologisch-botanischen Gesellschaft in Wien* **16**: 825-828.
- ERBER, J. (1868). Bericht über eine Reise nach Rhodus. *Verhandlungen der kaiserlich-königlichen zoologisch-botanischen Gesellschaft in Wien* **18**: 903-908.
- FAGE, L. (1921). Travaux scientifiques de l'Armee d'Orient (1916-1918). Arachnides. *Bulletin du Museum d'histoire naturelle. Paris* **1921**: 96-102, 173-177, 227-232.
- FAGE, L. (1945). A propos de quelques araignées cavernicoles de Crète. *Bulletin du Museum national d'histoire naturelle. Paris* (2) **17**: 109-114.
- GERHARDT, U. (1927). Neue biologische Untersuchungen an einheimische und ausländischen Spinnen. *Zeitschrift für Morphologie und Ökologie der Tiere* **8**: 96-186.
- GERHARDT, U. (1928a). Über Vorkommen und Lebensweise einiger griechischer Spinnen. *Zoologische Jahrbücher. II Abteilung für Systematik* **45**: 31-43.

- GERHARDT, U. (1928b). Biologische Studien an griechischen, corsischen und deutschen Spinnen. *Zeitschrift für Morphologie und Ökologie der Tiere* **10**: 576-675.
- GILTAY, L. (1932). Arachnides recueillis par M. d'Orchymont au cours de ses voyages aux Balkans et en Asie Mineure en 1929, 1930 et 1931. *Bulletin du Musée d'Histoire naturelle de Belgique* **8**(22): 1-40.
- GILTAY, L. (1933). Description des arachnides nouveaux recueillis par M. A. d'Orchymont aux Balkans et en Asie Mineure en 1929-31. *Acta pro Fauna et Flora universali* **1**(3-5): 1-8.
- GRASSHOFF, M. (1983). *Larinoides* Capriacco 1934, der korrekte Name für die sogenannte *Araneus cornutus*-Gruppe (Arachnida: Araneae). *Senckenbergiana biologica* **64**: 225-229.
- GRIMM, U. (1985). Die Gnaphosidae Mitteleuropas (Arachnida, Araneae). *Abhandlungen der naturwissenschaftlichen Verein in Hamburg (N.F.)* **26**: 1-318.
- GRIMM, U. (1986). Die Clubionidae Mitteleuropas: Corinninae und Liocraninae (Arachnida, Araneae). *Abhandlungen der naturwissenschaftlichen Verein in Hamburg (N.F.)* **27**: 1-91.
- HADJISSARANTOS, H. (1936). Contribution à l'étude de la faune des Arachnides de la Grèce. *Praktika tēs Akademias Athénōn* **11**: 438-441.
- HADJISSARANTOS, H. (1940). *Les araignées de l'Attique*. Athens, 132 pp.
- HANSEN, H. (1985). Contributo alla conoscenza dei Salticidae Italiani (Arachnida, Araneae). *Bulletino del Museo civico di Storia naturale di Venezia* **34**: 241-322.
- HARM, M. (1981). Revision der mitteleuropäischen Arten der Gattung *Marpissa* C. L. KOCH 1846 (Arachnida: Araneae: Salticidae). *Senckenbergiana biologica* **61**: 277-291.
- HELDINGEN, P. J. van (1969). A reclassification of the species of *Linyphia* Latreille based on the functioning of the genitalia (Araneida, Linyphiidae), I. *Zoologische Verhandelingen, Rijksmuseum voor natuurlijke Historie te Leiden* **105**: 1-303.
- HELDINGEN, P. J. van (1970). A reclassification of the species of *Linyphia* based on the functioning of the genitalia (Araneida, Linyphiidae), II. *Zoologische Verhandelingen, Rijksmuseum voor natuurlijke Historie te Leiden* **111**: 1-86.
- HELDINGEN, P. J. van, K. THALER & C. DELTSHEV (2001). The European species of *Bolyphantes* with an attempt of a phylogenetic analysis (Araneae Linyphiidae). *Memorie della Società entomologica italiana* **80**: 3-35.
- HEYDEN, L. von (1890). Verzeichniss der Arachniden, welche die Senckenbergische naturforschende Gesellschaft in der letzten Zeit erhielt. *Bericht über die senckenbergische naturforschende Gesellschaft* **1890**: 131-136.
- HIPPA, H. & I. OKSALA. (1982). Definition and revision of the *Enoplognatha ovata* (Clerck) group (Araneae: Theridiidae). *Entomologica scandinavia* **13**: 213-222.
- HIPPA, H. & I. OKSALA. (1983). Cladogenesis of the *Enoplognatha ovata* group (Araneae, Theridiidae), with description of a new Mediterranean species. *Annales Entomologici Fennici* **49**: 71-74.
- JOCQUE, R. (1991a). A generic revision of the spider family Zodariidae (Araneae). *Bulletin of the American Museum of national History* **201**: 1-160.
- KNOFLACH, B. (1994). Zur Genitalmorphologie und Biologie der *Crustulina*-Arten Europas (Arachnida: Araneae, Theridiidae). *Mitteilungen der schweizerischen entomologischen Gesellschaft* **67**: 327-346.
- KNOFLACH, B. (1996a). Das Männchen von *Simitidion agaricographum* (Levy & Amitai) (Arachnida: Araneae, Theridiidae). *Berichte des naturwissenschaftlich-medizinischen Vereins in Innsbruck* **83**: 149-156.
- KNOFLACH, B. (1996b). Die Arten der *Steatoda phalerata*-Gruppe in Europa (Arachnida: Araneae, Theridiidae). *Mitteilungen der schweizerischen entomologischen Gesellschaft* **69**: 377-404.
- KNOFLACH, B. (1996c). *Steatoda incomposita* (Denis) from southern Europe, a close relative of *Steatoda albomaculata* (Araneae: Theridiidae). *Bulletin of the British arachnological Society* **10** (4): 141-145.
- KNOFLACH, B. (1997). Zur Taxonomie, Verbreitung und Sexualbiologie von *Theridion adrianopoli* Drensky (Arachnida: Araneae, Theridiidae). *Berichte des naturwissenschaftlich-medizinischen Vereins in Innsbruck* **84**: 133-148.
- KNOFLACH, B. (1998). Mating in *Theridion varians* Hahn and related species (Araneae: Theridiidae). *Journal of natural History* **32**: 545-604.
- KNOFLACH, B. (1999). The comb-footed spider genera *Neottiura* and *Coleosoma* in Europe (Araneae, Theridiidae). *Bulletin de la Société entomologique de la Suisse* **72**: 341-371.
- KNOFLACH, B. (2004). Diversity in the copulatory behaviour of comb-footed spiders (Araneae, Theridiidae). *Denisia* **14**: 161-256.
- KNOFLACH, B. & K. THALER. (2000). Notes on Mediterranean Theridiidae (Araneae) - I. *Memorie della Società entomologica italiana* **78**: 411-442.
- KOCH, C. L. (1836). *Die Arachniden*. Nürnberg, Dritter Band, pp. 1-104.
- KOCH, C. L. (1837). *Die Arachniden*. Nürnberg, Dritter Band, pp. 105-119, Vierter Band, pp. 1-108.
- KOCH, C. L. (1838). *Die Arachniden*. Nürnberg, Vierter Band, pp. 109-144, Funfter Band, pp. 1-124.
- KOCH, C. L. (1839). *Die Arachniden*. Nürnberg, Funfter Band, pp. 125-158, Sechster Band, pp. 1-156, Siebenter Band, pp. 1-106.
- KOCH, C. L. (1840). *Die Arachniden*. Nürnberg, Siebenter Band, pp. 107-130, Achter Band, pp. 1-40.
- KOCH, C. L. (1841). *Die Arachniden*. Nürnberg, Achter Band, pp. 41-131, Neunter Band, pp. 1-56.
- KOCH, C. L. (1843). *Die Arachniden*. Nürnberg, Elfter Band, pp. 1-174.
- KOCH, C. L. (1845). *Die Arachniden*. Nürnberg, Zwölfter Band, pp. 1-166.
- KOCH, C. L. (1846). *Die Arachniden*. Nürnberg, Dreizehnter Band, pp. 1-234, Vierzehnter Band, pp. 1-88.
- KOCH, C. L. (1847). *Die Arachniden*. Nürnberg, Vierzehnter Band, pp. 89-210, Fünfzehnter Band, pp. 1-136, Sechzehnter Band, pp. 1-80.
- KOCH, L. (1864). Die europäischen Arten der Arachnidengattung *Cheiracanthium*. *Abhandlungen der naturhistorischen Gesellschaft zu Nürnberg* **14**[(3)](1): 137-162.
- KOCH, L. (1866). *Die Arachniden-Familie der Drassiden*. Nürnberg, Hefte 1-6, pp. 1-304.
- KOCH, L. (1867). Zur Arachniden und Myriapoden-Fauna Süd-Europas. *Verhandlungen der kaiserlich-königlichen zoologisch-botanischen Gesellschaft in Wien* **17**: 857-900.
- KOCH, L. (1868). Die Arachnidengattungen *Amaurobius*, *Coelotes* and *Cybaeus*. *Abhandlungen der naturhistorischen Gesellschaft zu Nürnberg* **4**: 1-52.
- KOCH, L. (1872). Über die Spinnengattung *Titanoea* Thor. *Abhandlungen der naturhistorischen Gesellschaft zu Nürnberg* **6**: 153-170.
- KOCH, L. (1874). Beiträge zur Kenntnis der Nassauischen Arachniden. *Jahrbücher des nassauischen Vereins für Naturkunde* **27-28**: 185-210.
- KOVBLYUK, N. M. (2002). Redescription of *Amaurobius strandi* Charitonov, 1937, stat. n. from the Crimea (Aranei: Amaurobiidae). *Arthropoda Selecta* **10**: 213-216.
- KRATOCHVIL, J. (1935). Araignées nouvelles ou non encore signalées en Yougoslavie. *Folia zoologica et hydrobiologica* **8** (1): 10-25.

- KRATOCHVIL, J. (1937). Un *Harpactocrates* nouveau de Crète (Araneae-Dysderidae). *Festschrift zum 60. Geburstage von Professor Dr. Emrik Strand* 3: 560-562.
- KRATOCHVIL, J. (1938). Étude sur les Araignées cavernicoles du genre *Hadites*. *Acta Societatis Scientiarum naturalium Moraviae* 11 (1): 1-28.
- KRATOCHVIL, J. (1970). Cavernicole Dysderidae. *Acta Scientiarum naturalium Academiae bohemoslovacae. Brno* 4 (4): 1-62.
- KRATOCHVIL, J. (1978). Araignées cavernicoles des îles Dalmates. *Acta Scientiarum naturalium Academiae bohemoslovacae. Brno* 12 (4): 1-59.
- KRATOCHVIL, J. & F. MILLER. (1940). Eine neue Spinnengattung der Familie Eresidae aus Europa. *Vestnik* 8: 91-96.
- KRAUS, O. & M. KRAUS. (1990). The genus *Stegodyphus*: systematics, biogeography, and sociality (Araneida, Eresidae). *Acta Zoologica Fennica* 190: 223-228.
- KRITSCHER, E. (1966). Die paläarktischen Arten der Gattung *Oecobius* (Aran., Oecobiidae). *Annalen der naturhistorischen Museum in Wien* 69: 285-295.
- KRONESTEDT, T. (1997). First record of *Aulonia kratochvili* (Araneae, Lycosidae) from Europe. *Arachnologische Mitteilungen* 14: 77-80.
- KRONESTEDT, T. & D. LOGUNOV (2003). Separation of two species standing as *Sitticus zimmermanni* (Simon, 1877) (Araneae, Salticidae), a pair of altitudinally segregated species. *Revue suisse de Zoologie* 110 : 855-873.
- KULCZYN'SKI, W. (1903). Aranearum et Opilionum species in insula Creta a comite Dre Carolo Attems collectae. *Bulletin international de l'Académie des sciences de Cracovie (Classe des Sciences mathématiques et naturelles)* 1903: 32-58.
- KULCZYN'SKI, W. (1905). Fragmenta arachnologica. I-IV. *Bulletin international de l'Académie des sciences de Cracovie Cracovie (Classe des Sciences mathématiques et naturelles)* 1904: 533-568.
- KULCZYN'SKI, W. (1909). Fragmenta Arachnologica. XIV, XV. *Bulletin international de l'Académie polonaise des sciences de Cracovie (Classe des Sciences mathématiques et naturelles)* 1909: 667-687.
- LEVY, G. (1999). The lynx and nursery-web spider families in Israel (Araneae, Oxyopidae and Pisauridae). *Zoosystema* 21: 29-64.
- LEVY, G. (2004). Spiders of the genera *Drassodes* and *Haplodrassus* (Araneae, Gnaphosidae) from Israel. *Israel Journal of Ecology* 50: 1-37.
- LOERBROKS, A. (1983). Revision der Krabbenspinnen-Gattung *Heriaeus* SIMON (Arachnida: Araneae: Thomisidae). *Verhandlungen des naturwissenschaftlichen Vereins in Hamburg (N.F.)* 26: 85-139.
- LOGUNOV, D. V. (2001a). A redefinition of the genera *Bianor* Peckham & Peckham, 1885 and *Harmochirus* Simon, 1885, with the establishment of a new genus *Sibianor* gen. n. (Aranei: Salticidae). *Arthropoda selecta* 9: 221-286.
- LOGUNOV, D. V. (2001b). New and poorly known species of the jumping spiders (Araneae: Salticidae) from Afghanistan, Iran and Crete. *Arthropoda Selecta*. 10(1): 59-66.
- LOGUNOV, D.V. & M. CHATZAKI (2003). An annotated check-list of the Salticidae (Araneae) of Crete, Greece. *Revista ibérica de Aracología* 7: 97-100.
- LOGUNOV, D. V. & Y. M. MARUSIK. (2003). A revision of the genus *Yllenus* Simon, 1868 (Arachnida, Araneae, Salticidae). KMK Scientific Press, Moscow, 168 pp.
- LUCAS, H. (1853). Essai sur les animaux articulés qui habitent l'ile de Crete. *Revue et Magasin de Zoologie pure et appliquée* 5(2): 418-424, 461-468, 514-531, 565-576.
- LÜDICKE M. & W. MADEL (1937). Biozönotische Studien in der griechischen immergrünen Region. *Zoologische Jahrbücher. II Systematik, Geographie und Biologie* 69: 277-302.
- LUGETTI, G. & TONGIORGI, P. (1969). Ricerche sul genere *Alopecosa* SIMON (Araneae-Lycosidae). *Atti della Società toscana di Scienze naturali di Pisa. Memorie* 76: 1-100.
- METZNER, H. (1999). Die Springspinnen (Araneae, Salticidae) Griechenlands. *Andrias* 14: 1-279.
- MUSTER, CH. & K. THALER (2004). New species and records of Mediterranean Philodromidae (Arachnida, Araneae): 1. *Philodromus aureolus* group. *Denisia* 12: 305-326.
- OLIVIER, G. A. (1811). Articles: Mygale, Oxyope. *Encyclopédie méthodique. Histoire naturelle. Insectes. Paris* 8: 83-87[601-604].
- PAVESI, P. (1877). Sugli aracnidi di Grecia. *Rendiconti del reale Istituto lombardo di Scienze e Lettere* (2) 10: 323-327.
- PAVESI, P. (1878). Nuovi risultati aracnologici delle Crociere del "Violante". Aggiunto un catalogo sistematico degli Araenidi di Grecia. *Annali del Museo civico di Storia naturale di Genova* 11: 337-396.
- PESARINI, C. (2001). Sei nuove specie de Dysderidae d'Italia e di Grecia (Araneae). *Atti Società italiana di Museo civico di Storia naturale di Milano* 141: 291-301.
- PLATNICK, N. I. (1981). A review of the spider subfamily Palpimaninae (Araneae, Palpimanidae), I. *Bulletin of the British arachnological Society* 5: 169-173.
- PLATNICK, N. I. & M. U. SHADAB. (1983). A revision of the American spiders of the genus *Zelotes* (Araneae, Gnaphosidae). *Bulletin of the American Museum of natural History* 174: 97-192.
- PLATNICK, N. I. & J. A. MURPHY (1984). A revision of the spider genera *Trachyzelotes* and *Urozelotes* (Araneae, Gnaphosidae). *American Museum Novitates* 2792: 1-30.
- PLATNICK, N. I. & J. A. MURPHY (1996). A review of the zelotine ground spider genus *Setaphis* (Araneae, Gnaphosidae). *American Museum Novitates* 3162: 1-23.
- PLATNICK, N. I. (2004). The world spider catalog, version 5.0. American Museum of Natural History, online at <http://research.amnh.org/entomology/spiders/catalog>.
- PRÓSZYŃSKI, J. (1976). Studium systematyczno-zoogeograficzne nad rdzina Salticidae regionow palearktycznego i nearktycznego. *Wysza szkoła Pedagogiczna w Siedlcach* 6: 260 p.
- PRÓSZYŃSKI, J. (1987). *Atlas rysunków diagnostycznych mniej znanych Salticidae* 2. 1-172. Zeszyty Naukowe Wydziału Szkoly Rolniczo-Pedagogicznej, Siedlceach.
- REIMOSER, E. (1930). Araneae. In: Beier, M. Zoologische Forschungsreise nach den Jonischen Inseln und dem Peloponnes. *Sitzungsberichte der kaiserlicher Akademie der Wissenschaften (Mathematisch-naturwissenschaftliche Klasse)*. Wien 139: 143-154.
- REIMOSER, E. (1958). Zoologische Studien in West-Griechenland. *Sitzungsberichte der kaiserlicher Akademie der Wissenschaften (Mathematisch-naturwissenschaftliche Klasse)* in Wien 167: 569-574.
- ROEWER, C. F. (1928). Araneae. In: Zoologische Streifzüge in Attika, Morea, und besonders auf der Insel Kreta, XI. *Abhandlungen vom naturwissenschaftlichen Verein zu Bremen* 27: 92-123.
- ROEWER, C. F. (1959a). Die Araneae, Solifuga und Opiliones der Sammlungen des Herrn Dr. K. Lindberg aus Griechenland, Creta, Anatolien, Iran und Indien. *Göteborgs kunglige Vetenskaps-och Vitterhets-Samhälles Handlingar* 8(4): 1-47.
- ROEWER, C. F. (1959b). Araneae Lycosaeformia II (Lycosidae). *Exploration du Parc national Upemba Mission G. F. de Witte* 55: 1-518.
- ROEWER, C. F. (1962). Über einige mediterrane Arachniden. *Fragmenta entomologica* 4: 11-18.

- SAUNDERS, S. S. (1839). Description of a species of *Mygale*, from Ionia, with its nest. *Transactions of the entomological Society of London* 3: 160-164.
- SENGLET, A. (1971). Note sur les Pholcidae (Arachn.) de Grèce. *Mitteilungen der schweizerischen entomologischen Gesellschaft* 44: 345-359.
- SENGLET, A. (2001). Copulatory mechanisms in *Hoploholcus*, *Stygopholcus* (revalidated), *Pholcus*, *Spermophora* and *Spermophoroides* (Araneae, Pholcidae), with additional faunistic and taxonomic data. *Bulletin de la Société entomologique de Suisse* 74: 43-67.
- SIMON, E. (1868). Monographie des espèces européennes de la famille des Attides (Attidae Sundevall. - Saltigrae Latreille). *Annales de la Société entomologique de France* (4) 8: 11-72, 529-726.
- SIMON, E. (1871). Révision des Attidae européens. Supplément à la monographie des Attides (Attidae Sund.). *Annales de la Société entomologique de France* (5) 1: 125-230, 330-360.
- SIMON, E. (1873). Notes sur les espèces européennes de la famille des Eresidae. *Annales de la Société entomologique de France* (5) 3: 335-358.
- SIMON, E. (1878). Études arachnologiques. 8e Mémoire. XIV. Liste des espèces européennes et algériennes de la famille des Attidae, composant le collection de Mr le comte Keyserling. *Annales de la Société entomologique de France* (5) 8: 201-212.
- SIMON, E. (1880). Liste d'Arachnides recueillis en Grèce par M. A. Letourneux. *Annales de la Société entomologique de France* (5) 10: cxxxix-cxl.
- SIMON, E. (1884). Études arachnologiques. 16e Mémoire. XXIII. Matériaux pour servir à la faune des arachnides de la Grèce. *Annales de la Société entomologique de France* (6) 4: 305-356.
- SIMON, E. (1885). Études arachnologiques. 18° Mémoire. XXVI. Arachnides recueillis dans la vallée de Tempé et sur le mont Ossa (Thessalie). *Annales de la Société entomologique de France* (6) 5: 209-217.
- SIMON, E. (1916). Liste des arachnides recueillis à Salonique pendant l'occupation française (1916) par le sergeant Pierre Denier, membre de la Société. *Annales de la Société entomologique de France* 85: 273-276.
- SIMON, E. (1932). Les arachnides de France. Tome VI. Synopsis générale et catalogue des espèces françaises de l'ordre des Araneae; 4e partie. Paris, 6: 773-978.
- SNAZELL, R. & R. ALLISON (1989). The genus *Macrothele* Ausserer (Araneae, Hexathelidae) in Europe. *Bulletin of the British arachnological Society* 8: 65-72.
- STRAND, E. (1907). Spinnen des zoologischen Instituts in Tübingen. *Zoologische Jahrbücher. II Abteilung für Systematik* 25: 103-147.
- STRAND, E. (1915). Systematisch-faunistische Studien über paläarktische, afrikanische und amerikanische Spinnen des Senckenbergischen Museum. *Archiv für Naturgeschichte* 81: 1-153.
- STRAND, E. (1917). Arachnologica varia XIX-XX. *Archiv für Naturgeschichte* 82: 158-167.
- THALER, K. (1986). Vier bemerkenswerte *Leptophantes*-Arten aus dem Mittelmeergebiet und aus Vorderasien (Arachnida: Aranei, Linyphiidae). *Sitzungsberichte der österreichischen Akademie der Wissenschaften* (I) 194: 311-325.
- THALER, K. (1996). Three *Walckenaeria* species from Peloponnese, Greece (Araneae: Linyphiidae). *Bulletin of the British arachnological Society* 10: 156-160.
- THALER, K. (1997). *Tallusia pindos* n. sp. aus N-Griechenland (Araneae, Linyphiidae). *Linzer biol. Beitr.* 29: 377-384.
- THALER, K. & B. KNOFLACH (1991). Eine neue *Amaurobius*-Art aus Griechenland (Arachnida: Araneae, Amaurobiidae). *Mitteilungen der schweizerischen entomologischen Gesellschaft* 64: 265-268.
- THALER, K. & B. KNOFLACH (1993). Two new *Amaurobius* species (Araneae: Amaurobiidae) from Greece. *Bulletin of the British arachnological Society* 9: 132-136.
- THALER, K. & B. KNOFLACH (1995). Über Vorkommen und Verbreitung von *Amaurobius*-Arten in Peloponnes und Ägäis (Araneida: Amaurobiidae). *Revue suisse de Zoologie* 102: 41-60.
- THALER, K. & B. KNOFLACH (1998a). *Zoropsis spinimana* (Dufour), eine für Österreich neue Adventivart (Araneae, Zoropsidae). *Berichte des naturwissenschaftlich-medizinischen Vereins in Innsbruck* 85: 173-185.
- THALER, K. & B. KNOFLACH (1998b). Two new species and new records of the genus *Amaurobius* (Araneae, Amaurobiidae) from Greece. In Selden, P. A. (ed.), *Proceedings of the 17th European Colloquium of Arachnology, Edinburgh 1997*. Edinburgh, pp. 107-114.
- THALER, K., J. BUCHAR & B. KNOFLACH (2000). Notes on Wolf Spiders from Greece (Araneae: Lycosidae). *Linzer biologische Beiträge* 32: 1071-1091.
- THALER, K. & B. KNOFLACH (2002). A superspecies in the genus *Amaurobius* on Crete, and additional records from Greece (Araneae: Amaurobiidae). In Toft, S. & N. Scharff (eds.), *European Arachnology 2000: Proceedings of the 19th European Colloquium of Arachnology*. Aarhus Univ. Press, pp. 337-344.
- THALER, K. & B. KNOFLACH (2004). A new *Lachesana* species from Greece and additional records from the Near East (Arachnida, Araneae, Zodariidae). *Bulletin of the British arachnological Society* 13: 41-46.
- THALER, K., A. VAN HARTEN & B. KNOFLACH (2004). Pirate spiders of the genus *Ero* C. L. Koch from southern Europe, Yemen and Ivory Coast, with two new species (Arachnida, Araneae, Mimetidae). *Denisia* 13: 359-368.
- TONGIORGI, P. (1966a). Italian wolf spiders of the genus *Pardosa* (Araneae: Lycosidae). *Bulletin of the Museum of comparative Zoology at Harvard College* 134: 275-334.
- TONGIORGI, P. (1966b). Wolf spiders of the *Pardosa monticola* group (Araneae: Lycosidae). *Bulletin of the Museum of comparative Zoology at Harvard College* 134: 335-359.
- TÖPFER-HOFMANN, G., D. CORDES & O. von HELVERSEN (2000). Cryptic species and behavioural isolation in the *Pardosa lugubris* group (Araneae, Lycosidae), with description of two new species. *Bulletin of the British arachnological Society* 11: 257-274.
- WALCKENAER, C. A. (1837). *Histoire naturelle des insectes. Aptères*. Paris, 1: 1-682.
- WERNER, F. (1934). Ergebnisse einer zoologischen Studien- und Sammlungsreise nach die Inseln des Ägäischen Meeres. *Sitzungsberichte der kais. Akademie der Wissenschaften (Mathematisch-naturwissenschaftliche Klasse)*. Wien 143: 159-168.
- WERNER, F. (1935). Insekten und Arachnoideen von den Ägäischen Inseln. *Sitzungsberichte der kais. Akademie der Wissenschaften (Mathematisch-naturwissenschaftliche Klasse)*. Wien. 144: 281-297.
- WESOŁOWSKA, W. (1986). A revision of the genus *Heliophanus* C. L. KOCH, 1833 (Aranei: Salticidae). *Annales zoologici, Warszawa* 40: 1-254.
- WESOŁOWSKA, W. (1988). Redescriptions of three species of the genus *Icius* SIMON, 1876 (Aranei: Salticidae). *Annales zoologici, Warszawa* 41: 395-402.
- WESOŁOWSKA, W. & M. SZEREMETA (2001). A revision of the ant-like salticid genera *Enoplomischus* Giltay, 1931, *Kima* Peckham & Peckham, 1902 and *Leptorchestes* Thorell, 1870 (Araneae: Salticidae). *Insect Systematics and Evolution* 32: 217-240.
- WIEHLE, H. (1929). Weitere Beiträge zur Biologie der Araneen insbesondere zur Kenntnis der Radnetzbaues. *Zeitschrift für Morphologie und Ökologie der Tiere* 15: 262-308.

- WIEHLE, H. (1934). Zur Morphologie und Biologie einer paläarktischen *Lithyphantes*-Art (*L. gerhardti* sp. nov.). *Zoologische Anzeiger* **106**: 71-84.
- WOLF, P.-H. (2003). *Die ökologische und tiergeografische Situation der Spinnen und Laufkäfer im Waldgrenzbereich des Falakron und Pangäon (Nordostgriechenland)*. Münster, Wolf & Kreuels Verlag, 1-240.
- WUNDERLICH, J. (1973a). Beschreibung einiger bisher unbekannter Arten der Gattung *Zodarion* Walckenaer aus Südeuropa (Arachnida: Araneae: Zodariidae). *Senckenbergiana biologica* **54**: 171-176.
- WUNDERLICH, J. (1973b). Zur Spinnenfauna Deutschlands, XV. Weitere seltene und bisher unbekannte Arten sowie Anmerkungen zur Taxonomie und Synonymie (Arachnida: Araneae). *Senckenbergiana biologica* **54**: 405-428.
- WUNDERLICH, J. (1977a). Zur Kenntnis der *Leptophantes nebulosus*-Gruppe (Arachnida: Aranida: Linyphiidae). *Senckenbergiana biologica* **58**: 57-61.
- WUNDERLICH, J. (1977b). Zur Synonymie südeuropäischer Spinnen (Arachnida: Aranida: Theridiidae, Linyphiidae, Gnaphosidae). *Senckenbergiana biologica* **57**: 289-293.
- WUNDERLICH, J. (1979). Revision der europäischen Arten der Gattung *Micaria* Westring 1851, mit Anmerkungen zu den übrigen paläarktischen Arten (Arachnida: Aranida: Gnaphosidae). *Zoologische Beiträge* **25**: 233-341.
- WUNDERLICH, J. (1980a). Linyphiidae aus Süd-Europa und Nord-Afrika (Arachnida : Araneae). *Verhandlungen des naturwissenschaftlichen Vereins in Hamburg (N.F.)* **23**: 319-337.
- WUNDERLICH, J. (1980b). Zur Gattung *Zodarion* Walckenaer 1847 mit Neubeschreibungen (Arachnida: Araneae: Zodariidae). *Senckenbergiana biologica* **60**: 229-240.
- WUNDERLICH, J. (1984). Seltene und bisher unbekannte Wolfsspinnen aus Mitteleuropa und Revision der *Pardosa saltuaria*-Gruppe (Arachnida: Araneae: Lycosidae). *Verhandlungen des naturwissenschaftlichen Vereins in Hamburg (N.F.)* **27**: 417-442.
- WUNDERLICH, J. (1994). Beschreibung der neuen Spinnen-Gattung *Megalepthyphantes* aus der Familie der Baldachinspinnen und einer bisher unbekannten Art aus Griechenland (Arachnida: Araneae: Linyphiidae). *Entomologische Zeitschrift, Frankfurt am Main* **104**: 168-171.
- WUNDERLICH, J. (1995a). Zur Taxonomie und Biogeographie der Arten der Gattung *Oecobius* Lucas 1846, mit Neubeschreibungen aus der Mediterraneis und von der Arabischen Halbinsel (Arachnida: Araneae: Oecobiidae). *Beiträge zur Araneologie* **4**: 585-608.
- WUNDERLICH, J. (1995b). Zwei bisher unbekannte mediterrane Arten der Gattung *Pholcus* Walckenaer 1805 (Arachnida: Araneae: Pholcidae). *Beiträge zur Araneologie* **4**: 625-628.
- WUNDERLICH, J. (1995c). Zur Taxonomie europäischer Gattungen der Zwergspinnen (Arachnida: Araneae: Linyphiidae: Erigoninae). *Beiträge zur Araneologie* **4**: 643-654.
- WUNDERLICH, J. (1995d). Beschreibung bisher unbekannter Arten der Baldachinspinnen aus der Östlichen Mediterraneis (Arachnida: Araneae: Linyphiidae). *Beiträge zur Araneologie* **4**: 655-686.
- WUNDERLICH, J. (1995e). Beschreibung von drei bisher unbekannten west-paläarktischen Arten der Gattung *Theridion* Walckenaer 1805 (Arachnida: Araneae: Theridiidae). *Beiträge zur Araneologie* **4**: 691-695.
- WUNDERLICH, J. (1995f). Beschreibung einer bisher unbekannten Art der Gattung *Bromella* Tullgren 1948 aus Griechenland (Arachnida: Araneae: Dictynidae). *Beiträge zur Araneologie* **4**: 715-718.
- WUNDERLICH, J. (1995g). Zur Kenntnis mediterraner Arten der Gattung *Enoplognatha* Pavesi 1880, mit einer Neubeschreibung (Arachnida: Araneae: Theridiidae). *Beiträge zur Araneologie* **4**: 703-713.
- WUNDERLICH, J. (1995h). Beschreibung einer bisher unbekannten Art der Gattung *Amaurobius* C. L. KOCH 1837 von Kreta (Arachnida: Araneae: Amaurobiidae). *Beiträge zur Araneologie* **4**: 729-730.
- WUNDERLICH, J. (1995i). Zur Kenntnis west-paläarktischer Arten der Gattungen *Psammitis* Menge 1875, *Xysticus* C. L. KOCH 1835 und *Ozyptila* Simon 1864 (Arachnida: Araneae: Thomisidae). *Beiträge zur Araneologie* **4**: 749-774.
- ZYUZIN, A. A. & D. V. LOGUNOV (2000). New and little-known species of the Lycosidae from Azerbaijan, the Caucasus (Araneae, Lycosidae). *Bulletin of the British arachnological Society* **11**: 305-319.