

Arachnological contributions

Two new theridiid genera from Southeast Asia (Araneae: Theridiidae, Argyrodinae): males with a nose for courtship

Herman Vanuytven, Rudy Jocqué and Christa Deeleman-Reinhold



Journal of the Belgian Arachnological Society

Volume 39 (1) (supplement)

April 1, 2024

Arachnological contributions is a supplement to *Journal of the Belgian Arachnological Society*, a publication of Arachnologia Belgica (ARABEL), The Belgian Arachnological Society.

Authors:

Herman Vanuytven

94/1 Moo. 12, Soi Charn-Mueang-Phat 1, Sukhothai-Bangrakham Road, Tambon Yang Sai, Amphoe Mueang Sukhothai 64000, Thailand. E-mail: maeng-mum@outlook.com

Rudy Jocqué

Royal Museum for Central Africa, Leuvensesteenweg 13, 3080 Tervuren, Belgium. E-mail: jocque@africamuseum.be

Christa Deeleman-Reinhold

Sparrenlaan 8, 4641GA Ossendrecht, The Netherlands. E-mail: cdeeleman@planet.nl

Editors:

Pallieter De Smedt, Belgium. E-mail: pallieter.desmedt@ugent.be

Arnaud Henrard, Belgium. E-mail: arnaud.henrard@africamuseum.be

Garben Logghe, Belgium. E-mail: garben.logghe@ugent.be

Bram Vanthournout, Belgium. E-mail: bram.vanthournout@hogent.be

Website: <https://belgianspiders.be/category/arachnologische-bijdragen/>

How to cite: Vanuytven H., Jocqué R. & Deeleman-Reinhold C (2024). Two new theridiid genera from Southeast Asia (Araneae: Theridiidae, Argyrodinae): males with a nose for courtship. *Journal of the Belgian Arachnological Society* **39**(1) supplement: 1-96

ISSN 2795-8957

The Belgian Arachnological Society is an independent and non-subsidised association. We therefore ask our members to pay their yearly membership fee of 20€ by the beginning of the calendar year on IBAN: BE 65 001 4441941 96. BIC-code Fortis Bank: GEBABEBB

Front cover: *Rhinocosmetus xiphias* (Thorell, 1887) © Rudy Jocqué

The male of *Rhinocosmetus xiphias* (Thorell, 1887) is a typical representative of the genus *Rhinocosmetus*, provided with the iconic finger-shaped clypeal protrusion, huge front legs, a peculiar placement of the spinnerets and with the cymbium on the prolateral side of the bulbus.