

# On ground-dwelling spider diversity in Belgian cereal fields and their margins

Arnaud HENRARD<sup>1,2,\*</sup>, Thibault NEVE DE MEVERGNIES<sup>3</sup>, Emma SERVAIS<sup>3</sup>, Jaime ESCOBAR-TOLEDO<sup>2,4</sup>, Johan VAN KEER<sup>2</sup>, Léon BAERT<sup>2</sup>, Rudy JOCQUÉ<sup>1,2</sup>, Anne-Laure JACQUEMART<sup>3</sup>, Thierry HANCE<sup>3</sup>

1 Royal Museum for Central Africa, Biology Department, Leuvensesteenweg 13, 3038 Tervuren, Belgium.

2 ARABEL - Belgian Arachnological Society, Vautierstraat 29, 1000 Bruxelles

3 Biodiversity Research Centre, Earth and Life Institute, UCLouvain, 1348, Louvain-la-Neuve, Belgium

4 SpiDiverse, Biodiversity Inventory for Conservation (BINCO), 3380 Walmersumstraat, Glabbeek, Belgium

\* Corresponding author: [arnaud.henrard@africamuseum.be](mailto:arnaud.henrard@africamuseum.be)

## Online Appendix.

|                                                                                             |    |
|---------------------------------------------------------------------------------------------|----|
| Online Appendix. ....                                                                       | 1  |
| Table OA1: Dataset of spiders collected by pitfall trap. ....                               | 2  |
| Table OA2: Species list of spiders collected during the three sampling seasons. ....        | 39 |
| Table OA3: Species list of spiders distributed according to their occurrence in sites. .... | 41 |

**Table OA1: Dataset of spiders collected by pitfall trap.**

Abbreviations: D = trap positions (D1-D4) established per margin type; F = number of females; GC = Grass Control margin; GF = Grass–Flower margin; HC = Hedge Control margin; HF = Hedge–Flower margin; J = number of juveniles; M = number of males; S = season (S1 – S3); T = treatment. Site: ANH = Anhée; ARB = Arbree; BUR = Burdinne; CHA = Châtelet; FOS = Fosse-la-Ville; HER = Héron; MAN = Manage; PHI = Philippeville; SAM = Sambreville; THU = Thuillies. Sampling seasons: autumn 2023 (S1: 24 October – 7 December), early spring 2024 (S2: 9–19 April), and late spring 2024 (S3: 17–28 June).

| Site | Latitude    | Longitude  | S  | T  | D  | Family      | Species                       | M | F | J |
|------|-------------|------------|----|----|----|-------------|-------------------------------|---|---|---|
| HER  | 50.540099°N | 5.088086°E | S2 | HC | D1 | Agelenidae  | <i>Eratigena atrica</i>       | 0 | 1 | 0 |
| MAN  | 50.498513°N | 4.277361°E | S2 | HC | D2 | Agelenidae  | <i>Eratigena atrica</i>       | 0 | 1 | 0 |
| BUR  | 50.591480°N | 5.115247°E | S3 | GC | D2 | Agelenidae  | <i>Eratigena picta</i>        | 1 | 0 | 0 |
| BUR  | 50.591294°N | 5.112114°E | S2 | HC | D1 | Agelenidae  | <i>Eratigena picta</i>        | 1 | 0 | 0 |
| BUR  | 50.591411°N | 5.111974°E | S2 | HF | D1 | Agelenidae  | <i>Eratigena picta</i>        | 2 | 0 | 0 |
| CHA  | 50.390272°N | 4.589005°E | S2 | GF | D4 | Agelenidae  | <i>Eratigena picta</i>        | 1 | 0 | 0 |
| HER  | 50.538970°N | 5.087527°E | S2 | GC | D3 | Agelenidae  | <i>Eratigena picta</i>        | 1 | 0 | 0 |
| HER  | 50.538970°N | 5.087527°E | S2 | GC | D3 | Agelenidae  | <i>Eratigena picta</i>        | 1 | 0 | 0 |
| HER  | 50.540099°N | 5.088086°E | S2 | HC | D1 | Agelenidae  | <i>Eratigena picta</i>        | 1 | 0 | 0 |
| HER  | 50.539276°N | 5.092059°E | S2 | HF | D1 | Agelenidae  | <i>Eratigena picta</i>        | 1 | 0 | 0 |
| PHI  | 50.106959°N | 4.613748°E | S2 | HC | D4 | Agelenidae  | <i>Eratigena picta</i>        | 1 | 0 | 0 |
| PHI  | 50.106959°N | 4.613748°E | S3 | HC | D1 | Agelenidae  | <i>Eratigena picta</i>        | 1 | 0 | 0 |
| SAM  | 50.487345°N | 4.612687°E | S2 | GF | D3 | Agelenidae  | <i>Eratigena picta</i>        | 1 | 0 | 0 |
| SAM  | 50.485774°N | 4.616688°E | S2 | HF | D1 | Agelenidae  | <i>Eratigena picta</i>        | 1 | 0 | 0 |
| THU  | 50.305897°N | 4.331210°E | S3 | GC | D1 | Agelenidae  | <i>Eratigena picta</i>        | 1 | 0 | 0 |
| ANH  | 50.319519°N | 4.803072°E | S3 | HC | D1 | Agelenidae  | <i>Histocona torpida</i>      | 2 | 0 | 0 |
| FOS  | 50.397179°N | 4.653627°E | S3 | HC | D1 | Agelenidae  | <i>Histocona torpida</i>      | 1 | 0 | 0 |
| FOS  | 50.397662°N | 4.658558°E | S3 | HF | D1 | Agelenidae  | <i>Histocona torpida</i>      | 1 | 0 | 0 |
| MAN  | 50.500613°N | 4.275502°E | S3 | GC | D3 | Agelenidae  | <i>Histocona torpida</i>      | 1 | 0 | 0 |
| MAN  | 50.498513°N | 4.277361°E | S3 | HC | D1 | Agelenidae  | <i>Histocona torpida</i>      | 0 | 0 | 1 |
| THU  | 50.303252°N | 4.331577°E | S3 | HF | D1 | Agelenidae  | <i>Histocona torpida</i>      | 1 | 0 | 0 |
| ANH  | 50.327943°N | 4.806664°E | S1 | HF | D1 | Agelenidae  | <i>Inermocoelotes inermis</i> | 1 | 0 | 0 |
| ARB  | 50.371947°N | 4.829153°E | S1 | GC | D3 | Agelenidae  | <i>Inermocoelotes inermis</i> | 1 | 0 | 0 |
| ARB  | 50.371572°N | 4.827268°E | S1 | HC | D1 | Agelenidae  | <i>Inermocoelotes inermis</i> | 5 | 0 | 0 |
| ARB  | 50.372726°N | 4.811217°E | S1 | HF | D1 | Agelenidae  | <i>Inermocoelotes inermis</i> | 2 | 0 | 0 |
| CHA  | 50.392478°N | 4.590955°E | S1 | HC | D1 | Agelenidae  | <i>Inermocoelotes inermis</i> | 1 | 0 | 0 |
| CHA  | 50.390023°N | 4.587227°E | S2 | HF | D1 | Agelenidae  | <i>Inermocoelotes inermis</i> | 2 | 0 | 0 |
| PHI  | 50.106959°N | 4.613748°E | S1 | HC | D1 | Agelenidae  | <i>Inermocoelotes inermis</i> | 1 | 0 | 0 |
| PHI  | 50.106959°N | 4.613748°E | S1 | HC | D2 | Agelenidae  | <i>Inermocoelotes inermis</i> | 1 | 0 | 0 |
| PHI  | 50.108405°N | 4.616025°E | S1 | HF | D4 | Agelenidae  | <i>Inermocoelotes inermis</i> | 3 | 0 | 0 |
| MAN  | 50.498513°N | 4.277361°E | S3 | HC | D1 | Agelenidae  | <i>Textrix denticulata</i>    | 1 | 0 | 0 |
| FOS  | 50.397782°N | 4.656511°E | S2 | GF | D2 | Araneidae   | <i>Cercidia prominens</i>     | 1 | 0 | 0 |
| BUR  | 50.591294°N | 5.112114°E | S1 | HC | D1 | Cicurinidae | <i>Cicurina cicur</i>         | 0 | 0 | 1 |
| HER  | 50.540099°N | 5.088086°E | S1 | HC | D1 | Cicurinidae | <i>Cicurina cicur</i>         | 1 | 0 | 0 |
| MAN  | 50.500613°N | 4.275502°E | S1 | GC | D1 | Cicurinidae | <i>Cicurina cicur</i>         | 0 | 1 | 0 |
| MAN  | 50.498513°N | 4.277361°E | S1 | HC | D1 | Cicurinidae | <i>Cicurina cicur</i>         | 1 | 0 | 0 |
| THU  | 50.288457°N | 4.256949°E | S3 | HC | D1 | Clubionidae | <i>Clubiona lutescens</i>     | 1 | 0 | 0 |
| CHA  | 50.390272°N | 4.589005°E | S3 | GF | D2 | Clubionidae | <i>Clubiona neglecta</i>      | 1 | 0 | 0 |
| FOS  | 50.397782°N | 4.656511°E | S2 | GF | D3 | Dysderidae  | <i>Dysdera erythrina</i>      | 1 | 0 | 0 |
| PHI  | 50.108405°N | 4.616025°E | S3 | HF | D1 | Dysderidae  | <i>Dysdera erythrina</i>      | 1 | 0 | 0 |
| ANH  | 50.328394°N | 4.807805°E | S3 | GC | D1 | Gnaphosidae | <i>Drassyllus praeficus</i>   | 1 | 0 | 0 |

|     |             |            |    |    |    |             |                                |   |   |   |
|-----|-------------|------------|----|----|----|-------------|--------------------------------|---|---|---|
| ANH | 50.328394°N | 4.807805°E | S3 | GC | D1 | Gnaphosidae | <i>Drassyllus praeficus</i>    | 1 | 0 | 0 |
| ARB | 50.371947°N | 4.829153°E | S3 | GC | D3 | Gnaphosidae | <i>Drassyllus praeficus</i>    | 1 | 0 | 0 |
| CHA | 50.390296°N | 4.589377°E | S3 | GC | D1 | Gnaphosidae | <i>Drassyllus praeficus</i>    | 1 | 0 | 0 |
| CHA | 50.392478°N | 4.590955°E | S3 | HC | D2 | Gnaphosidae | <i>Drassyllus praeficus</i>    | 0 | 1 | 0 |
| CHA | 50.390023°N | 4.587227°E | S3 | HF | D3 | Gnaphosidae | <i>Drassyllus praeficus</i>    | 1 | 0 | 0 |
| CHA | 50.390023°N | 4.587227°E | S3 | HF | D4 | Gnaphosidae | <i>Drassyllus praeficus</i>    | 1 | 0 | 0 |
| FOS | 50.397782°N | 4.656511°E | S3 | GF | D1 | Gnaphosidae | <i>Drassyllus praeficus</i>    | 1 | 0 | 0 |
| PHI | 50.108510°N | 4.611973°E | S3 | GF | D1 | Gnaphosidae | <i>Drassyllus praeficus</i>    | 3 | 0 | 0 |
| ANH | 50.319519°N | 4.803072°E | S3 | HC | D2 | Gnaphosidae | <i>Drassyllus pusillus</i>     | 0 | 1 | 0 |
| ANH | 50.319519°N | 4.803072°E | S3 | HC | D2 | Gnaphosidae | <i>Drassyllus pusillus</i>     | 1 | 0 | 0 |
| BUR | 50.591480°N | 5.115247°E | S3 | GC | D1 | Gnaphosidae | <i>Drassyllus pusillus</i>     | 0 | 1 | 0 |
| CHA | 50.390296°N | 4.589377°E | S3 | GC | D3 | Gnaphosidae | <i>Drassyllus pusillus</i>     | 0 | 1 | 0 |
| CHA | 50.390272°N | 4.589005°E | S3 | GF | D3 | Gnaphosidae | <i>Drassyllus pusillus</i>     | 1 | 0 | 0 |
| FOS | 50.396471°N | 4.658446°E | S3 | GC | D4 | Gnaphosidae | <i>Drassyllus pusillus</i>     | 1 | 1 | 0 |
| FOS | 50.397782°N | 4.656511°E | S3 | GF | D3 | Gnaphosidae | <i>Drassyllus pusillus</i>     | 1 | 0 | 0 |
| FOS | 50.397662°N | 4.658558°E | S3 | HF | D4 | Gnaphosidae | <i>Drassyllus pusillus</i>     | 1 | 0 | 0 |
| MAN | 50.496593°N | 4.276469°E | S3 | HF | D3 | Gnaphosidae | <i>Drassyllus pusillus</i>     | 1 | 0 | 0 |
| MAN | 50.496593°N | 4.276469°E | S3 | HF | D4 | Gnaphosidae | <i>Drassyllus pusillus</i>     | 1 | 0 | 0 |
| PHI | 50.104107°N | 4.607196°E | S3 | GC | D2 | Gnaphosidae | <i>Drassyllus pusillus</i>     | 2 | 0 | 0 |
| PHI | 50.104107°N | 4.607196°E | S3 | GC | D4 | Gnaphosidae | <i>Drassyllus pusillus</i>     | 0 | 1 | 0 |
| FOS | 50.397782°N | 4.656511°E | S3 | GF | D2 | Gnaphosidae | <i>Haplodrassus signifer</i>   | 1 | 0 | 0 |
| PHI | 50.108510°N | 4.611973°E | S2 | GF | D2 | Gnaphosidae | <i>Haplodrassus signifer</i>   | 1 | 0 | 0 |
| THU | 50.303252°N | 4.331577°E | S3 | HF | D1 | Gnaphosidae | <i>Haplodrassus silvestris</i> | 1 | 0 | 0 |
| MAN | 50.496593°N | 4.276469°E | S3 | HF | D2 | Gnaphosidae | <i>Micaria pulicaria</i>       | 0 | 2 | 0 |
| ANH | 50.328394°N | 4.807805°E | S3 | GC | D1 | Gnaphosidae | <i>Trachyzelotes pedestris</i> | 0 | 1 | 0 |
| ANH | 50.328394°N | 4.807805°E | S3 | GC | D1 | Gnaphosidae | <i>Trachyzelotes pedestris</i> | 1 | 0 | 0 |
| ARB | 50.371572°N | 4.827268°E | S3 | HC | D1 | Gnaphosidae | <i>Trachyzelotes pedestris</i> | 1 | 0 | 0 |
| ARB | 50.371572°N | 4.827268°E | S3 | HC | D1 | Gnaphosidae | <i>Trachyzelotes pedestris</i> | 0 | 1 | 0 |
| BUR | 50.591294°N | 5.112114°E | S2 | HC | D1 | Gnaphosidae | <i>Trachyzelotes pedestris</i> | 0 | 0 | 1 |
| BUR | 50.591411°N | 5.111974°E | S3 | HF | D1 | Gnaphosidae | <i>Trachyzelotes pedestris</i> | 1 | 0 | 0 |
| CHA | 50.390272°N | 4.589005°E | S3 | GF | D1 | Gnaphosidae | <i>Trachyzelotes pedestris</i> | 0 | 1 | 0 |
| FOS | 50.396471°N | 4.658446°E | S3 | GC | D3 | Gnaphosidae | <i>Trachyzelotes pedestris</i> | 0 | 1 | 0 |
| FOS | 50.397782°N | 4.656511°E | S3 | GF | D2 | Gnaphosidae | <i>Trachyzelotes pedestris</i> | 0 | 1 | 0 |
| FOS | 50.397662°N | 4.658558°E | S2 | HF | D1 | Gnaphosidae | <i>Trachyzelotes pedestris</i> | 0 | 0 | 1 |
| FOS | 50.397662°N | 4.658558°E | S3 | HF | D1 | Gnaphosidae | <i>Trachyzelotes pedestris</i> | 2 | 0 | 1 |
| MAN | 50.498513°N | 4.277361°E | S3 | HC | D1 | Gnaphosidae | <i>Trachyzelotes pedestris</i> | 3 | 0 | 0 |
| THU | 50.288457°N | 4.256949°E | S3 | HC | D1 | Gnaphosidae | <i>Trachyzelotes pedestris</i> | 2 | 1 | 0 |
| PHI | 50.108510°N | 4.611973°E | S2 | GF | D1 | Gnaphosidae | <i>Zelotes latreillei</i>      | 1 | 0 | 0 |
| FOS | 50.397662°N | 4.658558°E | S2 | HF | D1 | Gnaphosidae | <i>Zelotes petrensis</i>       | 1 | 0 | 0 |
| BUR | 50.591411°N | 5.111974°E | S3 | HF | D1 | Gnaphosidae | <i>Zelotes subterraneus</i>    | 0 | 1 | 0 |
| ANH | 50.328394°N | 4.807805°E | S2 | GC | D4 | Linyphiidae | <i>Agyneta rurestris</i>       | 1 | 0 | 0 |
| ARB | 50.372361°N | 4.812787°E | S2 | GF | D3 | Linyphiidae | <i>Agyneta rurestris</i>       | 1 | 0 | 0 |
| CHA | 50.392478°N | 4.590955°E | S2 | HC | D2 | Linyphiidae | <i>Agyneta rurestris</i>       | 1 | 0 | 0 |
| FOS | 50.397179°N | 4.653627°E | S1 | HC | D4 | Linyphiidae | <i>Agyneta rurestris</i>       | 0 | 1 | 0 |
| HER | 50.538970°N | 5.087527°E | S1 | GC | D4 | Linyphiidae | <i>Agyneta rurestris</i>       | 1 | 0 | 0 |
| HER | 50.538970°N | 5.087527°E | S2 | GC | D4 | Linyphiidae | <i>Agyneta rurestris</i>       | 2 | 0 | 0 |
| HER | 50.538970°N | 5.087527°E | S2 | GC | D2 | Linyphiidae | <i>Agyneta rurestris</i>       | 1 | 0 | 0 |
| HER | 50.538970°N | 5.087527°E | S2 | GC | D3 | Linyphiidae | <i>Agyneta rurestris</i>       | 1 | 0 | 0 |
| HER | 50.540099°N | 5.088086°E | S2 | HC | D4 | Linyphiidae | <i>Agyneta rurestris</i>       | 2 | 0 | 0 |
| HER | 50.539276°N | 5.092059°E | S2 | HF | D4 | Linyphiidae | <i>Agyneta rurestris</i>       | 2 | 0 | 0 |

|     |             |            |    |    |    |             |                             |    |   |   |
|-----|-------------|------------|----|----|----|-------------|-----------------------------|----|---|---|
| MAN | 50.500613°N | 4.275502°E | S2 | GC | D3 | Linyphiidae | <i>Agyneta rurestris</i>    | 1  | 0 | 0 |
| MAN | 50.498513°N | 4.277361°E | S2 | HC | D3 | Linyphiidae | <i>Agyneta rurestris</i>    | 1  | 0 | 0 |
| MAN | 50.498513°N | 4.277361°E | S2 | HC | D4 | Linyphiidae | <i>Agyneta rurestris</i>    | 1  | 0 | 0 |
| MAN | 50.496593°N | 4.276469°E | S2 | HF | D3 | Linyphiidae | <i>Agyneta rurestris</i>    | 1  | 0 | 0 |
| PHI | 50.108510°N | 4.611973°E | S2 | GF | D3 | Linyphiidae | <i>Agyneta rurestris</i>    | 1  | 0 | 0 |
| SAM | 50.489556°N | 4.612416°E | S1 | GC | D4 | Linyphiidae | <i>Agyneta rurestris</i>    | 1  | 0 | 0 |
| SAM | 50.489556°N | 4.612416°E | S2 | GC | D2 | Linyphiidae | <i>Agyneta rurestris</i>    | 1  | 0 | 0 |
| CHA | 50.390296°N | 4.589377°E | S2 | GC | D3 | Linyphiidae | <i>Araeoncus humilis</i>    | 1  | 0 | 0 |
| ARB | 50.372361°N | 4.812787°E | S1 | GF | D4 | Linyphiidae | <i>Bathypantes gracilis</i> | 0  | 2 | 0 |
| BUR | 50.591480°N | 5.115247°E | S2 | GC | D2 | Linyphiidae | <i>Bathypantes gracilis</i> | 0  | 1 | 0 |
| BUR | 50.591445°N | 5.109735°E | S1 | GF | D1 | Linyphiidae | <i>Bathypantes gracilis</i> | 1  | 0 | 0 |
| BUR | 50.591411°N | 5.111974°E | S1 | HF | D2 | Linyphiidae | <i>Bathypantes gracilis</i> | 0  | 1 | 0 |
| FOS | 50.396471°N | 4.658446°E | S2 | GC | D4 | Linyphiidae | <i>Bathypantes gracilis</i> | 1  | 0 | 0 |
| HER | 50.538970°N | 5.087527°E | S2 | GC | D2 | Linyphiidae | <i>Bathypantes gracilis</i> | 1  | 0 | 0 |
| HER | 50.538970°N | 5.087527°E | S2 | GC | D4 | Linyphiidae | <i>Bathypantes gracilis</i> | 2  | 0 | 0 |
| HER | 50.538970°N | 5.087527°E | S3 | GC | D2 | Linyphiidae | <i>Bathypantes gracilis</i> | 1  | 0 | 0 |
| HER | 50.538970°N | 5.087527°E | S3 | GC | D4 | Linyphiidae | <i>Bathypantes gracilis</i> | 1  | 1 | 0 |
| HER | 50.538970°N | 5.087527°E | S3 | GC | D3 | Linyphiidae | <i>Bathypantes gracilis</i> | 0  | 1 | 0 |
| HER | 50.540099°N | 5.088086°E | S2 | HC | D4 | Linyphiidae | <i>Bathypantes gracilis</i> | 0  | 1 | 0 |
| HER | 50.539276°N | 5.092059°E | S2 | HF | D4 | Linyphiidae | <i>Bathypantes gracilis</i> | 1  | 0 | 0 |
| MAN | 50.500613°N | 4.275502°E | S1 | GC | D3 | Linyphiidae | <i>Bathypantes gracilis</i> | 1  | 0 | 0 |
| MAN | 50.500613°N | 4.275502°E | S1 | GC | D1 | Linyphiidae | <i>Bathypantes gracilis</i> | 2  | 0 | 0 |
| MAN | 50.500613°N | 4.275502°E | S1 | GC | D2 | Linyphiidae | <i>Bathypantes gracilis</i> | 0  | 1 | 0 |
| MAN | 50.500613°N | 4.275502°E | S2 | GC | D4 | Linyphiidae | <i>Bathypantes gracilis</i> | 1  | 0 | 0 |
| MAN | 50.497803°N | 4.277319°E | S2 | GF | D3 | Linyphiidae | <i>Bathypantes gracilis</i> | 1  | 0 | 0 |
| MAN | 50.496593°N | 4.276469°E | S1 | HF | D2 | Linyphiidae | <i>Bathypantes gracilis</i> | 1  | 0 | 0 |
| SAM | 50.489556°N | 4.612416°E | S1 | GC | D2 | Linyphiidae | <i>Bathypantes gracilis</i> | 1  | 0 | 0 |
| SAM | 50.489556°N | 4.612416°E | S1 | GC | D4 | Linyphiidae | <i>Bathypantes gracilis</i> | 1  | 1 | 0 |
| SAM | 50.489556°N | 4.612416°E | S1 | GC | D1 | Linyphiidae | <i>Bathypantes gracilis</i> | 1  | 0 | 0 |
| SAM | 50.489556°N | 4.612416°E | S1 | GC | D3 | Linyphiidae | <i>Bathypantes gracilis</i> | 1  | 0 | 0 |
| SAM | 50.487345°N | 4.612687°E | S1 | GF | D4 | Linyphiidae | <i>Bathypantes gracilis</i> | 2  | 0 | 0 |
| SAM | 50.487345°N | 4.612687°E | S2 | GF | D4 | Linyphiidae | <i>Bathypantes gracilis</i> | 1  | 0 | 0 |
| HER | 50.538970°N | 5.087527°E | S3 | GC | D1 | Linyphiidae | <i>Bathypantes parvulus</i> | 1  | 0 | 0 |
| BUR | 50.591480°N | 5.115247°E | S1 | GC | D1 | Linyphiidae | <i>Centromerita bicolor</i> | 4  | 0 | 0 |
| BUR | 50.591480°N | 5.115247°E | S1 | GC | D1 | Linyphiidae | <i>Centromerita bicolor</i> | 4  | 2 | 0 |
| BUR | 50.591445°N | 5.109735°E | S1 | GF | D1 | Linyphiidae | <i>Centromerita bicolor</i> | 5  | 3 | 0 |
| BUR | 50.591445°N | 5.109735°E | S1 | GF | D1 | Linyphiidae | <i>Centromerita bicolor</i> | 4  | 3 | 0 |
| BUR | 50.591294°N | 5.112114°E | S1 | HC | D1 | Linyphiidae | <i>Centromerita bicolor</i> | 3  | 0 | 0 |
| BUR | 50.591411°N | 5.111974°E | S1 | HF | D2 | Linyphiidae | <i>Centromerita bicolor</i> | 6  | 1 | 0 |
| BUR | 50.591411°N | 5.111974°E | S1 | HF | D1 | Linyphiidae | <i>Centromerita bicolor</i> | 0  | 1 | 0 |
| BUR | 50.591411°N | 5.111974°E | S1 | HF | D2 | Linyphiidae | <i>Centromerita bicolor</i> | 8  | 2 | 0 |
| CHA | 50.390272°N | 4.589005°E | S2 | GF | D2 | Linyphiidae | <i>Centromerita bicolor</i> | 0  | 1 | 0 |
| CHA | 50.392478°N | 4.590955°E | S1 | HC | D2 | Linyphiidae | <i>Centromerita bicolor</i> | 0  | 1 | 0 |
| FOS | 50.397782°N | 4.656511°E | S1 | GF | D1 | Linyphiidae | <i>Centromerita bicolor</i> | 16 | 4 | 0 |
| FOS | 50.397662°N | 4.658558°E | S1 | HF | D2 | Linyphiidae | <i>Centromerita bicolor</i> | 0  | 2 | 0 |
| HER | 50.538970°N | 5.087527°E | S1 | GC | D1 | Linyphiidae | <i>Centromerita bicolor</i> | 7  | 3 | 0 |
| HER | 50.538970°N | 5.087527°E | S1 | GC | D1 | Linyphiidae | <i>Centromerita bicolor</i> | 2  | 1 | 0 |
| HER | 50.538970°N | 5.087527°E | S1 | GC | D2 | Linyphiidae | <i>Centromerita bicolor</i> | 0  | 1 | 0 |
| HER | 50.537879°N | 5.089543°E | S1 | GF | D1 | Linyphiidae | <i>Centromerita bicolor</i> | 2  | 1 | 0 |
| HER | 50.537879°N | 5.089543°E | S1 | GF | D2 | Linyphiidae | <i>Centromerita bicolor</i> | 6  | 9 | 0 |

|     |             |            |    |    |    |             |                               |    |    |   |
|-----|-------------|------------|----|----|----|-------------|-------------------------------|----|----|---|
| HER | 50.537879°N | 5.089543°E | S1 | GF | D1 | Linyphiidae | <i>Centromerita bicolor</i>   | 5  | 0  | 0 |
| HER | 50.537879°N | 5.089543°E | S1 | GF | D2 | Linyphiidae | <i>Centromerita bicolor</i>   | 6  | 10 | 0 |
| HER | 50.540099°N | 5.088086°E | S1 | HC | D1 | Linyphiidae | <i>Centromerita bicolor</i>   | 1  | 0  | 0 |
| HER | 50.539276°N | 5.092059°E | S1 | HF | D1 | Linyphiidae | <i>Centromerita bicolor</i>   | 2  | 0  | 0 |
| HER | 50.539276°N | 5.092059°E | S1 | HF | D2 | Linyphiidae | <i>Centromerita bicolor</i>   | 5  | 3  | 0 |
| HER | 50.539276°N | 5.092059°E | S1 | HF | D2 | Linyphiidae | <i>Centromerita bicolor</i>   | 8  | 4  | 0 |
| MAN | 50.500613°N | 4.275502°E | S1 | GC | D1 | Linyphiidae | <i>Centromerita bicolor</i>   | 23 | 7  | 0 |
| MAN | 50.500613°N | 4.275502°E | S1 | GC | D3 | Linyphiidae | <i>Centromerita bicolor</i>   | 1  | 0  | 0 |
| MAN | 50.500613°N | 4.275502°E | S1 | GC | D1 | Linyphiidae | <i>Centromerita bicolor</i>   | 18 | 5  | 0 |
| MAN | 50.500613°N | 4.275502°E | S1 | GC | D3 | Linyphiidae | <i>Centromerita bicolor</i>   | 0  | 0  | 1 |
| MAN | 50.500613°N | 4.275502°E | S1 | GC | D4 | Linyphiidae | <i>Centromerita bicolor</i>   | 1  | 0  | 0 |
| MAN | 50.497803°N | 4.277319°E | S1 | GF | D1 | Linyphiidae | <i>Centromerita bicolor</i>   | 16 | 4  | 0 |
| MAN | 50.497803°N | 4.277319°E | S1 | GF | D2 | Linyphiidae | <i>Centromerita bicolor</i>   | 2  | 0  | 0 |
| MAN | 50.497803°N | 4.277319°E | S1 | GF | D3 | Linyphiidae | <i>Centromerita bicolor</i>   | 1  | 0  | 0 |
| MAN | 50.497803°N | 4.277319°E | S1 | GF | D1 | Linyphiidae | <i>Centromerita bicolor</i>   | 28 | 8  | 0 |
| MAN | 50.497803°N | 4.277319°E | S1 | GF | D4 | Linyphiidae | <i>Centromerita bicolor</i>   | 1  | 0  | 0 |
| MAN | 50.498513°N | 4.277361°E | S1 | HC | D1 | Linyphiidae | <i>Centromerita bicolor</i>   | 1  | 0  | 0 |
| MAN | 50.498513°N | 4.277361°E | S1 | HC | D3 | Linyphiidae | <i>Centromerita bicolor</i>   | 1  | 0  | 0 |
| MAN | 50.498513°N | 4.277361°E | S1 | HC | D4 | Linyphiidae | <i>Centromerita bicolor</i>   | 1  | 0  | 0 |
| MAN | 50.498513°N | 4.277361°E | S2 | HC | D2 | Linyphiidae | <i>Centromerita bicolor</i>   | 0  | 1  | 0 |
| MAN | 50.496593°N | 4.276469°E | S1 | HF | D1 | Linyphiidae | <i>Centromerita bicolor</i>   | 7  | 2  | 0 |
| MAN | 50.496593°N | 4.276469°E | S1 | HF | D2 | Linyphiidae | <i>Centromerita bicolor</i>   | 32 | 1  | 0 |
| MAN | 50.496593°N | 4.276469°E | S1 | HF | D1 | Linyphiidae | <i>Centromerita bicolor</i>   | 10 | 2  | 0 |
| MAN | 50.496593°N | 4.276469°E | S1 | HF | D2 | Linyphiidae | <i>Centromerita bicolor</i>   | 32 | 7  | 0 |
| PHI | 50.108510°N | 4.611973°E | S1 | GF | D2 | Linyphiidae | <i>Centromerita bicolor</i>   | 1  | 0  | 0 |
| SAM | 50.489556°N | 4.612416°E | S1 | GC | D1 | Linyphiidae | <i>Centromerita bicolor</i>   | 18 | 6  | 0 |
| SAM | 50.489556°N | 4.612416°E | S1 | GC | D2 | Linyphiidae | <i>Centromerita bicolor</i>   | 3  | 1  | 0 |
| SAM | 50.489556°N | 4.612416°E | S1 | GC | D1 | Linyphiidae | <i>Centromerita bicolor</i>   | 9  | 0  | 0 |
| SAM | 50.489556°N | 4.612416°E | S1 | GC | D2 | Linyphiidae | <i>Centromerita bicolor</i>   | 1  | 0  | 0 |
| SAM | 50.489556°N | 4.612416°E | S1 | GC | D3 | Linyphiidae | <i>Centromerita bicolor</i>   | 1  | 0  | 0 |
| SAM | 50.487345°N | 4.612687°E | S1 | GF | D4 | Linyphiidae | <i>Centromerita bicolor</i>   | 1  | 0  | 0 |
| SAM | 50.485917°N | 4.617327°E | S1 | HC | D4 | Linyphiidae | <i>Centromerita bicolor</i>   | 0  | 2  | 0 |
| SAM | 50.485774°N | 4.616688°E | S1 | HF | D2 | Linyphiidae | <i>Centromerita bicolor</i>   | 1  | 0  | 0 |
| SAM | 50.485774°N | 4.616688°E | S1 | HF | D1 | Linyphiidae | <i>Centromerita bicolor</i>   | 1  | 0  | 0 |
| SAM | 50.485774°N | 4.616688°E | S1 | HF | D2 | Linyphiidae | <i>Centromerita bicolor</i>   | 1  | 0  | 0 |
| MAN | 50.500613°N | 4.275502°E | S1 | GC | D1 | Linyphiidae | <i>Centromerita concinna</i>  | 1  | 0  | 0 |
| MAN | 50.498513°N | 4.277361°E | S1 | HC | D1 | Linyphiidae | <i>Centromerita concinna</i>  | 1  | 1  | 0 |
| MAN | 50.498513°N | 4.277361°E | S1 | HC | D1 | Linyphiidae | <i>Centromerita concinna</i>  | 1  | 0  | 0 |
| MAN | 50.496593°N | 4.276469°E | S1 | HF | D1 | Linyphiidae | <i>Centromerita concinna</i>  | 1  | 0  | 0 |
| MAN | 50.496593°N | 4.276469°E | S1 | HF | D2 | Linyphiidae | <i>Centromerita concinna</i>  | 1  | 0  | 0 |
| BUR | 50.591294°N | 5.112114°E | S1 | HC | D1 | Linyphiidae | <i>Centromerus sylvaticus</i> | 3  | 0  | 0 |
| BUR | 50.591411°N | 5.111974°E | S1 | HF | D1 | Linyphiidae | <i>Centromerus sylvaticus</i> | 1  | 1  | 0 |
| BUR | 50.591411°N | 5.111974°E | S1 | HF | D2 | Linyphiidae | <i>Centromerus sylvaticus</i> | 1  | 0  | 0 |
| BUR | 50.591411°N | 5.111974°E | S1 | HF | D1 | Linyphiidae | <i>Centromerus sylvaticus</i> | 3  | 1  | 0 |
| HER | 50.540099°N | 5.088086°E | S1 | HC | D1 | Linyphiidae | <i>Centromerus sylvaticus</i> | 1  | 0  | 0 |
| HER | 50.539276°N | 5.092059°E | S1 | HF | D1 | Linyphiidae | <i>Centromerus sylvaticus</i> | 4  | 0  | 0 |
| HER | 50.539276°N | 5.092059°E | S2 | HF | D1 | Linyphiidae | <i>Centromerus sylvaticus</i> | 0  | 1  | 0 |
| MAN | 50.500613°N | 4.275502°E | S1 | GC | D1 | Linyphiidae | <i>Centromerus sylvaticus</i> | 1  | 2  | 0 |
| MAN | 50.500613°N | 4.275502°E | S1 | GC | D1 | Linyphiidae | <i>Centromerus sylvaticus</i> | 0  | 1  | 0 |
| SAM | 50.485917°N | 4.617327°E | S1 | HC | D2 | Linyphiidae | <i>Centromerus sylvaticus</i> | 1  | 0  | 0 |

|     |             |            |    |    |    |             |                               |   |   |   |
|-----|-------------|------------|----|----|----|-------------|-------------------------------|---|---|---|
| SAM | 50.485774°N | 4.616688°E | S1 | HF | D1 | Linyphiidae | <i>Centromerus sylvaticus</i> | 0 | 1 | 0 |
| SAM | 50.485774°N | 4.616688°E | S1 | HF | D1 | Linyphiidae | <i>Centromerus sylvaticus</i> | 1 | 0 | 0 |
| HER | 50.538970°N | 5.087527°E | S3 | GC | D2 | Linyphiidae | <i>Collinsia inerrans</i>     | 1 | 0 | 0 |
| FOS | 50.397179°N | 4.653627°E | S1 | HC | D2 | Linyphiidae | <i>Dicymbium nigrum</i>       | 1 | 0 | 0 |
| HER | 50.537879°N | 5.089543°E | S1 | GF | D2 | Linyphiidae | <i>Dicymbium nigrum</i>       | 1 | 0 | 0 |
| MAN | 50.500613°N | 4.275502°E | S2 | GC | D4 | Linyphiidae | <i>Dicymbium nigrum</i>       | 0 | 1 | 0 |
| CHA | 50.390296°N | 4.589377°E | S2 | GC | D2 | Linyphiidae | <i>Dicymbium tibiale</i>      | 1 | 0 | 0 |
| FOS | 50.397179°N | 4.653627°E | S1 | HC | D4 | Linyphiidae | <i>Diplocephalus graecus</i>  | 1 | 0 | 0 |
| HER | 50.538970°N | 5.087527°E | S1 | GC | D4 | Linyphiidae | <i>Diplocephalus graecus</i>  | 0 | 1 | 0 |
| HER | 50.538970°N | 5.087527°E | S1 | GC | D4 | Linyphiidae | <i>Diplocephalus graecus</i>  | 1 | 0 | 0 |
| HER | 50.538970°N | 5.087527°E | S2 | GC | D2 | Linyphiidae | <i>Diplocephalus graecus</i>  | 1 | 0 | 0 |
| HER | 50.538970°N | 5.087527°E | S3 | GC | D4 | Linyphiidae | <i>Diplocephalus graecus</i>  | 0 | 1 | 0 |
| HER | 50.540099°N | 5.088086°E | S1 | HC | D2 | Linyphiidae | <i>Diplocephalus graecus</i>  | 0 | 1 | 0 |
| MAN | 50.500613°N | 4.275502°E | S1 | GC | D3 | Linyphiidae | <i>Diplocephalus graecus</i>  | 1 | 0 | 0 |
| SAM | 50.489556°N | 4.612416°E | S1 | GC | D3 | Linyphiidae | <i>Diplocephalus graecus</i>  | 1 | 0 | 0 |
| SAM | 50.487345°N | 4.612687°E | S1 | GF | D2 | Linyphiidae | <i>Diplocephalus graecus</i>  | 0 | 1 | 0 |
| SAM | 50.487345°N | 4.612687°E | S1 | GF | D4 | Linyphiidae | <i>Diplocephalus graecus</i>  | 0 | 1 | 0 |
| ANH | 50.328394°N | 4.807805°E | S2 | GC | D4 | Linyphiidae | <i>Diplostyla concolor</i>    | 1 | 0 | 0 |
| ARB | 50.371947°N | 4.829153°E | S2 | GC | D2 | Linyphiidae | <i>Diplostyla concolor</i>    | 1 | 0 | 0 |
| BUR | 50.591480°N | 5.115247°E | S2 | GC | D2 | Linyphiidae | <i>Diplostyla concolor</i>    | 1 | 0 | 0 |
| BUR | 50.591480°N | 5.115247°E | S2 | GC | D3 | Linyphiidae | <i>Diplostyla concolor</i>    | 1 | 0 | 0 |
| BUR | 50.591480°N | 5.115247°E | S3 | GC | D2 | Linyphiidae | <i>Diplostyla concolor</i>    | 1 | 0 | 0 |
| BUR | 50.591480°N | 5.115247°E | S3 | GC | D3 | Linyphiidae | <i>Diplostyla concolor</i>    | 1 | 0 | 0 |
| BUR | 50.591480°N | 5.115247°E | S3 | GC | D3 | Linyphiidae | <i>Diplostyla concolor</i>    | 0 | 1 | 0 |
| CHA | 50.392478°N | 4.590955°E | S2 | HC | D2 | Linyphiidae | <i>Diplostyla concolor</i>    | 1 | 0 | 0 |
| HER | 50.538970°N | 5.087527°E | S1 | GC | D4 | Linyphiidae | <i>Diplostyla concolor</i>    | 1 | 0 | 0 |
| HER | 50.538970°N | 5.087527°E | S2 | GC | D2 | Linyphiidae | <i>Diplostyla concolor</i>    | 0 | 1 | 0 |
| HER | 50.538970°N | 5.087527°E | S2 | GC | D3 | Linyphiidae | <i>Diplostyla concolor</i>    | 1 | 0 | 0 |
| HER | 50.538970°N | 5.087527°E | S2 | GC | D1 | Linyphiidae | <i>Diplostyla concolor</i>    | 0 | 2 | 0 |
| HER | 50.538970°N | 5.087527°E | S2 | GC | D2 | Linyphiidae | <i>Diplostyla concolor</i>    | 0 | 1 | 0 |
| HER | 50.538970°N | 5.087527°E | S2 | GC | D3 | Linyphiidae | <i>Diplostyla concolor</i>    | 0 | 1 | 0 |
| HER | 50.538970°N | 5.087527°E | S3 | GC | D3 | Linyphiidae | <i>Diplostyla concolor</i>    | 1 | 0 | 0 |
| HER | 50.540099°N | 5.088086°E | S3 | HC | D4 | Linyphiidae | <i>Diplostyla concolor</i>    | 1 | 0 | 0 |
| MAN | 50.500613°N | 4.275502°E | S2 | GC | D4 | Linyphiidae | <i>Diplostyla concolor</i>    | 0 | 1 | 0 |
| MAN | 50.498513°N | 4.277361°E | S2 | HC | D2 | Linyphiidae | <i>Diplostyla concolor</i>    | 1 | 0 | 0 |
| MAN | 50.498513°N | 4.277361°E | S2 | HC | D4 | Linyphiidae | <i>Diplostyla concolor</i>    | 1 | 0 | 0 |
| MAN | 50.496593°N | 4.276469°E | S2 | HF | D2 | Linyphiidae | <i>Diplostyla concolor</i>    | 1 | 0 | 0 |
| PHI | 50.108510°N | 4.611973°E | S2 | GF | D1 | Linyphiidae | <i>Diplostyla concolor</i>    | 0 | 1 | 0 |
| SAM | 50.487345°N | 4.612687°E | S2 | GF | D4 | Linyphiidae | <i>Diplostyla concolor</i>    | 1 | 0 | 0 |
| SAM | 50.487345°N | 4.612687°E | S2 | GF | D1 | Linyphiidae | <i>Diplostyla concolor</i>    | 1 | 0 | 0 |
| SAM | 50.485917°N | 4.617327°E | S2 | HC | D3 | Linyphiidae | <i>Diplostyla concolor</i>    | 1 | 0 | 0 |
| SAM | 50.485774°N | 4.616688°E | S1 | HF | D1 | Linyphiidae | <i>Diplostyla concolor</i>    | 1 | 0 | 0 |
| ANH | 50.328394°N | 4.807805°E | S3 | GC | D2 | Linyphiidae | <i>Erigone atra</i>           | 1 | 0 | 0 |
| ANH | 50.327943°N | 4.806664°E | S2 | HF | D3 | Linyphiidae | <i>Erigone atra</i>           | 1 | 0 | 0 |
| ANH | 50.327943°N | 4.806664°E | S3 | HF | D1 | Linyphiidae | <i>Erigone atra</i>           | 1 | 0 | 0 |
| ARB | 50.371947°N | 4.829153°E | S3 | GC | D1 | Linyphiidae | <i>Erigone atra</i>           | 5 | 0 | 0 |
| ARB | 50.371947°N | 4.829153°E | S3 | GC | D4 | Linyphiidae | <i>Erigone atra</i>           | 1 | 0 | 0 |
| ARB | 50.372361°N | 4.812787°E | S2 | GF | D3 | Linyphiidae | <i>Erigone atra</i>           | 1 | 0 | 0 |
| ARB | 50.371572°N | 4.827268°E | S3 | HC | D4 | Linyphiidae | <i>Erigone atra</i>           | 1 | 0 | 0 |
| BUR | 50.591480°N | 5.115247°E | S2 | GC | D3 | Linyphiidae | <i>Erigone atra</i>           | 1 | 0 | 0 |

|     |             |            |    |    |    |             |                     |    |   |   |
|-----|-------------|------------|----|----|----|-------------|---------------------|----|---|---|
| BUR | 50.591480°N | 5.115247°E | S2 | GC | D4 | Linyphiidae | <i>Erigone atra</i> | 1  | 0 | 0 |
| BUR | 50.591480°N | 5.115247°E | S3 | GC | D2 | Linyphiidae | <i>Erigone atra</i> | 1  | 0 | 0 |
| BUR | 50.591480°N | 5.115247°E | S3 | GC | D4 | Linyphiidae | <i>Erigone atra</i> | 2  | 0 | 0 |
| BUR | 50.591480°N | 5.115247°E | S3 | GC | D2 | Linyphiidae | <i>Erigone atra</i> | 1  | 0 | 0 |
| BUR | 50.591480°N | 5.115247°E | S3 | GC | D3 | Linyphiidae | <i>Erigone atra</i> | 2  | 0 | 0 |
| BUR | 50.591294°N | 5.112114°E | S2 | HC | D3 | Linyphiidae | <i>Erigone atra</i> | 0  | 1 | 0 |
| BUR | 50.591294°N | 5.112114°E | S3 | HC | D2 | Linyphiidae | <i>Erigone atra</i> | 1  | 0 | 0 |
| BUR | 50.591294°N | 5.112114°E | S3 | HC | D3 | Linyphiidae | <i>Erigone atra</i> | 1  | 0 | 0 |
| CHA | 50.390296°N | 4.589377°E | S2 | GC | D2 | Linyphiidae | <i>Erigone atra</i> | 1  | 0 | 0 |
| CHA | 50.390296°N | 4.589377°E | S2 | GC | D3 | Linyphiidae | <i>Erigone atra</i> | 1  | 0 | 0 |
| CHA | 50.390296°N | 4.589377°E | S2 | GC | D2 | Linyphiidae | <i>Erigone atra</i> | 3  | 0 | 0 |
| CHA | 50.390296°N | 4.589377°E | S2 | GC | D3 | Linyphiidae | <i>Erigone atra</i> | 2  | 0 | 0 |
| CHA | 50.390296°N | 4.589377°E | S3 | GC | D4 | Linyphiidae | <i>Erigone atra</i> | 1  | 0 | 0 |
| CHA | 50.390272°N | 4.589005°E | S2 | GF | D1 | Linyphiidae | <i>Erigone atra</i> | 1  | 0 | 0 |
| CHA | 50.390272°N | 4.589005°E | S3 | GF | D3 | Linyphiidae | <i>Erigone atra</i> | 1  | 0 | 0 |
| CHA | 50.392478°N | 4.590955°E | S2 | HC | D4 | Linyphiidae | <i>Erigone atra</i> | 1  | 0 | 0 |
| CHA | 50.392478°N | 4.590955°E | S2 | HC | D4 | Linyphiidae | <i>Erigone atra</i> | 1  | 0 | 0 |
| CHA | 50.392478°N | 4.590955°E | S3 | HC | D2 | Linyphiidae | <i>Erigone atra</i> | 2  | 0 | 0 |
| CHA | 50.392478°N | 4.590955°E | S3 | HC | D2 | Linyphiidae | <i>Erigone atra</i> | 1  | 0 | 0 |
| CHA | 50.390023°N | 4.587227°E | S2 | HF | D3 | Linyphiidae | <i>Erigone atra</i> | 1  | 0 | 0 |
| FOS | 50.396471°N | 4.658446°E | S2 | GC | D4 | Linyphiidae | <i>Erigone atra</i> | 1  | 0 | 0 |
| FOS | 50.396471°N | 4.658446°E | S2 | GC | D2 | Linyphiidae | <i>Erigone atra</i> | 1  | 0 | 0 |
| FOS | 50.396471°N | 4.658446°E | S3 | GC | D3 | Linyphiidae | <i>Erigone atra</i> | 1  | 0 | 0 |
| FOS | 50.396471°N | 4.658446°E | S3 | GC | D4 | Linyphiidae | <i>Erigone atra</i> | 0  | 1 | 0 |
| FOS | 50.396471°N | 4.658446°E | S3 | GC | D2 | Linyphiidae | <i>Erigone atra</i> | 1  | 0 | 0 |
| FOS | 50.396471°N | 4.658446°E | S3 | GC | D4 | Linyphiidae | <i>Erigone atra</i> | 1  | 0 | 0 |
| FOS | 50.397782°N | 4.656511°E | S2 | GF | D1 | Linyphiidae | <i>Erigone atra</i> | 1  | 0 | 0 |
| FOS | 50.397782°N | 4.656511°E | S3 | GF | D2 | Linyphiidae | <i>Erigone atra</i> | 2  | 0 | 0 |
| FOS | 50.397782°N | 4.656511°E | S3 | GF | D2 | Linyphiidae | <i>Erigone atra</i> | 2  | 0 | 0 |
| FOS | 50.397179°N | 4.653627°E | S2 | HC | D4 | Linyphiidae | <i>Erigone atra</i> | 1  | 0 | 0 |
| FOS | 50.397662°N | 4.658558°E | S3 | HF | D3 | Linyphiidae | <i>Erigone atra</i> | 2  | 0 | 0 |
| HER | 50.538970°N | 5.087527°E | S2 | GC | D2 | Linyphiidae | <i>Erigone atra</i> | 6  | 0 | 0 |
| HER | 50.538970°N | 5.087527°E | S2 | GC | D3 | Linyphiidae | <i>Erigone atra</i> | 2  | 0 | 0 |
| HER | 50.538970°N | 5.087527°E | S2 | GC | D4 | Linyphiidae | <i>Erigone atra</i> | 2  | 1 | 0 |
| HER | 50.538970°N | 5.087527°E | S2 | GC | D1 | Linyphiidae | <i>Erigone atra</i> | 1  | 0 | 0 |
| HER | 50.538970°N | 5.087527°E | S2 | GC | D2 | Linyphiidae | <i>Erigone atra</i> | 14 | 0 | 0 |
| HER | 50.538970°N | 5.087527°E | S2 | GC | D3 | Linyphiidae | <i>Erigone atra</i> | 1  | 0 | 0 |
| HER | 50.538970°N | 5.087527°E | S2 | GC | D4 | Linyphiidae | <i>Erigone atra</i> | 2  | 0 | 0 |
| HER | 50.538970°N | 5.087527°E | S3 | GC | D1 | Linyphiidae | <i>Erigone atra</i> | 2  | 0 | 0 |
| HER | 50.538970°N | 5.087527°E | S3 | GC | D2 | Linyphiidae | <i>Erigone atra</i> | 5  | 1 | 0 |
| HER | 50.538970°N | 5.087527°E | S3 | GC | D3 | Linyphiidae | <i>Erigone atra</i> | 2  | 0 | 0 |
| HER | 50.538970°N | 5.087527°E | S3 | GC | D4 | Linyphiidae | <i>Erigone atra</i> | 5  | 0 | 0 |
| HER | 50.538970°N | 5.087527°E | S3 | GC | D2 | Linyphiidae | <i>Erigone atra</i> | 2  | 1 | 0 |
| HER | 50.538970°N | 5.087527°E | S3 | GC | D3 | Linyphiidae | <i>Erigone atra</i> | 2  | 0 | 0 |
| HER | 50.538970°N | 5.087527°E | S3 | GC | D4 | Linyphiidae | <i>Erigone atra</i> | 2  | 0 | 0 |
| HER | 50.537879°N | 5.089543°E | S2 | GF | D3 | Linyphiidae | <i>Erigone atra</i> | 1  | 1 | 0 |
| HER | 50.537879°N | 5.089543°E | S2 | GF | D4 | Linyphiidae | <i>Erigone atra</i> | 1  | 0 | 0 |
| HER | 50.537879°N | 5.089543°E | S3 | GF | D1 | Linyphiidae | <i>Erigone atra</i> | 1  | 1 | 0 |
| HER | 50.537879°N | 5.089543°E | S3 | GF | D2 | Linyphiidae | <i>Erigone atra</i> | 2  | 0 | 0 |
| HER | 50.540099°N | 5.088086°E | S2 | HC | D2 | Linyphiidae | <i>Erigone atra</i> | 1  | 0 | 0 |

|     |             |            |    |    |    |             |                     |   |   |   |
|-----|-------------|------------|----|----|----|-------------|---------------------|---|---|---|
| HER | 50.540099°N | 5.088086°E | S2 | HC | D4 | Linyphiidae | <i>Erigone atra</i> | 1 | 0 | 0 |
| HER | 50.540099°N | 5.088086°E | S2 | HC | D1 | Linyphiidae | <i>Erigone atra</i> | 1 | 0 | 0 |
| HER | 50.540099°N | 5.088086°E | S2 | HC | D4 | Linyphiidae | <i>Erigone atra</i> | 1 | 0 | 0 |
| HER | 50.540099°N | 5.088086°E | S3 | HC | D3 | Linyphiidae | <i>Erigone atra</i> | 1 | 0 | 0 |
| HER | 50.540099°N | 5.088086°E | S3 | HC | D4 | Linyphiidae | <i>Erigone atra</i> | 3 | 0 | 0 |
| HER | 50.540099°N | 5.088086°E | S3 | HC | D3 | Linyphiidae | <i>Erigone atra</i> | 0 | 1 | 0 |
| HER | 50.540099°N | 5.088086°E | S3 | HC | D4 | Linyphiidae | <i>Erigone atra</i> | 1 | 0 | 0 |
| HER | 50.539276°N | 5.092059°E | S2 | HF | D4 | Linyphiidae | <i>Erigone atra</i> | 4 | 0 | 0 |
| HER | 50.539276°N | 5.092059°E | S2 | HF | D3 | Linyphiidae | <i>Erigone atra</i> | 4 | 0 | 0 |
| HER | 50.539276°N | 5.092059°E | S3 | HF | D4 | Linyphiidae | <i>Erigone atra</i> | 1 | 0 | 0 |
| MAN | 50.500613°N | 4.275502°E | S1 | GC | D4 | Linyphiidae | <i>Erigone atra</i> | 1 | 0 | 0 |
| MAN | 50.500613°N | 4.275502°E | S2 | GC | D3 | Linyphiidae | <i>Erigone atra</i> | 6 | 0 | 0 |
| MAN | 50.500613°N | 4.275502°E | S2 | GC | D4 | Linyphiidae | <i>Erigone atra</i> | 1 | 0 | 0 |
| MAN | 50.500613°N | 4.275502°E | S3 | GC | D3 | Linyphiidae | <i>Erigone atra</i> | 1 | 0 | 0 |
| MAN | 50.500613°N | 4.275502°E | S3 | GC | D1 | Linyphiidae | <i>Erigone atra</i> | 1 | 0 | 0 |
| MAN | 50.500613°N | 4.275502°E | S3 | GC | D2 | Linyphiidae | <i>Erigone atra</i> | 2 | 0 | 0 |
| MAN | 50.497803°N | 4.277319°E | S1 | GF | D2 | Linyphiidae | <i>Erigone atra</i> | 1 | 0 | 0 |
| MAN | 50.497803°N | 4.277319°E | S2 | GF | D4 | Linyphiidae | <i>Erigone atra</i> | 4 | 0 | 0 |
| MAN | 50.497803°N | 4.277319°E | S3 | GF | D3 | Linyphiidae | <i>Erigone atra</i> | 1 | 0 | 0 |
| MAN | 50.498513°N | 4.277361°E | S2 | HC | D3 | Linyphiidae | <i>Erigone atra</i> | 1 | 0 | 0 |
| MAN | 50.498513°N | 4.277361°E | S3 | HC | D2 | Linyphiidae | <i>Erigone atra</i> | 1 | 0 | 0 |
| MAN | 50.498513°N | 4.277361°E | S3 | HC | D3 | Linyphiidae | <i>Erigone atra</i> | 1 | 0 | 0 |
| MAN | 50.498513°N | 4.277361°E | S3 | HC | D4 | Linyphiidae | <i>Erigone atra</i> | 1 | 0 | 0 |
| MAN | 50.496593°N | 4.276469°E | S2 | HF | D1 | Linyphiidae | <i>Erigone atra</i> | 1 | 0 | 0 |
| MAN | 50.496593°N | 4.276469°E | S2 | HF | D4 | Linyphiidae | <i>Erigone atra</i> | 1 | 0 | 0 |
| MAN | 50.496593°N | 4.276469°E | S3 | HF | D3 | Linyphiidae | <i>Erigone atra</i> | 3 | 1 | 0 |
| MAN | 50.496593°N | 4.276469°E | S3 | HF | D4 | Linyphiidae | <i>Erigone atra</i> | 3 | 0 | 0 |
| PHI | 50.104107°N | 4.607196°E | S2 | GC | D3 | Linyphiidae | <i>Erigone atra</i> | 2 | 1 | 0 |
| PHI | 50.104107°N | 4.607196°E | S3 | GC | D2 | Linyphiidae | <i>Erigone atra</i> | 1 | 0 | 0 |
| PHI | 50.108510°N | 4.611973°E | S2 | GF | D4 | Linyphiidae | <i>Erigone atra</i> | 1 | 0 | 0 |
| PHI | 50.106959°N | 4.613748°E | S2 | HC | D4 | Linyphiidae | <i>Erigone atra</i> | 1 | 0 | 0 |
| SAM | 50.489556°N | 4.612416°E | S1 | GC | D3 | Linyphiidae | <i>Erigone atra</i> | 1 | 0 | 0 |
| SAM | 50.489556°N | 4.612416°E | S1 | GC | D4 | Linyphiidae | <i>Erigone atra</i> | 1 | 0 | 0 |
| SAM | 50.489556°N | 4.612416°E | S2 | GC | D2 | Linyphiidae | <i>Erigone atra</i> | 0 | 1 | 0 |
| SAM | 50.489556°N | 4.612416°E | S2 | GC | D3 | Linyphiidae | <i>Erigone atra</i> | 0 | 1 | 0 |
| SAM | 50.489556°N | 4.612416°E | S3 | GC | D3 | Linyphiidae | <i>Erigone atra</i> | 1 | 0 | 0 |
| SAM | 50.487345°N | 4.612687°E | S1 | GF | D4 | Linyphiidae | <i>Erigone atra</i> | 0 | 1 | 0 |
| SAM | 50.487345°N | 4.612687°E | S1 | GF | D1 | Linyphiidae | <i>Erigone atra</i> | 1 | 0 | 0 |
| SAM | 50.487345°N | 4.612687°E | S2 | GF | D4 | Linyphiidae | <i>Erigone atra</i> | 1 | 0 | 0 |
| SAM | 50.485917°N | 4.617327°E | S1 | HC | D2 | Linyphiidae | <i>Erigone atra</i> | 0 | 1 | 0 |
| SAM | 50.485917°N | 4.617327°E | S2 | HC | D3 | Linyphiidae | <i>Erigone atra</i> | 4 | 0 | 0 |
| SAM | 50.485917°N | 4.617327°E | S2 | HC | D4 | Linyphiidae | <i>Erigone atra</i> | 2 | 0 | 0 |
| SAM | 50.485917°N | 4.617327°E | S2 | HC | D3 | Linyphiidae | <i>Erigone atra</i> | 1 | 1 | 0 |
| SAM | 50.485917°N | 4.617327°E | S2 | HC | D4 | Linyphiidae | <i>Erigone atra</i> | 5 | 0 | 0 |
| SAM | 50.485774°N | 4.616688°E | S1 | HF | D2 | Linyphiidae | <i>Erigone atra</i> | 1 | 0 | 0 |
| SAM | 50.485774°N | 4.616688°E | S2 | HF | D3 | Linyphiidae | <i>Erigone atra</i> | 3 | 1 | 0 |
| SAM | 50.485774°N | 4.616688°E | S2 | HF | D4 | Linyphiidae | <i>Erigone atra</i> | 1 | 0 | 0 |
| THU | 50.305897°N | 4.331210°E | S2 | GC | D3 | Linyphiidae | <i>Erigone atra</i> | 1 | 0 | 0 |
| THU | 50.289036°N | 4.263537°E | S2 | GF | D1 | Linyphiidae | <i>Erigone atra</i> | 2 | 0 | 0 |
| THU | 50.289036°N | 4.263537°E | S2 | GF | D4 | Linyphiidae | <i>Erigone atra</i> | 1 | 0 | 0 |



|     |             |            |    |    |    |             |                            |   |   |   |
|-----|-------------|------------|----|----|----|-------------|----------------------------|---|---|---|
| THU | 50.289036°N | 4.263537°E | S2 | GF | D4 | Linyphiidae | <i>Erigone atra</i>        | 1 | 0 | 0 |
| THU | 50.289036°N | 4.263537°E | S3 | GF | D1 | Linyphiidae | <i>Erigone atra</i>        | 4 | 0 | 0 |
| THU | 50.288457°N | 4.256949°E | S2 | HC | D4 | Linyphiidae | <i>Erigone atra</i>        | 1 | 0 | 0 |
| THU | 50.288457°N | 4.256949°E | S3 | HC | D3 | Linyphiidae | <i>Erigone atra</i>        | 1 | 0 | 0 |
| THU | 50.288457°N | 4.256949°E | S3 | HC | D4 | Linyphiidae | <i>Erigone atra</i>        | 1 | 0 | 0 |
| THU | 50.288457°N | 4.256949°E | S3 | HC | D4 | Linyphiidae | <i>Erigone atra</i>        | 2 | 0 | 0 |
| THU | 50.303252°N | 4.331577°E | S2 | HF | D2 | Linyphiidae | <i>Erigone atra</i>        | 1 | 0 | 0 |
| THU | 50.303252°N | 4.331577°E | S2 | HF | D3 | Linyphiidae | <i>Erigone atra</i>        | 1 | 0 | 0 |
| THU | 50.303252°N | 4.331577°E | S2 | HF | D4 | Linyphiidae | <i>Erigone atra</i>        | 2 | 0 | 0 |
| THU | 50.303252°N | 4.331577°E | S3 | HF | D4 | Linyphiidae | <i>Erigone atra</i>        | 1 | 0 | 0 |
| ANH | 50.328394°N | 4.807805°E | S3 | GC | D1 | Linyphiidae | <i>Erigone dentipalpis</i> | 1 | 0 | 0 |
| ANH | 50.328394°N | 4.807805°E | S3 | GC | D1 | Linyphiidae | <i>Erigone dentipalpis</i> | 1 | 0 | 0 |
| ANH | 50.327943°N | 4.806664°E | S2 | HF | D3 | Linyphiidae | <i>Erigone dentipalpis</i> | 1 | 0 | 0 |
| ARB | 50.371947°N | 4.829153°E | S3 | GC | D1 | Linyphiidae | <i>Erigone dentipalpis</i> | 0 | 1 | 0 |
| ARB | 50.371947°N | 4.829153°E | S3 | GC | D2 | Linyphiidae | <i>Erigone dentipalpis</i> | 1 | 0 | 0 |
| ARB | 50.371947°N | 4.829153°E | S3 | GC | D3 | Linyphiidae | <i>Erigone dentipalpis</i> | 3 | 0 | 0 |
| ARB | 50.371572°N | 4.827268°E | S2 | HC | D4 | Linyphiidae | <i>Erigone dentipalpis</i> | 2 | 0 | 0 |
| ARB | 50.371572°N | 4.827268°E | S3 | HC | D4 | Linyphiidae | <i>Erigone dentipalpis</i> | 5 | 0 | 0 |
| ARB | 50.372726°N | 4.811217°E | S2 | HF | D3 | Linyphiidae | <i>Erigone dentipalpis</i> | 1 | 0 | 0 |
| BUR | 50.591480°N | 5.115247°E | S2 | GC | D3 | Linyphiidae | <i>Erigone dentipalpis</i> | 3 | 0 | 0 |
| BUR | 50.591480°N | 5.115247°E | S2 | GC | D4 | Linyphiidae | <i>Erigone dentipalpis</i> | 1 | 0 | 0 |
| BUR | 50.591480°N | 5.115247°E | S2 | GC | D2 | Linyphiidae | <i>Erigone dentipalpis</i> | 1 | 0 | 0 |
| BUR | 50.591480°N | 5.115247°E | S2 | GC | D4 | Linyphiidae | <i>Erigone dentipalpis</i> | 1 | 0 | 0 |
| BUR | 50.591480°N | 5.115247°E | S3 | GC | D3 | Linyphiidae | <i>Erigone dentipalpis</i> | 1 | 0 | 0 |
| BUR | 50.591480°N | 5.115247°E | S3 | GC | D4 | Linyphiidae | <i>Erigone dentipalpis</i> | 1 | 0 | 0 |
| BUR | 50.591480°N | 5.115247°E | S3 | GC | D2 | Linyphiidae | <i>Erigone dentipalpis</i> | 1 | 0 | 0 |
| BUR | 50.591480°N | 5.115247°E | S3 | GC | D3 | Linyphiidae | <i>Erigone dentipalpis</i> | 2 | 0 | 0 |
| BUR | 50.591445°N | 5.109735°E | S2 | GF | D3 | Linyphiidae | <i>Erigone dentipalpis</i> | 1 | 0 | 0 |
| BUR | 50.591445°N | 5.109735°E | S2 | GF | D4 | Linyphiidae | <i>Erigone dentipalpis</i> | 1 | 0 | 0 |
| BUR | 50.591294°N | 5.112114°E | S2 | HC | D4 | Linyphiidae | <i>Erigone dentipalpis</i> | 1 | 0 | 0 |
| BUR | 50.591294°N | 5.112114°E | S3 | HC | D2 | Linyphiidae | <i>Erigone dentipalpis</i> | 1 | 1 | 0 |
| BUR | 50.591294°N | 5.112114°E | S3 | HC | D3 | Linyphiidae | <i>Erigone dentipalpis</i> | 2 | 0 | 0 |
| BUR | 50.591411°N | 5.111974°E | S2 | HF | D3 | Linyphiidae | <i>Erigone dentipalpis</i> | 1 | 0 | 0 |
| BUR | 50.591411°N | 5.111974°E | S3 | HF | D3 | Linyphiidae | <i>Erigone dentipalpis</i> | 1 | 0 | 0 |
| CHA | 50.390296°N | 4.589377°E | S2 | GC | D2 | Linyphiidae | <i>Erigone dentipalpis</i> | 2 | 1 | 0 |
| CHA | 50.390296°N | 4.589377°E | S2 | GC | D3 | Linyphiidae | <i>Erigone dentipalpis</i> | 0 | 1 | 0 |
| CHA | 50.390296°N | 4.589377°E | S2 | GC | D2 | Linyphiidae | <i>Erigone dentipalpis</i> | 1 | 0 | 0 |
| CHA | 50.390296°N | 4.589377°E | S2 | GC | D3 | Linyphiidae | <i>Erigone dentipalpis</i> | 1 | 1 | 0 |
| CHA | 50.390296°N | 4.589377°E | S3 | GC | D2 | Linyphiidae | <i>Erigone dentipalpis</i> | 1 | 0 | 0 |
| CHA | 50.390296°N | 4.589377°E | S3 | GC | D3 | Linyphiidae | <i>Erigone dentipalpis</i> | 3 | 0 | 0 |
| CHA | 50.390272°N | 4.589005°E | S2 | GF | D1 | Linyphiidae | <i>Erigone dentipalpis</i> | 1 | 0 | 1 |
| CHA | 50.390272°N | 4.589005°E | S2 | GF | D4 | Linyphiidae | <i>Erigone dentipalpis</i> | 1 | 0 | 0 |
| CHA | 50.390272°N | 4.589005°E | S3 | GF | D2 | Linyphiidae | <i>Erigone dentipalpis</i> | 1 | 0 | 0 |
| CHA | 50.390272°N | 4.589005°E | S3 | GF | D3 | Linyphiidae | <i>Erigone dentipalpis</i> | 1 | 0 | 0 |
| CHA | 50.390272°N | 4.589005°E | S3 | GF | D2 | Linyphiidae | <i>Erigone dentipalpis</i> | 2 | 0 | 0 |
| CHA | 50.390272°N | 4.589005°E | S3 | GF | D3 | Linyphiidae | <i>Erigone dentipalpis</i> | 1 | 0 | 0 |
| CHA | 50.392478°N | 4.590955°E | S2 | HC | D2 | Linyphiidae | <i>Erigone dentipalpis</i> | 1 | 0 | 0 |
| CHA | 50.392478°N | 4.590955°E | S2 | HC | D3 | Linyphiidae | <i>Erigone dentipalpis</i> | 0 | 2 | 0 |
| CHA | 50.392478°N | 4.590955°E | S2 | HC | D4 | Linyphiidae | <i>Erigone dentipalpis</i> | 1 | 0 | 0 |
| CHA | 50.392478°N | 4.590955°E | S3 | HC | D2 | Linyphiidae | <i>Erigone dentipalpis</i> | 2 | 0 | 0 |

|     |             |            |    |    |    |             |                            |   |   |   |
|-----|-------------|------------|----|----|----|-------------|----------------------------|---|---|---|
| CHA | 50.392478°N | 4.590955°E | S3 | HC | D3 | Linyphiidae | <i>Erigone dentipalpis</i> | 1 | 0 | 0 |
| CHA | 50.392478°N | 4.590955°E | S3 | HC | D4 | Linyphiidae | <i>Erigone dentipalpis</i> | 1 | 0 | 0 |
| FOS | 50.396471°N | 4.658446°E | S3 | GC | D3 | Linyphiidae | <i>Erigone dentipalpis</i> | 1 | 0 | 0 |
| FOS | 50.396471°N | 4.658446°E | S3 | GC | D4 | Linyphiidae | <i>Erigone dentipalpis</i> | 1 | 0 | 0 |
| FOS | 50.397179°N | 4.653627°E | S2 | HC | D4 | Linyphiidae | <i>Erigone dentipalpis</i> | 1 | 0 | 0 |
| FOS | 50.397662°N | 4.658558°E | S2 | HF | D3 | Linyphiidae | <i>Erigone dentipalpis</i> | 0 | 1 | 0 |
| FOS | 50.397662°N | 4.658558°E | S3 | HF | D4 | Linyphiidae | <i>Erigone dentipalpis</i> | 1 | 0 | 0 |
| HER | 50.538970°N | 5.087527°E | S2 | GC | D1 | Linyphiidae | <i>Erigone dentipalpis</i> | 1 | 0 | 0 |
| HER | 50.538970°N | 5.087527°E | S2 | GC | D2 | Linyphiidae | <i>Erigone dentipalpis</i> | 2 | 0 | 0 |
| HER | 50.538970°N | 5.087527°E | S2 | GC | D3 | Linyphiidae | <i>Erigone dentipalpis</i> | 1 | 0 | 0 |
| HER | 50.538970°N | 5.087527°E | S2 | GC | D4 | Linyphiidae | <i>Erigone dentipalpis</i> | 4 | 0 | 0 |
| HER | 50.538970°N | 5.087527°E | S2 | GC | D2 | Linyphiidae | <i>Erigone dentipalpis</i> | 5 | 1 | 0 |
| HER | 50.538970°N | 5.087527°E | S2 | GC | D4 | Linyphiidae | <i>Erigone dentipalpis</i> | 7 | 0 | 0 |
| HER | 50.538970°N | 5.087527°E | S3 | GC | D1 | Linyphiidae | <i>Erigone dentipalpis</i> | 3 | 0 | 0 |
| HER | 50.538970°N | 5.087527°E | S3 | GC | D2 | Linyphiidae | <i>Erigone dentipalpis</i> | 4 | 0 | 0 |
| HER | 50.538970°N | 5.087527°E | S3 | GC | D3 | Linyphiidae | <i>Erigone dentipalpis</i> | 2 | 1 | 0 |
| HER | 50.538970°N | 5.087527°E | S3 | GC | D4 | Linyphiidae | <i>Erigone dentipalpis</i> | 8 | 0 | 0 |
| HER | 50.538970°N | 5.087527°E | S3 | GC | D1 | Linyphiidae | <i>Erigone dentipalpis</i> | 2 | 0 | 0 |
| HER | 50.538970°N | 5.087527°E | S3 | GC | D2 | Linyphiidae | <i>Erigone dentipalpis</i> | 1 | 0 | 0 |
| HER | 50.538970°N | 5.087527°E | S3 | GC | D3 | Linyphiidae | <i>Erigone dentipalpis</i> | 3 | 0 | 0 |
| HER | 50.538970°N | 5.087527°E | S3 | GC | D4 | Linyphiidae | <i>Erigone dentipalpis</i> | 2 | 0 | 0 |
| HER | 50.537879°N | 5.089543°E | S2 | GF | D4 | Linyphiidae | <i>Erigone dentipalpis</i> | 1 | 0 | 0 |
| HER | 50.537879°N | 5.089543°E | S2 | GF | D3 | Linyphiidae | <i>Erigone dentipalpis</i> | 0 | 1 | 0 |
| HER | 50.537879°N | 5.089543°E | S3 | GF | D1 | Linyphiidae | <i>Erigone dentipalpis</i> | 1 | 0 | 0 |
| HER | 50.537879°N | 5.089543°E | S3 | GF | D2 | Linyphiidae | <i>Erigone dentipalpis</i> | 3 | 0 | 0 |
| HER | 50.540099°N | 5.088086°E | S2 | HC | D2 | Linyphiidae | <i>Erigone dentipalpis</i> | 1 | 0 | 0 |
| HER | 50.540099°N | 5.088086°E | S2 | HC | D4 | Linyphiidae | <i>Erigone dentipalpis</i> | 4 | 1 | 0 |
| HER | 50.540099°N | 5.088086°E | S2 | HC | D1 | Linyphiidae | <i>Erigone dentipalpis</i> | 1 | 0 | 0 |
| HER | 50.540099°N | 5.088086°E | S3 | HC | D4 | Linyphiidae | <i>Erigone dentipalpis</i> | 1 | 0 | 0 |
| HER | 50.540099°N | 5.088086°E | S3 | HC | D3 | Linyphiidae | <i>Erigone dentipalpis</i> | 1 | 0 | 0 |
| HER | 50.540099°N | 5.088086°E | S3 | HC | D4 | Linyphiidae | <i>Erigone dentipalpis</i> | 1 | 0 | 0 |
| HER | 50.539276°N | 5.092059°E | S2 | HF | D4 | Linyphiidae | <i>Erigone dentipalpis</i> | 2 | 0 | 0 |
| HER | 50.539276°N | 5.092059°E | S2 | HF | D3 | Linyphiidae | <i>Erigone dentipalpis</i> | 1 | 0 | 0 |
| HER | 50.539276°N | 5.092059°E | S2 | HF | D4 | Linyphiidae | <i>Erigone dentipalpis</i> | 0 | 1 | 0 |
| MAN | 50.500613°N | 4.275502°E | S1 | GC | D4 | Linyphiidae | <i>Erigone dentipalpis</i> | 1 | 0 | 0 |
| MAN | 50.500613°N | 4.275502°E | S2 | GC | D3 | Linyphiidae | <i>Erigone dentipalpis</i> | 4 | 2 | 0 |
| MAN | 50.500613°N | 4.275502°E | S3 | GC | D3 | Linyphiidae | <i>Erigone dentipalpis</i> | 1 | 0 | 0 |
| MAN | 50.497803°N | 4.277319°E | S1 | GF | D3 | Linyphiidae | <i>Erigone dentipalpis</i> | 1 | 0 | 0 |
| MAN | 50.497803°N | 4.277319°E | S2 | GF | D3 | Linyphiidae | <i>Erigone dentipalpis</i> | 1 | 0 | 0 |
| MAN | 50.497803°N | 4.277319°E | S2 | GF | D3 | Linyphiidae | <i>Erigone dentipalpis</i> | 1 | 0 | 0 |
| MAN | 50.497803°N | 4.277319°E | S3 | GF | D2 | Linyphiidae | <i>Erigone dentipalpis</i> | 2 | 1 | 0 |
| MAN | 50.497803°N | 4.277319°E | S3 | GF | D3 | Linyphiidae | <i>Erigone dentipalpis</i> | 1 | 1 | 0 |
| MAN | 50.498513°N | 4.277361°E | S1 | HC | D4 | Linyphiidae | <i>Erigone dentipalpis</i> | 1 | 0 | 0 |
| MAN | 50.498513°N | 4.277361°E | S2 | HC | D2 | Linyphiidae | <i>Erigone dentipalpis</i> | 1 | 0 | 0 |
| MAN | 50.498513°N | 4.277361°E | S3 | HC | D2 | Linyphiidae | <i>Erigone dentipalpis</i> | 2 | 0 | 0 |
| MAN | 50.498513°N | 4.277361°E | S3 | HC | D3 | Linyphiidae | <i>Erigone dentipalpis</i> | 2 | 0 | 0 |
| MAN | 50.498513°N | 4.277361°E | S3 | HC | D4 | Linyphiidae | <i>Erigone dentipalpis</i> | 1 | 0 | 0 |
| MAN | 50.496593°N | 4.276469°E | S2 | HF | D4 | Linyphiidae | <i>Erigone dentipalpis</i> | 1 | 0 | 0 |
| MAN | 50.496593°N | 4.276469°E | S2 | HF | D3 | Linyphiidae | <i>Erigone dentipalpis</i> | 2 | 0 | 0 |
| MAN | 50.496593°N | 4.276469°E | S3 | HF | D3 | Linyphiidae | <i>Erigone dentipalpis</i> | 1 | 0 | 0 |

|     |             |            |    |    |    |             |                              |   |   |   |
|-----|-------------|------------|----|----|----|-------------|------------------------------|---|---|---|
| MAN | 50.496593°N | 4.276469°E | S3 | HF | D4 | Linyphiidae | <i>Erigone dentipalpis</i>   | 1 | 0 | 0 |
| PHI | 50.104107°N | 4.607196°E | S2 | GC | D3 | Linyphiidae | <i>Erigone dentipalpis</i>   | 3 | 1 | 0 |
| PHI | 50.104107°N | 4.607196°E | S2 | GC | D4 | Linyphiidae | <i>Erigone dentipalpis</i>   | 6 | 0 | 0 |
| PHI | 50.104107°N | 4.607196°E | S3 | GC | D1 | Linyphiidae | <i>Erigone dentipalpis</i>   | 1 | 0 | 0 |
| PHI | 50.108510°N | 4.611973°E | S2 | GF | D4 | Linyphiidae | <i>Erigone dentipalpis</i>   | 1 | 0 | 0 |
| SAM | 50.489556°N | 4.612416°E | S1 | GC | D1 | Linyphiidae | <i>Erigone dentipalpis</i>   | 3 | 0 | 0 |
| SAM | 50.489556°N | 4.612416°E | S1 | GC | D2 | Linyphiidae | <i>Erigone dentipalpis</i>   | 2 | 0 | 0 |
| SAM | 50.489556°N | 4.612416°E | S1 | GC | D3 | Linyphiidae | <i>Erigone dentipalpis</i>   | 3 | 0 | 0 |
| SAM | 50.489556°N | 4.612416°E | S1 | GC | D4 | Linyphiidae | <i>Erigone dentipalpis</i>   | 3 | 0 | 0 |
| SAM | 50.489556°N | 4.612416°E | S1 | GC | D1 | Linyphiidae | <i>Erigone dentipalpis</i>   | 1 | 0 | 0 |
| SAM | 50.489556°N | 4.612416°E | S1 | GC | D3 | Linyphiidae | <i>Erigone dentipalpis</i>   | 2 | 0 | 0 |
| SAM | 50.489556°N | 4.612416°E | S1 | GC | D4 | Linyphiidae | <i>Erigone dentipalpis</i>   | 1 | 0 | 0 |
| SAM | 50.489556°N | 4.612416°E | S2 | GC | D2 | Linyphiidae | <i>Erigone dentipalpis</i>   | 0 | 1 | 0 |
| SAM | 50.489556°N | 4.612416°E | S2 | GC | D3 | Linyphiidae | <i>Erigone dentipalpis</i>   | 0 | 1 | 0 |
| SAM | 50.489556°N | 4.612416°E | S3 | GC | D1 | Linyphiidae | <i>Erigone dentipalpis</i>   | 0 | 1 | 0 |
| SAM | 50.487345°N | 4.612687°E | S1 | GF | D1 | Linyphiidae | <i>Erigone dentipalpis</i>   | 1 | 0 | 0 |
| SAM | 50.487345°N | 4.612687°E | S2 | GF | D2 | Linyphiidae | <i>Erigone dentipalpis</i>   | 1 | 0 | 0 |
| SAM | 50.487345°N | 4.612687°E | S2 | GF | D1 | Linyphiidae | <i>Erigone dentipalpis</i>   | 2 | 0 | 0 |
| SAM | 50.487345°N | 4.612687°E | S3 | GF | D2 | Linyphiidae | <i>Erigone dentipalpis</i>   | 1 | 0 | 0 |
| SAM | 50.485917°N | 4.617327°E | S2 | HC | D3 | Linyphiidae | <i>Erigone dentipalpis</i>   | 1 | 0 | 0 |
| SAM | 50.485917°N | 4.617327°E | S2 | HC | D4 | Linyphiidae | <i>Erigone dentipalpis</i>   | 1 | 0 | 0 |
| SAM | 50.485917°N | 4.617327°E | S2 | HC | D3 | Linyphiidae | <i>Erigone dentipalpis</i>   | 1 | 1 | 0 |
| SAM | 50.485917°N | 4.617327°E | S2 | HC | D4 | Linyphiidae | <i>Erigone dentipalpis</i>   | 3 | 0 | 0 |
| THU | 50.305897°N | 4.331210°E | S2 | GC | D2 | Linyphiidae | <i>Erigone dentipalpis</i>   | 1 | 0 | 0 |
| THU | 50.288457°N | 4.256949°E | S2 | HC | D4 | Linyphiidae | <i>Erigone dentipalpis</i>   | 1 | 0 | 0 |
| THU | 50.288457°N | 4.256949°E | S3 | HC | D3 | Linyphiidae | <i>Erigone dentipalpis</i>   | 2 | 0 | 0 |
| THU | 50.288457°N | 4.256949°E | S3 | HC | D1 | Linyphiidae | <i>Erigone dentipalpis</i>   | 1 | 0 | 0 |
| THU | 50.288457°N | 4.256949°E | S3 | HC | D4 | Linyphiidae | <i>Erigone dentipalpis</i>   | 1 | 0 | 0 |
| THU | 50.303252°N | 4.331577°E | S2 | HF | D4 | Linyphiidae | <i>Erigone dentipalpis</i>   | 1 | 0 | 0 |
| THU | 50.303252°N | 4.331577°E | S3 | HF | D4 | Linyphiidae | <i>Erigone dentipalpis</i>   | 2 | 0 | 0 |
| THU | 50.303252°N | 4.331577°E | S3 | HF | D4 | Linyphiidae | <i>Erigone dentipalpis</i>   | 1 | 0 | 0 |
| MAN | 50.500613°N | 4.275502°E | S1 | GC | D1 | Linyphiidae | <i>Micrargus herbigradus</i> | 0 | 1 | 0 |
| ANH | 50.320583°N | 4.802121°E | S2 | GF | D2 | Linyphiidae | <i>Microlinyphia pusilla</i> | 0 | 1 | 0 |
| FOS | 50.397662°N | 4.658558°E | S3 | HF | D2 | Linyphiidae | <i>Microlinyphia pusilla</i> | 0 | 1 | 0 |
| HER | 50.539276°N | 5.092059°E | S2 | HF | D1 | Linyphiidae | <i>Monocephalus fuscipes</i> | 1 | 0 | 0 |
| SAM | 50.485774°N | 4.616688°E | S2 | HF | D3 | Linyphiidae | <i>Monocephalus fuscipes</i> | 1 | 0 | 0 |
| SAM | 50.485774°N | 4.616688°E | S2 | HF | D4 | Linyphiidae | <i>Monocephalus fuscipes</i> | 1 | 0 | 0 |
| BUR | 50.591411°N | 5.111974°E | S1 | HF | D1 | Linyphiidae | <i>Neriene clathrata</i>     | 0 | 1 | 0 |
| ANH | 50.320583°N | 4.802121°E | S2 | GF | D4 | Linyphiidae | <i>Oedothorax apicatus</i>   | 0 | 3 | 0 |
| ANH | 50.319519°N | 4.803072°E | S2 | HC | D2 | Linyphiidae | <i>Oedothorax apicatus</i>   | 0 | 1 | 0 |
| ARB | 50.371947°N | 4.829153°E | S3 | GC | D4 | Linyphiidae | <i>Oedothorax apicatus</i>   | 0 | 1 | 0 |
| ARB | 50.372361°N | 4.812787°E | S1 | GF | D4 | Linyphiidae | <i>Oedothorax apicatus</i>   | 1 | 0 | 0 |
| ARB | 50.372361°N | 4.812787°E | S2 | GF | D4 | Linyphiidae | <i>Oedothorax apicatus</i>   | 0 | 2 | 0 |
| ARB | 50.371572°N | 4.827268°E | S1 | HC | D3 | Linyphiidae | <i>Oedothorax apicatus</i>   | 0 | 1 | 0 |
| ARB | 50.371572°N | 4.827268°E | S2 | HC | D4 | Linyphiidae | <i>Oedothorax apicatus</i>   | 0 | 1 | 0 |
| ARB | 50.371572°N | 4.827268°E | S3 | HC | D3 | Linyphiidae | <i>Oedothorax apicatus</i>   | 1 | 0 | 0 |
| ARB | 50.372726°N | 4.811217°E | S2 | HF | D4 | Linyphiidae | <i>Oedothorax apicatus</i>   | 0 | 1 | 0 |
| BUR | 50.591480°N | 5.115247°E | S2 | GC | D3 | Linyphiidae | <i>Oedothorax apicatus</i>   | 0 | 1 | 0 |
| BUR | 50.591480°N | 5.115247°E | S3 | GC | D2 | Linyphiidae | <i>Oedothorax apicatus</i>   | 2 | 0 | 0 |
| BUR | 50.591480°N | 5.115247°E | S3 | GC | D3 | Linyphiidae | <i>Oedothorax apicatus</i>   | 1 | 0 | 0 |

|     |             |            |    |    |    |             |                            |   |    |   |
|-----|-------------|------------|----|----|----|-------------|----------------------------|---|----|---|
| BUR | 50.591480°N | 5.115247°E | S3 | GC | D4 | Linyphiidae | <i>Oedothorax apicatus</i> | 0 | 1  | 0 |
| BUR | 50.591480°N | 5.115247°E | S3 | GC | D1 | Linyphiidae | <i>Oedothorax apicatus</i> | 1 | 0  | 0 |
| BUR | 50.591480°N | 5.115247°E | S3 | GC | D2 | Linyphiidae | <i>Oedothorax apicatus</i> | 2 | 1  | 0 |
| BUR | 50.591480°N | 5.115247°E | S3 | GC | D3 | Linyphiidae | <i>Oedothorax apicatus</i> | 2 | 1  | 0 |
| BUR | 50.591480°N | 5.115247°E | S3 | GC | D4 | Linyphiidae | <i>Oedothorax apicatus</i> | 1 | 0  | 0 |
| BUR | 50.591445°N | 5.109735°E | S2 | GF | D3 | Linyphiidae | <i>Oedothorax apicatus</i> | 0 | 2  | 0 |
| BUR | 50.591445°N | 5.109735°E | S2 | GF | D4 | Linyphiidae | <i>Oedothorax apicatus</i> | 0 | 1  | 0 |
| BUR | 50.591294°N | 5.112114°E | S2 | HC | D4 | Linyphiidae | <i>Oedothorax apicatus</i> | 0 | 1  | 0 |
| BUR | 50.591294°N | 5.112114°E | S2 | HC | D4 | Linyphiidae | <i>Oedothorax apicatus</i> | 0 | 1  | 0 |
| BUR | 50.591294°N | 5.112114°E | S3 | HC | D2 | Linyphiidae | <i>Oedothorax apicatus</i> | 3 | 0  | 0 |
| BUR | 50.591294°N | 5.112114°E | S3 | HC | D3 | Linyphiidae | <i>Oedothorax apicatus</i> | 1 | 0  | 0 |
| BUR | 50.591294°N | 5.112114°E | S3 | HC | D4 | Linyphiidae | <i>Oedothorax apicatus</i> | 2 | 0  | 0 |
| BUR | 50.591411°N | 5.111974°E | S2 | HF | D3 | Linyphiidae | <i>Oedothorax apicatus</i> | 0 | 1  | 0 |
| BUR | 50.591411°N | 5.111974°E | S2 | HF | D3 | Linyphiidae | <i>Oedothorax apicatus</i> | 0 | 1  | 0 |
| BUR | 50.591411°N | 5.111974°E | S2 | HF | D4 | Linyphiidae | <i>Oedothorax apicatus</i> | 0 | 1  | 0 |
| CHA | 50.390296°N | 4.589377°E | S2 | GC | D2 | Linyphiidae | <i>Oedothorax apicatus</i> | 0 | 1  | 0 |
| CHA | 50.390296°N | 4.589377°E | S2 | GC | D3 | Linyphiidae | <i>Oedothorax apicatus</i> | 0 | 2  | 0 |
| CHA | 50.390296°N | 4.589377°E | S2 | GC | D4 | Linyphiidae | <i>Oedothorax apicatus</i> | 0 | 1  | 0 |
| CHA | 50.390296°N | 4.589377°E | S2 | GC | D2 | Linyphiidae | <i>Oedothorax apicatus</i> | 0 | 2  | 0 |
| CHA | 50.390296°N | 4.589377°E | S2 | GC | D3 | Linyphiidae | <i>Oedothorax apicatus</i> | 0 | 2  | 0 |
| CHA | 50.390296°N | 4.589377°E | S2 | GC | D4 | Linyphiidae | <i>Oedothorax apicatus</i> | 0 | 2  | 0 |
| CHA | 50.390296°N | 4.589377°E | S3 | GC | D1 | Linyphiidae | <i>Oedothorax apicatus</i> | 0 | 1  | 0 |
| CHA | 50.390296°N | 4.589377°E | S3 | GC | D2 | Linyphiidae | <i>Oedothorax apicatus</i> | 0 | 6  | 0 |
| CHA | 50.390296°N | 4.589377°E | S3 | GC | D3 | Linyphiidae | <i>Oedothorax apicatus</i> | 1 | 8  | 0 |
| CHA | 50.390296°N | 4.589377°E | S3 | GC | D4 | Linyphiidae | <i>Oedothorax apicatus</i> | 0 | 10 | 0 |
| CHA | 50.390296°N | 4.589377°E | S3 | GC | D3 | Linyphiidae | <i>Oedothorax apicatus</i> | 1 | 3  | 0 |
| CHA | 50.390272°N | 4.589005°E | S1 | GF | D4 | Linyphiidae | <i>Oedothorax apicatus</i> | 0 | 1  | 0 |
| CHA | 50.390272°N | 4.589005°E | S2 | GF | D3 | Linyphiidae | <i>Oedothorax apicatus</i> | 0 | 1  | 0 |
| CHA | 50.390272°N | 4.589005°E | S2 | GF | D4 | Linyphiidae | <i>Oedothorax apicatus</i> | 0 | 1  | 0 |
| CHA | 50.390272°N | 4.589005°E | S3 | GF | D2 | Linyphiidae | <i>Oedothorax apicatus</i> | 0 | 3  | 0 |
| CHA | 50.390272°N | 4.589005°E | S3 | GF | D3 | Linyphiidae | <i>Oedothorax apicatus</i> | 0 | 7  | 0 |
| CHA | 50.390272°N | 4.589005°E | S3 | GF | D2 | Linyphiidae | <i>Oedothorax apicatus</i> | 0 | 5  | 0 |
| CHA | 50.390272°N | 4.589005°E | S3 | GF | D3 | Linyphiidae | <i>Oedothorax apicatus</i> | 1 | 0  | 0 |
| CHA | 50.392478°N | 4.590955°E | S1 | HC | D4 | Linyphiidae | <i>Oedothorax apicatus</i> | 0 | 1  | 0 |
| CHA | 50.392478°N | 4.590955°E | S1 | HC | D4 | Linyphiidae | <i>Oedothorax apicatus</i> | 1 | 0  | 0 |
| CHA | 50.392478°N | 4.590955°E | S2 | HC | D2 | Linyphiidae | <i>Oedothorax apicatus</i> | 0 | 4  | 0 |
| CHA | 50.392478°N | 4.590955°E | S2 | HC | D4 | Linyphiidae | <i>Oedothorax apicatus</i> | 0 | 4  | 0 |
| CHA | 50.392478°N | 4.590955°E | S2 | HC | D3 | Linyphiidae | <i>Oedothorax apicatus</i> | 0 | 4  | 0 |
| CHA | 50.392478°N | 4.590955°E | S2 | HC | D4 | Linyphiidae | <i>Oedothorax apicatus</i> | 0 | 1  | 0 |
| CHA | 50.392478°N | 4.590955°E | S3 | HC | D2 | Linyphiidae | <i>Oedothorax apicatus</i> | 0 | 1  | 0 |
| CHA | 50.392478°N | 4.590955°E | S3 | HC | D3 | Linyphiidae | <i>Oedothorax apicatus</i> | 0 | 1  | 0 |
| CHA | 50.392478°N | 4.590955°E | S3 | HC | D3 | Linyphiidae | <i>Oedothorax apicatus</i> | 0 | 2  | 0 |
| CHA | 50.392478°N | 4.590955°E | S3 | HC | D4 | Linyphiidae | <i>Oedothorax apicatus</i> | 0 | 4  | 0 |
| CHA | 50.390023°N | 4.587227°E | S2 | HF | D3 | Linyphiidae | <i>Oedothorax apicatus</i> | 0 | 4  | 0 |
| CHA | 50.390023°N | 4.587227°E | S2 | HF | D4 | Linyphiidae | <i>Oedothorax apicatus</i> | 0 | 1  | 0 |
| CHA | 50.390023°N | 4.587227°E | S3 | HF | D3 | Linyphiidae | <i>Oedothorax apicatus</i> | 2 | 1  | 0 |
| CHA | 50.390023°N | 4.587227°E | S3 | HF | D3 | Linyphiidae | <i>Oedothorax apicatus</i> | 1 | 0  | 0 |
| FOS | 50.396471°N | 4.658446°E | S1 | GC | D2 | Linyphiidae | <i>Oedothorax apicatus</i> | 1 | 0  | 0 |
| FOS | 50.396471°N | 4.658446°E | S2 | GC | D4 | Linyphiidae | <i>Oedothorax apicatus</i> | 0 | 1  | 0 |
| FOS | 50.396471°N | 4.658446°E | S2 | GC | D2 | Linyphiidae | <i>Oedothorax apicatus</i> | 0 | 1  | 0 |

|     |             |            |    |    |    |             |                            |    |    |   |
|-----|-------------|------------|----|----|----|-------------|----------------------------|----|----|---|
| FOS | 50.396471°N | 4.658446°E | S2 | GC | D4 | Linyphiidae | <i>Oedothorax apicatus</i> | 0  | 2  | 0 |
| FOS | 50.396471°N | 4.658446°E | S3 | GC | D2 | Linyphiidae | <i>Oedothorax apicatus</i> | 1  | 8  | 0 |
| FOS | 50.396471°N | 4.658446°E | S3 | GC | D3 | Linyphiidae | <i>Oedothorax apicatus</i> | 0  | 2  | 0 |
| FOS | 50.396471°N | 4.658446°E | S3 | GC | D4 | Linyphiidae | <i>Oedothorax apicatus</i> | 0  | 10 | 0 |
| FOS | 50.396471°N | 4.658446°E | S3 | GC | D2 | Linyphiidae | <i>Oedothorax apicatus</i> | 1  | 2  | 0 |
| FOS | 50.396471°N | 4.658446°E | S3 | GC | D3 | Linyphiidae | <i>Oedothorax apicatus</i> | 0  | 3  | 0 |
| FOS | 50.396471°N | 4.658446°E | S3 | GC | D4 | Linyphiidae | <i>Oedothorax apicatus</i> | 0  | 3  | 0 |
| FOS | 50.397782°N | 4.656511°E | S1 | GF | D2 | Linyphiidae | <i>Oedothorax apicatus</i> | 2  | 1  | 0 |
| FOS | 50.397782°N | 4.656511°E | S1 | GF | D3 | Linyphiidae | <i>Oedothorax apicatus</i> | 1  | 0  | 0 |
| FOS | 50.397782°N | 4.656511°E | S2 | GF | D4 | Linyphiidae | <i>Oedothorax apicatus</i> | 0  | 1  | 0 |
| FOS | 50.397179°N | 4.653627°E | S1 | HC | D2 | Linyphiidae | <i>Oedothorax apicatus</i> | 0  | 1  | 0 |
| FOS | 50.397179°N | 4.653627°E | S1 | HC | D4 | Linyphiidae | <i>Oedothorax apicatus</i> | 1  | 1  | 0 |
| FOS | 50.397179°N | 4.653627°E | S1 | HC | D4 | Linyphiidae | <i>Oedothorax apicatus</i> | 1  | 0  | 0 |
| FOS | 50.397179°N | 4.653627°E | S2 | HC | D4 | Linyphiidae | <i>Oedothorax apicatus</i> | 0  | 1  | 0 |
| FOS | 50.397179°N | 4.653627°E | S2 | HC | D2 | Linyphiidae | <i>Oedothorax apicatus</i> | 0  | 1  | 0 |
| FOS | 50.397179°N | 4.653627°E | S3 | HC | D2 | Linyphiidae | <i>Oedothorax apicatus</i> | 0  | 1  | 0 |
| FOS | 50.397662°N | 4.658558°E | S1 | HF | D3 | Linyphiidae | <i>Oedothorax apicatus</i> | 1  | 0  | 0 |
| FOS | 50.397662°N | 4.658558°E | S1 | HF | D4 | Linyphiidae | <i>Oedothorax apicatus</i> | 1  | 0  | 0 |
| FOS | 50.397662°N | 4.658558°E | S2 | HF | D4 | Linyphiidae | <i>Oedothorax apicatus</i> | 0  | 2  | 0 |
| FOS | 50.397662°N | 4.658558°E | S3 | HF | D3 | Linyphiidae | <i>Oedothorax apicatus</i> | 0  | 3  | 0 |
| FOS | 50.397662°N | 4.658558°E | S3 | HF | D4 | Linyphiidae | <i>Oedothorax apicatus</i> | 0  | 9  | 0 |
| FOS | 50.397662°N | 4.658558°E | S3 | HF | D3 | Linyphiidae | <i>Oedothorax apicatus</i> | 1  | 2  | 0 |
| HER | 50.538970°N | 5.087527°E | S2 | GC | D2 | Linyphiidae | <i>Oedothorax apicatus</i> | 0  | 2  | 0 |
| HER | 50.538970°N | 5.087527°E | S2 | GC | D3 | Linyphiidae | <i>Oedothorax apicatus</i> | 0  | 1  | 0 |
| HER | 50.538970°N | 5.087527°E | S2 | GC | D4 | Linyphiidae | <i>Oedothorax apicatus</i> | 0  | 1  | 0 |
| HER | 50.538970°N | 5.087527°E | S2 | GC | D1 | Linyphiidae | <i>Oedothorax apicatus</i> | 0  | 1  | 0 |
| HER | 50.538970°N | 5.087527°E | S2 | GC | D3 | Linyphiidae | <i>Oedothorax apicatus</i> | 0  | 1  | 0 |
| HER | 50.538970°N | 5.087527°E | S2 | GC | D4 | Linyphiidae | <i>Oedothorax apicatus</i> | 0  | 3  | 0 |
| HER | 50.538970°N | 5.087527°E | S3 | GC | D1 | Linyphiidae | <i>Oedothorax apicatus</i> | 1  | 2  | 0 |
| HER | 50.538970°N | 5.087527°E | S3 | GC | D2 | Linyphiidae | <i>Oedothorax apicatus</i> | 14 | 4  | 0 |
| HER | 50.538970°N | 5.087527°E | S3 | GC | D3 | Linyphiidae | <i>Oedothorax apicatus</i> | 2  | 2  | 0 |
| HER | 50.538970°N | 5.087527°E | S3 | GC | D4 | Linyphiidae | <i>Oedothorax apicatus</i> | 7  | 7  | 0 |
| HER | 50.538970°N | 5.087527°E | S3 | GC | D1 | Linyphiidae | <i>Oedothorax apicatus</i> | 1  | 0  | 0 |
| HER | 50.538970°N | 5.087527°E | S3 | GC | D2 | Linyphiidae | <i>Oedothorax apicatus</i> | 11 | 5  | 0 |
| HER | 50.538970°N | 5.087527°E | S3 | GC | D3 | Linyphiidae | <i>Oedothorax apicatus</i> | 4  | 0  | 0 |
| HER | 50.537879°N | 5.089543°E | S2 | GF | D4 | Linyphiidae | <i>Oedothorax apicatus</i> | 0  | 1  | 0 |
| HER | 50.537879°N | 5.089543°E | S3 | GF | D1 | Linyphiidae | <i>Oedothorax apicatus</i> | 1  | 0  | 0 |
| HER | 50.540099°N | 5.088086°E | S2 | HC | D4 | Linyphiidae | <i>Oedothorax apicatus</i> | 0  | 2  | 0 |
| HER | 50.540099°N | 5.088086°E | S2 | HC | D2 | Linyphiidae | <i>Oedothorax apicatus</i> | 0  | 1  | 0 |
| HER | 50.540099°N | 5.088086°E | S2 | HC | D3 | Linyphiidae | <i>Oedothorax apicatus</i> | 0  | 1  | 0 |
| HER | 50.540099°N | 5.088086°E | S2 | HC | D4 | Linyphiidae | <i>Oedothorax apicatus</i> | 1  | 3  | 0 |
| HER | 50.540099°N | 5.088086°E | S3 | HC | D3 | Linyphiidae | <i>Oedothorax apicatus</i> | 1  | 5  | 0 |
| HER | 50.540099°N | 5.088086°E | S3 | HC | D4 | Linyphiidae | <i>Oedothorax apicatus</i> | 0  | 3  | 0 |
| HER | 50.539276°N | 5.092059°E | S2 | HF | D4 | Linyphiidae | <i>Oedothorax apicatus</i> | 0  | 2  | 0 |
| HER | 50.539276°N | 5.092059°E | S3 | HF | D4 | Linyphiidae | <i>Oedothorax apicatus</i> | 0  | 1  | 0 |
| MAN | 50.500613°N | 4.275502°E | S2 | GC | D4 | Linyphiidae | <i>Oedothorax apicatus</i> | 0  | 1  | 0 |
| MAN | 50.497803°N | 4.277319°E | S2 | GF | D3 | Linyphiidae | <i>Oedothorax apicatus</i> | 0  | 3  | 0 |
| MAN | 50.497803°N | 4.277319°E | S2 | GF | D4 | Linyphiidae | <i>Oedothorax apicatus</i> | 0  | 1  | 0 |
| MAN | 50.498513°N | 4.277361°E | S2 | HC | D3 | Linyphiidae | <i>Oedothorax apicatus</i> | 0  | 1  | 0 |
| MAN | 50.498513°N | 4.277361°E | S2 | HC | D4 | Linyphiidae | <i>Oedothorax apicatus</i> | 0  | 1  | 0 |

|     |             |            |    |    |    |             |                                 |   |   |   |
|-----|-------------|------------|----|----|----|-------------|---------------------------------|---|---|---|
| MAN | 50.498513°N | 4.277361°E | S3 | HC | D3 | Linyphiidae | <i>Oedothorax apicatus</i>      | 1 | 0 | 0 |
| MAN | 50.496593°N | 4.276469°E | S3 | HF | D4 | Linyphiidae | <i>Oedothorax apicatus</i>      | 1 | 0 | 0 |
| SAM | 50.489556°N | 4.612416°E | S3 | GC | D3 | Linyphiidae | <i>Oedothorax apicatus</i>      | 0 | 1 | 0 |
| SAM | 50.487345°N | 4.612687°E | S3 | GF | D3 | Linyphiidae | <i>Oedothorax apicatus</i>      | 0 | 2 | 0 |
| SAM | 50.485774°N | 4.616688°E | S2 | HF | D4 | Linyphiidae | <i>Oedothorax apicatus</i>      | 0 | 1 | 0 |
| SAM | 50.485774°N | 4.616688°E | S2 | HF | D4 | Linyphiidae | <i>Oedothorax apicatus</i>      | 0 | 1 | 0 |
| THU | 50.289036°N | 4.263537°E | S3 | GF | D3 | Linyphiidae | <i>Oedothorax apicatus</i>      | 0 | 1 | 0 |
| THU | 50.289036°N | 4.263537°E | S3 | GF | D3 | Linyphiidae | <i>Oedothorax apicatus</i>      | 0 | 1 | 0 |
| THU | 50.288457°N | 4.256949°E | S2 | HC | D3 | Linyphiidae | <i>Oedothorax apicatus</i>      | 0 | 1 | 0 |
| THU | 50.303252°N | 4.331577°E | S3 | HF | D4 | Linyphiidae | <i>Oedothorax apicatus</i>      | 0 | 2 | 0 |
| THU | 50.303252°N | 4.331577°E | S3 | HF | D4 | Linyphiidae | <i>Oedothorax apicatus</i>      | 0 | 2 | 0 |
| BUR | 50.591294°N | 5.112114°E | S2 | HC | D3 | Linyphiidae | <i>Oedothorax fuscus</i>        | 0 | 1 | 0 |
| CHA | 50.390272°N | 4.589005°E | S2 | GF | D4 | Linyphiidae | <i>Oedothorax fuscus</i>        | 0 | 1 | 0 |
| CHA | 50.392478°N | 4.590955°E | S2 | HC | D2 | Linyphiidae | <i>Oedothorax fuscus</i>        | 0 | 1 | 0 |
| FOS | 50.397179°N | 4.653627°E | S2 | HC | D2 | Linyphiidae | <i>Oedothorax fuscus</i>        | 0 | 1 | 0 |
| FOS | 50.397179°N | 4.653627°E | S2 | HC | D2 | Linyphiidae | <i>Oedothorax fuscus</i>        | 0 | 2 | 0 |
| FOS | 50.397179°N | 4.653627°E | S3 | HC | D2 | Linyphiidae | <i>Oedothorax fuscus</i>        | 0 | 1 | 0 |
| HER | 50.538970°N | 5.087527°E | S2 | GC | D4 | Linyphiidae | <i>Oedothorax fuscus</i>        | 0 | 1 | 0 |
| HER | 50.538970°N | 5.087527°E | S2 | GC | D4 | Linyphiidae | <i>Oedothorax fuscus</i>        | 0 | 1 | 0 |
| HER | 50.538970°N | 5.087527°E | S3 | GC | D4 | Linyphiidae | <i>Oedothorax fuscus</i>        | 1 | 0 | 0 |
| HER | 50.538970°N | 5.087527°E | S3 | GC | D2 | Linyphiidae | <i>Oedothorax fuscus</i>        | 1 | 0 | 0 |
| HER | 50.538970°N | 5.087527°E | S3 | GC | D3 | Linyphiidae | <i>Oedothorax fuscus</i>        | 1 | 0 | 0 |
| HER | 50.540099°N | 5.088086°E | S2 | HC | D4 | Linyphiidae | <i>Oedothorax fuscus</i>        | 0 | 3 | 0 |
| HER | 50.540099°N | 5.088086°E | S3 | HC | D4 | Linyphiidae | <i>Oedothorax fuscus</i>        | 0 | 2 | 0 |
| MAN | 50.497803°N | 4.277319°E | S2 | GF | D3 | Linyphiidae | <i>Oedothorax fuscus</i>        | 0 | 1 | 0 |
| MAN | 50.496593°N | 4.276469°E | S3 | HF | D3 | Linyphiidae | <i>Oedothorax fuscus</i>        | 0 | 1 | 0 |
| SAM | 50.489556°N | 4.612416°E | S2 | GC | D3 | Linyphiidae | <i>Oedothorax fuscus</i>        | 0 | 1 | 0 |
| SAM | 50.487345°N | 4.612687°E | S2 | GF | D2 | Linyphiidae | <i>Oedothorax fuscus</i>        | 0 | 2 | 0 |
| SAM | 50.487345°N | 4.612687°E | S2 | GF | D1 | Linyphiidae | <i>Oedothorax fuscus</i>        | 0 | 1 | 0 |
| THU | 50.305897°N | 4.331210°E | S2 | GC | D3 | Linyphiidae | <i>Oedothorax fuscus</i>        | 0 | 1 | 0 |
| HER | 50.538970°N | 5.087527°E | S3 | GC | D2 | Linyphiidae | <i>Oedothorax retusus</i>       | 1 | 0 | 0 |
| PHI | 50.104107°N | 4.607196°E | S2 | GC | D4 | Linyphiidae | <i>Oedothorax retusus</i>       | 0 | 2 | 0 |
| PHI | 50.108510°N | 4.611973°E | S2 | GF | D4 | Linyphiidae | <i>Oedothorax retusus</i>       | 0 | 3 | 0 |
| PHI | 50.106959°N | 4.613748°E | S2 | HC | D1 | Linyphiidae | <i>Oedothorax retusus</i>       | 1 | 0 | 0 |
| PHI | 50.108405°N | 4.616025°E | S2 | HF | D3 | Linyphiidae | <i>Oedothorax retusus</i>       | 0 | 2 | 0 |
| SAM | 50.485917°N | 4.617327°E | S1 | HC | D3 | Linyphiidae | <i>Ostearius melanopygius</i>   | 0 | 0 | 1 |
| SAM | 50.489556°N | 4.612416°E | S1 | GC | D4 | Linyphiidae | <i>Palliduphantes insignis</i>  | 1 | 0 | 0 |
| HER | 50.538970°N | 5.087527°E | S3 | GC | D2 | Linyphiidae | <i>Palliduphantes pallidus</i>  | 0 | 1 | 0 |
| HER | 50.540099°N | 5.088086°E | S1 | HC | D4 | Linyphiidae | <i>Palliduphantes pallidus</i>  | 1 | 0 | 0 |
| MAN | 50.497803°N | 4.277319°E | S1 | GF | D1 | Linyphiidae | <i>Palliduphantes pallidus</i>  | 1 | 0 | 0 |
| CHA | 50.392478°N | 4.590955°E | S1 | HC | D4 | Linyphiidae | <i>Porrhomma microphthalmum</i> | 0 | 1 | 0 |
| FOS | 50.396471°N | 4.658446°E | S1 | GC | D4 | Linyphiidae | <i>Prinerigone vagans</i>       | 1 | 0 | 0 |
| PHI | 50.104107°N | 4.607196°E | S2 | GC | D1 | Linyphiidae | <i>Sintula corniger</i>         | 1 | 0 | 0 |
| BUR | 50.591294°N | 5.112114°E | S1 | HC | D1 | Linyphiidae | <i>Stemonyphantes lineatus</i>  | 0 | 1 | 0 |
| MAN | 50.498513°N | 4.277361°E | S1 | HC | D4 | Linyphiidae | <i>Stemonyphantes lineatus</i>  | 0 | 1 | 0 |
| HER | 50.537879°N | 5.089543°E | S2 | GF | D1 | Linyphiidae | <i>Styloctetor compar</i>       | 1 | 0 | 0 |
| ARB | 50.371947°N | 4.829153°E | S1 | GC | D4 | Linyphiidae | <i>Tenuiphantes tenuis</i>      | 1 | 0 | 0 |
| ARB | 50.371947°N | 4.829153°E | S1 | GC | D1 | Linyphiidae | <i>Tenuiphantes tenuis</i>      | 1 | 0 | 0 |
| ARB | 50.372361°N | 4.812787°E | S1 | GF | D4 | Linyphiidae | <i>Tenuiphantes tenuis</i>      | 1 | 0 | 0 |

|     |             |            |    |    |    |             |                            |   |   |   |
|-----|-------------|------------|----|----|----|-------------|----------------------------|---|---|---|
| ARB | 50.372361°N | 4.812787°E | S1 | GF | D3 | Linyphiidae | <i>Tenuiphantes tenuis</i> | 1 | 0 | 0 |
| ARB | 50.371572°N | 4.827268°E | S1 | HC | D3 | Linyphiidae | <i>Tenuiphantes tenuis</i> | 1 | 0 | 0 |
| BUR | 50.591480°N | 5.115247°E | S2 | GC | D1 | Linyphiidae | <i>Tenuiphantes tenuis</i> | 1 | 0 | 0 |
| BUR | 50.591480°N | 5.115247°E | S3 | GC | D2 | Linyphiidae | <i>Tenuiphantes tenuis</i> | 5 | 3 | 0 |
| BUR | 50.591480°N | 5.115247°E | S3 | GC | D3 | Linyphiidae | <i>Tenuiphantes tenuis</i> | 4 | 2 | 0 |
| BUR | 50.591480°N | 5.115247°E | S3 | GC | D4 | Linyphiidae | <i>Tenuiphantes tenuis</i> | 3 | 1 | 0 |
| BUR | 50.591480°N | 5.115247°E | S3 | GC | D1 | Linyphiidae | <i>Tenuiphantes tenuis</i> | 2 | 1 | 0 |
| BUR | 50.591480°N | 5.115247°E | S3 | GC | D2 | Linyphiidae | <i>Tenuiphantes tenuis</i> | 2 | 0 | 0 |
| BUR | 50.591480°N | 5.115247°E | S3 | GC | D3 | Linyphiidae | <i>Tenuiphantes tenuis</i> | 4 | 0 | 0 |
| BUR | 50.591480°N | 5.115247°E | S3 | GC | D4 | Linyphiidae | <i>Tenuiphantes tenuis</i> | 1 | 1 | 0 |
| BUR | 50.591445°N | 5.109735°E | S1 | GF | D1 | Linyphiidae | <i>Tenuiphantes tenuis</i> | 1 | 0 | 0 |
| BUR | 50.591294°N | 5.112114°E | S2 | HC | D4 | Linyphiidae | <i>Tenuiphantes tenuis</i> | 1 | 0 | 0 |
| BUR | 50.591294°N | 5.112114°E | S3 | HC | D2 | Linyphiidae | <i>Tenuiphantes tenuis</i> | 2 | 0 | 0 |
| BUR | 50.591294°N | 5.112114°E | S3 | HC | D3 | Linyphiidae | <i>Tenuiphantes tenuis</i> | 0 | 2 | 0 |
| BUR | 50.591294°N | 5.112114°E | S3 | HC | D4 | Linyphiidae | <i>Tenuiphantes tenuis</i> | 1 | 0 | 0 |
| BUR | 50.591294°N | 5.112114°E | S3 | HC | D3 | Linyphiidae | <i>Tenuiphantes tenuis</i> | 2 | 1 | 0 |
| BUR | 50.591411°N | 5.111974°E | S3 | HF | D3 | Linyphiidae | <i>Tenuiphantes tenuis</i> | 1 | 0 | 0 |
| CHA | 50.390296°N | 4.589377°E | S1 | GC | D1 | Linyphiidae | <i>Tenuiphantes tenuis</i> | 1 | 0 | 0 |
| CHA | 50.390296°N | 4.589377°E | S3 | GC | D1 | Linyphiidae | <i>Tenuiphantes tenuis</i> | 0 | 1 | 0 |
| CHA | 50.390272°N | 4.589005°E | S1 | GF | D4 | Linyphiidae | <i>Tenuiphantes tenuis</i> | 1 | 0 | 0 |
| CHA | 50.390272°N | 4.589005°E | S3 | GF | D2 | Linyphiidae | <i>Tenuiphantes tenuis</i> | 0 | 1 | 0 |
| CHA | 50.390272°N | 4.589005°E | S3 | GF | D3 | Linyphiidae | <i>Tenuiphantes tenuis</i> | 1 | 0 | 0 |
| CHA | 50.390272°N | 4.589005°E | S3 | GF | D2 | Linyphiidae | <i>Tenuiphantes tenuis</i> | 0 | 1 | 0 |
| CHA | 50.392478°N | 4.590955°E | S1 | HC | D4 | Linyphiidae | <i>Tenuiphantes tenuis</i> | 2 | 1 | 0 |
| CHA | 50.392478°N | 4.590955°E | S1 | HC | D1 | Linyphiidae | <i>Tenuiphantes tenuis</i> | 0 | 1 | 0 |
| CHA | 50.392478°N | 4.590955°E | S2 | HC | D4 | Linyphiidae | <i>Tenuiphantes tenuis</i> | 1 | 0 | 0 |
| CHA | 50.392478°N | 4.590955°E | S3 | HC | D3 | Linyphiidae | <i>Tenuiphantes tenuis</i> | 0 | 1 | 0 |
| FOS | 50.396471°N | 4.658446°E | S1 | GC | D4 | Linyphiidae | <i>Tenuiphantes tenuis</i> | 3 | 0 | 0 |
| FOS | 50.396471°N | 4.658446°E | S3 | GC | D4 | Linyphiidae | <i>Tenuiphantes tenuis</i> | 1 | 0 | 0 |
| FOS | 50.397782°N | 4.656511°E | S1 | GF | D2 | Linyphiidae | <i>Tenuiphantes tenuis</i> | 2 | 0 | 0 |
| FOS | 50.397782°N | 4.656511°E | S1 | GF | D4 | Linyphiidae | <i>Tenuiphantes tenuis</i> | 1 | 0 | 0 |
| FOS | 50.397782°N | 4.656511°E | S3 | GF | D1 | Linyphiidae | <i>Tenuiphantes tenuis</i> | 1 | 0 | 0 |
| FOS | 50.397782°N | 4.656511°E | S3 | GF | D1 | Linyphiidae | <i>Tenuiphantes tenuis</i> | 1 | 0 | 0 |
| FOS | 50.397179°N | 4.653627°E | S1 | HC | D4 | Linyphiidae | <i>Tenuiphantes tenuis</i> | 0 | 1 | 0 |
| FOS | 50.397662°N | 4.658558°E | S1 | HF | D2 | Linyphiidae | <i>Tenuiphantes tenuis</i> | 1 | 1 | 0 |
| FOS | 50.397662°N | 4.658558°E | S1 | HF | D4 | Linyphiidae | <i>Tenuiphantes tenuis</i> | 0 | 1 | 0 |
| FOS | 50.397662°N | 4.658558°E | S3 | HF | D3 | Linyphiidae | <i>Tenuiphantes tenuis</i> | 0 | 1 | 0 |
| FOS | 50.397662°N | 4.658558°E | S3 | HF | D3 | Linyphiidae | <i>Tenuiphantes tenuis</i> | 1 | 1 | 0 |
| HER | 50.538970°N | 5.087527°E | S1 | GC | D4 | Linyphiidae | <i>Tenuiphantes tenuis</i> | 2 | 0 | 0 |
| HER | 50.538970°N | 5.087527°E | S1 | GC | D1 | Linyphiidae | <i>Tenuiphantes tenuis</i> | 0 | 1 | 0 |
| HER | 50.538970°N | 5.087527°E | S1 | GC | D2 | Linyphiidae | <i>Tenuiphantes tenuis</i> | 0 | 1 | 0 |
| HER | 50.538970°N | 5.087527°E | S1 | GC | D4 | Linyphiidae | <i>Tenuiphantes tenuis</i> | 2 | 1 | 0 |
| HER | 50.538970°N | 5.087527°E | S1 | GC | D4 | Linyphiidae | <i>Tenuiphantes tenuis</i> | 1 | 0 | 0 |
| HER | 50.538970°N | 5.087527°E | S2 | GC | D1 | Linyphiidae | <i>Tenuiphantes tenuis</i> | 0 | 1 | 0 |
| HER | 50.538970°N | 5.087527°E | S2 | GC | D2 | Linyphiidae | <i>Tenuiphantes tenuis</i> | 4 | 0 | 0 |
| HER | 50.538970°N | 5.087527°E | S2 | GC | D3 | Linyphiidae | <i>Tenuiphantes tenuis</i> | 1 | 0 | 0 |
| HER | 50.538970°N | 5.087527°E | S2 | GC | D4 | Linyphiidae | <i>Tenuiphantes tenuis</i> | 1 | 0 | 0 |
| HER | 50.538970°N | 5.087527°E | S2 | GC | D3 | Linyphiidae | <i>Tenuiphantes tenuis</i> | 1 | 1 | 0 |
| HER | 50.538970°N | 5.087527°E | S2 | GC | D4 | Linyphiidae | <i>Tenuiphantes tenuis</i> | 1 | 0 | 0 |
| HER | 50.538970°N | 5.087527°E | S3 | GC | D1 | Linyphiidae | <i>Tenuiphantes tenuis</i> | 0 | 1 | 0 |

|     |             |            |    |    |    |             |                                 |   |   |   |
|-----|-------------|------------|----|----|----|-------------|---------------------------------|---|---|---|
| HER | 50.538970°N | 5.087527°E | S3 | GC | D3 | Linyphiidae | <i>Tenuiphantes tenuis</i>      | 5 | 0 | 0 |
| HER | 50.538970°N | 5.087527°E | S3 | GC | D4 | Linyphiidae | <i>Tenuiphantes tenuis</i>      | 5 | 1 | 0 |
| HER | 50.538970°N | 5.087527°E | S3 | GC | D2 | Linyphiidae | <i>Tenuiphantes tenuis</i>      | 7 | 1 | 0 |
| HER | 50.538970°N | 5.087527°E | S3 | GC | D3 | Linyphiidae | <i>Tenuiphantes tenuis</i>      | 3 | 1 | 0 |
| HER | 50.538970°N | 5.087527°E | S3 | GC | D4 | Linyphiidae | <i>Tenuiphantes tenuis</i>      | 5 | 0 | 1 |
| HER | 50.537879°N | 5.089543°E | S1 | GF | D3 | Linyphiidae | <i>Tenuiphantes tenuis</i>      | 2 | 0 | 0 |
| HER | 50.537879°N | 5.089543°E | S1 | GF | D3 | Linyphiidae | <i>Tenuiphantes tenuis</i>      | 1 | 1 | 0 |
| HER | 50.537879°N | 5.089543°E | S1 | GF | D4 | Linyphiidae | <i>Tenuiphantes tenuis</i>      | 1 | 0 | 0 |
| HER | 50.540099°N | 5.088086°E | S1 | HC | D4 | Linyphiidae | <i>Tenuiphantes tenuis</i>      | 1 | 0 | 0 |
| HER | 50.540099°N | 5.088086°E | S2 | HC | D4 | Linyphiidae | <i>Tenuiphantes tenuis</i>      | 0 | 2 | 0 |
| HER | 50.540099°N | 5.088086°E | S3 | HC | D4 | Linyphiidae | <i>Tenuiphantes tenuis</i>      | 1 | 0 | 0 |
| HER | 50.539276°N | 5.092059°E | S2 | HF | D4 | Linyphiidae | <i>Tenuiphantes tenuis</i>      | 0 | 1 | 0 |
| MAN | 50.500613°N | 4.275502°E | S1 | GC | D3 | Linyphiidae | <i>Tenuiphantes tenuis</i>      | 1 | 0 | 0 |
| MAN | 50.500613°N | 4.275502°E | S1 | GC | D1 | Linyphiidae | <i>Tenuiphantes tenuis</i>      | 1 | 0 | 0 |
| MAN | 50.500613°N | 4.275502°E | S2 | GC | D2 | Linyphiidae | <i>Tenuiphantes tenuis</i>      | 3 | 0 | 0 |
| MAN | 50.500613°N | 4.275502°E | S2 | GC | D4 | Linyphiidae | <i>Tenuiphantes tenuis</i>      | 0 | 1 | 0 |
| MAN | 50.497803°N | 4.277319°E | S1 | GF | D3 | Linyphiidae | <i>Tenuiphantes tenuis</i>      | 1 | 0 | 0 |
| MAN | 50.497803°N | 4.277319°E | S2 | GF | D3 | Linyphiidae | <i>Tenuiphantes tenuis</i>      | 1 | 0 | 0 |
| MAN | 50.497803°N | 4.277319°E | S2 | GF | D3 | Linyphiidae | <i>Tenuiphantes tenuis</i>      | 1 | 0 | 0 |
| MAN | 50.497803°N | 4.277319°E | S2 | GF | D4 | Linyphiidae | <i>Tenuiphantes tenuis</i>      | 1 | 0 | 0 |
| MAN | 50.498513°N | 4.277361°E | S1 | HC | D2 | Linyphiidae | <i>Tenuiphantes tenuis</i>      | 2 | 0 | 0 |
| MAN | 50.498513°N | 4.277361°E | S1 | HC | D3 | Linyphiidae | <i>Tenuiphantes tenuis</i>      | 2 | 0 | 0 |
| MAN | 50.498513°N | 4.277361°E | S2 | HC | D1 | Linyphiidae | <i>Tenuiphantes tenuis</i>      | 1 | 0 | 0 |
| MAN | 50.498513°N | 4.277361°E | S3 | HC | D2 | Linyphiidae | <i>Tenuiphantes tenuis</i>      | 0 | 1 | 0 |
| MAN | 50.498513°N | 4.277361°E | S3 | HC | D3 | Linyphiidae | <i>Tenuiphantes tenuis</i>      | 2 | 0 | 0 |
| MAN | 50.498513°N | 4.277361°E | S3 | HC | D4 | Linyphiidae | <i>Tenuiphantes tenuis</i>      | 1 | 0 | 0 |
| MAN | 50.496593°N | 4.276469°E | S1 | HF | D4 | Linyphiidae | <i>Tenuiphantes tenuis</i>      | 1 | 0 | 0 |
| MAN | 50.496593°N | 4.276469°E | S2 | HF | D4 | Linyphiidae | <i>Tenuiphantes tenuis</i>      | 2 | 0 | 0 |
| MAN | 50.496593°N | 4.276469°E | S2 | HF | D3 | Linyphiidae | <i>Tenuiphantes tenuis</i>      | 1 | 0 | 0 |
| MAN | 50.496593°N | 4.276469°E | S2 | HF | D4 | Linyphiidae | <i>Tenuiphantes tenuis</i>      | 2 | 0 | 0 |
| PHI | 50.108510°N | 4.611973°E | S1 | GF | D2 | Linyphiidae | <i>Tenuiphantes tenuis</i>      | 1 | 0 | 0 |
| PHI | 50.108510°N | 4.611973°E | S1 | GF | D4 | Linyphiidae | <i>Tenuiphantes tenuis</i>      | 1 | 1 | 0 |
| SAM | 50.489556°N | 4.612416°E | S1 | GC | D1 | Linyphiidae | <i>Tenuiphantes tenuis</i>      | 1 | 1 | 0 |
| SAM | 50.489556°N | 4.612416°E | S1 | GC | D3 | Linyphiidae | <i>Tenuiphantes tenuis</i>      | 1 | 0 | 0 |
| SAM | 50.489556°N | 4.612416°E | S1 | GC | D4 | Linyphiidae | <i>Tenuiphantes tenuis</i>      | 4 | 2 | 0 |
| SAM | 50.489556°N | 4.612416°E | S1 | GC | D1 | Linyphiidae | <i>Tenuiphantes tenuis</i>      | 1 | 1 | 0 |
| SAM | 50.489556°N | 4.612416°E | S3 | GC | D3 | Linyphiidae | <i>Tenuiphantes tenuis</i>      | 0 | 1 | 0 |
| SAM | 50.487345°N | 4.612687°E | S1 | GF | D3 | Linyphiidae | <i>Tenuiphantes tenuis</i>      | 0 | 1 | 0 |
| SAM | 50.487345°N | 4.612687°E | S1 | GF | D4 | Linyphiidae | <i>Tenuiphantes tenuis</i>      | 1 | 0 | 0 |
| SAM | 50.487345°N | 4.612687°E | S1 | GF | D3 | Linyphiidae | <i>Tenuiphantes tenuis</i>      | 2 | 1 | 0 |
| SAM | 50.487345°N | 4.612687°E | S1 | GF | D4 | Linyphiidae | <i>Tenuiphantes tenuis</i>      | 1 | 0 | 0 |
| SAM | 50.487345°N | 4.612687°E | S2 | GF | D4 | Linyphiidae | <i>Tenuiphantes tenuis</i>      | 1 | 1 | 0 |
| SAM | 50.485917°N | 4.617327°E | S1 | HC | D3 | Linyphiidae | <i>Tenuiphantes tenuis</i>      | 1 | 0 | 0 |
| SAM | 50.485917°N | 4.617327°E | S2 | HC | D3 | Linyphiidae | <i>Tenuiphantes tenuis</i>      | 1 | 0 | 0 |
| SAM | 50.485917°N | 4.617327°E | S2 | HC | D4 | Linyphiidae | <i>Tenuiphantes tenuis</i>      | 1 | 0 | 0 |
| SAM | 50.485774°N | 4.616688°E | S1 | HF | D4 | Linyphiidae | <i>Tenuiphantes tenuis</i>      | 1 | 0 | 0 |
| SAM | 50.485774°N | 4.616688°E | S2 | HF | D3 | Linyphiidae | <i>Tenuiphantes tenuis</i>      | 1 | 0 | 0 |
| THU | 50.288457°N | 4.256949°E | S2 | HC | D4 | Linyphiidae | <i>Tenuiphantes tenuis</i>      | 1 | 0 | 0 |
| THU | 50.288457°N | 4.256949°E | S3 | HC | D4 | Linyphiidae | <i>Tenuiphantes tenuis</i>      | 0 | 1 | 0 |
| HER | 50.538970°N | 5.087527°E | S3 | GC | D2 | Linyphiidae | <i>Tenuiphantes zimmermanni</i> | 4 | 1 | 0 |



|     |             |            |    |    |    |             |                               |   |   |   |
|-----|-------------|------------|----|----|----|-------------|-------------------------------|---|---|---|
| BUR | 50.591480°N | 5.115247°E | S2 | GC | D1 | Linyphiidae | <i>Tiso vagans</i>            | 1 | 0 | 0 |
| HER | 50.538970°N | 5.087527°E | S2 | GC | D3 | Linyphiidae | <i>Tiso vagans</i>            | 1 | 0 | 0 |
| HER | 50.539276°N | 5.092059°E | S2 | HF | D2 | Linyphiidae | <i>Tiso vagans</i>            | 0 | 1 | 0 |
| HER | 50.540099°N | 5.088086°E | S1 | HC | D1 | Linyphiidae | <i>Walckenaeria acuminata</i> | 1 | 0 | 0 |
| MAN | 50.497803°N | 4.277319°E | S1 | GF | D1 | Linyphiidae | <i>Walckenaeria acuminata</i> | 2 | 0 | 0 |
| MAN | 50.497803°N | 4.277319°E | S1 | GF | D2 | Linyphiidae | <i>Walckenaeria acuminata</i> | 1 | 0 | 0 |
| MAN | 50.496593°N | 4.276469°E | S1 | HF | D1 | Linyphiidae | <i>Walckenaeria acuminata</i> | 1 | 0 | 0 |
| MAN | 50.496593°N | 4.276469°E | S1 | HF | D2 | Linyphiidae | <i>Walckenaeria acuminata</i> | 1 | 0 | 0 |
| PHI | 50.108510°N | 4.611973°E | S2 | GF | D1 | Linyphiidae | <i>Walckenaeria antica</i>    | 1 | 0 | 0 |
| HER | 50.538970°N | 5.087527°E | S2 | GC | D4 | Linyphiidae | <i>Walckenaeria vigilax</i>   | 1 | 0 | 0 |
| HER | 50.538970°N | 5.087527°E | S3 | GC | D1 | Linyphiidae | <i>Walckenaeria vigilax</i>   | 1 | 0 | 0 |
| HER | 50.538970°N | 5.087527°E | S3 | GC | D4 | Linyphiidae | <i>Walckenaeria vigilax</i>   | 1 | 0 | 0 |
| CHA | 50.390023°N | 4.587227°E | S3 | HF | D1 | Liocranidae | <i>Agroeca brunnea</i>        | 0 | 1 | 0 |
| PHI | 50.108405°N | 4.616025°E | S2 | HF | D1 | Liocranidae | <i>Agroeca brunnea</i>        | 1 | 0 | 0 |
| THU | 50.288457°N | 4.256949°E | S3 | HC | D1 | Liocranidae | <i>Agroeca brunnea</i>        | 0 | 1 | 0 |
| ANH | 50.320583°N | 4.802121°E | S2 | GF | D1 | Lycosidae   | <i>Alopecosa cuneata</i>      | 2 | 0 | 0 |
| ANH | 50.320583°N | 4.802121°E | S2 | GF | D2 | Lycosidae   | <i>Alopecosa cuneata</i>      | 7 | 2 | 0 |
| ANH | 50.320583°N | 4.802121°E | S2 | GF | D2 | Lycosidae   | <i>Alopecosa cuneata</i>      | 2 | 3 | 0 |
| ARB | 50.372361°N | 4.812787°E | S2 | GF | D1 | Lycosidae   | <i>Alopecosa cuneata</i>      | 1 | 0 | 0 |
| HER | 50.538970°N | 5.087527°E | S3 | GC | D1 | Lycosidae   | <i>Alopecosa cuneata</i>      | 0 | 1 | 0 |
| HER | 50.537879°N | 5.089543°E | S2 | GF | D1 | Lycosidae   | <i>Alopecosa cuneata</i>      | 1 | 1 | 0 |
| HER | 50.537879°N | 5.089543°E | S2 | GF | D1 | Lycosidae   | <i>Alopecosa cuneata</i>      | 1 | 2 | 0 |
| PHI | 50.108510°N | 4.611973°E | S2 | GF | D2 | Lycosidae   | <i>Alopecosa cuneata</i>      | 1 | 2 | 0 |
| PHI | 50.108510°N | 4.611973°E | S2 | GF | D2 | Lycosidae   | <i>Alopecosa cuneata</i>      | 3 | 2 | 0 |
| ANH | 50.320583°N | 4.802121°E | S2 | GF | D1 | Lycosidae   | <i>Alopecosa pulverulenta</i> | 0 | 2 | 0 |
| ANH | 50.320583°N | 4.802121°E | S2 | GF | D2 | Lycosidae   | <i>Alopecosa pulverulenta</i> | 1 | 1 | 0 |
| ARB | 50.371947°N | 4.829153°E | S2 | GC | D1 | Lycosidae   | <i>Alopecosa pulverulenta</i> | 2 | 0 | 0 |
| ARB | 50.372361°N | 4.812787°E | S2 | GF | D1 | Lycosidae   | <i>Alopecosa pulverulenta</i> | 0 | 1 | 0 |
| ARB | 50.372726°N | 4.811217°E | S2 | HF | D1 | Lycosidae   | <i>Alopecosa pulverulenta</i> | 1 | 0 | 0 |
| ARB | 50.372726°N | 4.811217°E | S2 | HF | D2 | Lycosidae   | <i>Alopecosa pulverulenta</i> | 1 | 1 | 0 |
| ARB | 50.372726°N | 4.811217°E | S2 | HF | D2 | Lycosidae   | <i>Alopecosa pulverulenta</i> | 3 | 0 | 0 |
| BUR | 50.591480°N | 5.115247°E | S2 | GC | D1 | Lycosidae   | <i>Alopecosa pulverulenta</i> | 1 | 0 | 0 |
| BUR | 50.591445°N | 5.109735°E | S3 | GF | D2 | Lycosidae   | <i>Alopecosa pulverulenta</i> | 2 | 0 | 0 |
| CHA | 50.390272°N | 4.589005°E | S2 | GF | D2 | Lycosidae   | <i>Alopecosa pulverulenta</i> | 1 | 0 | 0 |
| CHA | 50.390023°N | 4.587227°E | S2 | HF | D2 | Lycosidae   | <i>Alopecosa pulverulenta</i> | 5 | 1 | 0 |
| CHA | 50.390023°N | 4.587227°E | S2 | HF | D2 | Lycosidae   | <i>Alopecosa pulverulenta</i> | 2 | 2 | 0 |
| CHA | 50.390023°N | 4.587227°E | S3 | HF | D1 | Lycosidae   | <i>Alopecosa pulverulenta</i> | 0 | 2 | 0 |
| CHA | 50.390023°N | 4.587227°E | S3 | HF | D1 | Lycosidae   | <i>Alopecosa pulverulenta</i> | 0 | 2 | 0 |
| CHA | 50.390023°N | 4.587227°E | S3 | HF | D2 | Lycosidae   | <i>Alopecosa pulverulenta</i> | 1 | 0 | 0 |
| FOS | 50.397782°N | 4.656511°E | S3 | GF | D1 | Lycosidae   | <i>Alopecosa pulverulenta</i> | 0 | 1 | 0 |
| FOS | 50.397662°N | 4.658558°E | S3 | HF | D1 | Lycosidae   | <i>Alopecosa pulverulenta</i> | 1 | 1 | 0 |
| HER | 50.537879°N | 5.089543°E | S2 | GF | D1 | Lycosidae   | <i>Alopecosa pulverulenta</i> | 3 | 0 | 0 |
| HER | 50.537879°N | 5.089543°E | S2 | GF | D2 | Lycosidae   | <i>Alopecosa pulverulenta</i> | 1 | 0 | 0 |
| HER | 50.540099°N | 5.088086°E | S2 | HC | D1 | Lycosidae   | <i>Alopecosa pulverulenta</i> | 1 | 0 | 0 |
| HER | 50.539276°N | 5.092059°E | S2 | HF | D1 | Lycosidae   | <i>Alopecosa pulverulenta</i> | 0 | 1 | 0 |
| HER | 50.539276°N | 5.092059°E | S2 | HF | D2 | Lycosidae   | <i>Alopecosa pulverulenta</i> | 4 | 0 | 0 |
| HER | 50.539276°N | 5.092059°E | S2 | HF | D2 | Lycosidae   | <i>Alopecosa pulverulenta</i> | 2 | 3 | 0 |
| MAN | 50.497803°N | 4.277319°E | S2 | GF | D1 | Lycosidae   | <i>Alopecosa pulverulenta</i> | 0 | 1 | 0 |
| MAN | 50.496593°N | 4.276469°E | S2 | HF | D2 | Lycosidae   | <i>Alopecosa pulverulenta</i> | 0 | 1 | 0 |
| PHI | 50.108510°N | 4.611973°E | S2 | GF | D1 | Lycosidae   | <i>Alopecosa pulverulenta</i> | 1 | 0 | 0 |

|     |             |            |    |    |    |           |                               |    |    |   |
|-----|-------------|------------|----|----|----|-----------|-------------------------------|----|----|---|
| PHI | 50.106959°N | 4.613748°E | S2 | HC | D1 | Lycosidae | <i>Alopecosa pulverulenta</i> | 1  | 0  | 0 |
| SAM | 50.485774°N | 4.616688°E | S2 | HF | D2 | Lycosidae | <i>Alopecosa pulverulenta</i> | 2  | 1  | 0 |
| SAM | 50.485774°N | 4.616688°E | S2 | HF | D2 | Lycosidae | <i>Alopecosa pulverulenta</i> | 8  | 1  | 0 |
| ARB | 50.371947°N | 4.829153°E | S3 | GC | D3 | Lycosidae | <i>Arctosa leopardus</i>      | 1  | 0  | 0 |
| ARB | 50.371572°N | 4.827268°E | S3 | HC | D2 | Lycosidae | <i>Arctosa leopardus</i>      | 3  | 0  | 0 |
| ARB | 50.371572°N | 4.827268°E | S3 | HC | D3 | Lycosidae | <i>Arctosa leopardus</i>      | 0  | 1  | 0 |
| FOS | 50.397179°N | 4.653627°E | S3 | HC | D2 | Lycosidae | <i>Arctosa leopardus</i>      | 3  | 1  | 0 |
| FOS | 50.397179°N | 4.653627°E | S3 | HC | D2 | Lycosidae | <i>Arctosa leopardus</i>      | 2  | 0  | 0 |
| HER | 50.538970°N | 5.087527°E | S3 | GC | D1 | Lycosidae | <i>Arctosa leopardus</i>      | 1  | 0  | 0 |
| HER | 50.538970°N | 5.087527°E | S3 | GC | D2 | Lycosidae | <i>Arctosa leopardus</i>      | 1  | 0  | 0 |
| HER | 50.538970°N | 5.087527°E | S3 | GC | D4 | Lycosidae | <i>Arctosa leopardus</i>      | 1  | 0  | 0 |
| HER | 50.540099°N | 5.088086°E | S3 | HC | D3 | Lycosidae | <i>Arctosa leopardus</i>      | 2  | 0  | 0 |
| HER | 50.539276°N | 5.092059°E | S3 | HF | D1 | Lycosidae | <i>Arctosa leopardus</i>      | 0  | 2  | 0 |
| MAN | 50.497803°N | 4.277319°E | S3 | GF | D2 | Lycosidae | <i>Arctosa leopardus</i>      | 1  | 0  | 0 |
| MAN | 50.496593°N | 4.276469°E | S3 | HF | D3 | Lycosidae | <i>Arctosa leopardus</i>      | 2  | 0  | 0 |
| PHI | 50.104107°N | 4.607196°E | S3 | GC | D2 | Lycosidae | <i>Arctosa leopardus</i>      | 4  | 0  | 0 |
| PHI | 50.104107°N | 4.607196°E | S3 | GC | D3 | Lycosidae | <i>Arctosa leopardus</i>      | 2  | 0  | 0 |
| PHI | 50.104107°N | 4.607196°E | S3 | GC | D4 | Lycosidae | <i>Arctosa leopardus</i>      | 3  | 0  | 0 |
| SAM | 50.489556°N | 4.612416°E | S3 | GC | D2 | Lycosidae | <i>Arctosa leopardus</i>      | 1  | 0  | 0 |
| THU | 50.305897°N | 4.331210°E | S3 | GC | D2 | Lycosidae | <i>Arctosa leopardus</i>      | 1  | 0  | 0 |
| THU | 50.289036°N | 4.263537°E | S3 | GF | D2 | Lycosidae | <i>Arctosa leopardus</i>      | 0  | 1  | 0 |
| THU | 50.303252°N | 4.331577°E | S3 | HF | D4 | Lycosidae | <i>Arctosa leopardus</i>      | 3  | 0  | 0 |
| BUR | 50.591480°N | 5.115247°E | S3 | GC | D2 | Lycosidae | <i>Aulonia albimana</i>       | 1  | 0  | 0 |
| BUR | 50.591445°N | 5.109735°E | S3 | GF | D1 | Lycosidae | <i>Aulonia albimana</i>       | 1  | 0  | 0 |
| CHA | 50.392478°N | 4.590955°E | S3 | HC | D2 | Lycosidae | <i>Aulonia albimana</i>       | 1  | 0  | 0 |
| CHA | 50.390023°N | 4.587227°E | S3 | HF | D3 | Lycosidae | <i>Aulonia albimana</i>       | 0  | 3  | 0 |
| FOS | 50.397662°N | 4.658558°E | S3 | HF | D1 | Lycosidae | <i>Aulonia albimana</i>       | 1  | 0  | 0 |
| MAN | 50.500613°N | 4.275502°E | S3 | GC | D1 | Lycosidae | <i>Aulonia albimana</i>       | 1  | 0  | 0 |
| SAM | 50.485917°N | 4.617327°E | S3 | HC | D1 | Lycosidae | <i>Aulonia albimana</i>       | 0  | 1  | 0 |
| FOS | 50.397662°N | 4.658558°E | S3 | HF | D4 | Lycosidae | <i>Pardosa agrestis</i>       | 1  | 0  | 0 |
| CHA | 50.390272°N | 4.589005°E | S3 | GF | D3 | Lycosidae | <i>Pardosa amentata</i>       | 1  | 0  | 0 |
| CHA | 50.392478°N | 4.590955°E | S3 | HC | D2 | Lycosidae | <i>Pardosa amentata</i>       | 1  | 0  | 0 |
| CHA | 50.392478°N | 4.590955°E | S3 | HC | D2 | Lycosidae | <i>Pardosa amentata</i>       | 2  | 2  | 0 |
| CHA | 50.390023°N | 4.587227°E | S2 | HF | D2 | Lycosidae | <i>Pardosa amentata</i>       | 1  | 0  | 0 |
| CHA | 50.390023°N | 4.587227°E | S2 | HF | D3 | Lycosidae | <i>Pardosa amentata</i>       | 1  | 0  | 0 |
| CHA | 50.390023°N | 4.587227°E | S2 | HF | D2 | Lycosidae | <i>Pardosa amentata</i>       | 1  | 0  | 0 |
| CHA | 50.390023°N | 4.587227°E | S2 | HF | D3 | Lycosidae | <i>Pardosa amentata</i>       | 0  | 1  | 0 |
| CHA | 50.390023°N | 4.587227°E | S3 | HF | D3 | Lycosidae | <i>Pardosa amentata</i>       | 0  | 1  | 0 |
| FOS | 50.397179°N | 4.653627°E | S2 | HC | D2 | Lycosidae | <i>Pardosa amentata</i>       | 0  | 1  | 0 |
| FOS | 50.397179°N | 4.653627°E | S3 | HC | D2 | Lycosidae | <i>Pardosa amentata</i>       | 0  | 3  | 0 |
| HER | 50.537879°N | 5.089543°E | S3 | GF | D3 | Lycosidae | <i>Pardosa amentata</i>       | 0  | 1  | 0 |
| HER | 50.540099°N | 5.088086°E | S3 | HC | D1 | Lycosidae | <i>Pardosa amentata</i>       | 1  | 6  | 0 |
| HER | 50.540099°N | 5.088086°E | S3 | HC | D3 | Lycosidae | <i>Pardosa amentata</i>       | 1  | 0  | 0 |
| HER | 50.540099°N | 5.088086°E | S3 | HC | D4 | Lycosidae | <i>Pardosa amentata</i>       | 1  | 0  | 0 |
| HER | 50.540099°N | 5.088086°E | S3 | HC | D1 | Lycosidae | <i>Pardosa amentata</i>       | 0  | 1  | 0 |
| HER | 50.539276°N | 5.092059°E | S2 | HF | D1 | Lycosidae | <i>Pardosa amentata</i>       | 12 | 14 | 0 |
| HER | 50.539276°N | 5.092059°E | S2 | HF | D2 | Lycosidae | <i>Pardosa amentata</i>       | 21 | 6  | 0 |
| HER | 50.539276°N | 5.092059°E | S2 | HF | D1 | Lycosidae | <i>Pardosa amentata</i>       | 24 | 24 | 0 |
| HER | 50.539276°N | 5.092059°E | S2 | HF | D2 | Lycosidae | <i>Pardosa amentata</i>       | 12 | 4  | 0 |
| HER | 50.539276°N | 5.092059°E | S3 | HF | D2 | Lycosidae | <i>Pardosa amentata</i>       | 0  | 4  | 0 |

|     |             |            |    |    |    |           |                          |   |   |   |
|-----|-------------|------------|----|----|----|-----------|--------------------------|---|---|---|
| HER | 50.539276°N | 5.092059°E | S3 | HF | D4 | Lycosidae | <i>Pardosa amentata</i>  | 0 | 2 | 0 |
| HER | 50.539276°N | 5.092059°E | S3 | HF | D2 | Lycosidae | <i>Pardosa amentata</i>  | 0 | 1 | 0 |
| HER | 50.539276°N | 5.092059°E | S3 | HF | D3 | Lycosidae | <i>Pardosa amentata</i>  | 0 | 3 | 0 |
| MAN | 50.496593°N | 4.276469°E | S1 | HF | D2 | Lycosidae | <i>Pardosa amentata</i>  | 1 | 0 | 1 |
| MAN | 50.496593°N | 4.276469°E | S2 | HF | D1 | Lycosidae | <i>Pardosa amentata</i>  | 1 | 0 | 0 |
| MAN | 50.496593°N | 4.276469°E | S2 | HF | D2 | Lycosidae | <i>Pardosa amentata</i>  | 1 | 0 | 0 |
| PHI | 50.104107°N | 4.607196°E | S2 | GC | D1 | Lycosidae | <i>Pardosa amentata</i>  | 1 | 0 | 0 |
| PHI | 50.106959°N | 4.613748°E | S3 | HC | D1 | Lycosidae | <i>Pardosa amentata</i>  | 1 | 0 | 0 |
| PHI | 50.106959°N | 4.613748°E | S3 | HC | D1 | Lycosidae | <i>Pardosa amentata</i>  | 1 | 3 | 0 |
| PHI | 50.108405°N | 4.616025°E | S2 | HF | D2 | Lycosidae | <i>Pardosa amentata</i>  | 1 | 0 | 0 |
| PHI | 50.108405°N | 4.616025°E | S2 | HF | D3 | Lycosidae | <i>Pardosa amentata</i>  | 1 | 0 | 0 |
| PHI | 50.108405°N | 4.616025°E | S2 | HF | D3 | Lycosidae | <i>Pardosa amentata</i>  | 1 | 0 | 0 |
| PHI | 50.108405°N | 4.616025°E | S2 | HF | D4 | Lycosidae | <i>Pardosa amentata</i>  | 1 | 0 | 0 |
| PHI | 50.108405°N | 4.616025°E | S3 | HF | D2 | Lycosidae | <i>Pardosa amentata</i>  | 1 | 0 | 0 |
| PHI | 50.108405°N | 4.616025°E | S3 | HF | D3 | Lycosidae | <i>Pardosa amentata</i>  | 1 | 0 | 0 |
| PHI | 50.108405°N | 4.616025°E | S3 | HF | D3 | Lycosidae | <i>Pardosa amentata</i>  | 1 | 0 | 0 |
| SAM | 50.487345°N | 4.612687°E | S2 | GF | D2 | Lycosidae | <i>Pardosa amentata</i>  | 1 | 0 | 0 |
| SAM | 50.487345°N | 4.612687°E | S2 | GF | D2 | Lycosidae | <i>Pardosa amentata</i>  | 1 | 0 | 0 |
| SAM | 50.485774°N | 4.616688°E | S2 | HF | D3 | Lycosidae | <i>Pardosa amentata</i>  | 1 | 0 | 0 |
| SAM | 50.485774°N | 4.616688°E | S2 | HF | D3 | Lycosidae | <i>Pardosa amentata</i>  | 1 | 0 | 0 |
| THU | 50.289036°N | 4.263537°E | S2 | GF | D1 | Lycosidae | <i>Pardosa amentata</i>  | 1 | 0 | 0 |
| THU | 50.289036°N | 4.263537°E | S3 | GF | D1 | Lycosidae | <i>Pardosa amentata</i>  | 1 | 4 | 0 |
| THU | 50.289036°N | 4.263537°E | S3 | GF | D1 | Lycosidae | <i>Pardosa amentata</i>  | 2 | 0 | 0 |
| THU | 50.288457°N | 4.256949°E | S2 | HC | D1 | Lycosidae | <i>Pardosa amentata</i>  | 4 | 0 | 0 |
| THU | 50.288457°N | 4.256949°E | S2 | HC | D4 | Lycosidae | <i>Pardosa amentata</i>  | 0 | 1 | 0 |
| CHA | 50.390023°N | 4.587227°E | S2 | HF | D3 | Lycosidae | <i>Pardosa hortensis</i> | 1 | 0 | 0 |
| CHA | 50.390023°N | 4.587227°E | S3 | HF | D3 | Lycosidae | <i>Pardosa hortensis</i> | 0 | 1 | 0 |
| FOS | 50.397179°N | 4.653627°E | S3 | HC | D2 | Lycosidae | <i>Pardosa hortensis</i> | 0 | 1 | 0 |
| PHI | 50.106959°N | 4.613748°E | S3 | HC | D1 | Lycosidae | <i>Pardosa hortensis</i> | 1 | 0 | 0 |
| THU | 50.288457°N | 4.256949°E | S3 | HC | D4 | Lycosidae | <i>Pardosa hortensis</i> | 1 | 0 | 0 |
| CHA | 50.392478°N | 4.590955°E | S3 | HC | D1 | Lycosidae | <i>Pardosa lugubris</i>  | 1 | 0 | 0 |
| ARB | 50.371572°N | 4.827268°E | S3 | HC | D3 | Lycosidae | <i>Pardosa monticola</i> | 3 | 0 | 0 |
| MAN | 50.497803°N | 4.277319°E | S3 | GF | D1 | Lycosidae | <i>Pardosa monticola</i> | 0 | 1 | 0 |
| ANH | 50.328394°N | 4.807805°E | S2 | GC | D1 | Lycosidae | <i>Pardosa nigriceps</i> | 2 | 0 | 0 |
| BUR | 50.591445°N | 5.109735°E | S2 | GF | D2 | Lycosidae | <i>Pardosa nigriceps</i> | 1 | 0 | 0 |
| CHA | 50.392478°N | 4.590955°E | S2 | HC | D2 | Lycosidae | <i>Pardosa nigriceps</i> | 1 | 0 | 0 |
| MAN | 50.496593°N | 4.276469°E | S2 | HF | D2 | Lycosidae | <i>Pardosa nigriceps</i> | 1 | 0 | 0 |
| SAM | 50.489556°N | 4.612416°E | S2 | GC | D1 | Lycosidae | <i>Pardosa nigriceps</i> | 1 | 0 | 0 |
| SAM | 50.487345°N | 4.612687°E | S2 | GF | D1 | Lycosidae | <i>Pardosa nigriceps</i> | 1 | 0 | 0 |
| SAM | 50.485774°N | 4.616688°E | S2 | HF | D2 | Lycosidae | <i>Pardosa nigriceps</i> | 3 | 0 | 0 |
| SAM | 50.485774°N | 4.616688°E | S2 | HF | D1 | Lycosidae | <i>Pardosa nigriceps</i> | 1 | 2 | 0 |
| SAM | 50.485774°N | 4.616688°E | S2 | HF | D2 | Lycosidae | <i>Pardosa nigriceps</i> | 2 | 0 | 0 |
| THU | 50.305897°N | 4.331210°E | S3 | GC | D1 | Lycosidae | <i>Pardosa nigriceps</i> | 0 | 1 | 0 |
| ANH | 50.328394°N | 4.807805°E | S3 | GC | D1 | Lycosidae | <i>Pardosa palustris</i> | 2 | 0 | 0 |
| ANH | 50.319519°N | 4.803072°E | S3 | HC | D3 | Lycosidae | <i>Pardosa palustris</i> | 1 | 0 | 0 |
| ARB | 50.371947°N | 4.829153°E | S3 | GC | D1 | Lycosidae | <i>Pardosa palustris</i> | 2 | 1 | 0 |
| ARB | 50.371572°N | 4.827268°E | S3 | HC | D3 | Lycosidae | <i>Pardosa palustris</i> | 1 | 0 | 0 |
| ARB | 50.371572°N | 4.827268°E | S3 | HC | D2 | Lycosidae | <i>Pardosa palustris</i> | 1 | 0 | 0 |
| BUR | 50.591480°N | 5.115247°E | S3 | GC | D2 | Lycosidae | <i>Pardosa palustris</i> | 1 | 0 | 0 |
| BUR | 50.591480°N | 5.115247°E | S3 | GC | D4 | Lycosidae | <i>Pardosa palustris</i> | 1 | 0 | 0 |

|     |             |            |    |    |    |           |                          |    |   |   |
|-----|-------------|------------|----|----|----|-----------|--------------------------|----|---|---|
| BUR | 50.591480°N | 5.115247°E | S3 | GC | D2 | Lycosidae | <i>Pardosa palustris</i> | 0  | 1 | 0 |
| BUR | 50.591480°N | 5.115247°E | S3 | GC | D3 | Lycosidae | <i>Pardosa palustris</i> | 1  | 1 | 0 |
| BUR | 50.591480°N | 5.115247°E | S3 | GC | D4 | Lycosidae | <i>Pardosa palustris</i> | 1  | 0 | 0 |
| BUR | 50.591445°N | 5.109735°E | S3 | GF | D1 | Lycosidae | <i>Pardosa palustris</i> | 2  | 2 | 0 |
| BUR | 50.591445°N | 5.109735°E | S3 | GF | D2 | Lycosidae | <i>Pardosa palustris</i> | 2  | 0 | 0 |
| BUR | 50.591445°N | 5.109735°E | S3 | GF | D2 | Lycosidae | <i>Pardosa palustris</i> | 1  | 0 | 0 |
| BUR | 50.591445°N | 5.109735°E | S3 | GF | D3 | Lycosidae | <i>Pardosa palustris</i> | 1  | 0 | 0 |
| BUR | 50.591411°N | 5.111974°E | S3 | HF | D2 | Lycosidae | <i>Pardosa palustris</i> | 2  | 0 | 0 |
| BUR | 50.591411°N | 5.111974°E | S3 | HF | D2 | Lycosidae | <i>Pardosa palustris</i> | 1  | 0 | 0 |
| BUR | 50.591411°N | 5.111974°E | S3 | HF | D4 | Lycosidae | <i>Pardosa palustris</i> | 0  | 1 | 0 |
| CHA | 50.390296°N | 4.589377°E | S3 | GC | D1 | Lycosidae | <i>Pardosa palustris</i> | 1  | 0 | 0 |
| CHA | 50.390296°N | 4.589377°E | S3 | GC | D2 | Lycosidae | <i>Pardosa palustris</i> | 1  | 1 | 0 |
| CHA | 50.390296°N | 4.589377°E | S3 | GC | D3 | Lycosidae | <i>Pardosa palustris</i> | 3  | 1 | 0 |
| CHA | 50.390272°N | 4.589005°E | S3 | GF | D1 | Lycosidae | <i>Pardosa palustris</i> | 1  | 0 | 0 |
| CHA | 50.390272°N | 4.589005°E | S3 | GF | D2 | Lycosidae | <i>Pardosa palustris</i> | 2  | 0 | 0 |
| CHA | 50.392478°N | 4.590955°E | S3 | HC | D4 | Lycosidae | <i>Pardosa palustris</i> | 1  | 0 | 0 |
| CHA | 50.390023°N | 4.587227°E | S3 | HF | D3 | Lycosidae | <i>Pardosa palustris</i> | 1  | 0 | 0 |
| FOS | 50.396471°N | 4.658446°E | S3 | GC | D2 | Lycosidae | <i>Pardosa palustris</i> | 0  | 1 | 0 |
| FOS | 50.396471°N | 4.658446°E | S3 | GC | D3 | Lycosidae | <i>Pardosa palustris</i> | 2  | 1 | 0 |
| FOS | 50.396471°N | 4.658446°E | S3 | GC | D4 | Lycosidae | <i>Pardosa palustris</i> | 1  | 0 | 0 |
| FOS | 50.396471°N | 4.658446°E | S3 | GC | D2 | Lycosidae | <i>Pardosa palustris</i> | 1  | 0 | 0 |
| FOS | 50.396471°N | 4.658446°E | S3 | GC | D3 | Lycosidae | <i>Pardosa palustris</i> | 1  | 0 | 0 |
| FOS | 50.396471°N | 4.658446°E | S3 | GC | D4 | Lycosidae | <i>Pardosa palustris</i> | 3  | 0 | 0 |
| FOS | 50.397782°N | 4.656511°E | S3 | GF | D1 | Lycosidae | <i>Pardosa palustris</i> | 10 | 1 | 0 |
| FOS | 50.397782°N | 4.656511°E | S3 | GF | D2 | Lycosidae | <i>Pardosa palustris</i> | 3  | 0 | 0 |
| FOS | 50.397782°N | 4.656511°E | S3 | GF | D1 | Lycosidae | <i>Pardosa palustris</i> | 16 | 3 | 0 |
| FOS | 50.397782°N | 4.656511°E | S3 | GF | D2 | Lycosidae | <i>Pardosa palustris</i> | 7  | 0 | 0 |
| FOS | 50.397179°N | 4.653627°E | S3 | HC | D2 | Lycosidae | <i>Pardosa palustris</i> | 3  | 3 | 0 |
| FOS | 50.397179°N | 4.653627°E | S3 | HC | D2 | Lycosidae | <i>Pardosa palustris</i> | 3  | 1 | 0 |
| FOS | 50.397662°N | 4.658558°E | S3 | HF | D2 | Lycosidae | <i>Pardosa palustris</i> | 7  | 1 | 0 |
| FOS | 50.397662°N | 4.658558°E | S3 | HF | D3 | Lycosidae | <i>Pardosa palustris</i> | 0  | 1 | 0 |
| FOS | 50.397662°N | 4.658558°E | S3 | HF | D4 | Lycosidae | <i>Pardosa palustris</i> | 0  | 1 | 0 |
| FOS | 50.397662°N | 4.658558°E | S3 | HF | D2 | Lycosidae | <i>Pardosa palustris</i> | 17 | 1 | 0 |
| FOS | 50.397662°N | 4.658558°E | S3 | HF | D3 | Lycosidae | <i>Pardosa palustris</i> | 4  | 0 | 0 |
| HER | 50.538970°N | 5.087527°E | S3 | GC | D1 | Lycosidae | <i>Pardosa palustris</i> | 2  | 9 | 0 |
| HER | 50.538970°N | 5.087527°E | S3 | GC | D2 | Lycosidae | <i>Pardosa palustris</i> | 2  | 1 | 0 |
| HER | 50.538970°N | 5.087527°E | S3 | GC | D3 | Lycosidae | <i>Pardosa palustris</i> | 1  | 0 | 0 |
| HER | 50.538970°N | 5.087527°E | S3 | GC | D1 | Lycosidae | <i>Pardosa palustris</i> | 1  | 1 | 0 |
| HER | 50.538970°N | 5.087527°E | S3 | GC | D2 | Lycosidae | <i>Pardosa palustris</i> | 2  | 0 | 0 |
| HER | 50.538970°N | 5.087527°E | S3 | GC | D4 | Lycosidae | <i>Pardosa palustris</i> | 4  | 0 | 0 |
| HER | 50.537879°N | 5.089543°E | S3 | GF | D3 | Lycosidae | <i>Pardosa palustris</i> | 1  | 0 | 0 |
| HER | 50.537879°N | 5.089543°E | S3 | GF | D2 | Lycosidae | <i>Pardosa palustris</i> | 4  | 1 | 0 |
| HER | 50.540099°N | 5.088086°E | S3 | HC | D1 | Lycosidae | <i>Pardosa palustris</i> | 1  | 0 | 0 |
| HER | 50.539276°N | 5.092059°E | S3 | HF | D4 | Lycosidae | <i>Pardosa palustris</i> | 0  | 1 | 0 |
| MAN | 50.500613°N | 4.275502°E | S3 | GC | D1 | Lycosidae | <i>Pardosa palustris</i> | 1  | 0 | 0 |
| MAN | 50.500613°N | 4.275502°E | S3 | GC | D3 | Lycosidae | <i>Pardosa palustris</i> | 6  | 0 | 0 |
| MAN | 50.496593°N | 4.276469°E | S3 | HF | D3 | Lycosidae | <i>Pardosa palustris</i> | 1  | 0 | 0 |
| PHI | 50.104107°N | 4.607196°E | S3 | GC | D1 | Lycosidae | <i>Pardosa palustris</i> | 2  | 1 | 0 |
| PHI | 50.104107°N | 4.607196°E | S3 | GC | D3 | Lycosidae | <i>Pardosa palustris</i> | 6  | 0 | 0 |
| PHI | 50.104107°N | 4.607196°E | S3 | GC | D1 | Lycosidae | <i>Pardosa palustris</i> | 1  | 0 | 0 |

|     |             |            |    |    |    |           |                          |    |   |   |
|-----|-------------|------------|----|----|----|-----------|--------------------------|----|---|---|
| PHI | 50.104107°N | 4.607196°E | S3 | GC | D2 | Lycosidae | <i>Pardosa palustris</i> | 12 | 0 | 0 |
| PHI | 50.104107°N | 4.607196°E | S3 | GC | D3 | Lycosidae | <i>Pardosa palustris</i> | 10 | 1 | 0 |
| PHI | 50.104107°N | 4.607196°E | S3 | GC | D4 | Lycosidae | <i>Pardosa palustris</i> | 8  | 0 | 0 |
| PHI | 50.108510°N | 4.611973°E | S3 | GF | D1 | Lycosidae | <i>Pardosa palustris</i> | 2  | 0 | 0 |
| SAM | 50.489556°N | 4.612416°E | S3 | GC | D1 | Lycosidae | <i>Pardosa palustris</i> | 11 | 2 | 0 |
| SAM | 50.489556°N | 4.612416°E | S3 | GC | D3 | Lycosidae | <i>Pardosa palustris</i> | 2  | 0 | 0 |
| SAM | 50.489556°N | 4.612416°E | S3 | GC | D1 | Lycosidae | <i>Pardosa palustris</i> | 2  | 0 | 0 |
| SAM | 50.489556°N | 4.612416°E | S3 | GC | D2 | Lycosidae | <i>Pardosa palustris</i> | 2  | 0 | 0 |
| SAM | 50.487345°N | 4.612687°E | S3 | GF | D1 | Lycosidae | <i>Pardosa palustris</i> | 1  | 0 | 0 |
| THU | 50.305897°N | 4.331210°E | S3 | GC | D1 | Lycosidae | <i>Pardosa palustris</i> | 4  | 1 | 0 |
| THU | 50.305897°N | 4.331210°E | S3 | GC | D1 | Lycosidae | <i>Pardosa palustris</i> | 1  | 0 | 0 |
| THU | 50.289036°N | 4.263537°E | S3 | GF | D2 | Lycosidae | <i>Pardosa palustris</i> | 0  | 1 | 0 |
| THU | 50.289036°N | 4.263537°E | S3 | GF | D3 | Lycosidae | <i>Pardosa palustris</i> | 1  | 0 | 0 |
| ANH | 50.328394°N | 4.807805°E | S3 | GC | D1 | Lycosidae | <i>Pardosa prativaga</i> | 4  | 3 | 0 |
| ANH | 50.328394°N | 4.807805°E | S3 | GC | D4 | Lycosidae | <i>Pardosa prativaga</i> | 1  | 0 | 0 |
| ANH | 50.328394°N | 4.807805°E | S3 | GC | D1 | Lycosidae | <i>Pardosa prativaga</i> | 4  | 1 | 0 |
| ANH | 50.328394°N | 4.807805°E | S3 | GC | D2 | Lycosidae | <i>Pardosa prativaga</i> | 1  | 0 | 0 |
| ANH | 50.320583°N | 4.802121°E | S3 | GF | D3 | Lycosidae | <i>Pardosa prativaga</i> | 1  | 0 | 0 |
| ANH | 50.320583°N | 4.802121°E | S3 | GF | D4 | Lycosidae | <i>Pardosa prativaga</i> | 1  | 0 | 0 |
| ANH | 50.319519°N | 4.803072°E | S3 | HC | D2 | Lycosidae | <i>Pardosa prativaga</i> | 1  | 0 | 0 |
| ANH | 50.319519°N | 4.803072°E | S3 | HC | D3 | Lycosidae | <i>Pardosa prativaga</i> | 1  | 0 | 0 |
| ANH | 50.319519°N | 4.803072°E | S3 | HC | D2 | Lycosidae | <i>Pardosa prativaga</i> | 1  | 0 | 0 |
| ANH | 50.319519°N | 4.803072°E | S3 | HC | D3 | Lycosidae | <i>Pardosa prativaga</i> | 5  | 1 | 0 |
| ANH | 50.319519°N | 4.803072°E | S3 | HC | D4 | Lycosidae | <i>Pardosa prativaga</i> | 2  | 1 | 0 |
| ANH | 50.327943°N | 4.806664°E | S3 | HF | D1 | Lycosidae | <i>Pardosa prativaga</i> | 2  | 0 | 0 |
| ANH | 50.327943°N | 4.806664°E | S3 | HF | D4 | Lycosidae | <i>Pardosa prativaga</i> | 1  | 0 | 0 |
| ANH | 50.327943°N | 4.806664°E | S3 | HF | D3 | Lycosidae | <i>Pardosa prativaga</i> | 1  | 0 | 0 |
| ARB | 50.371947°N | 4.829153°E | S2 | GC | D1 | Lycosidae | <i>Pardosa prativaga</i> | 1  | 0 | 0 |
| ARB | 50.371947°N | 4.829153°E | S3 | GC | D2 | Lycosidae | <i>Pardosa prativaga</i> | 9  | 0 | 0 |
| ARB | 50.371947°N | 4.829153°E | S3 | GC | D4 | Lycosidae | <i>Pardosa prativaga</i> | 4  | 0 | 0 |
| ARB | 50.371947°N | 4.829153°E | S3 | GC | D2 | Lycosidae | <i>Pardosa prativaga</i> | 5  | 0 | 0 |
| ARB | 50.371947°N | 4.829153°E | S3 | GC | D3 | Lycosidae | <i>Pardosa prativaga</i> | 3  | 0 | 0 |
| ARB | 50.371947°N | 4.829153°E | S3 | GC | D4 | Lycosidae | <i>Pardosa prativaga</i> | 2  | 0 | 1 |
| ARB | 50.372361°N | 4.812787°E | S3 | GF | D3 | Lycosidae | <i>Pardosa prativaga</i> | 1  | 0 | 0 |
| ARB | 50.372361°N | 4.812787°E | S3 | GF | D4 | Lycosidae | <i>Pardosa prativaga</i> | 1  | 0 | 0 |
| ARB | 50.371572°N | 4.827268°E | S3 | HC | D1 | Lycosidae | <i>Pardosa prativaga</i> | 1  | 0 | 0 |
| ARB | 50.371572°N | 4.827268°E | S3 | HC | D2 | Lycosidae | <i>Pardosa prativaga</i> | 3  | 0 | 0 |
| ARB | 50.371572°N | 4.827268°E | S3 | HC | D3 | Lycosidae | <i>Pardosa prativaga</i> | 2  | 1 | 0 |
| ARB | 50.371572°N | 4.827268°E | S3 | HC | D4 | Lycosidae | <i>Pardosa prativaga</i> | 3  | 0 | 0 |
| ARB | 50.371572°N | 4.827268°E | S3 | HC | D1 | Lycosidae | <i>Pardosa prativaga</i> | 2  | 0 | 0 |
| ARB | 50.371572°N | 4.827268°E | S3 | HC | D4 | Lycosidae | <i>Pardosa prativaga</i> | 4  | 0 | 0 |
| ARB | 50.372726°N | 4.811217°E | S3 | HF | D1 | Lycosidae | <i>Pardosa prativaga</i> | 0  | 2 | 0 |
| BUR | 50.591480°N | 5.115247°E | S3 | GC | D2 | Lycosidae | <i>Pardosa prativaga</i> | 1  | 0 | 0 |
| BUR | 50.591445°N | 5.109735°E | S3 | GF | D2 | Lycosidae | <i>Pardosa prativaga</i> | 1  | 1 | 0 |
| CHA | 50.390272°N | 4.589005°E | S3 | GF | D2 | Lycosidae | <i>Pardosa prativaga</i> | 1  | 0 | 0 |
| CHA | 50.392478°N | 4.590955°E | S3 | HC | D2 | Lycosidae | <i>Pardosa prativaga</i> | 1  | 0 | 0 |
| CHA | 50.390023°N | 4.587227°E | S3 | HF | D2 | Lycosidae | <i>Pardosa prativaga</i> | 1  | 2 | 0 |
| CHA | 50.390023°N | 4.587227°E | S3 | HF | D3 | Lycosidae | <i>Pardosa prativaga</i> | 1  | 0 | 0 |
| CHA | 50.390023°N | 4.587227°E | S3 | HF | D2 | Lycosidae | <i>Pardosa prativaga</i> | 0  | 1 | 0 |
| CHA | 50.390023°N | 4.587227°E | S3 | HF | D3 | Lycosidae | <i>Pardosa prativaga</i> | 1  | 0 | 0 |

|     |             |            |    |    |    |           |                          |   |   |   |
|-----|-------------|------------|----|----|----|-----------|--------------------------|---|---|---|
| FOS | 50.396471°N | 4.658446°E | S3 | GC | D4 | Lycosidae | <i>Pardosa prativaga</i> | 1 | 0 | 0 |
| FOS | 50.396471°N | 4.658446°E | S3 | GC | D2 | Lycosidae | <i>Pardosa prativaga</i> | 1 | 0 | 0 |
| FOS | 50.397782°N | 4.656511°E | S3 | GF | D1 | Lycosidae | <i>Pardosa prativaga</i> | 1 | 0 | 0 |
| FOS | 50.397782°N | 4.656511°E | S3 | GF | D2 | Lycosidae | <i>Pardosa prativaga</i> | 1 | 0 | 0 |
| FOS | 50.397179°N | 4.653627°E | S3 | HC | D4 | Lycosidae | <i>Pardosa prativaga</i> | 1 | 0 | 0 |
| FOS | 50.397179°N | 4.653627°E | S3 | HC | D2 | Lycosidae | <i>Pardosa prativaga</i> | 1 | 0 | 0 |
| FOS | 50.397662°N | 4.658558°E | S3 | HF | D2 | Lycosidae | <i>Pardosa prativaga</i> | 1 | 0 | 0 |
| PHI | 50.104107°N | 4.607196°E | S3 | GC | D3 | Lycosidae | <i>Pardosa prativaga</i> | 2 | 0 | 0 |
| PHI | 50.104107°N | 4.607196°E | S3 | GC | D1 | Lycosidae | <i>Pardosa prativaga</i> | 4 | 0 | 0 |
| PHI | 50.104107°N | 4.607196°E | S3 | GC | D2 | Lycosidae | <i>Pardosa prativaga</i> | 6 | 1 | 0 |
| PHI | 50.104107°N | 4.607196°E | S3 | GC | D3 | Lycosidae | <i>Pardosa prativaga</i> | 7 | 0 | 0 |
| PHI | 50.104107°N | 4.607196°E | S3 | GC | D4 | Lycosidae | <i>Pardosa prativaga</i> | 7 | 0 | 0 |
| PHI | 50.108510°N | 4.611973°E | S3 | GF | D3 | Lycosidae | <i>Pardosa prativaga</i> | 1 | 0 | 0 |
| PHI | 50.106959°N | 4.613748°E | S3 | HC | D1 | Lycosidae | <i>Pardosa prativaga</i> | 2 | 0 | 0 |
| PHI | 50.106959°N | 4.613748°E | S3 | HC | D2 | Lycosidae | <i>Pardosa prativaga</i> | 5 | 0 | 0 |
| PHI | 50.106959°N | 4.613748°E | S3 | HC | D2 | Lycosidae | <i>Pardosa prativaga</i> | 1 | 0 | 0 |
| PHI | 50.106959°N | 4.613748°E | S3 | HC | D4 | Lycosidae | <i>Pardosa prativaga</i> | 1 | 0 | 0 |
| PHI | 50.108405°N | 4.616025°E | S3 | HF | D2 | Lycosidae | <i>Pardosa prativaga</i> | 3 | 0 | 0 |
| PHI | 50.108405°N | 4.616025°E | S3 | HF | D3 | Lycosidae | <i>Pardosa prativaga</i> | 2 | 1 | 0 |
| PHI | 50.108405°N | 4.616025°E | S3 | HF | D4 | Lycosidae | <i>Pardosa prativaga</i> | 3 | 0 | 0 |
| PHI | 50.108405°N | 4.616025°E | S3 | HF | D3 | Lycosidae | <i>Pardosa prativaga</i> | 1 | 0 | 0 |
| PHI | 50.108405°N | 4.616025°E | S3 | HF | D4 | Lycosidae | <i>Pardosa prativaga</i> | 2 | 0 | 0 |
| THU | 50.305897°N | 4.331210°E | S3 | GC | D1 | Lycosidae | <i>Pardosa prativaga</i> | 1 | 0 | 0 |
| THU | 50.288457°N | 4.256949°E | S3 | HC | D2 | Lycosidae | <i>Pardosa prativaga</i> | 2 | 1 | 0 |
| THU | 50.288457°N | 4.256949°E | S3 | HC | D2 | Lycosidae | <i>Pardosa prativaga</i> | 2 | 1 | 0 |
| THU | 50.288457°N | 4.256949°E | S3 | HC | D3 | Lycosidae | <i>Pardosa prativaga</i> | 0 | 1 | 0 |
| THU | 50.288457°N | 4.256949°E | S3 | HC | D4 | Lycosidae | <i>Pardosa prativaga</i> | 1 | 0 | 0 |
| THU | 50.303252°N | 4.331577°E | S3 | HF | D4 | Lycosidae | <i>Pardosa prativaga</i> | 1 | 0 | 0 |
| ANH | 50.328394°N | 4.807805°E | S3 | GC | D1 | Lycosidae | <i>Pardosa pullata</i>   | 0 | 1 | 0 |
| ANH | 50.320583°N | 4.802121°E | S2 | GF | D1 | Lycosidae | <i>Pardosa pullata</i>   | 4 | 2 | 0 |
| ANH | 50.320583°N | 4.802121°E | S2 | GF | D2 | Lycosidae | <i>Pardosa pullata</i>   | 2 | 1 | 0 |
| ANH | 50.320583°N | 4.802121°E | S2 | GF | D4 | Lycosidae | <i>Pardosa pullata</i>   | 1 | 0 | 0 |
| ANH | 50.320583°N | 4.802121°E | S2 | GF | D1 | Lycosidae | <i>Pardosa pullata</i>   | 0 | 1 | 0 |
| ANH | 50.320583°N | 4.802121°E | S2 | GF | D2 | Lycosidae | <i>Pardosa pullata</i>   | 5 | 4 | 0 |
| ARB | 50.371947°N | 4.829153°E | S3 | GC | D1 | Lycosidae | <i>Pardosa pullata</i>   | 5 | 0 | 0 |
| ARB | 50.371947°N | 4.829153°E | S3 | GC | D4 | Lycosidae | <i>Pardosa pullata</i>   | 0 | 1 | 0 |
| ARB | 50.372361°N | 4.812787°E | S2 | GF | D2 | Lycosidae | <i>Pardosa pullata</i>   | 2 | 2 | 0 |
| ARB | 50.372361°N | 4.812787°E | S2 | GF | D3 | Lycosidae | <i>Pardosa pullata</i>   | 0 | 1 | 0 |
| ARB | 50.372361°N | 4.812787°E | S2 | GF | D4 | Lycosidae | <i>Pardosa pullata</i>   | 1 | 0 | 0 |
| ARB | 50.372361°N | 4.812787°E | S2 | GF | D2 | Lycosidae | <i>Pardosa pullata</i>   | 7 | 2 | 0 |
| ARB | 50.371572°N | 4.827268°E | S3 | HC | D3 | Lycosidae | <i>Pardosa pullata</i>   | 0 | 1 | 0 |
| ARB | 50.371572°N | 4.827268°E | S3 | HC | D4 | Lycosidae | <i>Pardosa pullata</i>   | 1 | 0 | 0 |
| ARB | 50.371572°N | 4.827268°E | S3 | HC | D2 | Lycosidae | <i>Pardosa pullata</i>   | 8 | 0 | 0 |
| ARB | 50.372726°N | 4.811217°E | S2 | HF | D1 | Lycosidae | <i>Pardosa pullata</i>   | 1 | 0 | 0 |
| ARB | 50.372726°N | 4.811217°E | S2 | HF | D2 | Lycosidae | <i>Pardosa pullata</i>   | 2 | 1 | 0 |
| ARB | 50.372726°N | 4.811217°E | S2 | HF | D2 | Lycosidae | <i>Pardosa pullata</i>   | 5 | 1 | 0 |
| BUR | 50.591480°N | 5.115247°E | S2 | GC | D1 | Lycosidae | <i>Pardosa pullata</i>   | 2 | 0 | 0 |
| BUR | 50.591480°N | 5.115247°E | S2 | GC | D1 | Lycosidae | <i>Pardosa pullata</i>   | 1 | 0 | 0 |
| BUR | 50.591480°N | 5.115247°E | S3 | GC | D1 | Lycosidae | <i>Pardosa pullata</i>   | 1 | 0 | 0 |
| BUR | 50.591480°N | 5.115247°E | S3 | GC | D1 | Lycosidae | <i>Pardosa pullata</i>   | 6 | 1 | 0 |

|     |             |            |    |    |    |           |                        |    |   |   |
|-----|-------------|------------|----|----|----|-----------|------------------------|----|---|---|
| BUR | 50.591445°N | 5.109735°E | S2 | GF | D1 | Lycosidae | <i>Pardosa pullata</i> | 3  | 0 | 0 |
| BUR | 50.591445°N | 5.109735°E | S2 | GF | D2 | Lycosidae | <i>Pardosa pullata</i> | 8  | 3 | 0 |
| BUR | 50.591445°N | 5.109735°E | S2 | GF | D1 | Lycosidae | <i>Pardosa pullata</i> | 2  | 0 | 0 |
| BUR | 50.591445°N | 5.109735°E | S2 | GF | D2 | Lycosidae | <i>Pardosa pullata</i> | 2  | 0 | 0 |
| BUR | 50.591445°N | 5.109735°E | S3 | GF | D1 | Lycosidae | <i>Pardosa pullata</i> | 4  | 3 | 0 |
| BUR | 50.591445°N | 5.109735°E | S3 | GF | D2 | Lycosidae | <i>Pardosa pullata</i> | 2  | 1 | 0 |
| BUR | 50.591294°N | 5.112114°E | S3 | HC | D1 | Lycosidae | <i>Pardosa pullata</i> | 0  | 1 | 0 |
| BUR | 50.591411°N | 5.111974°E | S2 | HF | D1 | Lycosidae | <i>Pardosa pullata</i> | 1  | 0 | 0 |
| BUR | 50.591411°N | 5.111974°E | S2 | HF | D2 | Lycosidae | <i>Pardosa pullata</i> | 0  | 3 | 0 |
| BUR | 50.591411°N | 5.111974°E | S2 | HF | D1 | Lycosidae | <i>Pardosa pullata</i> | 2  | 0 | 0 |
| BUR | 50.591411°N | 5.111974°E | S2 | HF | D2 | Lycosidae | <i>Pardosa pullata</i> | 1  | 2 | 0 |
| BUR | 50.591411°N | 5.111974°E | S3 | HF | D2 | Lycosidae | <i>Pardosa pullata</i> | 8  | 6 | 0 |
| BUR | 50.591411°N | 5.111974°E | S3 | HF | D3 | Lycosidae | <i>Pardosa pullata</i> | 0  | 1 | 0 |
| BUR | 50.591411°N | 5.111974°E | S3 | HF | D1 | Lycosidae | <i>Pardosa pullata</i> | 0  | 1 | 0 |
| BUR | 50.591411°N | 5.111974°E | S3 | HF | D3 | Lycosidae | <i>Pardosa pullata</i> | 0  | 1 | 0 |
| CHA | 50.390296°N | 4.589377°E | S2 | GC | D1 | Lycosidae | <i>Pardosa pullata</i> | 3  | 0 | 0 |
| CHA | 50.390296°N | 4.589377°E | S2 | GC | D3 | Lycosidae | <i>Pardosa pullata</i> | 0  | 1 | 0 |
| CHA | 50.390272°N | 4.589005°E | S2 | GF | D1 | Lycosidae | <i>Pardosa pullata</i> | 8  | 0 | 0 |
| CHA | 50.390272°N | 4.589005°E | S2 | GF | D2 | Lycosidae | <i>Pardosa pullata</i> | 5  | 0 | 0 |
| CHA | 50.390272°N | 4.589005°E | S2 | GF | D3 | Lycosidae | <i>Pardosa pullata</i> | 0  | 1 | 0 |
| CHA | 50.390272°N | 4.589005°E | S2 | GF | D1 | Lycosidae | <i>Pardosa pullata</i> | 4  | 0 | 0 |
| CHA | 50.390272°N | 4.589005°E | S2 | GF | D2 | Lycosidae | <i>Pardosa pullata</i> | 5  | 2 | 0 |
| CHA | 50.390272°N | 4.589005°E | S2 | GF | D4 | Lycosidae | <i>Pardosa pullata</i> | 1  | 0 | 0 |
| CHA | 50.390272°N | 4.589005°E | S3 | GF | D1 | Lycosidae | <i>Pardosa pullata</i> | 3  | 1 | 0 |
| CHA | 50.390272°N | 4.589005°E | S3 | GF | D3 | Lycosidae | <i>Pardosa pullata</i> | 0  | 1 | 0 |
| CHA | 50.390272°N | 4.589005°E | S3 | GF | D1 | Lycosidae | <i>Pardosa pullata</i> | 4  | 0 | 0 |
| CHA | 50.390272°N | 4.589005°E | S3 | GF | D2 | Lycosidae | <i>Pardosa pullata</i> | 1  | 0 | 0 |
| CHA | 50.392478°N | 4.590955°E | S2 | HC | D4 | Lycosidae | <i>Pardosa pullata</i> | 1  | 0 | 0 |
| CHA | 50.392478°N | 4.590955°E | S3 | HC | D2 | Lycosidae | <i>Pardosa pullata</i> | 0  | 1 | 0 |
| CHA | 50.392478°N | 4.590955°E | S3 | HC | D2 | Lycosidae | <i>Pardosa pullata</i> | 1  | 1 | 0 |
| CHA | 50.390023°N | 4.587227°E | S2 | HF | D2 | Lycosidae | <i>Pardosa pullata</i> | 4  | 1 | 0 |
| CHA | 50.390023°N | 4.587227°E | S2 | HF | D2 | Lycosidae | <i>Pardosa pullata</i> | 8  | 0 | 0 |
| CHA | 50.390023°N | 4.587227°E | S2 | HF | D4 | Lycosidae | <i>Pardosa pullata</i> | 0  | 1 | 0 |
| CHA | 50.390023°N | 4.587227°E | S3 | HF | D2 | Lycosidae | <i>Pardosa pullata</i> | 0  | 1 | 0 |
| CHA | 50.390023°N | 4.587227°E | S3 | HF | D3 | Lycosidae | <i>Pardosa pullata</i> | 0  | 1 | 0 |
| CHA | 50.390023°N | 4.587227°E | S3 | HF | D1 | Lycosidae | <i>Pardosa pullata</i> | 0  | 2 | 0 |
| CHA | 50.390023°N | 4.587227°E | S3 | HF | D2 | Lycosidae | <i>Pardosa pullata</i> | 4  | 2 | 0 |
| CHA | 50.390023°N | 4.587227°E | S3 | HF | D3 | Lycosidae | <i>Pardosa pullata</i> | 0  | 2 | 0 |
| FOS | 50.396471°N | 4.658446°E | S3 | GC | D4 | Lycosidae | <i>Pardosa pullata</i> | 0  | 0 | 1 |
| FOS | 50.396471°N | 4.658446°E | S3 | GC | D4 | Lycosidae | <i>Pardosa pullata</i> | 1  | 0 | 0 |
| FOS | 50.397782°N | 4.656511°E | S2 | GF | D1 | Lycosidae | <i>Pardosa pullata</i> | 1  | 0 | 0 |
| FOS | 50.397782°N | 4.656511°E | S2 | GF | D1 | Lycosidae | <i>Pardosa pullata</i> | 4  | 0 | 0 |
| FOS | 50.397782°N | 4.656511°E | S2 | GF | D2 | Lycosidae | <i>Pardosa pullata</i> | 2  | 0 | 0 |
| FOS | 50.397782°N | 4.656511°E | S3 | GF | D1 | Lycosidae | <i>Pardosa pullata</i> | 9  | 5 | 0 |
| FOS | 50.397782°N | 4.656511°E | S3 | GF | D3 | Lycosidae | <i>Pardosa pullata</i> | 0  | 1 | 0 |
| FOS | 50.397782°N | 4.656511°E | S3 | GF | D1 | Lycosidae | <i>Pardosa pullata</i> | 10 | 2 | 0 |
| FOS | 50.397179°N | 4.653627°E | S2 | HC | D2 | Lycosidae | <i>Pardosa pullata</i> | 0  | 1 | 0 |
| FOS | 50.397179°N | 4.653627°E | S3 | HC | D2 | Lycosidae | <i>Pardosa pullata</i> | 1  | 3 | 0 |
| FOS | 50.397179°N | 4.653627°E | S3 | HC | D4 | Lycosidae | <i>Pardosa pullata</i> | 0  | 1 | 0 |
| FOS | 50.397179°N | 4.653627°E | S3 | HC | D2 | Lycosidae | <i>Pardosa pullata</i> | 2  | 2 | 0 |

|     |             |            |    |    |    |           |                        |    |    |   |
|-----|-------------|------------|----|----|----|-----------|------------------------|----|----|---|
| FOS | 50.397179°N | 4.653627°E | S3 | HC | D3 | Lycosidae | <i>Pardosa pullata</i> | 0  | 1  | 0 |
| FOS | 50.397662°N | 4.658558°E | S2 | HF | D1 | Lycosidae | <i>Pardosa pullata</i> | 7  | 5  | 0 |
| FOS | 50.397662°N | 4.658558°E | S2 | HF | D2 | Lycosidae | <i>Pardosa pullata</i> | 7  | 0  | 0 |
| FOS | 50.397662°N | 4.658558°E | S2 | HF | D1 | Lycosidae | <i>Pardosa pullata</i> | 6  | 3  | 0 |
| FOS | 50.397662°N | 4.658558°E | S3 | HF | D1 | Lycosidae | <i>Pardosa pullata</i> | 2  | 3  | 0 |
| FOS | 50.397662°N | 4.658558°E | S3 | HF | D2 | Lycosidae | <i>Pardosa pullata</i> | 5  | 1  | 0 |
| FOS | 50.397662°N | 4.658558°E | S3 | HF | D2 | Lycosidae | <i>Pardosa pullata</i> | 0  | 4  | 0 |
| HER | 50.538970°N | 5.087527°E | S3 | GC | D1 | Lycosidae | <i>Pardosa pullata</i> | 1  | 0  | 0 |
| HER | 50.538970°N | 5.087527°E | S3 | GC | D1 | Lycosidae | <i>Pardosa pullata</i> | 1  | 0  | 0 |
| HER | 50.537879°N | 5.089543°E | S2 | GF | D1 | Lycosidae | <i>Pardosa pullata</i> | 8  | 5  | 0 |
| HER | 50.537879°N | 5.089543°E | S2 | GF | D2 | Lycosidae | <i>Pardosa pullata</i> | 2  | 0  | 0 |
| HER | 50.537879°N | 5.089543°E | S2 | GF | D1 | Lycosidae | <i>Pardosa pullata</i> | 3  | 11 | 0 |
| HER | 50.537879°N | 5.089543°E | S2 | GF | D2 | Lycosidae | <i>Pardosa pullata</i> | 2  | 1  | 0 |
| HER | 50.537879°N | 5.089543°E | S2 | GF | D3 | Lycosidae | <i>Pardosa pullata</i> | 0  | 1  | 0 |
| HER | 50.537879°N | 5.089543°E | S3 | GF | D2 | Lycosidae | <i>Pardosa pullata</i> | 0  | 1  | 0 |
| HER | 50.540099°N | 5.088086°E | S2 | HC | D2 | Lycosidae | <i>Pardosa pullata</i> | 1  | 0  | 0 |
| HER | 50.540099°N | 5.088086°E | S3 | HC | D1 | Lycosidae | <i>Pardosa pullata</i> | 0  | 1  | 0 |
| HER | 50.539276°N | 5.092059°E | S2 | HF | D1 | Lycosidae | <i>Pardosa pullata</i> | 0  | 1  | 0 |
| HER | 50.539276°N | 5.092059°E | S2 | HF | D2 | Lycosidae | <i>Pardosa pullata</i> | 8  | 3  | 0 |
| HER | 50.539276°N | 5.092059°E | S2 | HF | D1 | Lycosidae | <i>Pardosa pullata</i> | 0  | 2  | 0 |
| HER | 50.539276°N | 5.092059°E | S2 | HF | D2 | Lycosidae | <i>Pardosa pullata</i> | 8  | 8  | 0 |
| HER | 50.539276°N | 5.092059°E | S2 | HF | D3 | Lycosidae | <i>Pardosa pullata</i> | 0  | 1  | 0 |
| HER | 50.539276°N | 5.092059°E | S3 | HF | D2 | Lycosidae | <i>Pardosa pullata</i> | 0  | 3  | 0 |
| HER | 50.539276°N | 5.092059°E | S3 | HF | D4 | Lycosidae | <i>Pardosa pullata</i> | 0  | 1  | 0 |
| HER | 50.539276°N | 5.092059°E | S3 | HF | D1 | Lycosidae | <i>Pardosa pullata</i> | 0  | 0  | 1 |
| HER | 50.539276°N | 5.092059°E | S3 | HF | D2 | Lycosidae | <i>Pardosa pullata</i> | 0  | 4  | 0 |
| MAN | 50.500613°N | 4.275502°E | S2 | GC | D4 | Lycosidae | <i>Pardosa pullata</i> | 0  | 1  | 0 |
| MAN | 50.497803°N | 4.277319°E | S2 | GF | D1 | Lycosidae | <i>Pardosa pullata</i> | 2  | 1  | 0 |
| MAN | 50.497803°N | 4.277319°E | S2 | GF | D2 | Lycosidae | <i>Pardosa pullata</i> | 7  | 0  | 0 |
| MAN | 50.497803°N | 4.277319°E | S2 | GF | D1 | Lycosidae | <i>Pardosa pullata</i> | 3  | 0  | 0 |
| MAN | 50.497803°N | 4.277319°E | S2 | GF | D2 | Lycosidae | <i>Pardosa pullata</i> | 12 | 5  | 0 |
| MAN | 50.497803°N | 4.277319°E | S3 | GF | D1 | Lycosidae | <i>Pardosa pullata</i> | 5  | 0  | 1 |
| MAN | 50.497803°N | 4.277319°E | S3 | GF | D1 | Lycosidae | <i>Pardosa pullata</i> | 5  | 5  | 0 |
| MAN | 50.498513°N | 4.277361°E | S2 | HC | D1 | Lycosidae | <i>Pardosa pullata</i> | 0  | 1  | 0 |
| MAN | 50.496593°N | 4.276469°E | S2 | HF | D2 | Lycosidae | <i>Pardosa pullata</i> | 8  | 7  | 0 |
| MAN | 50.496593°N | 4.276469°E | S2 | HF | D2 | Lycosidae | <i>Pardosa pullata</i> | 18 | 5  | 0 |
| MAN | 50.496593°N | 4.276469°E | S3 | HF | D2 | Lycosidae | <i>Pardosa pullata</i> | 7  | 3  | 0 |
| MAN | 50.496593°N | 4.276469°E | S3 | HF | D2 | Lycosidae | <i>Pardosa pullata</i> | 2  | 1  | 0 |
| PHI | 50.104107°N | 4.607196°E | S2 | GC | D1 | Lycosidae | <i>Pardosa pullata</i> | 9  | 0  | 0 |
| PHI | 50.104107°N | 4.607196°E | S3 | GC | D2 | Lycosidae | <i>Pardosa pullata</i> | 2  | 0  | 0 |
| PHI | 50.108510°N | 4.611973°E | S2 | GF | D1 | Lycosidae | <i>Pardosa pullata</i> | 3  | 0  | 0 |
| PHI | 50.108510°N | 4.611973°E | S2 | GF | D2 | Lycosidae | <i>Pardosa pullata</i> | 2  | 0  | 0 |
| PHI | 50.108510°N | 4.611973°E | S2 | GF | D1 | Lycosidae | <i>Pardosa pullata</i> | 2  | 1  | 0 |
| PHI | 50.108510°N | 4.611973°E | S2 | GF | D2 | Lycosidae | <i>Pardosa pullata</i> | 3  | 1  | 0 |
| PHI | 50.108510°N | 4.611973°E | S3 | GF | D1 | Lycosidae | <i>Pardosa pullata</i> | 1  | 0  | 0 |
| PHI | 50.106959°N | 4.613748°E | S2 | HC | D2 | Lycosidae | <i>Pardosa pullata</i> | 1  | 0  | 0 |
| PHI | 50.106959°N | 4.613748°E | S2 | HC | D2 | Lycosidae | <i>Pardosa pullata</i> | 1  | 2  | 0 |
| PHI | 50.106959°N | 4.613748°E | S3 | HC | D1 | Lycosidae | <i>Pardosa pullata</i> | 1  | 0  | 0 |
| PHI | 50.108405°N | 4.616025°E | S2 | HF | D2 | Lycosidae | <i>Pardosa pullata</i> | 1  | 0  | 0 |
| PHI | 50.108405°N | 4.616025°E | S2 | HF | D2 | Lycosidae | <i>Pardosa pullata</i> | 1  | 0  | 0 |



|     |             |            |    |    |    |           |                         |    |    |   |
|-----|-------------|------------|----|----|----|-----------|-------------------------|----|----|---|
| SAM | 50.489556°N | 4.612416°E | S3 | GC | D1 | Lycosidae | <i>Pardosa pullata</i>  | 1  | 0  | 0 |
| SAM | 50.487345°N | 4.612687°E | S2 | GF | D1 | Lycosidae | <i>Pardosa pullata</i>  | 1  | 0  | 0 |
| SAM | 50.487345°N | 4.612687°E | S2 | GF | D1 | Lycosidae | <i>Pardosa pullata</i>  | 6  | 0  | 0 |
| SAM | 50.487345°N | 4.612687°E | S3 | GF | D1 | Lycosidae | <i>Pardosa pullata</i>  | 1  | 0  | 0 |
| SAM | 50.485917°N | 4.617327°E | S2 | HC | D1 | Lycosidae | <i>Pardosa pullata</i>  | 0  | 1  | 0 |
| SAM | 50.485917°N | 4.617327°E | S2 | HC | D2 | Lycosidae | <i>Pardosa pullata</i>  | 5  | 0  | 0 |
| SAM | 50.485917°N | 4.617327°E | S2 | HC | D2 | Lycosidae | <i>Pardosa pullata</i>  | 3  | 1  | 0 |
| SAM | 50.485917°N | 4.617327°E | S3 | HC | D1 | Lycosidae | <i>Pardosa pullata</i>  | 0  | 1  | 0 |
| SAM | 50.485774°N | 4.616688°E | S2 | HF | D2 | Lycosidae | <i>Pardosa pullata</i>  | 3  | 2  | 0 |
| SAM | 50.485774°N | 4.616688°E | S2 | HF | D1 | Lycosidae | <i>Pardosa pullata</i>  | 0  | 6  | 0 |
| SAM | 50.485774°N | 4.616688°E | S2 | HF | D2 | Lycosidae | <i>Pardosa pullata</i>  | 6  | 1  | 0 |
| SAM | 50.485774°N | 4.616688°E | S3 | HF | D1 | Lycosidae | <i>Pardosa pullata</i>  | 0  | 3  | 0 |
| SAM | 50.485774°N | 4.616688°E | S3 | HF | D2 | Lycosidae | <i>Pardosa pullata</i>  | 1  | 2  | 0 |
| SAM | 50.485774°N | 4.616688°E | S3 | HF | D2 | Lycosidae | <i>Pardosa pullata</i>  | 1  | 3  | 0 |
| THU | 50.305897°N | 4.331210°E | S3 | GC | D1 | Lycosidae | <i>Pardosa pullata</i>  | 2  | 0  | 0 |
| THU | 50.305897°N | 4.331210°E | S3 | GC | D2 | Lycosidae | <i>Pardosa pullata</i>  | 0  | 1  | 0 |
| THU | 50.289036°N | 4.263537°E | S2 | GF | D1 | Lycosidae | <i>Pardosa pullata</i>  | 2  | 0  | 0 |
| THU | 50.289036°N | 4.263537°E | S2 | GF | D2 | Lycosidae | <i>Pardosa pullata</i>  | 1  | 0  | 0 |
| THU | 50.289036°N | 4.263537°E | S3 | GF | D1 | Lycosidae | <i>Pardosa pullata</i>  | 3  | 0  | 0 |
| THU | 50.289036°N | 4.263537°E | S3 | GF | D1 | Lycosidae | <i>Pardosa pullata</i>  | 3  | 0  | 0 |
| THU | 50.288457°N | 4.256949°E | S3 | HC | D4 | Lycosidae | <i>Pardosa pullata</i>  | 0  | 1  | 0 |
| THU | 50.303252°N | 4.331577°E | S2 | HF | D2 | Lycosidae | <i>Pardosa pullata</i>  | 1  | 0  | 0 |
| THU | 50.303252°N | 4.331577°E | S2 | HF | D2 | Lycosidae | <i>Pardosa pullata</i>  | 2  | 0  | 0 |
| THU | 50.303252°N | 4.331577°E | S3 | HF | D2 | Lycosidae | <i>Pardosa pullata</i>  | 2  | 1  | 0 |
| THU | 50.303252°N | 4.331577°E | S3 | HF | D2 | Lycosidae | <i>Pardosa pullata</i>  | 18 | 2  | 0 |
| THU | 50.303252°N | 4.331577°E | S3 | HF | D4 | Lycosidae | <i>Pardosa pullata</i>  | 0  | 1  | 0 |
| ANH | 50.319519°N | 4.803072°E | S3 | HC | D3 | Lycosidae | <i>Pardosa saltans</i>  | 1  | 0  | 0 |
| BUR | 50.591294°N | 5.112114°E | S2 | HC | D1 | Lycosidae | <i>Pardosa saltans</i>  | 1  | 0  | 0 |
| CHA | 50.390023°N | 4.587227°E | S2 | HF | D1 | Lycosidae | <i>Pardosa saltans</i>  | 1  | 1  | 0 |
| CHA | 50.390023°N | 4.587227°E | S3 | HF | D1 | Lycosidae | <i>Pardosa saltans</i>  | 7  | 2  | 0 |
| CHA | 50.390023°N | 4.587227°E | S3 | HF | D1 | Lycosidae | <i>Pardosa saltans</i>  | 1  | 10 | 0 |
| CHA | 50.390023°N | 4.587227°E | S3 | HF | D2 | Lycosidae | <i>Pardosa saltans</i>  | 0  | 1  | 0 |
| HER | 50.539276°N | 5.092059°E | S2 | HF | D1 | Lycosidae | <i>Pardosa saltans</i>  | 5  | 3  | 0 |
| HER | 50.539276°N | 5.092059°E | S2 | HF | D1 | Lycosidae | <i>Pardosa saltans</i>  | 6  | 5  | 0 |
| PHI | 50.108405°N | 4.616025°E | S2 | HF | D2 | Lycosidae | <i>Pardosa saltans</i>  | 1  | 0  | 0 |
| THU | 50.303252°N | 4.331577°E | S3 | HF | D1 | Lycosidae | <i>Pardosa saltans</i>  | 2  | 0  | 0 |
| ARB | 50.372361°N | 4.812787°E | S2 | GF | D1 | Lycosidae | <i>Pardosa tenuipes</i> | 2  | 0  | 0 |
| ARB | 50.372361°N | 4.812787°E | S2 | GF | D1 | Lycosidae | <i>Pardosa tenuipes</i> | 6  | 0  | 0 |
| ARB | 50.372361°N | 4.812787°E | S2 | GF | D2 | Lycosidae | <i>Pardosa tenuipes</i> | 2  | 0  | 0 |
| BUR | 50.591480°N | 5.115247°E | S3 | GC | D1 | Lycosidae | <i>Pardosa tenuipes</i> | 0  | 1  | 0 |
| BUR | 50.591445°N | 5.109735°E | S2 | GF | D1 | Lycosidae | <i>Pardosa tenuipes</i> | 1  | 0  | 0 |
| BUR | 50.591445°N | 5.109735°E | S3 | GF | D2 | Lycosidae | <i>Pardosa tenuipes</i> | 0  | 1  | 0 |
| BUR | 50.591411°N | 5.111974°E | S2 | HF | D2 | Lycosidae | <i>Pardosa tenuipes</i> | 1  | 0  | 0 |
| CHA | 50.390296°N | 4.589377°E | S2 | GC | D2 | Lycosidae | <i>Pardosa tenuipes</i> | 1  | 0  | 0 |
| CHA | 50.390296°N | 4.589377°E | S2 | GC | D3 | Lycosidae | <i>Pardosa tenuipes</i> | 1  | 1  | 0 |
| CHA | 50.392478°N | 4.590955°E | S3 | HC | D2 | Lycosidae | <i>Pardosa tenuipes</i> | 1  | 0  | 0 |
| FOS | 50.396471°N | 4.658446°E | S2 | GC | D1 | Lycosidae | <i>Pardosa tenuipes</i> | 1  | 0  | 0 |
| FOS | 50.397782°N | 4.656511°E | S3 | GF | D1 | Lycosidae | <i>Pardosa tenuipes</i> | 1  | 0  | 0 |
| FOS | 50.397179°N | 4.653627°E | S2 | HC | D2 | Lycosidae | <i>Pardosa tenuipes</i> | 3  | 0  | 0 |
| FOS | 50.397179°N | 4.653627°E | S2 | HC | D2 | Lycosidae | <i>Pardosa tenuipes</i> | 1  | 0  | 0 |

|     |             |            |    |    |    |           |                            |   |   |   |
|-----|-------------|------------|----|----|----|-----------|----------------------------|---|---|---|
| FOS | 50.397179°N | 4.653627°E | S2 | HC | D3 | Lycosidae | <i>Pardosa tenuipes</i>    | 1 | 0 | 0 |
| FOS | 50.397662°N | 4.658558°E | S2 | HF | D1 | Lycosidae | <i>Pardosa tenuipes</i>    | 1 | 0 | 0 |
| FOS | 50.397662°N | 4.658558°E | S2 | HF | D2 | Lycosidae | <i>Pardosa tenuipes</i>    | 4 | 1 | 0 |
| FOS | 50.397662°N | 4.658558°E | S3 | HF | D4 | Lycosidae | <i>Pardosa tenuipes</i>    | 0 | 1 | 0 |
| HER | 50.538970°N | 5.087527°E | S2 | GC | D3 | Lycosidae | <i>Pardosa tenuipes</i>    | 1 | 0 | 0 |
| HER | 50.540099°N | 5.088086°E | S2 | HC | D2 | Lycosidae | <i>Pardosa tenuipes</i>    | 2 | 1 | 0 |
| HER | 50.540099°N | 5.088086°E | S2 | HC | D3 | Lycosidae | <i>Pardosa tenuipes</i>    | 1 | 0 | 0 |
| HER | 50.540099°N | 5.088086°E | S2 | HC | D3 | Lycosidae | <i>Pardosa tenuipes</i>    | 0 | 1 | 0 |
| HER | 50.540099°N | 5.088086°E | S2 | HC | D4 | Lycosidae | <i>Pardosa tenuipes</i>    | 0 | 1 | 0 |
| HER | 50.539276°N | 5.092059°E | S2 | HF | D2 | Lycosidae | <i>Pardosa tenuipes</i>    | 1 | 0 | 0 |
| PHI | 50.104107°N | 4.607196°E | S2 | GC | D1 | Lycosidae | <i>Pardosa tenuipes</i>    | 1 | 0 | 0 |
| PHI | 50.104107°N | 4.607196°E | S2 | GC | D4 | Lycosidae | <i>Pardosa tenuipes</i>    | 2 | 0 | 0 |
| PHI | 50.104107°N | 4.607196°E | S2 | GC | D3 | Lycosidae | <i>Pardosa tenuipes</i>    | 1 | 2 | 0 |
| SAM | 50.489556°N | 4.612416°E | S3 | GC | D2 | Lycosidae | <i>Pardosa tenuipes</i>    | 1 | 0 | 0 |
| SAM | 50.487345°N | 4.612687°E | S2 | GF | D2 | Lycosidae | <i>Pardosa tenuipes</i>    | 4 | 0 | 0 |
| SAM | 50.487345°N | 4.612687°E | S3 | GF | D2 | Lycosidae | <i>Pardosa tenuipes</i>    | 1 | 0 | 0 |
| THU | 50.305897°N | 4.331210°E | S2 | GC | D1 | Lycosidae | <i>Pardosa tenuipes</i>    | 4 | 0 | 0 |
| THU | 50.305897°N | 4.331210°E | S2 | GC | D1 | Lycosidae | <i>Pardosa tenuipes</i>    | 1 | 0 | 0 |
| THU | 50.305897°N | 4.331210°E | S3 | GC | D1 | Lycosidae | <i>Pardosa tenuipes</i>    | 0 | 1 | 0 |
| THU | 50.289036°N | 4.263537°E | S2 | GF | D1 | Lycosidae | <i>Pardosa tenuipes</i>    | 0 | 1 | 0 |
| THU | 50.289036°N | 4.263537°E | S3 | GF | D3 | Lycosidae | <i>Pardosa tenuipes</i>    | 0 | 1 | 0 |
| MAN | 50.500613°N | 4.275502°E | S3 | GC | D4 | Lycosidae | <i>Pirata piraticus</i>    | 0 | 1 | 0 |
| MAN | 50.500613°N | 4.275502°E | S3 | GC | D1 | Lycosidae | <i>Pirata piraticus</i>    | 1 | 0 | 0 |
| ANH | 50.328394°N | 4.807805°E | S3 | GC | D2 | Lycosidae | <i>Piratula hygrophila</i> | 1 | 0 | 0 |
| ARB | 50.371947°N | 4.829153°E | S3 | GC | D3 | Lycosidae | <i>Piratula hygrophila</i> | 2 | 0 | 0 |
| CHA | 50.390296°N | 4.589377°E | S3 | GC | D1 | Lycosidae | <i>Piratula hygrophila</i> | 0 | 1 | 0 |
| HER | 50.538970°N | 5.087527°E | S3 | GC | D3 | Lycosidae | <i>Piratula hygrophila</i> | 1 | 0 | 0 |
| ANH | 50.328394°N | 4.807805°E | S3 | GC | D4 | Lycosidae | <i>Piratula latitans</i>   | 1 | 0 | 0 |
| ANH | 50.328394°N | 4.807805°E | S3 | GC | D1 | Lycosidae | <i>Piratula latitans</i>   | 1 | 0 | 0 |
| ARB | 50.371947°N | 4.829153°E | S3 | GC | D1 | Lycosidae | <i>Piratula latitans</i>   | 2 | 0 | 0 |
| ARB | 50.371947°N | 4.829153°E | S3 | GC | D3 | Lycosidae | <i>Piratula latitans</i>   | 2 | 0 | 0 |
| ARB | 50.371947°N | 4.829153°E | S3 | GC | D4 | Lycosidae | <i>Piratula latitans</i>   | 0 | 1 | 0 |
| ARB | 50.371572°N | 4.827268°E | S3 | HC | D3 | Lycosidae | <i>Piratula latitans</i>   | 1 | 0 | 0 |
| ARB | 50.372726°N | 4.811217°E | S3 | HF | D1 | Lycosidae | <i>Piratula latitans</i>   | 1 | 0 | 0 |
| BUR | 50.591445°N | 5.109735°E | S3 | GF | D1 | Lycosidae | <i>Piratula latitans</i>   | 1 | 0 | 1 |
| BUR | 50.591445°N | 5.109735°E | S3 | GF | D2 | Lycosidae | <i>Piratula latitans</i>   | 0 | 1 | 0 |
| BUR | 50.591411°N | 5.111974°E | S3 | HF | D2 | Lycosidae | <i>Piratula latitans</i>   | 2 | 0 | 0 |
| BUR | 50.591411°N | 5.111974°E | S3 | HF | D4 | Lycosidae | <i>Piratula latitans</i>   | 1 | 0 | 0 |
| CHA | 50.390272°N | 4.589005°E | S3 | GF | D1 | Lycosidae | <i>Piratula latitans</i>   | 1 | 0 | 0 |
| CHA | 50.390272°N | 4.589005°E | S3 | GF | D1 | Lycosidae | <i>Piratula latitans</i>   | 1 | 0 | 0 |
| CHA | 50.390272°N | 4.589005°E | S3 | GF | D3 | Lycosidae | <i>Piratula latitans</i>   | 1 | 0 | 0 |
| FOS | 50.396471°N | 4.658446°E | S3 | GC | D2 | Lycosidae | <i>Piratula latitans</i>   | 1 | 0 | 0 |
| FOS | 50.397782°N | 4.656511°E | S3 | GF | D2 | Lycosidae | <i>Piratula latitans</i>   | 1 | 0 | 0 |
| FOS | 50.397179°N | 4.653627°E | S3 | HC | D2 | Lycosidae | <i>Piratula latitans</i>   | 1 | 0 | 0 |
| FOS | 50.397179°N | 4.653627°E | S3 | HC | D4 | Lycosidae | <i>Piratula latitans</i>   | 1 | 0 | 0 |
| FOS | 50.397179°N | 4.653627°E | S3 | HC | D2 | Lycosidae | <i>Piratula latitans</i>   | 3 | 0 | 0 |
| FOS | 50.397179°N | 4.653627°E | S3 | HC | D3 | Lycosidae | <i>Piratula latitans</i>   | 1 | 0 | 0 |
| FOS | 50.397662°N | 4.658558°E | S3 | HF | D4 | Lycosidae | <i>Piratula latitans</i>   | 0 | 1 | 0 |
| FOS | 50.397662°N | 4.658558°E | S3 | HF | D2 | Lycosidae | <i>Piratula latitans</i>   | 2 | 0 | 0 |
| FOS | 50.397662°N | 4.658558°E | S3 | HF | D3 | Lycosidae | <i>Piratula latitans</i>   | 2 | 0 | 0 |

|     |             |            |    |    |    |           |                           |   |   |   |
|-----|-------------|------------|----|----|----|-----------|---------------------------|---|---|---|
| HER | 50.537879°N | 5.089543°E | S3 | GF | D3 | Lycosidae | <i>Piratula latitans</i>  | 1 | 0 | 0 |
| HER | 50.539276°N | 5.092059°E | S1 | HF | D2 | Lycosidae | <i>Piratula latitans</i>  | 1 | 0 | 0 |
| MAN | 50.498513°N | 4.277361°E | S3 | HC | D3 | Lycosidae | <i>Piratula latitans</i>  | 1 | 0 | 0 |
| MAN | 50.496593°N | 4.276469°E | S3 | HF | D2 | Lycosidae | <i>Piratula latitans</i>  | 1 | 0 | 0 |
| PHI | 50.108405°N | 4.616025°E | S3 | HF | D2 | Lycosidae | <i>Piratula latitans</i>  | 7 | 1 | 0 |
| PHI | 50.108405°N | 4.616025°E | S3 | HF | D2 | Lycosidae | <i>Piratula latitans</i>  | 2 | 0 | 0 |
| THU | 50.289036°N | 4.263537°E | S3 | GF | D1 | Lycosidae | <i>Piratula latitans</i>  | 5 | 0 | 0 |
| THU | 50.289036°N | 4.263537°E | S3 | GF | D1 | Lycosidae | <i>Piratula latitans</i>  | 1 | 0 | 0 |
| THU | 50.303252°N | 4.331577°E | S3 | HF | D4 | Lycosidae | <i>Piratula latitans</i>  | 2 | 0 | 0 |
| THU | 50.303252°N | 4.331577°E | S3 | HF | D2 | Lycosidae | <i>Piratula latitans</i>  | 0 | 1 | 0 |
| THU | 50.303252°N | 4.331577°E | S3 | HF | D4 | Lycosidae | <i>Piratula latitans</i>  | 1 | 0 | 0 |
| BUR | 50.591480°N | 5.115247°E | S3 | GC | D2 | Lycosidae | <i>Piratula uliginosa</i> | 1 | 0 | 0 |
| FOS | 50.397782°N | 4.656511°E | S3 | GF | D2 | Lycosidae | <i>Piratula uliginosa</i> | 1 | 0 | 0 |
| THU | 50.303252°N | 4.331577°E | S3 | HF | D2 | Lycosidae | <i>Piratula uliginosa</i> | 0 | 1 | 0 |
| ANH | 50.328394°N | 4.807805°E | S2 | GC | D1 | Lycosidae | <i>Trochosa ruricola</i>  | 1 | 0 | 0 |
| ANH | 50.328394°N | 4.807805°E | S3 | GC | D1 | Lycosidae | <i>Trochosa ruricola</i>  | 1 | 1 | 0 |
| ANH | 50.319519°N | 4.803072°E | S3 | HC | D2 | Lycosidae | <i>Trochosa ruricola</i>  | 0 | 1 | 0 |
| ANH | 50.327943°N | 4.806664°E | S2 | HF | D2 | Lycosidae | <i>Trochosa ruricola</i>  | 1 | 0 | 0 |
| ARB | 50.372361°N | 4.812787°E | S2 | GF | D1 | Lycosidae | <i>Trochosa ruricola</i>  | 1 | 0 | 0 |
| ARB | 50.371572°N | 4.827268°E | S2 | HC | D2 | Lycosidae | <i>Trochosa ruricola</i>  | 1 | 0 | 0 |
| BUR | 50.591480°N | 5.115247°E | S2 | GC | D4 | Lycosidae | <i>Trochosa ruricola</i>  | 1 | 0 | 0 |
| BUR | 50.591480°N | 5.115247°E | S3 | GC | D3 | Lycosidae | <i>Trochosa ruricola</i>  | 1 | 0 | 0 |
| BUR | 50.591411°N | 5.111974°E | S3 | HF | D3 | Lycosidae | <i>Trochosa ruricola</i>  | 1 | 0 | 0 |
| CHA | 50.390296°N | 4.589377°E | S2 | GC | D2 | Lycosidae | <i>Trochosa ruricola</i>  | 2 | 0 | 0 |
| CHA | 50.390296°N | 4.589377°E | S2 | GC | D1 | Lycosidae | <i>Trochosa ruricola</i>  | 2 | 0 | 0 |
| CHA | 50.390296°N | 4.589377°E | S2 | GC | D2 | Lycosidae | <i>Trochosa ruricola</i>  | 2 | 0 | 0 |
| CHA | 50.390296°N | 4.589377°E | S2 | GC | D3 | Lycosidae | <i>Trochosa ruricola</i>  | 2 | 0 | 0 |
| CHA | 50.390296°N | 4.589377°E | S2 | GC | D4 | Lycosidae | <i>Trochosa ruricola</i>  | 1 | 0 | 0 |
| CHA | 50.390296°N | 4.589377°E | S3 | GC | D3 | Lycosidae | <i>Trochosa ruricola</i>  | 1 | 0 | 0 |
| CHA | 50.390272°N | 4.589005°E | S2 | GF | D1 | Lycosidae | <i>Trochosa ruricola</i>  | 2 | 0 | 0 |
| CHA | 50.390272°N | 4.589005°E | S2 | GF | D2 | Lycosidae | <i>Trochosa ruricola</i>  | 2 | 0 | 0 |
| CHA | 50.390272°N | 4.589005°E | S2 | GF | D3 | Lycosidae | <i>Trochosa ruricola</i>  | 1 | 0 | 0 |
| CHA | 50.390272°N | 4.589005°E | S2 | GF | D4 | Lycosidae | <i>Trochosa ruricola</i>  | 3 | 0 | 0 |
| CHA | 50.390272°N | 4.589005°E | S2 | GF | D1 | Lycosidae | <i>Trochosa ruricola</i>  | 1 | 0 | 0 |
| CHA | 50.390272°N | 4.589005°E | S2 | GF | D2 | Lycosidae | <i>Trochosa ruricola</i>  | 6 | 0 | 0 |
| CHA | 50.390272°N | 4.589005°E | S2 | GF | D3 | Lycosidae | <i>Trochosa ruricola</i>  | 1 | 1 | 0 |
| CHA | 50.390272°N | 4.589005°E | S2 | GF | D4 | Lycosidae | <i>Trochosa ruricola</i>  | 1 | 0 | 0 |
| CHA | 50.390272°N | 4.589005°E | S3 | GF | D2 | Lycosidae | <i>Trochosa ruricola</i>  | 1 | 0 | 0 |
| CHA | 50.390272°N | 4.589005°E | S3 | GF | D2 | Lycosidae | <i>Trochosa ruricola</i>  | 1 | 0 | 0 |
| CHA | 50.392478°N | 4.590955°E | S2 | HC | D3 | Lycosidae | <i>Trochosa ruricola</i>  | 1 | 0 | 0 |
| CHA | 50.392478°N | 4.590955°E | S2 | HC | D4 | Lycosidae | <i>Trochosa ruricola</i>  | 1 | 0 | 0 |
| CHA | 50.392478°N | 4.590955°E | S3 | HC | D2 | Lycosidae | <i>Trochosa ruricola</i>  | 1 | 0 | 0 |
| CHA | 50.392478°N | 4.590955°E | S3 | HC | D4 | Lycosidae | <i>Trochosa ruricola</i>  | 1 | 0 | 0 |
| CHA | 50.390023°N | 4.587227°E | S2 | HF | D2 | Lycosidae | <i>Trochosa ruricola</i>  | 1 | 0 | 0 |
| CHA | 50.390023°N | 4.587227°E | S2 | HF | D3 | Lycosidae | <i>Trochosa ruricola</i>  | 3 | 0 | 0 |
| CHA | 50.390023°N | 4.587227°E | S2 | HF | D2 | Lycosidae | <i>Trochosa ruricola</i>  | 4 | 0 | 0 |
| CHA | 50.390023°N | 4.587227°E | S2 | HF | D3 | Lycosidae | <i>Trochosa ruricola</i>  | 1 | 0 | 0 |
| CHA | 50.390023°N | 4.587227°E | S2 | HF | D4 | Lycosidae | <i>Trochosa ruricola</i>  | 3 | 0 | 0 |
| CHA | 50.390023°N | 4.587227°E | S3 | HF | D3 | Lycosidae | <i>Trochosa ruricola</i>  | 3 | 1 | 0 |

|     |             |            |    |    |    |           |                          |   |   |   |
|-----|-------------|------------|----|----|----|-----------|--------------------------|---|---|---|
| CHA | 50.390023°N | 4.587227°E | S3 | HF | D3 | Lycosidae | <i>Trochosa ruricola</i> | 1 | 0 | 0 |
| CHA | 50.390023°N | 4.587227°E | S3 | HF | D4 | Lycosidae | <i>Trochosa ruricola</i> | 1 | 1 | 0 |
| FOS | 50.396471°N | 4.658446°E | S2 | GC | D1 | Lycosidae | <i>Trochosa ruricola</i> | 1 | 0 | 0 |
| FOS | 50.396471°N | 4.658446°E | S3 | GC | D2 | Lycosidae | <i>Trochosa ruricola</i> | 1 | 0 | 0 |
| FOS | 50.396471°N | 4.658446°E | S3 | GC | D3 | Lycosidae | <i>Trochosa ruricola</i> | 1 | 0 | 0 |
| FOS | 50.396471°N | 4.658446°E | S3 | GC | D4 | Lycosidae | <i>Trochosa ruricola</i> | 1 | 0 | 0 |
| FOS | 50.396471°N | 4.658446°E | S3 | GC | D3 | Lycosidae | <i>Trochosa ruricola</i> | 1 | 1 | 0 |
| FOS | 50.396471°N | 4.658446°E | S3 | GC | D4 | Lycosidae | <i>Trochosa ruricola</i> | 1 | 0 | 0 |
| FOS | 50.397782°N | 4.656511°E | S2 | GF | D2 | Lycosidae | <i>Trochosa ruricola</i> | 6 | 1 | 0 |
| FOS | 50.397782°N | 4.656511°E | S2 | GF | D4 | Lycosidae | <i>Trochosa ruricola</i> | 1 | 0 | 0 |
| FOS | 50.397782°N | 4.656511°E | S2 | GF | D1 | Lycosidae | <i>Trochosa ruricola</i> | 1 | 0 | 0 |
| FOS | 50.397782°N | 4.656511°E | S2 | GF | D2 | Lycosidae | <i>Trochosa ruricola</i> | 1 | 0 | 0 |
| FOS | 50.397782°N | 4.656511°E | S2 | GF | D3 | Lycosidae | <i>Trochosa ruricola</i> | 3 | 0 | 0 |
| FOS | 50.397782°N | 4.656511°E | S3 | GF | D1 | Lycosidae | <i>Trochosa ruricola</i> | 2 | 0 | 0 |
| FOS | 50.397782°N | 4.656511°E | S3 | GF | D3 | Lycosidae | <i>Trochosa ruricola</i> | 3 | 0 | 1 |
| FOS | 50.397782°N | 4.656511°E | S3 | GF | D1 | Lycosidae | <i>Trochosa ruricola</i> | 1 | 0 | 0 |
| FOS | 50.397782°N | 4.656511°E | S3 | GF | D2 | Lycosidae | <i>Trochosa ruricola</i> | 2 | 0 | 0 |
| FOS | 50.397179°N | 4.653627°E | S2 | HC | D1 | Lycosidae | <i>Trochosa ruricola</i> | 5 | 0 | 0 |
| FOS | 50.397179°N | 4.653627°E | S2 | HC | D2 | Lycosidae | <i>Trochosa ruricola</i> | 1 | 0 | 0 |
| FOS | 50.397179°N | 4.653627°E | S2 | HC | D3 | Lycosidae | <i>Trochosa ruricola</i> | 1 | 0 | 0 |
| FOS | 50.397179°N | 4.653627°E | S2 | HC | D1 | Lycosidae | <i>Trochosa ruricola</i> | 1 | 0 | 0 |
| FOS | 50.397179°N | 4.653627°E | S2 | HC | D2 | Lycosidae | <i>Trochosa ruricola</i> | 4 | 0 | 0 |
| FOS | 50.397179°N | 4.653627°E | S2 | HC | D3 | Lycosidae | <i>Trochosa ruricola</i> | 1 | 1 | 0 |
| FOS | 50.397179°N | 4.653627°E | S2 | HC | D4 | Lycosidae | <i>Trochosa ruricola</i> | 1 | 0 | 0 |
| FOS | 50.397179°N | 4.653627°E | S3 | HC | D4 | Lycosidae | <i>Trochosa ruricola</i> | 1 | 0 | 0 |
| FOS | 50.397179°N | 4.653627°E | S3 | HC | D3 | Lycosidae | <i>Trochosa ruricola</i> | 2 | 0 | 0 |
| FOS | 50.397662°N | 4.658558°E | S2 | HF | D1 | Lycosidae | <i>Trochosa ruricola</i> | 1 | 0 | 0 |
| FOS | 50.397662°N | 4.658558°E | S2 | HF | D2 | Lycosidae | <i>Trochosa ruricola</i> | 2 | 1 | 0 |
| FOS | 50.397662°N | 4.658558°E | S2 | HF | D4 | Lycosidae | <i>Trochosa ruricola</i> | 1 | 0 | 0 |
| FOS | 50.397662°N | 4.658558°E | S2 | HF | D1 | Lycosidae | <i>Trochosa ruricola</i> | 1 | 0 | 0 |
| FOS | 50.397662°N | 4.658558°E | S2 | HF | D2 | Lycosidae | <i>Trochosa ruricola</i> | 3 | 0 | 0 |
| FOS | 50.397662°N | 4.658558°E | S3 | HF | D2 | Lycosidae | <i>Trochosa ruricola</i> | 2 | 1 | 0 |
| FOS | 50.397662°N | 4.658558°E | S3 | HF | D3 | Lycosidae | <i>Trochosa ruricola</i> | 1 | 0 | 0 |
| FOS | 50.397662°N | 4.658558°E | S3 | HF | D4 | Lycosidae | <i>Trochosa ruricola</i> | 1 | 0 | 0 |
| FOS | 50.397662°N | 4.658558°E | S3 | HF | D2 | Lycosidae | <i>Trochosa ruricola</i> | 1 | 1 | 0 |
| FOS | 50.397662°N | 4.658558°E | S3 | HF | D3 | Lycosidae | <i>Trochosa ruricola</i> | 0 | 1 | 0 |
| HER | 50.538970°N | 5.087527°E | S2 | GC | D1 | Lycosidae | <i>Trochosa ruricola</i> | 2 | 0 | 0 |
| HER | 50.538970°N | 5.087527°E | S2 | GC | D1 | Lycosidae | <i>Trochosa ruricola</i> | 1 | 0 | 0 |
| HER | 50.538970°N | 5.087527°E | S2 | GC | D3 | Lycosidae | <i>Trochosa ruricola</i> | 1 | 0 | 0 |
| HER | 50.538970°N | 5.087527°E | S2 | GC | D4 | Lycosidae | <i>Trochosa ruricola</i> | 1 | 0 | 0 |
| HER | 50.537879°N | 5.089543°E | S2 | GF | D1 | Lycosidae | <i>Trochosa ruricola</i> | 1 | 0 | 0 |
| HER | 50.537879°N | 5.089543°E | S2 | GF | D3 | Lycosidae | <i>Trochosa ruricola</i> | 2 | 0 | 0 |
| HER | 50.537879°N | 5.089543°E | S2 | GF | D4 | Lycosidae | <i>Trochosa ruricola</i> | 1 | 0 | 0 |
| HER | 50.537879°N | 5.089543°E | S2 | GF | D1 | Lycosidae | <i>Trochosa ruricola</i> | 1 | 1 | 0 |
| HER | 50.537879°N | 5.089543°E | S2 | GF | D2 | Lycosidae | <i>Trochosa ruricola</i> | 1 | 1 | 0 |
| HER | 50.537879°N | 5.089543°E | S2 | GF | D3 | Lycosidae | <i>Trochosa ruricola</i> | 2 | 0 | 0 |
| HER | 50.537879°N | 5.089543°E | S2 | GF | D4 | Lycosidae | <i>Trochosa ruricola</i> | 1 | 0 | 0 |
| HER | 50.537879°N | 5.089543°E | S3 | GF | D1 | Lycosidae | <i>Trochosa ruricola</i> | 1 | 0 | 0 |
| HER | 50.540099°N | 5.088086°E | S2 | HC | D1 | Lycosidae | <i>Trochosa ruricola</i> | 1 | 0 | 0 |
| HER | 50.540099°N | 5.088086°E | S2 | HC | D2 | Lycosidae | <i>Trochosa ruricola</i> | 1 | 0 | 0 |

|     |             |            |    |    |    |           |                          |    |   |   |
|-----|-------------|------------|----|----|----|-----------|--------------------------|----|---|---|
| HER | 50.540099°N | 5.088086°E | S2 | HC | D3 | Lycosidae | <i>Trochosa ruricola</i> | 2  | 0 | 0 |
| HER | 50.539276°N | 5.092059°E | S2 | HF | D3 | Lycosidae | <i>Trochosa ruricola</i> | 1  | 0 | 0 |
| HER | 50.539276°N | 5.092059°E | S3 | HF | D2 | Lycosidae | <i>Trochosa ruricola</i> | 1  | 0 | 1 |
| MAN | 50.500613°N | 4.275502°E | S2 | GC | D4 | Lycosidae | <i>Trochosa ruricola</i> | 0  | 1 | 0 |
| MAN | 50.500613°N | 4.275502°E | S3 | GC | D3 | Lycosidae | <i>Trochosa ruricola</i> | 1  | 0 | 0 |
| MAN | 50.497803°N | 4.277319°E | S2 | GF | D3 | Lycosidae | <i>Trochosa ruricola</i> | 1  | 0 | 0 |
| MAN | 50.497803°N | 4.277319°E | S3 | GF | D2 | Lycosidae | <i>Trochosa ruricola</i> | 1  | 0 | 0 |
| MAN | 50.498513°N | 4.277361°E | S2 | HC | D3 | Lycosidae | <i>Trochosa ruricola</i> | 1  | 0 | 0 |
| MAN | 50.498513°N | 4.277361°E | S2 | HC | D4 | Lycosidae | <i>Trochosa ruricola</i> | 1  | 0 | 0 |
| MAN | 50.498513°N | 4.277361°E | S3 | HC | D2 | Lycosidae | <i>Trochosa ruricola</i> | 3  | 0 | 0 |
| MAN | 50.496593°N | 4.276469°E | S3 | HF | D3 | Lycosidae | <i>Trochosa ruricola</i> | 1  | 0 | 0 |
| MAN | 50.496593°N | 4.276469°E | S3 | HF | D3 | Lycosidae | <i>Trochosa ruricola</i> | 1  | 0 | 0 |
| MAN | 50.496593°N | 4.276469°E | S3 | HF | D4 | Lycosidae | <i>Trochosa ruricola</i> | 2  | 0 | 0 |
| PHI | 50.104107°N | 4.607196°E | S2 | GC | D1 | Lycosidae | <i>Trochosa ruricola</i> | 11 | 1 | 0 |
| PHI | 50.104107°N | 4.607196°E | S2 | GC | D2 | Lycosidae | <i>Trochosa ruricola</i> | 1  | 0 | 0 |
| PHI | 50.104107°N | 4.607196°E | S2 | GC | D3 | Lycosidae | <i>Trochosa ruricola</i> | 3  | 0 | 0 |
| PHI | 50.104107°N | 4.607196°E | S2 | GC | D4 | Lycosidae | <i>Trochosa ruricola</i> | 1  | 2 | 0 |
| PHI | 50.104107°N | 4.607196°E | S3 | GC | D1 | Lycosidae | <i>Trochosa ruricola</i> | 1  | 0 | 0 |
| PHI | 50.104107°N | 4.607196°E | S3 | GC | D3 | Lycosidae | <i>Trochosa ruricola</i> | 3  | 0 | 0 |
| PHI | 50.104107°N | 4.607196°E | S3 | GC | D1 | Lycosidae | <i>Trochosa ruricola</i> | 2  | 0 | 0 |
| PHI | 50.104107°N | 4.607196°E | S3 | GC | D2 | Lycosidae | <i>Trochosa ruricola</i> | 6  | 0 | 0 |
| PHI | 50.104107°N | 4.607196°E | S3 | GC | D3 | Lycosidae | <i>Trochosa ruricola</i> | 1  | 0 | 0 |
| PHI | 50.104107°N | 4.607196°E | S3 | GC | D4 | Lycosidae | <i>Trochosa ruricola</i> | 1  | 0 | 0 |
| PHI | 50.108510°N | 4.611973°E | S2 | GF | D1 | Lycosidae | <i>Trochosa ruricola</i> | 3  | 2 | 0 |
| PHI | 50.108510°N | 4.611973°E | S2 | GF | D2 | Lycosidae | <i>Trochosa ruricola</i> | 1  | 0 | 0 |
| PHI | 50.108510°N | 4.611973°E | S2 | GF | D3 | Lycosidae | <i>Trochosa ruricola</i> | 1  | 0 | 0 |
| PHI | 50.108510°N | 4.611973°E | S2 | GF | D4 | Lycosidae | <i>Trochosa ruricola</i> | 1  | 0 | 0 |
| PHI | 50.108510°N | 4.611973°E | S2 | GF | D1 | Lycosidae | <i>Trochosa ruricola</i> | 1  | 1 | 0 |
| PHI | 50.108510°N | 4.611973°E | S2 | GF | D2 | Lycosidae | <i>Trochosa ruricola</i> | 1  | 0 | 0 |
| PHI | 50.108510°N | 4.611973°E | S2 | GF | D3 | Lycosidae | <i>Trochosa ruricola</i> | 7  | 2 | 0 |
| PHI | 50.108510°N | 4.611973°E | S2 | GF | D4 | Lycosidae | <i>Trochosa ruricola</i> | 6  | 0 | 0 |
| PHI | 50.106959°N | 4.613748°E | S2 | HC | D1 | Lycosidae | <i>Trochosa ruricola</i> | 2  | 0 | 0 |
| PHI | 50.106959°N | 4.613748°E | S2 | HC | D2 | Lycosidae | <i>Trochosa ruricola</i> | 1  | 2 | 0 |
| PHI | 50.106959°N | 4.613748°E | S2 | HC | D4 | Lycosidae | <i>Trochosa ruricola</i> | 1  | 0 | 0 |
| PHI | 50.106959°N | 4.613748°E | S2 | HC | D1 | Lycosidae | <i>Trochosa ruricola</i> | 2  | 0 | 0 |
| PHI | 50.106959°N | 4.613748°E | S2 | HC | D2 | Lycosidae | <i>Trochosa ruricola</i> | 3  | 0 | 0 |
| PHI | 50.106959°N | 4.613748°E | S2 | HC | D3 | Lycosidae | <i>Trochosa ruricola</i> | 5  | 0 | 0 |
| PHI | 50.106959°N | 4.613748°E | S2 | HC | D4 | Lycosidae | <i>Trochosa ruricola</i> | 5  | 1 | 0 |
| PHI | 50.108405°N | 4.616025°E | S1 | HF | D2 | Lycosidae | <i>Trochosa ruricola</i> | 1  | 0 | 0 |
| PHI | 50.108405°N | 4.616025°E | S2 | HF | D2 | Lycosidae | <i>Trochosa ruricola</i> | 0  | 2 | 0 |
| PHI | 50.108405°N | 4.616025°E | S2 | HF | D3 | Lycosidae | <i>Trochosa ruricola</i> | 5  | 2 | 0 |
| PHI | 50.108405°N | 4.616025°E | S2 | HF | D4 | Lycosidae | <i>Trochosa ruricola</i> | 4  | 0 | 0 |
| PHI | 50.108405°N | 4.616025°E | S2 | HF | D3 | Lycosidae | <i>Trochosa ruricola</i> | 2  | 0 | 0 |
| PHI | 50.108405°N | 4.616025°E | S2 | HF | D4 | Lycosidae | <i>Trochosa ruricola</i> | 8  | 1 | 0 |
| PHI | 50.108405°N | 4.616025°E | S3 | HF | D3 | Lycosidae | <i>Trochosa ruricola</i> | 1  | 0 | 0 |
| PHI | 50.108405°N | 4.616025°E | S3 | HF | D3 | Lycosidae | <i>Trochosa ruricola</i> | 2  | 0 | 0 |
| PHI | 50.108405°N | 4.616025°E | S3 | HF | D4 | Lycosidae | <i>Trochosa ruricola</i> | 2  | 0 | 0 |
| THU | 50.305897°N | 4.331210°E | S2 | GC | D1 | Lycosidae | <i>Trochosa ruricola</i> | 2  | 0 | 0 |
| THU | 50.305897°N | 4.331210°E | S2 | GC | D4 | Lycosidae | <i>Trochosa ruricola</i> | 1  | 0 | 0 |
| THU | 50.305897°N | 4.331210°E | S2 | GC | D1 | Lycosidae | <i>Trochosa ruricola</i> | 1  | 0 | 0 |

|     |             |            |    |    |    |           |                             |   |   |   |
|-----|-------------|------------|----|----|----|-----------|-----------------------------|---|---|---|
| THU | 50.305897°N | 4.331210°E | S2 | GC | D2 | Lycosidae | <i>Trochosa ruricola</i>    | 1 | 0 | 0 |
| THU | 50.305897°N | 4.331210°E | S3 | GC | D1 | Lycosidae | <i>Trochosa ruricola</i>    | 0 | 1 | 0 |
| THU | 50.305897°N | 4.331210°E | S3 | GC | D2 | Lycosidae | <i>Trochosa ruricola</i>    | 1 | 0 | 0 |
| THU | 50.289036°N | 4.263537°E | S2 | GF | D1 | Lycosidae | <i>Trochosa ruricola</i>    | 1 | 1 | 0 |
| THU | 50.289036°N | 4.263537°E | S2 | GF | D2 | Lycosidae | <i>Trochosa ruricola</i>    | 2 | 0 | 0 |
| THU | 50.289036°N | 4.263537°E | S2 | GF | D3 | Lycosidae | <i>Trochosa ruricola</i>    | 1 | 0 | 0 |
| THU | 50.289036°N | 4.263537°E | S2 | GF | D4 | Lycosidae | <i>Trochosa ruricola</i>    | 1 | 0 | 0 |
| THU | 50.289036°N | 4.263537°E | S2 | GF | D3 | Lycosidae | <i>Trochosa ruricola</i>    | 1 | 0 | 0 |
| THU | 50.289036°N | 4.263537°E | S2 | GF | D4 | Lycosidae | <i>Trochosa ruricola</i>    | 1 | 0 | 0 |
| THU | 50.289036°N | 4.263537°E | S3 | GF | D2 | Lycosidae | <i>Trochosa ruricola</i>    | 1 | 0 | 0 |
| THU | 50.288457°N | 4.256949°E | S2 | HC | D3 | Lycosidae | <i>Trochosa ruricola</i>    | 1 | 0 | 0 |
| THU | 50.288457°N | 4.256949°E | S3 | HC | D3 | Lycosidae | <i>Trochosa ruricola</i>    | 0 | 1 | 0 |
| THU | 50.303252°N | 4.331577°E | S2 | HF | D2 | Lycosidae | <i>Trochosa ruricola</i>    | 1 | 0 | 0 |
| THU | 50.303252°N | 4.331577°E | S2 | HF | D4 | Lycosidae | <i>Trochosa ruricola</i>    | 1 | 0 | 0 |
| THU | 50.303252°N | 4.331577°E | S3 | HF | D4 | Lycosidae | <i>Trochosa ruricola</i>    | 1 | 0 | 0 |
| HER | 50.538970°N | 5.087527°E | S3 | GC | D1 | Lycosidae | <i>Trochosa spinipalpis</i> | 0 | 1 | 0 |
| ANH | 50.328394°N | 4.807805°E | S2 | GC | D1 | Lycosidae | <i>Trochosa terricola</i>   | 4 | 0 | 0 |
| ANH | 50.328394°N | 4.807805°E | S2 | GC | D1 | Lycosidae | <i>Trochosa terricola</i>   | 1 | 0 | 0 |
| ANH | 50.328394°N | 4.807805°E | S2 | GC | D3 | Lycosidae | <i>Trochosa terricola</i>   | 1 | 0 | 0 |
| ANH | 50.328394°N | 4.807805°E | S3 | GC | D3 | Lycosidae | <i>Trochosa terricola</i>   | 1 | 0 | 0 |
| ANH | 50.320583°N | 4.802121°E | S1 | GF | D1 | Lycosidae | <i>Trochosa terricola</i>   | 1 | 0 | 0 |
| ANH | 50.320583°N | 4.802121°E | S2 | GF | D1 | Lycosidae | <i>Trochosa terricola</i>   | 1 | 0 | 0 |
| ANH | 50.320583°N | 4.802121°E | S2 | GF | D1 | Lycosidae | <i>Trochosa terricola</i>   | 1 | 0 | 0 |
| ANH | 50.319519°N | 4.803072°E | S2 | HC | D1 | Lycosidae | <i>Trochosa terricola</i>   | 1 | 1 | 0 |
| ANH | 50.319519°N | 4.803072°E | S2 | HC | D1 | Lycosidae | <i>Trochosa terricola</i>   | 0 | 1 | 0 |
| ANH | 50.319519°N | 4.803072°E | S2 | HC | D2 | Lycosidae | <i>Trochosa terricola</i>   | 1 | 0 | 0 |
| ANH | 50.327943°N | 4.806664°E | S2 | HF | D2 | Lycosidae | <i>Trochosa terricola</i>   | 1 | 1 | 0 |
| ANH | 50.327943°N | 4.806664°E | S2 | HF | D2 | Lycosidae | <i>Trochosa terricola</i>   | 0 | 1 | 0 |
| ANH | 50.327943°N | 4.806664°E | S2 | HF | D3 | Lycosidae | <i>Trochosa terricola</i>   | 1 | 1 | 0 |
| ARB | 50.371947°N | 4.829153°E | S1 | GC | D1 | Lycosidae | <i>Trochosa terricola</i>   | 1 | 0 | 0 |
| ARB | 50.371947°N | 4.829153°E | S2 | GC | D2 | Lycosidae | <i>Trochosa terricola</i>   | 1 | 0 | 0 |
| ARB | 50.371947°N | 4.829153°E | S2 | GC | D3 | Lycosidae | <i>Trochosa terricola</i>   | 2 | 0 | 0 |
| ARB | 50.371947°N | 4.829153°E | S2 | GC | D2 | Lycosidae | <i>Trochosa terricola</i>   | 1 | 0 | 0 |
| ARB | 50.372361°N | 4.812787°E | S2 | GF | D1 | Lycosidae | <i>Trochosa terricola</i>   | 2 | 0 | 0 |
| ARB | 50.372361°N | 4.812787°E | S2 | GF | D1 | Lycosidae | <i>Trochosa terricola</i>   | 1 | 0 | 0 |
| ARB | 50.371572°N | 4.827268°E | S2 | HC | D1 | Lycosidae | <i>Trochosa terricola</i>   | 7 | 0 | 0 |
| ARB | 50.371572°N | 4.827268°E | S2 | HC | D2 | Lycosidae | <i>Trochosa terricola</i>   | 1 | 0 | 0 |
| ARB | 50.371572°N | 4.827268°E | S2 | HC | D1 | Lycosidae | <i>Trochosa terricola</i>   | 1 | 0 | 0 |
| ARB | 50.371572°N | 4.827268°E | S2 | HC | D2 | Lycosidae | <i>Trochosa terricola</i>   | 4 | 1 | 0 |
| ARB | 50.371572°N | 4.827268°E | S2 | HC | D3 | Lycosidae | <i>Trochosa terricola</i>   | 0 | 1 | 0 |
| ARB | 50.372726°N | 4.811217°E | S2 | HF | D2 | Lycosidae | <i>Trochosa terricola</i>   | 1 | 0 | 0 |
| BUR | 50.591480°N | 5.115247°E | S2 | GC | D2 | Lycosidae | <i>Trochosa terricola</i>   | 1 | 0 | 0 |
| BUR | 50.591445°N | 5.109735°E | S2 | GF | D3 | Lycosidae | <i>Trochosa terricola</i>   | 1 | 0 | 0 |
| BUR | 50.591294°N | 5.112114°E | S2 | HC | D2 | Lycosidae | <i>Trochosa terricola</i>   | 1 | 0 | 0 |
| BUR | 50.591294°N | 5.112114°E | S2 | HC | D1 | Lycosidae | <i>Trochosa terricola</i>   | 1 | 0 | 0 |
| BUR | 50.591411°N | 5.111974°E | S2 | HF | D2 | Lycosidae | <i>Trochosa terricola</i>   | 1 | 0 | 0 |
| BUR | 50.591411°N | 5.111974°E | S2 | HF | D3 | Lycosidae | <i>Trochosa terricola</i>   | 1 | 0 | 0 |
| BUR | 50.591411°N | 5.111974°E | S2 | HF | D4 | Lycosidae | <i>Trochosa terricola</i>   | 1 | 0 | 0 |
| BUR | 50.591411°N | 5.111974°E | S2 | HF | D1 | Lycosidae | <i>Trochosa terricola</i>   | 1 | 0 | 0 |
| CHA | 50.390296°N | 4.589377°E | S2 | GC | D1 | Lycosidae | <i>Trochosa terricola</i>   | 3 | 0 | 0 |

|     |             |            |    |    |    |           |                           |   |   |   |
|-----|-------------|------------|----|----|----|-----------|---------------------------|---|---|---|
| CHA | 50.390296°N | 4.589377°E | S2 | GC | D4 | Lycosidae | <i>Trochosa terricola</i> | 1 | 0 | 0 |
| CHA | 50.390296°N | 4.589377°E | S2 | GC | D1 | Lycosidae | <i>Trochosa terricola</i> | 0 | 1 | 0 |
| CHA | 50.390296°N | 4.589377°E | S2 | GC | D2 | Lycosidae | <i>Trochosa terricola</i> | 1 | 0 | 0 |
| CHA | 50.390296°N | 4.589377°E | S2 | GC | D4 | Lycosidae | <i>Trochosa terricola</i> | 1 | 0 | 0 |
| CHA | 50.390272°N | 4.589005°E | S2 | GF | D2 | Lycosidae | <i>Trochosa terricola</i> | 1 | 0 | 0 |
| CHA | 50.390272°N | 4.589005°E | S2 | GF | D2 | Lycosidae | <i>Trochosa terricola</i> | 1 | 0 | 0 |
| CHA | 50.390272°N | 4.589005°E | S2 | GF | D4 | Lycosidae | <i>Trochosa terricola</i> | 2 | 1 | 0 |
| CHA | 50.390272°N | 4.589005°E | S3 | GF | D2 | Lycosidae | <i>Trochosa terricola</i> | 0 | 1 | 0 |
| CHA | 50.392478°N | 4.590955°E | S2 | HC | D3 | Lycosidae | <i>Trochosa terricola</i> | 1 | 0 | 0 |
| CHA | 50.392478°N | 4.590955°E | S2 | HC | D1 | Lycosidae | <i>Trochosa terricola</i> | 1 | 0 | 0 |
| CHA | 50.392478°N | 4.590955°E | S2 | HC | D2 | Lycosidae | <i>Trochosa terricola</i> | 3 | 0 | 0 |
| CHA | 50.392478°N | 4.590955°E | S3 | HC | D2 | Lycosidae | <i>Trochosa terricola</i> | 1 | 0 | 2 |
| CHA | 50.390023°N | 4.587227°E | S2 | HF | D1 | Lycosidae | <i>Trochosa terricola</i> | 3 | 0 | 0 |
| CHA | 50.390023°N | 4.587227°E | S2 | HF | D2 | Lycosidae | <i>Trochosa terricola</i> | 2 | 2 | 0 |
| CHA | 50.390023°N | 4.587227°E | S2 | HF | D3 | Lycosidae | <i>Trochosa terricola</i> | 0 | 1 | 0 |
| CHA | 50.390023°N | 4.587227°E | S2 | HF | D2 | Lycosidae | <i>Trochosa terricola</i> | 3 | 0 | 0 |
| CHA | 50.390023°N | 4.587227°E | S2 | HF | D4 | Lycosidae | <i>Trochosa terricola</i> | 1 | 0 | 0 |
| CHA | 50.390023°N | 4.587227°E | S3 | HF | D1 | Lycosidae | <i>Trochosa terricola</i> | 0 | 1 | 0 |
| CHA | 50.390023°N | 4.587227°E | S3 | HF | D4 | Lycosidae | <i>Trochosa terricola</i> | 1 | 0 | 0 |
| FOS | 50.396471°N | 4.658446°E | S2 | GC | D1 | Lycosidae | <i>Trochosa terricola</i> | 1 | 0 | 0 |
| FOS | 50.396471°N | 4.658446°E | S2 | GC | D2 | Lycosidae | <i>Trochosa terricola</i> | 1 | 0 | 0 |
| FOS | 50.396471°N | 4.658446°E | S3 | GC | D2 | Lycosidae | <i>Trochosa terricola</i> | 1 | 0 | 0 |
| FOS | 50.397179°N | 4.653627°E | S2 | HC | D1 | Lycosidae | <i>Trochosa terricola</i> | 1 | 0 | 0 |
| FOS | 50.397179°N | 4.653627°E | S2 | HC | D1 | Lycosidae | <i>Trochosa terricola</i> | 1 | 0 | 0 |
| FOS | 50.397179°N | 4.653627°E | S2 | HC | D4 | Lycosidae | <i>Trochosa terricola</i> | 1 | 0 | 0 |
| FOS | 50.397179°N | 4.653627°E | S3 | HC | D2 | Lycosidae | <i>Trochosa terricola</i> | 1 | 0 | 0 |
| FOS | 50.397662°N | 4.658558°E | S2 | HF | D1 | Lycosidae | <i>Trochosa terricola</i> | 3 | 0 | 0 |
| FOS | 50.397662°N | 4.658558°E | S2 | HF | D1 | Lycosidae | <i>Trochosa terricola</i> | 2 | 0 | 0 |
| FOS | 50.397662°N | 4.658558°E | S3 | HF | D1 | Lycosidae | <i>Trochosa terricola</i> | 0 | 0 | 2 |
| FOS | 50.397662°N | 4.658558°E | S3 | HF | D2 | Lycosidae | <i>Trochosa terricola</i> | 1 | 1 | 0 |
| HER | 50.538970°N | 5.087527°E | S2 | GC | D1 | Lycosidae | <i>Trochosa terricola</i> | 1 | 0 | 0 |
| HER | 50.538970°N | 5.087527°E | S2 | GC | D2 | Lycosidae | <i>Trochosa terricola</i> | 1 | 0 | 0 |
| HER | 50.538970°N | 5.087527°E | S2 | GC | D2 | Lycosidae | <i>Trochosa terricola</i> | 1 | 0 | 0 |
| HER | 50.537879°N | 5.089543°E | S2 | GF | D1 | Lycosidae | <i>Trochosa terricola</i> | 2 | 0 | 0 |
| HER | 50.537879°N | 5.089543°E | S2 | GF | D2 | Lycosidae | <i>Trochosa terricola</i> | 1 | 0 | 0 |
| HER | 50.540099°N | 5.088086°E | S2 | HC | D1 | Lycosidae | <i>Trochosa terricola</i> | 2 | 0 | 0 |
| HER | 50.540099°N | 5.088086°E | S2 | HC | D4 | Lycosidae | <i>Trochosa terricola</i> | 1 | 0 | 0 |
| HER | 50.540099°N | 5.088086°E | S2 | HC | D1 | Lycosidae | <i>Trochosa terricola</i> | 1 | 0 | 0 |
| HER | 50.540099°N | 5.088086°E | S2 | HC | D3 | Lycosidae | <i>Trochosa terricola</i> | 1 | 0 | 0 |
| HER | 50.540099°N | 5.088086°E | S2 | HC | D4 | Lycosidae | <i>Trochosa terricola</i> | 1 | 0 | 0 |
| HER | 50.540099°N | 5.088086°E | S3 | HC | D4 | Lycosidae | <i>Trochosa terricola</i> | 1 | 0 | 0 |
| HER | 50.539276°N | 5.092059°E | S2 | HF | D1 | Lycosidae | <i>Trochosa terricola</i> | 4 | 0 | 0 |
| HER | 50.539276°N | 5.092059°E | S2 | HF | D2 | Lycosidae | <i>Trochosa terricola</i> | 1 | 0 | 0 |
| HER | 50.539276°N | 5.092059°E | S2 | HF | D4 | Lycosidae | <i>Trochosa terricola</i> | 1 | 0 | 0 |
| HER | 50.539276°N | 5.092059°E | S2 | HF | D1 | Lycosidae | <i>Trochosa terricola</i> | 3 | 0 | 0 |
| HER | 50.539276°N | 5.092059°E | S2 | HF | D2 | Lycosidae | <i>Trochosa terricola</i> | 2 | 0 | 0 |
| HER | 50.539276°N | 5.092059°E | S2 | HF | D3 | Lycosidae | <i>Trochosa terricola</i> | 1 | 0 | 0 |
| HER | 50.539276°N | 5.092059°E | S3 | HF | D1 | Lycosidae | <i>Trochosa terricola</i> | 1 | 0 | 0 |
| MAN | 50.500613°N | 4.275502°E | S2 | GC | D1 | Lycosidae | <i>Trochosa terricola</i> | 1 | 0 | 0 |
| MAN | 50.500613°N | 4.275502°E | S2 | GC | D4 | Lycosidae | <i>Trochosa terricola</i> | 2 | 0 | 0 |

|     |             |            |    |    |    |           |                           |   |   |   |
|-----|-------------|------------|----|----|----|-----------|---------------------------|---|---|---|
| MAN | 50.497803°N | 4.277319°E | S2 | GF | D1 | Lycosidae | <i>Trochosa terricola</i> | 1 | 0 | 0 |
| MAN | 50.497803°N | 4.277319°E | S2 | GF | D2 | Lycosidae | <i>Trochosa terricola</i> | 1 | 0 | 0 |
| MAN | 50.498513°N | 4.277361°E | S2 | HC | D1 | Lycosidae | <i>Trochosa terricola</i> | 1 | 1 | 0 |
| MAN | 50.498513°N | 4.277361°E | S2 | HC | D2 | Lycosidae | <i>Trochosa terricola</i> | 0 | 2 | 0 |
| MAN | 50.498513°N | 4.277361°E | S2 | HC | D3 | Lycosidae | <i>Trochosa terricola</i> | 2 | 0 | 0 |
| MAN | 50.498513°N | 4.277361°E | S3 | HC | D2 | Lycosidae | <i>Trochosa terricola</i> | 1 | 0 | 0 |
| MAN | 50.496593°N | 4.276469°E | S2 | HF | D1 | Lycosidae | <i>Trochosa terricola</i> | 5 | 0 | 0 |
| MAN | 50.496593°N | 4.276469°E | S2 | HF | D2 | Lycosidae | <i>Trochosa terricola</i> | 1 | 0 | 0 |
| MAN | 50.496593°N | 4.276469°E | S2 | HF | D1 | Lycosidae | <i>Trochosa terricola</i> | 2 | 0 | 0 |
| MAN | 50.496593°N | 4.276469°E | S2 | HF | D2 | Lycosidae | <i>Trochosa terricola</i> | 5 | 0 | 0 |
| MAN | 50.496593°N | 4.276469°E | S2 | HF | D3 | Lycosidae | <i>Trochosa terricola</i> | 1 | 0 | 0 |
| PHI | 50.104107°N | 4.607196°E | S2 | GC | D1 | Lycosidae | <i>Trochosa terricola</i> | 0 | 1 | 0 |
| PHI | 50.104107°N | 4.607196°E | S2 | GC | D4 | Lycosidae | <i>Trochosa terricola</i> | 2 | 0 | 0 |
| PHI | 50.104107°N | 4.607196°E | S2 | GC | D4 | Lycosidae | <i>Trochosa terricola</i> | 1 | 0 | 0 |
| PHI | 50.104107°N | 4.607196°E | S3 | GC | D1 | Lycosidae | <i>Trochosa terricola</i> | 1 | 0 | 0 |
| PHI | 50.108510°N | 4.611973°E | S2 | GF | D2 | Lycosidae | <i>Trochosa terricola</i> | 1 | 0 | 0 |
| PHI | 50.106959°N | 4.613748°E | S2 | HC | D1 | Lycosidae | <i>Trochosa terricola</i> | 5 | 0 | 0 |
| PHI | 50.106959°N | 4.613748°E | S2 | HC | D2 | Lycosidae | <i>Trochosa terricola</i> | 1 | 0 | 0 |
| PHI | 50.106959°N | 4.613748°E | S2 | HC | D1 | Lycosidae | <i>Trochosa terricola</i> | 3 | 0 | 0 |
| PHI | 50.106959°N | 4.613748°E | S2 | HC | D2 | Lycosidae | <i>Trochosa terricola</i> | 1 | 0 | 0 |
| PHI | 50.106959°N | 4.613748°E | S2 | HC | D4 | Lycosidae | <i>Trochosa terricola</i> | 2 | 0 | 0 |
| PHI | 50.106959°N | 4.613748°E | S3 | HC | D1 | Lycosidae | <i>Trochosa terricola</i> | 0 | 2 | 1 |
| PHI | 50.108405°N | 4.616025°E | S2 | HF | D1 | Lycosidae | <i>Trochosa terricola</i> | 2 | 0 | 0 |
| PHI | 50.108405°N | 4.616025°E | S2 | HF | D2 | Lycosidae | <i>Trochosa terricola</i> | 1 | 0 | 0 |
| PHI | 50.108405°N | 4.616025°E | S2 | HF | D4 | Lycosidae | <i>Trochosa terricola</i> | 1 | 0 | 0 |
| SAM | 50.489556°N | 4.612416°E | S2 | GC | D2 | Lycosidae | <i>Trochosa terricola</i> | 1 | 0 | 0 |
| SAM | 50.487345°N | 4.612687°E | S2 | GF | D2 | Lycosidae | <i>Trochosa terricola</i> | 1 | 0 | 0 |
| SAM | 50.485917°N | 4.617327°E | S2 | HC | D1 | Lycosidae | <i>Trochosa terricola</i> | 1 | 0 | 0 |
| SAM | 50.485917°N | 4.617327°E | S2 | HC | D2 | Lycosidae | <i>Trochosa terricola</i> | 5 | 0 | 0 |
| SAM | 50.485917°N | 4.617327°E | S2 | HC | D2 | Lycosidae | <i>Trochosa terricola</i> | 1 | 0 | 0 |
| SAM | 50.485774°N | 4.616688°E | S2 | HF | D2 | Lycosidae | <i>Trochosa terricola</i> | 1 | 0 | 0 |
| SAM | 50.485774°N | 4.616688°E | S2 | HF | D1 | Lycosidae | <i>Trochosa terricola</i> | 0 | 1 | 0 |
| SAM | 50.485774°N | 4.616688°E | S2 | HF | D2 | Lycosidae | <i>Trochosa terricola</i> | 3 | 0 | 0 |
| SAM | 50.485774°N | 4.616688°E | S2 | HF | D3 | Lycosidae | <i>Trochosa terricola</i> | 1 | 0 | 0 |
| SAM | 50.485774°N | 4.616688°E | S3 | HF | D1 | Lycosidae | <i>Trochosa terricola</i> | 1 | 0 | 2 |
| SAM | 50.485774°N | 4.616688°E | S3 | HF | D2 | Lycosidae | <i>Trochosa terricola</i> | 1 | 0 | 0 |
| SAM | 50.485774°N | 4.616688°E | S3 | HF | D2 | Lycosidae | <i>Trochosa terricola</i> | 1 | 0 | 0 |
| THU | 50.305897°N | 4.331210°E | S2 | GC | D2 | Lycosidae | <i>Trochosa terricola</i> | 1 | 0 | 0 |
| THU | 50.305897°N | 4.331210°E | S2 | GC | D3 | Lycosidae | <i>Trochosa terricola</i> | 1 | 0 | 0 |
| THU | 50.289036°N | 4.263537°E | S2 | GF | D1 | Lycosidae | <i>Trochosa terricola</i> | 5 | 0 | 0 |
| THU | 50.289036°N | 4.263537°E | S2 | GF | D2 | Lycosidae | <i>Trochosa terricola</i> | 2 | 1 | 0 |
| THU | 50.289036°N | 4.263537°E | S2 | GF | D4 | Lycosidae | <i>Trochosa terricola</i> | 3 | 0 | 0 |
| THU | 50.289036°N | 4.263537°E | S2 | GF | D1 | Lycosidae | <i>Trochosa terricola</i> | 3 | 1 | 0 |
| THU | 50.289036°N | 4.263537°E | S2 | GF | D3 | Lycosidae | <i>Trochosa terricola</i> | 2 | 0 | 0 |
| THU | 50.289036°N | 4.263537°E | S3 | GF | D1 | Lycosidae | <i>Trochosa terricola</i> | 1 | 0 | 0 |
| THU | 50.288457°N | 4.256949°E | S2 | HC | D2 | Lycosidae | <i>Trochosa terricola</i> | 2 | 0 | 0 |
| THU | 50.288457°N | 4.256949°E | S2 | HC | D1 | Lycosidae | <i>Trochosa terricola</i> | 1 | 0 | 0 |
| THU | 50.288457°N | 4.256949°E | S2 | HC | D4 | Lycosidae | <i>Trochosa terricola</i> | 1 | 0 | 0 |
| THU | 50.288457°N | 4.256949°E | S3 | HC | D4 | Lycosidae | <i>Trochosa terricola</i> | 1 | 0 | 0 |
| THU | 50.303252°N | 4.331577°E | S2 | HF | D3 | Lycosidae | <i>Trochosa terricola</i> | 1 | 0 | 0 |



|     |             |            |    |    |    |                |                              |   |   |   |
|-----|-------------|------------|----|----|----|----------------|------------------------------|---|---|---|
| THU | 50.303252°N | 4.331577°E | S2 | HF | D2 | Lycosidae      | <i>Trochosa terricola</i>    | 2 | 2 | 0 |
| THU | 50.303252°N | 4.331577°E | S2 | HF | D3 | Lycosidae      | <i>Trochosa terricola</i>    | 1 | 2 | 0 |
| HER | 50.540099°N | 5.088086°E | S3 | HC | D1 | Lycosidae      | <i>Xerolycosa nemoralis</i>  | 0 | 1 | 0 |
| MAN | 50.498513°N | 4.277361°E | S2 | HC | D1 | Mimetidae      | <i>Ero furcata</i>           | 0 | 1 | 0 |
| CHA | 50.392478°N | 4.590955°E | S3 | HC | D1 | Miturgidae     | <i>Zora spinimana</i>        | 0 | 1 | 0 |
| CHA | 50.390023°N | 4.587227°E | S3 | HF | D1 | Miturgidae     | <i>Zora spinimana</i>        | 1 | 0 | 0 |
| HER | 50.539276°N | 5.092059°E | S2 | HF | D3 | Miturgidae     | <i>Zora spinimana</i>        | 1 | 0 | 0 |
| PHI | 50.104107°N | 4.607196°E | S2 | GC | D1 | Miturgidae     | <i>Zora spinimana</i>        | 1 | 0 | 0 |
| PHI | 50.106959°N | 4.613748°E | S3 | HC | D1 | Miturgidae     | <i>Zora spinimana</i>        | 1 | 0 | 0 |
| SAM | 50.485917°N | 4.617327°E | S3 | HC | D1 | Miturgidae     | <i>Zora spinimana</i>        | 1 | 0 | 0 |
| THU | 50.288457°N | 4.256949°E | S3 | HC | D1 | Miturgidae     | <i>Zora spinimana</i>        | 1 | 0 | 0 |
| ARB | 50.371947°N | 4.829153°E | S3 | GC | D4 | Phrurolithidae | <i>Phrurolithus festivus</i> | 1 | 0 | 0 |
| BUR | 50.591480°N | 5.115247°E | S3 | GC | D1 | Phrurolithidae | <i>Phrurolithus festivus</i> | 1 | 0 | 0 |
| BUR | 50.591480°N | 5.115247°E | S3 | GC | D3 | Phrurolithidae | <i>Phrurolithus festivus</i> | 1 | 0 | 0 |
| ANH | 50.320583°N | 4.802121°E | S2 | GF | D1 | Pisauridae     | <i>Pisaura mirabilis</i>     | 0 | 0 | 1 |
| ANH | 50.327943°N | 4.806664°E | S1 | HF | D3 | Pisauridae     | <i>Pisaura mirabilis</i>     | 0 | 0 | 1 |
| ANH | 50.327943°N | 4.806664°E | S2 | HF | D1 | Pisauridae     | <i>Pisaura mirabilis</i>     | 0 | 0 | 1 |
| BUR | 50.591294°N | 5.112114°E | S1 | HC | D1 | Pisauridae     | <i>Pisaura mirabilis</i>     | 0 | 0 | 1 |
| CHA | 50.390272°N | 4.589005°E | S2 | GF | D1 | Pisauridae     | <i>Pisaura mirabilis</i>     | 0 | 0 | 1 |
| CHA | 50.392478°N | 4.590955°E | S1 | HC | D1 | Pisauridae     | <i>Pisaura mirabilis</i>     | 0 | 0 | 1 |
| FOS | 50.397782°N | 4.656511°E | S2 | GF | D1 | Pisauridae     | <i>Pisaura mirabilis</i>     | 0 | 0 | 1 |
| FOS | 50.397662°N | 4.658558°E | S2 | HF | D1 | Pisauridae     | <i>Pisaura mirabilis</i>     | 0 | 0 | 1 |
| HER | 50.537879°N | 5.089543°E | S1 | GF | D1 | Pisauridae     | <i>Pisaura mirabilis</i>     | 0 | 0 | 1 |
| HER | 50.537879°N | 5.089543°E | S3 | GF | D3 | Pisauridae     | <i>Pisaura mirabilis</i>     | 1 | 0 | 0 |
| HER | 50.540099°N | 5.088086°E | S1 | HC | D1 | Pisauridae     | <i>Pisaura mirabilis</i>     | 0 | 0 | 1 |
| HER | 50.539276°N | 5.092059°E | S2 | HF | D1 | Pisauridae     | <i>Pisaura mirabilis</i>     | 0 | 0 | 1 |
| HER | 50.539276°N | 5.092059°E | S3 | HF | D4 | Pisauridae     | <i>Pisaura mirabilis</i>     | 1 | 0 | 0 |
| PHI | 50.108510°N | 4.611973°E | S1 | GF | D1 | Pisauridae     | <i>Pisaura mirabilis</i>     | 0 | 0 | 1 |
| PHI | 50.108510°N | 4.611973°E | S1 | GF | D1 | Pisauridae     | <i>Pisaura mirabilis</i>     | 0 | 0 | 1 |
| PHI | 50.106959°N | 4.613748°E | S1 | HC | D2 | Pisauridae     | <i>Pisaura mirabilis</i>     | 0 | 0 | 1 |
| PHI | 50.108405°N | 4.616025°E | S1 | HF | D4 | Pisauridae     | <i>Pisaura mirabilis</i>     | 0 | 0 | 1 |
| SAM | 50.485917°N | 4.617327°E | S2 | HC | D2 | Pisauridae     | <i>Pisaura mirabilis</i>     | 0 | 0 | 1 |
| MAN | 50.500613°N | 4.275502°E | S3 | GC | D1 | Salticidae     | <i>Phlegra fasciata</i>      | 0 | 1 | 0 |
| ANH | 50.319519°N | 4.803072°E | S3 | HC | D1 | Tetragnathidae | <i>Metellina mengei</i>      | 0 | 1 | 0 |
| ARB | 50.371572°N | 4.827268°E | S2 | HC | D3 | Tetragnathidae | <i>Pachygnatha clercki</i>   | 0 | 1 | 0 |
| CHA | 50.392478°N | 4.590955°E | S2 | HC | D2 | Tetragnathidae | <i>Pachygnatha clercki</i>   | 1 | 0 | 0 |
| FOS | 50.397782°N | 4.656511°E | S3 | GF | D2 | Tetragnathidae | <i>Pachygnatha clercki</i>   | 0 | 1 | 0 |
| FOS | 50.397179°N | 4.653627°E | S2 | HC | D2 | Tetragnathidae | <i>Pachygnatha clercki</i>   | 0 | 1 | 0 |
| FOS | 50.397179°N | 4.653627°E | S3 | HC | D2 | Tetragnathidae | <i>Pachygnatha clercki</i>   | 0 | 1 | 0 |
| HER | 50.538970°N | 5.087527°E | S2 | GC | D2 | Tetragnathidae | <i>Pachygnatha clercki</i>   | 0 | 1 | 0 |
| HER | 50.537879°N | 5.089543°E | S3 | GF | D3 | Tetragnathidae | <i>Pachygnatha clercki</i>   | 1 | 0 | 0 |
| HER | 50.539276°N | 5.092059°E | S3 | HF | D3 | Tetragnathidae | <i>Pachygnatha clercki</i>   | 1 | 0 | 0 |
| MAN | 50.497803°N | 4.277319°E | S2 | GF | D1 | Tetragnathidae | <i>Pachygnatha clercki</i>   | 0 | 1 | 0 |
| MAN | 50.497803°N | 4.277319°E | S2 | GF | D4 | Tetragnathidae | <i>Pachygnatha clercki</i>   | 0 | 1 | 0 |
| SAM | 50.487345°N | 4.612687°E | S2 | GF | D2 | Tetragnathidae | <i>Pachygnatha clercki</i>   | 1 | 0 | 0 |
| SAM | 50.487345°N | 4.612687°E | S3 | GF | D1 | Tetragnathidae | <i>Pachygnatha clercki</i>   | 0 | 1 | 0 |
| SAM | 50.487345°N | 4.612687°E | S3 | GF | D3 | Tetragnathidae | <i>Pachygnatha clercki</i>   | 1 | 0 | 0 |
| SAM | 50.485774°N | 4.616688°E | S2 | HF | D1 | Tetragnathidae | <i>Pachygnatha clercki</i>   | 0 | 1 | 0 |
| THU | 50.289036°N | 4.263537°E | S2 | GF | D4 | Tetragnathidae | <i>Pachygnatha clercki</i>   | 1 | 0 | 0 |
| THU | 50.303252°N | 4.331577°E | S3 | HF | D4 | Tetragnathidae | <i>Pachygnatha clercki</i>   | 1 | 1 | 0 |

|     |             |            |    |    |    |                |                            |   |    |   |
|-----|-------------|------------|----|----|----|----------------|----------------------------|---|----|---|
| ANH | 50.328394°N | 4.807805°E | S2 | GC | D4 | Tetragnathidae | <i>Pachygnatha degeeri</i> | 0 | 1  | 0 |
| ANH | 50.328394°N | 4.807805°E | S2 | GC | D4 | Tetragnathidae | <i>Pachygnatha degeeri</i> | 1 | 1  | 0 |
| ANH | 50.328394°N | 4.807805°E | S3 | GC | D1 | Tetragnathidae | <i>Pachygnatha degeeri</i> | 2 | 0  | 0 |
| ANH | 50.328394°N | 4.807805°E | S3 | GC | D1 | Tetragnathidae | <i>Pachygnatha degeeri</i> | 1 | 0  | 0 |
| ANH | 50.320583°N | 4.802121°E | S2 | GF | D4 | Tetragnathidae | <i>Pachygnatha degeeri</i> | 0 | 1  | 0 |
| ANH | 50.320583°N | 4.802121°E | S2 | GF | D2 | Tetragnathidae | <i>Pachygnatha degeeri</i> | 0 | 1  | 0 |
| ANH | 50.320583°N | 4.802121°E | S2 | GF | D4 | Tetragnathidae | <i>Pachygnatha degeeri</i> | 1 | 0  | 0 |
| ANH | 50.327943°N | 4.806664°E | S2 | HF | D3 | Tetragnathidae | <i>Pachygnatha degeeri</i> | 0 | 2  | 0 |
| ARB | 50.371947°N | 4.829153°E | S3 | GC | D3 | Tetragnathidae | <i>Pachygnatha degeeri</i> | 0 | 1  | 0 |
| ARB | 50.372361°N | 4.812787°E | S2 | GF | D2 | Tetragnathidae | <i>Pachygnatha degeeri</i> | 3 | 2  | 0 |
| ARB | 50.372361°N | 4.812787°E | S2 | GF | D3 | Tetragnathidae | <i>Pachygnatha degeeri</i> | 0 | 1  | 0 |
| ARB | 50.372361°N | 4.812787°E | S2 | GF | D4 | Tetragnathidae | <i>Pachygnatha degeeri</i> | 1 | 0  | 0 |
| ARB | 50.372361°N | 4.812787°E | S2 | GF | D1 | Tetragnathidae | <i>Pachygnatha degeeri</i> | 1 | 3  | 0 |
| ARB | 50.372361°N | 4.812787°E | S2 | GF | D2 | Tetragnathidae | <i>Pachygnatha degeeri</i> | 3 | 1  | 0 |
| ARB | 50.372361°N | 4.812787°E | S2 | GF | D3 | Tetragnathidae | <i>Pachygnatha degeeri</i> | 1 | 0  | 0 |
| ARB | 50.371572°N | 4.827268°E | S2 | HC | D3 | Tetragnathidae | <i>Pachygnatha degeeri</i> | 0 | 1  | 0 |
| ARB | 50.371572°N | 4.827268°E | S2 | HC | D4 | Tetragnathidae | <i>Pachygnatha degeeri</i> | 1 | 0  | 0 |
| ARB | 50.371572°N | 4.827268°E | S3 | HC | D3 | Tetragnathidae | <i>Pachygnatha degeeri</i> | 0 | 1  | 0 |
| ARB | 50.372726°N | 4.811217°E | S2 | HF | D3 | Tetragnathidae | <i>Pachygnatha degeeri</i> | 1 | 0  | 0 |
| ARB | 50.372726°N | 4.811217°E | S2 | HF | D4 | Tetragnathidae | <i>Pachygnatha degeeri</i> | 0 | 1  | 0 |
| BUR | 50.591480°N | 5.115247°E | S2 | GC | D1 | Tetragnathidae | <i>Pachygnatha degeeri</i> | 0 | 2  | 0 |
| BUR | 50.591480°N | 5.115247°E | S2 | GC | D1 | Tetragnathidae | <i>Pachygnatha degeeri</i> | 1 | 2  | 0 |
| BUR | 50.591480°N | 5.115247°E | S2 | GC | D2 | Tetragnathidae | <i>Pachygnatha degeeri</i> | 1 | 3  | 0 |
| BUR | 50.591445°N | 5.109735°E | S2 | GF | D1 | Tetragnathidae | <i>Pachygnatha degeeri</i> | 4 | 20 | 0 |
| BUR | 50.591445°N | 5.109735°E | S2 | GF | D2 | Tetragnathidae | <i>Pachygnatha degeeri</i> | 1 | 3  | 0 |
| BUR | 50.591445°N | 5.109735°E | S2 | GF | D4 | Tetragnathidae | <i>Pachygnatha degeeri</i> | 0 | 1  | 0 |
| BUR | 50.591445°N | 5.109735°E | S2 | GF | D1 | Tetragnathidae | <i>Pachygnatha degeeri</i> | 0 | 1  | 0 |
| BUR | 50.591445°N | 5.109735°E | S2 | GF | D3 | Tetragnathidae | <i>Pachygnatha degeeri</i> | 0 | 1  | 0 |
| BUR | 50.591411°N | 5.111974°E | S1 | HF | D2 | Tetragnathidae | <i>Pachygnatha degeeri</i> | 0 | 1  | 0 |
| BUR | 50.591411°N | 5.111974°E | S1 | HF | D2 | Tetragnathidae | <i>Pachygnatha degeeri</i> | 0 | 1  | 0 |
| BUR | 50.591411°N | 5.111974°E | S2 | HF | D2 | Tetragnathidae | <i>Pachygnatha degeeri</i> | 2 | 6  | 0 |
| BUR | 50.591411°N | 5.111974°E | S2 | HF | D2 | Tetragnathidae | <i>Pachygnatha degeeri</i> | 3 | 13 | 0 |
| BUR | 50.591411°N | 5.111974°E | S3 | HF | D2 | Tetragnathidae | <i>Pachygnatha degeeri</i> | 0 | 1  | 0 |
| CHA | 50.390296°N | 4.589377°E | S2 | GC | D1 | Tetragnathidae | <i>Pachygnatha degeeri</i> | 0 | 2  | 0 |
| CHA | 50.390296°N | 4.589377°E | S2 | GC | D2 | Tetragnathidae | <i>Pachygnatha degeeri</i> | 0 | 1  | 0 |
| CHA | 50.390272°N | 4.589005°E | S1 | GF | D1 | Tetragnathidae | <i>Pachygnatha degeeri</i> | 0 | 1  | 0 |
| CHA | 50.390272°N | 4.589005°E | S2 | GF | D1 | Tetragnathidae | <i>Pachygnatha degeeri</i> | 2 | 3  | 0 |
| CHA | 50.390272°N | 4.589005°E | S2 | GF | D2 | Tetragnathidae | <i>Pachygnatha degeeri</i> | 1 | 2  | 0 |
| CHA | 50.390272°N | 4.589005°E | S2 | GF | D3 | Tetragnathidae | <i>Pachygnatha degeeri</i> | 1 | 0  | 0 |
| CHA | 50.390272°N | 4.589005°E | S2 | GF | D1 | Tetragnathidae | <i>Pachygnatha degeeri</i> | 0 | 1  | 0 |
| CHA | 50.390272°N | 4.589005°E | S2 | GF | D2 | Tetragnathidae | <i>Pachygnatha degeeri</i> | 0 | 2  | 0 |
| CHA | 50.390272°N | 4.589005°E | S2 | GF | D4 | Tetragnathidae | <i>Pachygnatha degeeri</i> | 0 | 2  | 0 |
| CHA | 50.390272°N | 4.589005°E | S3 | GF | D1 | Tetragnathidae | <i>Pachygnatha degeeri</i> | 0 | 3  | 0 |
| CHA | 50.390272°N | 4.589005°E | S3 | GF | D3 | Tetragnathidae | <i>Pachygnatha degeeri</i> | 0 | 1  | 0 |
| CHA | 50.392478°N | 4.590955°E | S3 | HC | D3 | Tetragnathidae | <i>Pachygnatha degeeri</i> | 0 | 1  | 0 |
| CHA | 50.390023°N | 4.587227°E | S2 | HF | D2 | Tetragnathidae | <i>Pachygnatha degeeri</i> | 0 | 1  | 0 |
| CHA | 50.390023°N | 4.587227°E | S2 | HF | D2 | Tetragnathidae | <i>Pachygnatha degeeri</i> | 2 | 2  | 0 |
| CHA | 50.390023°N | 4.587227°E | S2 | HF | D3 | Tetragnathidae | <i>Pachygnatha degeeri</i> | 0 | 1  | 0 |
| FOS | 50.396471°N | 4.658446°E | S2 | GC | D3 | Tetragnathidae | <i>Pachygnatha degeeri</i> | 1 | 2  | 0 |
| FOS | 50.396471°N | 4.658446°E | S2 | GC | D4 | Tetragnathidae | <i>Pachygnatha degeeri</i> | 0 | 1  | 0 |

|     |             |            |    |    |    |                |                            |   |    |   |
|-----|-------------|------------|----|----|----|----------------|----------------------------|---|----|---|
| FOS | 50.396471°N | 4.658446°E | S2 | GC | D2 | Tetragnathidae | <i>Pachygnatha degeeri</i> | 1 | 0  | 0 |
| FOS | 50.396471°N | 4.658446°E | S2 | GC | D3 | Tetragnathidae | <i>Pachygnatha degeeri</i> | 1 | 1  | 0 |
| FOS | 50.396471°N | 4.658446°E | S2 | GC | D4 | Tetragnathidae | <i>Pachygnatha degeeri</i> | 1 | 0  | 0 |
| FOS | 50.397782°N | 4.656511°E | S2 | GF | D1 | Tetragnathidae | <i>Pachygnatha degeeri</i> | 1 | 11 | 0 |
| FOS | 50.397782°N | 4.656511°E | S2 | GF | D2 | Tetragnathidae | <i>Pachygnatha degeeri</i> | 0 | 1  | 0 |
| FOS | 50.397782°N | 4.656511°E | S2 | GF | D1 | Tetragnathidae | <i>Pachygnatha degeeri</i> | 0 | 1  | 0 |
| FOS | 50.397782°N | 4.656511°E | S2 | GF | D2 | Tetragnathidae | <i>Pachygnatha degeeri</i> | 1 | 1  | 0 |
| FOS | 50.397782°N | 4.656511°E | S2 | GF | D3 | Tetragnathidae | <i>Pachygnatha degeeri</i> | 0 | 1  | 0 |
| FOS | 50.397782°N | 4.656511°E | S3 | GF | D2 | Tetragnathidae | <i>Pachygnatha degeeri</i> | 1 | 0  | 0 |
| FOS | 50.397782°N | 4.656511°E | S3 | GF | D1 | Tetragnathidae | <i>Pachygnatha degeeri</i> | 0 | 1  | 0 |
| FOS | 50.397179°N | 4.653627°E | S2 | HC | D2 | Tetragnathidae | <i>Pachygnatha degeeri</i> | 1 | 2  | 0 |
| FOS | 50.397179°N | 4.653627°E | S2 | HC | D2 | Tetragnathidae | <i>Pachygnatha degeeri</i> | 2 | 5  | 0 |
| FOS | 50.397179°N | 4.653627°E | S3 | HC | D2 | Tetragnathidae | <i>Pachygnatha degeeri</i> | 0 | 3  | 0 |
| FOS | 50.397179°N | 4.653627°E | S3 | HC | D2 | Tetragnathidae | <i>Pachygnatha degeeri</i> | 3 | 2  | 0 |
| FOS | 50.397179°N | 4.653627°E | S3 | HC | D3 | Tetragnathidae | <i>Pachygnatha degeeri</i> | 0 | 1  | 0 |
| FOS | 50.397662°N | 4.658558°E | S1 | HF | D2 | Tetragnathidae | <i>Pachygnatha degeeri</i> | 1 | 1  | 0 |
| FOS | 50.397662°N | 4.658558°E | S2 | HF | D1 | Tetragnathidae | <i>Pachygnatha degeeri</i> | 2 | 0  | 0 |
| FOS | 50.397662°N | 4.658558°E | S2 | HF | D2 | Tetragnathidae | <i>Pachygnatha degeeri</i> | 0 | 2  | 0 |
| FOS | 50.397662°N | 4.658558°E | S2 | HF | D2 | Tetragnathidae | <i>Pachygnatha degeeri</i> | 1 | 2  | 0 |
| FOS | 50.397662°N | 4.658558°E | S2 | HF | D3 | Tetragnathidae | <i>Pachygnatha degeeri</i> | 0 | 2  | 0 |
| FOS | 50.397662°N | 4.658558°E | S3 | HF | D1 | Tetragnathidae | <i>Pachygnatha degeeri</i> | 0 | 1  | 0 |
| HER | 50.538970°N | 5.087527°E | S2 | GC | D2 | Tetragnathidae | <i>Pachygnatha degeeri</i> | 1 | 0  | 0 |
| HER | 50.538970°N | 5.087527°E | S2 | GC | D2 | Tetragnathidae | <i>Pachygnatha degeeri</i> | 1 | 0  | 0 |
| HER | 50.538970°N | 5.087527°E | S2 | GC | D4 | Tetragnathidae | <i>Pachygnatha degeeri</i> | 0 | 1  | 0 |
| HER | 50.538970°N | 5.087527°E | S3 | GC | D4 | Tetragnathidae | <i>Pachygnatha degeeri</i> | 1 | 0  | 0 |
| HER | 50.537879°N | 5.089543°E | S1 | GF | D1 | Tetragnathidae | <i>Pachygnatha degeeri</i> | 0 | 1  | 0 |
| HER | 50.537879°N | 5.089543°E | S1 | GF | D1 | Tetragnathidae | <i>Pachygnatha degeeri</i> | 1 | 1  | 0 |
| HER | 50.537879°N | 5.089543°E | S2 | GF | D1 | Tetragnathidae | <i>Pachygnatha degeeri</i> | 1 | 3  | 0 |
| HER | 50.537879°N | 5.089543°E | S2 | GF | D2 | Tetragnathidae | <i>Pachygnatha degeeri</i> | 0 | 7  | 0 |
| HER | 50.537879°N | 5.089543°E | S2 | GF | D3 | Tetragnathidae | <i>Pachygnatha degeeri</i> | 4 | 3  | 0 |
| HER | 50.537879°N | 5.089543°E | S2 | GF | D2 | Tetragnathidae | <i>Pachygnatha degeeri</i> | 0 | 2  | 0 |
| HER | 50.537879°N | 5.089543°E | S2 | GF | D3 | Tetragnathidae | <i>Pachygnatha degeeri</i> | 0 | 1  | 0 |
| HER | 50.540099°N | 5.088086°E | S3 | HC | D3 | Tetragnathidae | <i>Pachygnatha degeeri</i> | 0 | 0  | 1 |
| HER | 50.539276°N | 5.092059°E | S1 | HF | D2 | Tetragnathidae | <i>Pachygnatha degeeri</i> | 0 | 1  | 0 |
| HER | 50.539276°N | 5.092059°E | S2 | HF | D2 | Tetragnathidae | <i>Pachygnatha degeeri</i> | 0 | 1  | 0 |
| HER | 50.539276°N | 5.092059°E | S2 | HF | D4 | Tetragnathidae | <i>Pachygnatha degeeri</i> | 0 | 2  | 0 |
| HER | 50.539276°N | 5.092059°E | S2 | HF | D2 | Tetragnathidae | <i>Pachygnatha degeeri</i> | 0 | 1  | 0 |
| HER | 50.539276°N | 5.092059°E | S2 | HF | D4 | Tetragnathidae | <i>Pachygnatha degeeri</i> | 0 | 1  | 0 |
| HER | 50.539276°N | 5.092059°E | S3 | HF | D3 | Tetragnathidae | <i>Pachygnatha degeeri</i> | 0 | 1  | 0 |
| MAN | 50.500613°N | 4.275502°E | S2 | GC | D1 | Tetragnathidae | <i>Pachygnatha degeeri</i> | 1 | 0  | 0 |
| MAN | 50.500613°N | 4.275502°E | S2 | GC | D2 | Tetragnathidae | <i>Pachygnatha degeeri</i> | 0 | 1  | 0 |
| MAN | 50.500613°N | 4.275502°E | S2 | GC | D4 | Tetragnathidae | <i>Pachygnatha degeeri</i> | 0 | 1  | 0 |
| MAN | 50.497803°N | 4.277319°E | S1 | GF | D2 | Tetragnathidae | <i>Pachygnatha degeeri</i> | 1 | 0  | 0 |
| MAN | 50.497803°N | 4.277319°E | S1 | GF | D2 | Tetragnathidae | <i>Pachygnatha degeeri</i> | 0 | 1  | 0 |
| MAN | 50.497803°N | 4.277319°E | S2 | GF | D1 | Tetragnathidae | <i>Pachygnatha degeeri</i> | 2 | 1  | 0 |
| MAN | 50.497803°N | 4.277319°E | S2 | GF | D2 | Tetragnathidae | <i>Pachygnatha degeeri</i> | 0 | 1  | 0 |
| MAN | 50.497803°N | 4.277319°E | S2 | GF | D3 | Tetragnathidae | <i>Pachygnatha degeeri</i> | 2 | 0  | 0 |
| MAN | 50.497803°N | 4.277319°E | S2 | GF | D4 | Tetragnathidae | <i>Pachygnatha degeeri</i> | 1 | 0  | 0 |
| MAN | 50.497803°N | 4.277319°E | S2 | GF | D3 | Tetragnathidae | <i>Pachygnatha degeeri</i> | 2 | 2  | 0 |
| MAN | 50.497803°N | 4.277319°E | S3 | GF | D2 | Tetragnathidae | <i>Pachygnatha degeeri</i> | 2 | 0  | 0 |

|     |             |            |    |    |    |                |                              |   |   |   |
|-----|-------------|------------|----|----|----|----------------|------------------------------|---|---|---|
| MAN | 50.498513°N | 4.277361°E | S2 | HC | D2 | Tetragnathidae | <i>Pachygnatha degeeri</i>   | 1 | 0 | 0 |
| MAN | 50.498513°N | 4.277361°E | S2 | HC | D3 | Tetragnathidae | <i>Pachygnatha degeeri</i>   | 0 | 1 | 0 |
| MAN | 50.498513°N | 4.277361°E | S2 | HC | D1 | Tetragnathidae | <i>Pachygnatha degeeri</i>   | 0 | 1 | 0 |
| MAN | 50.498513°N | 4.277361°E | S2 | HC | D2 | Tetragnathidae | <i>Pachygnatha degeeri</i>   | 0 | 1 | 0 |
| MAN | 50.498513°N | 4.277361°E | S2 | HC | D4 | Tetragnathidae | <i>Pachygnatha degeeri</i>   | 1 | 1 | 0 |
| MAN | 50.496593°N | 4.276469°E | S1 | HF | D2 | Tetragnathidae | <i>Pachygnatha degeeri</i>   | 1 | 1 | 0 |
| MAN | 50.496593°N | 4.276469°E | S1 | HF | D2 | Tetragnathidae | <i>Pachygnatha degeeri</i>   | 0 | 1 | 0 |
| MAN | 50.496593°N | 4.276469°E | S2 | HF | D1 | Tetragnathidae | <i>Pachygnatha degeeri</i>   | 1 | 1 | 0 |
| MAN | 50.496593°N | 4.276469°E | S2 | HF | D3 | Tetragnathidae | <i>Pachygnatha degeeri</i>   | 1 | 2 | 0 |
| MAN | 50.496593°N | 4.276469°E | S2 | HF | D1 | Tetragnathidae | <i>Pachygnatha degeeri</i>   | 0 | 1 | 0 |
| MAN | 50.496593°N | 4.276469°E | S2 | HF | D2 | Tetragnathidae | <i>Pachygnatha degeeri</i>   | 0 | 1 | 0 |
| MAN | 50.496593°N | 4.276469°E | S2 | HF | D4 | Tetragnathidae | <i>Pachygnatha degeeri</i>   | 1 | 1 | 0 |
| MAN | 50.496593°N | 4.276469°E | S3 | HF | D2 | Tetragnathidae | <i>Pachygnatha degeeri</i>   | 2 | 0 | 0 |
| MAN | 50.496593°N | 4.276469°E | S3 | HF | D2 | Tetragnathidae | <i>Pachygnatha degeeri</i>   | 1 | 1 | 0 |
| PHI | 50.104107°N | 4.607196°E | S1 | GC | D1 | Tetragnathidae | <i>Pachygnatha degeeri</i>   | 1 | 0 | 0 |
| PHI | 50.104107°N | 4.607196°E | S2 | GC | D1 | Tetragnathidae | <i>Pachygnatha degeeri</i>   | 0 | 1 | 0 |
| PHI | 50.108510°N | 4.611973°E | S2 | GF | D1 | Tetragnathidae | <i>Pachygnatha degeeri</i>   | 1 | 0 | 0 |
| PHI | 50.108510°N | 4.611973°E | S2 | GF | D2 | Tetragnathidae | <i>Pachygnatha degeeri</i>   | 0 | 1 | 0 |
| PHI | 50.108510°N | 4.611973°E | S2 | GF | D4 | Tetragnathidae | <i>Pachygnatha degeeri</i>   | 1 | 0 | 0 |
| PHI | 50.108510°N | 4.611973°E | S2 | GF | D4 | Tetragnathidae | <i>Pachygnatha degeeri</i>   | 1 | 0 | 0 |
| PHI | 50.106959°N | 4.613748°E | S2 | HC | D1 | Tetragnathidae | <i>Pachygnatha degeeri</i>   | 0 | 1 | 0 |
| PHI | 50.106959°N | 4.613748°E | S2 | HC | D2 | Tetragnathidae | <i>Pachygnatha degeeri</i>   | 0 | 2 | 0 |
| PHI | 50.108405°N | 4.616025°E | S2 | HF | D2 | Tetragnathidae | <i>Pachygnatha degeeri</i>   | 1 | 0 | 0 |
| PHI | 50.108405°N | 4.616025°E | S2 | HF | D2 | Tetragnathidae | <i>Pachygnatha degeeri</i>   | 0 | 1 | 0 |
| PHI | 50.108405°N | 4.616025°E | S2 | HF | D3 | Tetragnathidae | <i>Pachygnatha degeeri</i>   | 0 | 1 | 0 |
| PHI | 50.108405°N | 4.616025°E | S2 | HF | D4 | Tetragnathidae | <i>Pachygnatha degeeri</i>   | 0 | 1 | 0 |
| SAM | 50.489556°N | 4.612416°E | S2 | GC | D2 | Tetragnathidae | <i>Pachygnatha degeeri</i>   | 1 | 0 | 0 |
| SAM | 50.489556°N | 4.612416°E | S2 | GC | D4 | Tetragnathidae | <i>Pachygnatha degeeri</i>   | 0 | 1 | 0 |
| SAM | 50.489556°N | 4.612416°E | S3 | GC | D1 | Tetragnathidae | <i>Pachygnatha degeeri</i>   | 1 | 0 | 0 |
| SAM | 50.487345°N | 4.612687°E | S2 | GF | D1 | Tetragnathidae | <i>Pachygnatha degeeri</i>   | 0 | 1 | 0 |
| SAM | 50.487345°N | 4.612687°E | S2 | GF | D1 | Tetragnathidae | <i>Pachygnatha degeeri</i>   | 1 | 0 | 0 |
| SAM | 50.487345°N | 4.612687°E | S2 | GF | D2 | Tetragnathidae | <i>Pachygnatha degeeri</i>   | 0 | 1 | 0 |
| SAM | 50.487345°N | 4.612687°E | S3 | GF | D2 | Tetragnathidae | <i>Pachygnatha degeeri</i>   | 1 | 0 | 0 |
| SAM | 50.485917°N | 4.617327°E | S2 | HC | D2 | Tetragnathidae | <i>Pachygnatha degeeri</i>   | 1 | 1 | 0 |
| SAM | 50.485917°N | 4.617327°E | S2 | HC | D4 | Tetragnathidae | <i>Pachygnatha degeeri</i>   | 1 | 0 | 0 |
| SAM | 50.485917°N | 4.617327°E | S2 | HC | D2 | Tetragnathidae | <i>Pachygnatha degeeri</i>   | 2 | 1 | 0 |
| SAM | 50.485774°N | 4.616688°E | S1 | HF | D1 | Tetragnathidae | <i>Pachygnatha degeeri</i>   | 1 | 0 | 0 |
| SAM | 50.485774°N | 4.616688°E | S2 | HF | D2 | Tetragnathidae | <i>Pachygnatha degeeri</i>   | 2 | 2 | 0 |
| SAM | 50.485774°N | 4.616688°E | S2 | HF | D3 | Tetragnathidae | <i>Pachygnatha degeeri</i>   | 1 | 1 | 0 |
| THU | 50.305897°N | 4.331210°E | S2 | GC | D1 | Tetragnathidae | <i>Pachygnatha degeeri</i>   | 2 | 1 | 0 |
| THU | 50.305897°N | 4.331210°E | S2 | GC | D3 | Tetragnathidae | <i>Pachygnatha degeeri</i>   | 0 | 1 | 0 |
| THU | 50.289036°N | 4.263537°E | S2 | GF | D4 | Tetragnathidae | <i>Pachygnatha degeeri</i>   | 0 | 1 | 0 |
| THU | 50.289036°N | 4.263537°E | S3 | GF | D3 | Tetragnathidae | <i>Pachygnatha degeeri</i>   | 0 | 1 | 0 |
| THU | 50.288457°N | 4.256949°E | S2 | HC | D4 | Tetragnathidae | <i>Pachygnatha degeeri</i>   | 1 | 0 | 0 |
| THU | 50.303252°N | 4.331577°E | S2 | HF | D2 | Tetragnathidae | <i>Pachygnatha degeeri</i>   | 1 | 2 | 0 |
| THU | 50.303252°N | 4.331577°E | S2 | HF | D4 | Tetragnathidae | <i>Pachygnatha degeeri</i>   | 1 | 0 | 0 |
| CHA | 50.392478°N | 4.590955°E | S3 | HC | D2 | Theridiidae    | <i>Asagena phalerata</i>     | 2 | 0 | 0 |
| FOS | 50.397782°N | 4.656511°E | S3 | GF | D1 | Theridiidae    | <i>Asagena phalerata</i>     | 0 | 1 | 0 |
| FOS | 50.397662°N | 4.658558°E | S3 | HF | D4 | Theridiidae    | <i>Asagena phalerata</i>     | 1 | 0 | 0 |
| BUR | 50.591411°N | 5.111974°E | S3 | HF | D1 | Theridiidae    | <i>Enoplognatha latimana</i> | 1 | 0 | 0 |

|     |             |            |    |    |    |             |                               |    |   |   |
|-----|-------------|------------|----|----|----|-------------|-------------------------------|----|---|---|
| CHA | 50.390296°N | 4.589377°E | S3 | GC | D3 | Theridiidae | <i>Enoplognatha thoracica</i> | 1  | 0 | 0 |
| CHA | 50.392478°N | 4.590955°E | S1 | HC | D4 | Theridiidae | <i>Robertus arundineti</i>    | 1  | 0 | 0 |
| CHA | 50.392478°N | 4.590955°E | S2 | HC | D4 | Theridiidae | <i>Robertus arundineti</i>    | 0  | 1 | 0 |
| FOS | 50.397782°N | 4.656511°E | S1 | GF | D2 | Theridiidae | <i>Robertus arundineti</i>    | 0  | 1 | 0 |
| FOS | 50.397662°N | 4.658558°E | S1 | HF | D2 | Theridiidae | <i>Robertus arundineti</i>    | 0  | 1 | 0 |
| FOS | 50.396471°N | 4.658446°E | S3 | GC | D4 | Theridiidae | <i>Robertus lividus</i>       | 1  | 0 | 0 |
| BUR | 50.591480°N | 5.115247°E | S3 | GC | D3 | Theridiidae | <i>Robertus neglectus</i>     | 1  | 0 | 0 |
| MAN | 50.500613°N | 4.275502°E | S2 | GC | D3 | Theridiidae | <i>Robertus neglectus</i>     | 1  | 0 | 0 |
| MAN | 50.498513°N | 4.277361°E | S1 | HC | D3 | Theridiidae | <i>Robertus neglectus</i>     | 2  | 0 | 0 |
| ARB | 50.371572°N | 4.827268°E | S3 | HC | D4 | Thomisidae  | <i>Ozyptila praticola</i>     | 1  | 0 | 0 |
| ARB | 50.371572°N | 4.827268°E | S3 | HC | D1 | Thomisidae  | <i>Ozyptila praticola</i>     | 1  | 0 | 0 |
| MAN | 50.498513°N | 4.277361°E | S2 | HC | D1 | Thomisidae  | <i>Ozyptila praticola</i>     | 0  | 1 | 0 |
| MAN | 50.498513°N | 4.277361°E | S3 | HC | D1 | Thomisidae  | <i>Ozyptila praticola</i>     | 1  | 0 | 0 |
| SAM | 50.485774°N | 4.616688°E | S3 | HF | D1 | Thomisidae  | <i>Ozyptila praticola</i>     | 0  | 1 | 0 |
| SAM | 50.485774°N | 4.616688°E | S3 | HF | D1 | Thomisidae  | <i>Ozyptila praticola</i>     | 1  | 0 | 0 |
| ANH | 50.320583°N | 4.802121°E | S3 | GF | D3 | Thomisidae  | <i>Ozyptila simplex</i>       | 1  | 0 | 0 |
| CHA | 50.390296°N | 4.589377°E | S3 | GC | D2 | Thomisidae  | <i>Ozyptila simplex</i>       | 1  | 0 | 0 |
| CHA | 50.390296°N | 4.589377°E | S3 | GC | D4 | Thomisidae  | <i>Ozyptila simplex</i>       | 1  | 0 | 0 |
| CHA | 50.390272°N | 4.589005°E | S3 | GF | D2 | Thomisidae  | <i>Ozyptila simplex</i>       | 1  | 1 | 0 |
| CHA | 50.390023°N | 4.587227°E | S3 | HF | D4 | Thomisidae  | <i>Ozyptila simplex</i>       | 1  | 0 | 0 |
| FOS | 50.396471°N | 4.658446°E | S3 | GC | D4 | Thomisidae  | <i>Ozyptila simplex</i>       | 1  | 0 | 0 |
| FOS | 50.396471°N | 4.658446°E | S3 | GC | D4 | Thomisidae  | <i>Ozyptila simplex</i>       | 2  | 0 | 0 |
| FOS | 50.397782°N | 4.656511°E | S3 | GF | D2 | Thomisidae  | <i>Ozyptila simplex</i>       | 1  | 0 | 0 |
| FOS | 50.397662°N | 4.658558°E | S3 | HF | D4 | Thomisidae  | <i>Ozyptila simplex</i>       | 1  | 0 | 0 |
| SAM | 50.485774°N | 4.616688°E | S3 | HF | D2 | Thomisidae  | <i>Ozyptila simplex</i>       | 0  | 1 | 0 |
| THU | 50.303252°N | 4.331577°E | S3 | HF | D1 | Thomisidae  | <i>Ozyptila simplex</i>       | 1  | 0 | 0 |
| PHI | 50.106959°N | 4.613748°E | S3 | HC | D1 | Thomisidae  | <i>Ozyptila trux</i>          | 1  | 0 | 0 |
| ANH | 50.320583°N | 4.802121°E | S2 | GF | D1 | Thomisidae  | <i>Xysticus acerbus</i>       | 4  | 0 | 0 |
| ANH | 50.320583°N | 4.802121°E | S2 | GF | D4 | Thomisidae  | <i>Xysticus acerbus</i>       | 1  | 0 | 0 |
| ANH | 50.320583°N | 4.802121°E | S2 | GF | D1 | Thomisidae  | <i>Xysticus acerbus</i>       | 10 | 0 | 0 |
| ANH | 50.320583°N | 4.802121°E | S2 | GF | D2 | Thomisidae  | <i>Xysticus acerbus</i>       | 2  | 0 | 0 |
| ANH | 50.327943°N | 4.806664°E | S2 | HF | D2 | Thomisidae  | <i>Xysticus acerbus</i>       | 1  | 0 | 0 |
| ARB | 50.372361°N | 4.812787°E | S2 | GF | D1 | Thomisidae  | <i>Xysticus acerbus</i>       | 1  | 0 | 0 |
| ARB | 50.372361°N | 4.812787°E | S2 | GF | D1 | Thomisidae  | <i>Xysticus acerbus</i>       | 1  | 0 | 0 |
| ARB | 50.372361°N | 4.812787°E | S2 | GF | D2 | Thomisidae  | <i>Xysticus acerbus</i>       | 1  | 0 | 0 |
| ARB | 50.372726°N | 4.811217°E | S2 | HF | D2 | Thomisidae  | <i>Xysticus acerbus</i>       | 2  | 0 | 0 |
| BUR | 50.591445°N | 5.109735°E | S2 | GF | D1 | Thomisidae  | <i>Xysticus acerbus</i>       | 1  | 0 | 0 |
| BUR | 50.591411°N | 5.111974°E | S2 | HF | D2 | Thomisidae  | <i>Xysticus acerbus</i>       | 2  | 0 | 0 |
| CHA | 50.390272°N | 4.589005°E | S2 | GF | D1 | Thomisidae  | <i>Xysticus acerbus</i>       | 2  | 0 | 0 |
| CHA | 50.390272°N | 4.589005°E | S2 | GF | D2 | Thomisidae  | <i>Xysticus acerbus</i>       | 1  | 0 | 0 |
| CHA | 50.390272°N | 4.589005°E | S2 | GF | D2 | Thomisidae  | <i>Xysticus acerbus</i>       | 2  | 0 | 0 |
| CHA | 50.390023°N | 4.587227°E | S2 | HF | D2 | Thomisidae  | <i>Xysticus acerbus</i>       | 1  | 0 | 0 |
| FOS | 50.396471°N | 4.658446°E | S2 | GC | D1 | Thomisidae  | <i>Xysticus acerbus</i>       | 1  | 0 | 0 |
| FOS | 50.397662°N | 4.658558°E | S2 | HF | D3 | Thomisidae  | <i>Xysticus acerbus</i>       | 1  | 0 | 0 |
| HER | 50.537879°N | 5.089543°E | S2 | GF | D1 | Thomisidae  | <i>Xysticus acerbus</i>       | 1  | 0 | 0 |
| HER | 50.537879°N | 5.089543°E | S2 | GF | D2 | Thomisidae  | <i>Xysticus acerbus</i>       | 1  | 0 | 0 |
| HER | 50.539276°N | 5.092059°E | S2 | HF | D2 | Thomisidae  | <i>Xysticus acerbus</i>       | 2  | 0 | 0 |
| HER | 50.539276°N | 5.092059°E | S2 | HF | D2 | Thomisidae  | <i>Xysticus acerbus</i>       | 2  | 1 | 0 |
| MAN | 50.497803°N | 4.277319°E | S2 | GF | D1 | Thomisidae  | <i>Xysticus acerbus</i>       | 1  | 0 | 0 |
| MAN | 50.496593°N | 4.276469°E | S2 | HF | D2 | Thomisidae  | <i>Xysticus acerbus</i>       | 1  | 0 | 0 |

|     |             |            |    |    |    |            |                           |   |   |   |
|-----|-------------|------------|----|----|----|------------|---------------------------|---|---|---|
| PHI | 50.108510°N | 4.611973°E | S2 | GF | D1 | Thomisidae | <i>Xysticus acerbus</i>   | 6 | 0 | 0 |
| PHI | 50.108510°N | 4.611973°E | S2 | GF | D2 | Thomisidae | <i>Xysticus acerbus</i>   | 9 | 1 | 0 |
| PHI | 50.108510°N | 4.611973°E | S2 | GF | D2 | Thomisidae | <i>Xysticus acerbus</i>   | 4 | 0 | 0 |
| SAM | 50.487345°N | 4.612687°E | S2 | GF | D1 | Thomisidae | <i>Xysticus acerbus</i>   | 1 | 0 | 0 |
| SAM | 50.487345°N | 4.612687°E | S2 | GF | D2 | Thomisidae | <i>Xysticus acerbus</i>   | 1 | 0 | 0 |
| SAM | 50.487345°N | 4.612687°E | S2 | GF | D1 | Thomisidae | <i>Xysticus acerbus</i>   | 1 | 0 | 0 |
| THU | 50.305897°N | 4.331210°E | S2 | GC | D1 | Thomisidae | <i>Xysticus acerbus</i>   | 1 | 0 | 0 |
| ANH | 50.320583°N | 4.802121°E | S2 | GF | D1 | Thomisidae | <i>Xysticus cristatus</i> | 1 | 0 | 0 |
| ANH | 50.320583°N | 4.802121°E | S2 | GF | D1 | Thomisidae | <i>Xysticus cristatus</i> | 3 | 0 | 0 |
| ANH | 50.327943°N | 4.806664°E | S2 | HF | D2 | Thomisidae | <i>Xysticus cristatus</i> | 1 | 0 | 0 |
| BUR | 50.591445°N | 5.109735°E | S2 | GF | D2 | Thomisidae | <i>Xysticus cristatus</i> | 1 | 0 | 0 |
| CHA | 50.390296°N | 4.589377°E | S2 | GC | D1 | Thomisidae | <i>Xysticus cristatus</i> | 2 | 0 | 0 |
| CHA | 50.390296°N | 4.589377°E | S2 | GC | D1 | Thomisidae | <i>Xysticus cristatus</i> | 1 | 0 | 0 |
| CHA | 50.390272°N | 4.589005°E | S2 | GF | D2 | Thomisidae | <i>Xysticus cristatus</i> | 1 | 0 | 0 |
| CHA | 50.390272°N | 4.589005°E | S2 | GF | D2 | Thomisidae | <i>Xysticus cristatus</i> | 0 | 1 | 0 |
| FOS | 50.396471°N | 4.658446°E | S2 | GC | D1 | Thomisidae | <i>Xysticus cristatus</i> | 2 | 0 | 0 |
| FOS | 50.397782°N | 4.656511°E | S2 | GF | D2 | Thomisidae | <i>Xysticus cristatus</i> | 2 | 0 | 0 |
| HER | 50.537879°N | 5.089543°E | S2 | GF | D1 | Thomisidae | <i>Xysticus cristatus</i> | 1 | 0 | 0 |
| HER | 50.539276°N | 5.092059°E | S2 | HF | D2 | Thomisidae | <i>Xysticus cristatus</i> | 1 | 0 | 0 |
| SAM | 50.489556°N | 4.612416°E | S2 | GC | D1 | Thomisidae | <i>Xysticus cristatus</i> | 1 | 0 | 0 |
| SAM | 50.485774°N | 4.616688°E | S2 | HF | D2 | Thomisidae | <i>Xysticus cristatus</i> | 1 | 0 | 0 |
| SAM | 50.485774°N | 4.616688°E | S2 | HF | D2 | Thomisidae | <i>Xysticus cristatus</i> | 1 | 0 | 0 |
| ANH | 50.328394°N | 4.807805°E | S2 | GC | D1 | Thomisidae | <i>Xysticus kochi</i>     | 1 | 0 | 0 |
| ANH | 50.328394°N | 4.807805°E | S2 | GC | D1 | Thomisidae | <i>Xysticus kochi</i>     | 1 | 1 | 0 |
| ANH | 50.320583°N | 4.802121°E | S2 | GF | D1 | Thomisidae | <i>Xysticus kochi</i>     | 2 | 0 | 0 |
| ARB | 50.371947°N | 4.829153°E | S2 | GC | D1 | Thomisidae | <i>Xysticus kochi</i>     | 2 | 0 | 0 |
| FOS | 50.396471°N | 4.658446°E | S2 | GC | D2 | Thomisidae | <i>Xysticus kochi</i>     | 1 | 0 | 0 |
| FOS | 50.396471°N | 4.658446°E | S3 | GC | D2 | Thomisidae | <i>Xysticus kochi</i>     | 1 | 0 | 0 |
| FOS | 50.397782°N | 4.656511°E | S2 | GF | D2 | Thomisidae | <i>Xysticus kochi</i>     | 1 | 0 | 0 |
| FOS | 50.397662°N | 4.658558°E | S3 | HF | D2 | Thomisidae | <i>Xysticus kochi</i>     | 0 | 1 | 0 |
| HER | 50.539276°N | 5.092059°E | S2 | HF | D2 | Thomisidae | <i>Xysticus kochi</i>     | 1 | 0 | 0 |
| HER | 50.539276°N | 5.092059°E | S2 | HF | D2 | Thomisidae | <i>Xysticus kochi</i>     | 1 | 0 | 0 |
| PHI | 50.108510°N | 4.611973°E | S3 | GF | D1 | Thomisidae | <i>Xysticus kochi</i>     | 1 | 0 | 0 |
| SAM | 50.485917°N | 4.617327°E | S3 | HC | D4 | Thomisidae | <i>Xysticus kochi</i>     | 1 | 0 | 0 |
| MAN | 50.496593°N | 4.276469°E | S2 | HF | D1 | Thomisidae | <i>Xysticus ulmi</i>      | 1 | 0 | 0 |
| PHI | 50.108405°N | 4.616025°E | S2 | HF | D2 | Thomisidae | <i>Xysticus ulmi</i>      | 1 | 0 | 0 |
| SAM | 50.487345°N | 4.612687°E | S2 | GF | D1 | Thomisidae | <i>Xysticus ulmi</i>      | 4 | 0 | 0 |

**Table OA2: Species list of spiders collected during the three sampling seasons.**

Sampling seasons: autumn 2023 (Season 1: 24 October – 7 December), early spring 2024 (Season 2: 9–19 April), and late spring 2024 (Season 3: 17–28 June). The colour code shown at the bottom left indicates species unique to each season or shared between seasons. The corresponding number (or proportion) of species is provided in parentheses.

| Season 1 (31)  |                                 | Season 2 (55) |                                | Season 3 (68) |                                 |
|----------------|---------------------------------|---------------|--------------------------------|---------------|---------------------------------|
| Family         | Species                         | Family        | Species                        | Family        | Species                         |
| Agelenidae     | <i>Inermocoelotes inermis</i>   | Agelenidae    | <i>Eratigena atrica</i>        | Agelenidae    | <i>Eratigena picta</i>          |
| Cicurinidae    | <i>Cicurina cicur</i>           | Agelenidae    | <i>Eratigena picta</i>         | Agelenidae    | <i>Histoipona torpida</i>       |
| Linyphiidae    | <i>Agyneta rurestris</i>        | Agelenidae    | <i>Inermocoelotes inermis</i>  | Agelenidae    | <i>Textrix denticulata</i>      |
| Linyphiidae    | <i>Bathyphantes gracilis</i>    | Araneidae     | <i>Cercidia prominens</i>      | Clubionidae   | <i>Clubiona lutescens</i>       |
| Linyphiidae    | <i>Centromerita bicolor</i>     | Dysderidae    | <i>Dysdera erythrina</i>       | Clubionidae   | <i>Clubiona neglecta</i>        |
| Linyphiidae    | <i>Centromerita concinna</i>    | Gnaphosidae   | <i>Haplodrassus signifer</i>   | Dysderidae    | <i>Dysdera erythrina</i>        |
| Linyphiidae    | <i>Centromerus sylvaticus</i>   | Gnaphosidae   | <i>Trachyzelotes pedestris</i> | Gnaphosidae   | <i>Drassyllus praeficus</i>     |
| Linyphiidae    | <i>Dicymbium nigrum</i>         | Gnaphosidae   | <i>Zelotes latreillei</i>      | Gnaphosidae   | <i>Drassyllus pusillus</i>      |
| Linyphiidae    | <i>Diplocephalus graecus</i>    | Gnaphosidae   | <i>Zelotes petrensis</i>       | Gnaphosidae   | <i>Haplodrassus signifer</i>    |
| Linyphiidae    | <i>Diplostyla concolor</i>      | Linyphiidae   | <i>Agyneta rurestris</i>       | Gnaphosidae   | <i>Haplodrassus silvestris</i>  |
| Linyphiidae    | <i>Erigone atra</i>             | Linyphiidae   | <i>Araeoncus humilis</i>       | Gnaphosidae   | <i>Micaria pulicaria</i>        |
| Linyphiidae    | <i>Erigone dentipalpis</i>      | Linyphiidae   | <i>Bathyphantes gracilis</i>   | Gnaphosidae   | <i>Trachyzelotes pedestris</i>  |
| Linyphiidae    | <i>Micrargus herbigradus</i>    | Linyphiidae   | <i>Centromerita bicolor</i>    | Gnaphosidae   | <i>Zelotes subterraneus</i>     |
| Linyphiidae    | <i>Neriere clathrata</i>        | Linyphiidae   | <i>Centromerus sylvaticus</i>  | Linyphiidae   | <i>Bathyphantes gracilis</i>    |
| Linyphiidae    | <i>Oedothorax apicatus</i>      | Linyphiidae   | <i>Dicymbium nigrum</i>        | Linyphiidae   | <i>Bathyphantes parvulus</i>    |
| Linyphiidae    | <i>Ostearius melanopygius</i>   | Linyphiidae   | <i>Dicymbium tibiale</i>       | Linyphiidae   | <i>Collinsia inerrans</i>       |
| Linyphiidae    | <i>Palliduphantes insignis</i>  | Linyphiidae   | <i>Diplocephalus graecus</i>   | Linyphiidae   | <i>Diplocephalus graecus</i>    |
| Linyphiidae    | <i>Palliduphantes pallidus</i>  | Linyphiidae   | <i>Diplostyla concolor</i>     | Linyphiidae   | <i>Diplostyla concolor</i>      |
| Linyphiidae    | <i>Porrhomma microphthalmum</i> | Linyphiidae   | <i>Erigone atra</i>            | Linyphiidae   | <i>Erigone atra</i>             |
| Linyphiidae    | <i>Prinerigone vagans</i>       | Linyphiidae   | <i>Erigone dentipalpis</i>     | Linyphiidae   | <i>Erigone dentipalpis</i>      |
| Linyphiidae    | <i>Stemonyphantes lineatus</i>  | Linyphiidae   | <i>Microlinyphia pusilla</i>   | Linyphiidae   | <i>Microlinyphia pusilla</i>    |
| Linyphiidae    | <i>Tenuiphantes tenuis</i>      | Linyphiidae   | <i>Monocephalus fuscipes</i>   | Linyphiidae   | <i>Oedothorax apicatus</i>      |
| Linyphiidae    | <i>Walckenaeria acuminata</i>   | Linyphiidae   | <i>Oedothorax apicatus</i>     | Linyphiidae   | <i>Oedothorax fuscus</i>        |
| Lycosidae      | <i>Pardosa amentata</i>         | Linyphiidae   | <i>Oedothorax fuscus</i>       | Linyphiidae   | <i>Oedothorax retusus</i>       |
| Lycosidae      | <i>Piratula latitans</i>        | Linyphiidae   | <i>Oedothorax retusus</i>      | Linyphiidae   | <i>Palliduphantes pallidus</i>  |
| Lycosidae      | <i>Trochosa ruricola</i>        | Linyphiidae   | <i>Sintula corniger</i>        | Linyphiidae   | <i>Tenuiphantes tenuis</i>      |
| Lycosidae      | <i>Trochosa terricola</i>       | Linyphiidae   | <i>Styloctetor compar</i>      | Linyphiidae   | <i>Tenuiphantes zimmermanni</i> |
| Pisauridae     | <i>Pisaura mirabilis</i>        | Linyphiidae   | <i>Tenuiphantes tenuis</i>     | Linyphiidae   | <i>Walckenaeria vigilax</i>     |
| Tetragnathidae | <i>Pachygnatha degeeri</i>      | Linyphiidae   | <i>Tiso vagans</i>             | Liocranidae   | <i>Agroeca brunnea</i>          |
| Theridiidae    | <i>Robertus arundineti</i>      | Linyphiidae   | <i>Walckenaeria antica</i>     | Lycosidae     | <i>Alopecosa cuneata</i>        |
| Theridiidae    | <i>Robertus neglectus</i>       | Linyphiidae   | <i>Walckenaeria vigilax</i>    | Lycosidae     | <i>Alopecosa pulverulenta</i>   |
|                |                                 | Liocranidae   | <i>Agroeca brunnea</i>         | Lycosidae     | <i>Arctosa leopardus</i>        |
|                |                                 | Lycosidae     | <i>Alopecosa pulverulenta</i>  | Lycosidae     | <i>Aulonia albimana</i>         |
|                |                                 | Lycosidae     | <i>Alopecosa cuneata</i>       | Lycosidae     | <i>Pardosa agrestis</i>         |
|                |                                 | Lycosidae     | <i>Pardosa amentata</i>        | Lycosidae     | <i>Pardosa amentata</i>         |
|                |                                 | Lycosidae     | <i>Pardosa hortensis</i>       | Lycosidae     | <i>Pardosa hortensis</i>        |
|                |                                 | Lycosidae     | <i>Pardosa nigriceps</i>       | Lycosidae     | <i>Pardosa lugubris</i>         |
|                |                                 | Lycosidae     | <i>Pardosa pratigava</i>       | Lycosidae     | <i>Pardosa monticola</i>        |

|               |                |                            |                |                               |
|---------------|----------------|----------------------------|----------------|-------------------------------|
|               | Lycosidae      | <i>Pardosa pullata</i>     | Lycosidae      | <i>Pardosa nigriceps</i>      |
|               | Lycosidae      | <i>Pardosa saltans</i>     | Lycosidae      | <i>Pardosa palustris</i>      |
|               | Lycosidae      | <i>Pardosa tenuipes</i>    | Lycosidae      | <i>Pardosa prativaga</i>      |
|               | Lycosidae      | <i>Trochosa ruricola</i>   | Lycosidae      | <i>Pardosa pullata</i>        |
|               | Lycosidae      | <i>Trochosa terricola</i>  | Lycosidae      | <i>Pardosa saltans</i>        |
|               | Mimetidae      | <i>Ero furcata</i>         | Lycosidae      | <i>Pardosa tenuipes</i>       |
|               | Miturgidae     | <i>Zora spinimana</i>      | Lycosidae      | <i>Pirata piraticus</i>       |
|               | Pisauridae     | <i>Pisaura mirabilis</i>   | Lycosidae      | <i>Piratula hygrophila</i>    |
|               | Tetragnathidae | <i>Pachygnatha clercki</i> | Lycosidae      | <i>Piratula latitans</i>      |
|               | Tetragnathidae | <i>Pachygnatha degeeri</i> | Lycosidae      | <i>Piratula uliginosa</i>     |
|               | Theridiidae    | <i>Robertus arundineti</i> | Lycosidae      | <i>Trochosa ruricola</i>      |
|               | Theridiidae    | <i>Robertus neglectus</i>  | Lycosidae      | <i>Trochosa spinipalpis</i>   |
|               | Thomisidae     | <i>Ozyptila praticola</i>  | Lycosidae      | <i>Trochosa terricola</i>     |
|               | Thomisidae     | <i>Xysticus acerbus</i>    | Lycosidae      | <i>Xerolycosa nemoralis</i>   |
|               | Thomisidae     | <i>Xysticus cristatus</i>  | Miturgidae     | <i>Zora spinimana</i>         |
|               | Thomisidae     | <i>Xysticus kochi</i>      | Phrurolithidae | <i>Phrurolithus festivus</i>  |
|               | Thomisidae     | <i>Xysticus ulmi</i>       | Pisauridae     | <i>Pisaura mirabilis</i>      |
| S1 (10)       |                |                            | Salticidae     | <i>Phlegra fasciata</i>       |
|               |                |                            | Tetragnathidae | <i>Metellina menzei</i>       |
|               |                |                            | Tetragnathidae | <i>Pachygnatha clercki</i>    |
|               |                |                            | Tetragnathidae | <i>Pachygnatha degeeri</i>    |
|               |                |                            | Theridiidae    | <i>Asagena phalerata</i>      |
|               |                |                            | Theridiidae    | <i>Enoplognatha latimana</i>  |
|               |                |                            | Theridiidae    | <i>Enoplognatha thoracica</i> |
|               |                |                            | Theridiidae    | <i>Robertus lividus</i>       |
|               |                |                            | Theridiidae    | <i>Robertus neglectus</i>     |
|               |                |                            | Thomisidae     | <i>Ozyptila praticola</i>     |
| S2 (15)       |                |                            | Thomisidae     | <i>Ozyptila simplex</i>       |
| S3 (32)       |                |                            | Thomisidae     | <i>Ozyptila trux</i>          |
| S1-S2 (6)     |                |                            | Thomisidae     | <i>Xysticus kochi</i>         |
| S1-S3 (2)     |                |                            |                |                               |
| S2-S3 (21)    |                |                            |                |                               |
| S1-S2-S3 (13) |                |                            |                |                               |



**Table OA3: Species list of spiders distributed according to their occurrence in sites.**

In brackets = number of species; TA = total abundance.

| Found at only 1-2 sites (52)    | TA | Found at 3-4 sites (13)       | TA  | Found at 5-6 sites (11)     | TA  | Found at 7-8 sites (11)        | TA  | Found at 9-10 sites (12)      | TA   |     |
|---------------------------------|----|-------------------------------|-----|-----------------------------|-----|--------------------------------|-----|-------------------------------|------|-----|
| <i>Araeoncus humilis</i>        | 1  | <i>Agroeca brunnea</i>        | 3   | <i>Aulonia albimana</i>     | 9   | <i>Agyneta rurestris</i>       | 20  | <i>Alopecosa pulverulenta</i> | 66   |     |
| <i>Asagena phalerata</i>        | 4  | <i>Alopecosa cuneata</i>      | 31  | <i>Bathypantes gracilis</i> | 30  | <i>Arctosa leopardus</i>       | 36  | <i>Erigone atra</i>           | 213  |     |
| <i>Bathypantes parvulus</i>     | 1  | <i>Centromerus sylvaticus</i> | 23  | <i>Drassyllus praeficus</i> | 11  | <i>Centromerita bicolor</i>    | 405 | <i>Erigone dentipalpis</i>    | 215  |     |
| <i>Centromerita concinna</i>    | 6  | <i>Cicurina cicur</i>         | 4   | <i>Drassyllus pusillus</i>  | 14  | <i>Diplostyla concolor</i>     | 26  | <i>Oedothorax apicatus</i>    | 308  |     |
| <i>Cercidia prominens</i>       | 1  | <i>Dicymbium nigrum</i>       | 3   | <i>Eratigena picta</i>      | 14  | <i>Oedothorax fuscus</i>       | 24  | <i>Pachygnatha degeeri</i>    | 307  |     |
| <i>Clubiona lutescens</i>       | 1  | <i>Diplocephalus graecus</i>  | 10  | <i>Ozyptila simplex</i>     | 13  | <i>Pachygnatha clercki</i>     | 17  | <i>Pardosa palustris</i>      | 240  |     |
| <i>Clubiona neglecta</i>        | 1  | <i>Histoipona torpida</i>     | 7   | <i>Pardosa nigriceps</i>    | 16  | <i>Pardosa amentata</i>        | 187 | <i>Pardosa pullata</i>        | 584  |     |
| <i>Collinsia inerrans</i>       | 1  | <i>Inermocoelotes inermis</i> | 17  | <i>Pardosa saltans</i>      | 47  | <i>Pardosa prativaga</i>       | 154 | <i>Piratula latitans</i>      | 55   |     |
| <i>Dicymbium tibiale</i>        | 1  | <i>Ozyptila praticola</i>     | 6   | <i>Xysticus cristatus</i>   | 20  | <i>Pardosa tenuipes</i>        | 60  | <i>Tenuiphantes tenuis</i>    | 187  |     |
| <i>Dysdera erythrina</i>        | 2  | <i>Pardosa hortensis</i>      | 5   | <i>Xysticus kochi</i>       | 15  | <i>Pisaura mirabilis</i>       | 18  | <i>Trochosa ruricola</i>      | 297  |     |
| <i>Enoplognatha latimana</i>    | 1  | <i>Piratula hygrophila</i>    | 5   | <i>Zora spinimana</i>       | 7   | <i>Trachyzelotes pedestris</i> | 19  | <i>Trochosa terricola</i>     | 232  |     |
| <i>Enoplognatha thoracica</i>   | 1  | <i>Piratula uliginosa</i>     | 3   | Total                       | 196 | Total                          | 966 | <i>Xysticus acerbus</i>       | 67   |     |
| <i>Eratigena atrica</i>         | 2  | <i>Xysticus ulmi</i>          | 6   | Mean                        | 18  | Mean                           | 88  | Total                         | 2771 |     |
| <i>Ero furcata</i>              | 1  | Total                         | 123 | Mean                        |     |                                |     |                               |      | 231 |
| <i>Haplodrassus signifer</i>    | 2  | Mean                          | 9   |                             |     |                                |     |                               |      |     |
| <i>Haplodrassus silvestris</i>  | 1  |                               |     |                             |     |                                |     |                               |      |     |
| <i>Metellina mengei</i>         | 1  |                               |     |                             |     |                                |     |                               |      |     |
| <i>Micaria pulicaria</i>        | 2  |                               |     |                             |     |                                |     |                               |      |     |
| <i>Micrargus herbigradus</i>    | 1  |                               |     |                             |     |                                |     |                               |      |     |
| <i>Microlinyphia pusilla</i>    | 2  |                               |     |                             |     |                                |     |                               |      |     |
| <i>Monocephalus fuscipes</i>    | 3  |                               |     |                             |     |                                |     |                               |      |     |
| <i>Neriene clathrata</i>        | 1  |                               |     |                             |     |                                |     |                               |      |     |
| <i>Oedothorax retusus</i>       | 9  |                               |     |                             |     |                                |     |                               |      |     |
| <i>Ostearius melanopygius</i>   | 1  |                               |     |                             |     |                                |     |                               |      |     |
| <i>Ozyptila trux</i>            | 1  |                               |     |                             |     |                                |     |                               |      |     |
| <i>Palliduphantes insignis</i>  | 1  |                               |     |                             |     |                                |     |                               |      |     |
| <i>Palliduphantes pallidus</i>  | 3  |                               |     |                             |     |                                |     |                               |      |     |
| <i>Pardosa agrestis</i>         | 1  |                               |     |                             |     |                                |     |                               |      |     |
| <i>Pardosa lugubris</i>         | 1  |                               |     |                             |     |                                |     |                               |      |     |
| <i>Pardosa monticola</i>        | 4  |                               |     |                             |     |                                |     |                               |      |     |
| <i>Phlegra fasciata</i>         | 1  |                               |     |                             |     |                                |     |                               |      |     |
| <i>Phrurolithus festivus</i>    | 3  |                               |     |                             |     |                                |     |                               |      |     |
| <i>Pirata piraticus</i>         | 2  |                               |     |                             |     |                                |     |                               |      |     |
| <i>Porrhomma microphthalmum</i> | 1  |                               |     |                             |     |                                |     |                               |      |     |
| <i>Prinerigone vagans</i>       | 1  |                               |     |                             |     |                                |     |                               |      |     |
| <i>Robertus arundineti</i>      | 4  |                               |     |                             |     |                                |     |                               |      |     |
| <i>Robertus lividus</i>         | 1  |                               |     |                             |     |                                |     |                               |      |     |
| <i>Robertus neglectus</i>       | 4  |                               |     |                             |     |                                |     |                               |      |     |

|                                 |            |
|---------------------------------|------------|
| <i>Sintula corniger</i>         | 1          |
| <i>Stemonyphantes lineatus</i>  | 2          |
| <i>Styloctetor compar</i>       | 1          |
| <i>Tenuiphantes zimmermanni</i> | 5          |
| <i>Textrix denticulata</i>      | 1          |
| <i>Tiso vagans</i>              | 3          |
| <i>Trochosa spinipalpis</i>     | 1          |
| <i>Walckenaeria acuminata</i>   | 6          |
| <i>Walckenaeria antica</i>      | 1          |
| <i>Walckenaeria vigilax</i>     | 3          |
| <i>Xerolycosa nemoralis</i>     | 1          |
| <i>Zelotes latreillei</i>       | 1          |
| <i>Zelotes petrensis</i>        | 1          |
| <i>Zelotes subterraneus</i>     | 1          |
| <b>Total</b>                    | <b>103</b> |
| <b>Mean</b>                     | <b>2</b>   |



